Historical Streamflow Summary

Saskatchewan

Sommaire chronologique de l'écoulement

TO/JUSQU'À **1982**

INLAND WATERS DIRECTORATE
WATER RESOURCES BRANCH
WATER SURVEY OF CANADA
OTTAWA, CANADA, 1983

DIRECTION GÉNÉRALE DES EAUX INTÉRIEURES
DIRECTION DES RESSOURCES EN EAU
DIVISION DES RELEVÉS HYDROLOGIQUES DU CANADA
OTTAWA, CANADA, 1983

Canada

85-3091/

Metric Commission Canada has granted use of the National Symbol for Metric Conversion. The metric usage in this text has been reviewed by the Metric Screening Office of the Canadian General Standards Board.

La Commission du système métrique Canada a autorisé l'utilisation du symbole national de conversion au système métrique. Le Service du contrôle métrique de l'Office des normes générales du Canada a revisé l'utilisation du système métrique dans cette publication.

One of the primary roles of the Water Resources Branch, Environment Canada, is to maintain a systematic hydrometric survey program across the nation. This survey involves the measurement of the flow and level of water in rivers, streams and lakes, as well as compilation, analysis and publication of the data. During 1983 the Water Resources Branch will be celebrating 75 years of dedication and service to the hydrologic community.

The history of the hydrometric survey in Canada can be traced back to 1894 when some stream measurement was done in connection with irrigation surveys. However, it was not until 1908, when Parliament made its first specific appropriation for gauging streams [illegible]etermining the water supply in southern Alberta and [illegible]atchewan, that the Hydrographic Survey was founded. The year 1911 saw the establishment of the Dominion Water Power Branch, which consolidated the hydrometric survey program already in operation for irrigation requirements, the water power investigation under way on the Winnipeg and Bow rivers, and the administration of water power on Dominion lands. In 1913 and subsequent years, arrangements were made with the provincial governments across Canada to continue the hydrometric survey program under the Dominion Water Power Branch, while passing the administration of nearly all water resources to the provinces.

In 1975 federal-provincial agreements were established which recognized that water quantity data may be collected to meet federal needs, provincial needs, or both. According to the agreements, the operation of the networks would be provided on a shared cost basis according to each party's needs.

The Dominion Water Power Branch has undergone numerous changes of name over the 75-year period, but a systematic program for the collection and publication of hydrometric data has remained. Today the program spans the nation, with data being collected at nearly 3500 different locations. The results are made available in annual publications and more recently, in a form suitable for computers. The program is being improved constantly to ensure a continued high calibre of service to the people of Canada.

L'une des principales fonctions de la Direction des ressources en eau d'Environnement Canada consiste à gérer un programme systématique de relevés hydrométriques partout au pays. Ces relevés comprennent la mesure du débit et du niveau de l'eau dans des cours d'eau et des lacs ainsi que le rassemblement, l'analyse et la publication des données. En 1983, la Direction des ressources en eau célébrera ses 75 ans de dévoués services aux hydrologistes.

Les premiers relevés hydrométriques au Canada remontent à 1894; on effectua alors certaines mesures dans des cours d'eau pour faire des relevés se rapportant à l'irrigation. Cependant, ce n'est qu'en 1908, année où le Parlement vota pour la première fois des crédits pour jauger des cours d'eau et calculer l'approvisionnement en eau dans le sud de l'Alberta et de la Saskatchewan, que les Relevés hydrographiques furent créés. L'année 1911 vit la mise sur pied des Services des forces hydrologiques du Dominion, qui réunissaient le programme déjà en cours de relevés hydrométriques à des fins d'irrigation, l'étude de l'aménagement hydro-électrique des rivières Winnipeg et Bow, qui était en cours, et la gestion des ressources hydro-électriques des terres du Dominion. En 1913 et au cours des années qui suivirent, des ententes furent conclues avec les gouvernements provinciaux en vertu desquelles le programme de relevés hydrométriques serait poursuivi sous l'autorité des Services des forces hydrologiques du Dominion, tandis que la gestion de presque toutes les ressources en eau irait aux provinces.

En 1975, les gouvernements fédéral et provinciaux conclurent des accords stipulant que des données sur le débit des eaux pouvaient être recueillies pour répondre aux besoins du fédéral ou des administrations provinciales, les coûts étant partagés entre chaque partie en proportion de ses besoins.

Les Services des forces hydrologiques du Dominion ont changé plusieurs fois de nom depuis 75 ans, mais il y a toujours eu un programme systématique de collecte et de publication des données hydrométriques. Aujourd'hui, le programme s'étend à tout le pays, et des données sont recueillies dans presque 3500 stations différentes. Les résultats paraissent dans des publications annuelles et, depuis quelque temps, ils sont présentés de façon à être traités par informatique. Le programme est amélioré pour que les Canadiens puissent profiter constamment d'un service de haute qualité.

© Minister of Supply and Services Canada 1983
Cat. No. En 36-418/1982-4
ISBN 0-662-52827-1
T&H PRINTERS LIMITED
Contract No. KN107-3-5003

PREFACE

This publication was prepared by personnel of the Water Survey of Canada Division under the direction of the Director, Water Resources Branch, Department of the Environment, Ottawa.

The basic data were collected and compiled under the supervision of the Regional Chief of the Water Resources Branch at Regina, Saskatchewan.

The co-operation received from provincial agencies and from other organizations is gratefully acknowledged.

PRÉFACE

La Division des relevés hydrologiques du Canada, sous l'autorité du Directeur des ressources en eau du ministère de l'Environnement (Ottawa), a préparé la présente publication.

On a recueilli et compilé les données de base sous la supervision du Chef régional de la Direction des ressources en eau, à Régina (Saskatchewan).

On remercie vivement les organismes provinciaux, ou autres, pour la coopération qu'ils ont apportée.

CONTENTS

	PAGE
Preface	iii
Introduction	iv
Organization and History of Hydrometric Survey Operations	v
Co-operation and Acknowledgments	v
Conversion Factors	vi
Definition of Terms and Abbreviations	vii
Publication of Surface Water and Sediment Data	vii
Explanation of Historical Streamflow Summary Publication	
General Description	ix
Method of Tabulation of Data	ix
Revisions	xi
Accuracy of Hydrometric Data	xii
Microfiche	xii
Streamflow Data, Gauging Stations in Alphabetical Order	1
Index of Gauging Stations	373

TABLE DES MATIÈRES

	PAGE
Préface	iii
Introduction	iv
Organisation et historique des relevés hydrométriques	v
Coopération et remerciement	v
Facteurs de conversion	vi
Définitions des termes et abréviations	vii
Publication des données sur les eaux de surface et les sédiments	vii
Explication du *Sommaire chronologique de l'écoulement*	
Description générale	ix
Présentation sous forme de tableaux des données	ix
Révisions	xi
Exactitude des données hydrométriques	xii
Microfiche	xii
Données sur les eaux de surface — Stations de jaugeage énumérées dans l'ordre alphabétique	1
Index des stations de jaugeage	373

INTRODUCTION

The Water Resources Branch of the Department of the Environment herein presents a summary of monthly and annual mean discharges and annual extremes of discharge for rivers in Saskatchewan for which streamflow data to 1982 inclusive have been collected by the Water Survey of Canada. This edition supersedes all previous editions.

A program for the collection and publication of Surface Water Data has been carried on across Canada for over 75 years. The results of these hydrometric survey investigations have been published annually.

Discharge data are available on punched cards or magnetic tape for computer processing. These data and details on individual stations and related records, as well as recent data which have not yet been published may be obtained upon application to:

Regional Chief,
Water Resources Branch,
Department of the Environment,
G.M.C. Building,
1102-8th Avenue,
Regina, Saskatchewan,
S4R 1C9

or to the Director, Water Resources Branch, Department of the Environment, Ottawa, Ontario, K1A 0E7.

INTRODUCTION

La Direction des ressources en eau du ministère de l'Environnement présente un sommaire des moyennes mensuelles et annuelles de l'écoulement et des extrêmes annuels de cours d'eau du Saskatchewan, pour lesquels la Division des relevés hydrologiques du Canada a obtenu des données jusqu'en 1982 inclusivement. La présente publication annule toutes les éditions antérieures.

La cueillette et la publication de données sur les eaux de surface sont en oeuvre depuis plus de 75 années au Canada. Les données obtenues à partir des relevés hydrométriques sont publiées annuellement.

On peut se procurer les données sur l'écoulement sous forme de cartes perforées ou de rubans magnétiques pour traitement sur ordinateur. En s'adressant aux endroits ci-après, on peut obtenir ces données, des renseignements supplémentaires sur certaines stations particulières et divers relevés ainsi que des données récentes non encore publiées:

Chef régional
Direction des ressources en eau
Ministère de l'Environnement
Édifice G.M.C.
1102, Huitième avenue
Régina (Saskatchewan)
S4R 1C9

ou au Directeur, Direction des ressources en eau, ministère de l'Environnement, Ottawa (Ontario), K1A 0E7.

ORGANIZATION AND HISTORY OF HYDROMETRIC SURVEY OPERATIONS

Hydrometric surveys in Saskatchewan were conducted by the Water Survey of Canada under agreement with the Province of Saskatchewan. The provincial authorities contributed to the cost of the basic field investigations which were carried out in accordance with mutually agreed-upon plans.

Stream measurement work was carried on between 1894 and 1908 in connection with the Canadian Irrigation Surveys. Early in 1909 the Hydrometric Survey was organized as part of the Forestry and Irrigation Branch and was conducted by the Branch until 1911. The Hydrometric Survey was then assigned to the Irrigation Branch (later the Reclamation Service) remaining in that organization until July, 1920, when it was transferred to the Dominion Water Power Branch. Following the transfer of the natural resources of Saskatchewan to provincial control as of October 1, 1930, a co-operative agreement was arranged with the Government of Saskatchewan for the continuance of the hydrometric survey by the federal government. Although this agreement was terminated in 1933 work was continued by the federal government under letter arrangement until 1975. A co-operative agreement, (with an implementation date of April 1, 1975), was signed with the Government of Saskatchewan on February 18, 1975. The agreement provides that water quantity surveys will be continued by the federal government on a shared cost basis.

ORGANISATION ET HISTORIQUE DES RELEVÉS HYDROMÉTRIQUES

La Division des relevés hydrologiques du Canada a effectué des relevés hydrométriques en Saskatchewan en vertu de l'accord conclu avec les autorités provinciales, qui ont contribué au coût des recherches de base réalisées sur le terrain, après entente mutuelle sur leur programme.

Entre 1894 et 1908, des relevés ont été effectués en même temps que les levés canadiens relatifs à l'irrigation. Au début de l'année 1909, un service des relevés hydrométriques a été créé au sein de la Direction des forêts et de l'irrigation, qui s'en est occupée jusqu'en 1911. L'exécution de ces relevés a ensuite été confiée à la Direction de l'irrigation (devenue plus tard le Service de la mise en valeur des terres), et ce jusqu'en juillet 1920, date à laquelle la Direction fédérale de l'énergie hydraulique en a pris charge. Après que la responsabilité des ressources naturelles de la Saskatchewan a passé à cette dernière, le 1er octobre 1930, un accord de coopération a été conclu avec son gouvernement, aux termes duquel le gouvernement fédéral s'est engagé à poursuivre l'exécution des relevés hydrométriques. L'accord a pris fin en 1933, mais en vertu d'une lettre d'entente, le gouvernement fédéral a continué d'exécuter les observations hydrométriques jusqu'en 1975. Le 18 février 1975, le gouvernement de la Saskatchewan a signé un nouvel accord, qui est entré en vigueur le 1er avril 1975, renfermant des dispositions grâce auxquelles le gouvernement fédéral s'occupera du programme de relevés hydrométriques et partagera le coût des mesures avec la province.

CO—OPERATION AND ACKNOWLEDGMENTS

Co-operative undertakings with other agencies form an important part of the activities of the Water Survey of Canada. Close co-operation has been maintained with public agencies and private organizations concerned with water resources. Runoff and other data have been mutually exchanged and stream-gauging operations have been facilitated by the assistance received from a number of organizations.

On waters adjacent to the International Boundary, certain gauging stations are maintained by Canada (or the United States) under agreement with the United States (or Canada) and the records are collected and compiled in a manner equally acceptable to both countries. These stations are designated as "International Gauging Stations" in this publication.

For the valuable assistance and co-operation received in obtaining hydrometric survey records, the Water Survey of Canada is indebted to many organizations.

The names of these organizations are given in the Surface Water Data Reference Index and the annual Surface Water Data publications. The names of agencies who have contributed data for publication are identified herein under individual stations.

COOPÉRATION ET REMERCIEMENTS

Le travail entrepris en coopération avec d'autres organismes représente une partie importante des activités de la Division des relevés hydrologiques du Canada. On a maintenu une étroite collaboration avec les organismes, publics ou privés, qui s'intéressent aux ressources en eau. On a échangé des données portant sur l'écoulement ou sur d'autres points, et l'assistance fournie par beaucoup d'organismes a facilité les opérations de jaugeage.

Pour ce qui est des eaux adjacentes à la frontière internationale, certaines stations de jaugeage dépendent du Canada (ou des États-Unis) suite à un accord avec les États-Unis (ou le Canada), et les relevés sont faits et compilés de façon à satisfaire les deux pays. Ces stations sont nommées «Stations internationales de jaugeage».

La Division des relevés hydrologiques du Canada est redevable à maints organismes de l'aide et de la collaboration précieuses qu'ils lui ont apportées lors de la prise des relevés hydrométriques.

On trouvera les noms des organismes dans l'*Index de référence des données sur les eaux de surface* et dans les publications annuelles des *Données sur les eaux de surface*. Les noms des organismes qui ont fourni des données apparaissent dans la présente publication sous les stations particulières.

CONVERSION FACTORS

The following list of convenient equivalents of measure gives the relationship between imperial units and the International System of Units (SI).

1 inch equals 2.54 cm (centimetres)
1 foot equals 0.3048 m (metre)
1 statute mile equals 1.6093 km (kilometres)

1 cm (centimetre) equals 0.393 70 inch
1 m (metre) equals 3.2808 feet
1 km (kilometre) equals 0.621 37 mile

1 acre equals 43 560 square feet
1 acre equals 0.404 69 ha (hectare)
1 square mile equals 640 acres
1 square mile equals 2.5900 km^2 (square kilometres)
1 square mile equals 259.0 ha (hectares)

1 ha (hectare) equals 10 000 m^2 (square metres)
1 ha (hectare) equals 2.4710 acres
1 km^2 (square kilometre) equals 0.386 10 square mile

1 cubic foot equals 6.2288 imperial gallons
1 imperial gallon equals 4.546 09 L (litres)
1 imperial gallon equals 1.2010 U.S. gallons
1 U.S. gallon equals 0.133 68 cubic foot
1 cubic foot equals 0.068 317 m^3 (cubic metre)
1 m^3 (cubic metre) equals 35.315 cubic feet

1 cubic foot per second for one day equals 1.9835 acre-feet
1 cubic foot per second for one day covers one square mile to a depth of 0.037 19 inch
1 acre-foot equals 1.2335 dam^3 (cubic decametres)
1 m^3/s (cubic metre per second) for one day equals 86.4 dam^3 (cubic decametre)
1 m^3/s (cubic metre per second) for one day covers one square kilometre to a depth of 0.0864 m (metre)

1 foot per second equals 0.6818 mile per hour
1 mile per hour equals 1.467 feet per second
1 m/s (metre per second) equals 3.6 km/h (kilometre per hour)
1 km/h (kilometre per hour) equals 0.2778 m/s (metre per second)

1 cubic foot per second equals 0.028 317 m^3/s (cubic metre per second)
1 m^3/s (cubic metre per second) equals 35.315 cubic feet per second

1 pound equals 0.453 59 kg (kilogram)
1 kg (kilogram) equals 2.2046 pounds

1 short ton (2000 pounds) equals 0.907 18 t (tonne)
1 t (tonne) equals 2204.6 pounds

degrees Celsius = 5/9 (degrees Fahrenheit - 32)
degrees Fahrenheit = 9/5 (degrees Celsius) + 32

FACTEURS DE CONVERSION

Voici une liste des unités de mesure impériales et leurs équivalences dans le Système international d'unités (SI).

1 pouce vaut 2.54 cm (centimètres)
1 pied vaut 0.3048 m (mètre)
1 mille terrestre équivaut à 1.6093 km (kilomètre)

1 cm (centimètre) équivaut à 0.393 70 pouce
1 m (mètre) équivaut à 3.2808 pieds
1 km (kilomètre) équivaut à 0.621 37 mille

1 acre vaut 43 560 pieds carrés
1 acre équivaut à 0.404 69 ha (hectare)
1 mille carré vaut 640 acres
1 mille carré équivaut à 2.5900 km^2 (kilomètres carrés)
1 mille carré équivaut à 259.0 ha (hectare)

1 ha (hectare) vaut 10 000 m^2 (mètres carrés)
1 ha (hectare) équivaut à 2.4710 acres
1 km^2 (kilomètre carré) équivaut à 0.386 10 mille carré

1 pied cube équivaut à 6.2288 gallons impérials
1 gallon impérial vaut 4.546 09 L (litres)
1 gallon impérial équivaut à 1.2010 gallon américain
1 gallon américain équivaut à 0.133 68 pied cube
1 pied cube vaut 0.068 317 m^3 (mètre cube)
1 m^3 (mètre cube) vaut 35.315 pieds cubes

1 pied cube par seconde pendant un jour équivaut à 1.9835 acre-pied
1 pied cube par seconde pendant un jour équivaut à un volume d'un mille carré par 0.037 19 pouce
1 acre-pied équivaut à 1.2335 dam^3 (décamètres cubes)
1 m^3/s (mètre cube par seconde) pour un jour vaut 86.4 dam^3 (décamètre cube)
1 m^3/s (mètre cube par seconde) pour un jour couvre un kilomètre carré à une profondeur de 0.0864 m (mètre)

1 pied par seconde équivaut à 0.6818 mille par heure
1 mille par heure équivaut à 1.467 pied par seconde
1 m/s (mètre par seconde) vaut 3.6 km/h (kilomètre par heure)
1 km/h (kilomètre par heure) vaut 0.2778 m/s (mètre par seconde)

1 pied cube par seconde équivaut à 0.028 317 m^3/s (mètre cube par seconde)
1 m^3/s (mètre cube par seconde) équivaut à 35.315 pieds cubes par seconde

1 livre équivaut à 0.453 59 kg (kilogramme)
1 kg (kilogramme) équivaut à 2.2046 livres

1 tonne courte (2000 livres) équivaut à 0.907 18 t (tonne)
1 t (tonne) équivaut à 2204.6 livres

degrés Celsius = 5/9 (degrés Fahrenheit - 32)
degrés Fahrenheit = 9/5 (degrés Celsius) + 32

DEFINITION OF TERMS AND ABBREVIATIONS

"Control" is the condition downstream from a gauging station that determines the stage-discharge relationship. It may be a stretch of rapids, a weir or other artificial structure. In the absence of such features, the control may be a less obvious condition such as a convergence of the channel or even simply the resistance to flow through a downstream reach. A shifting control exists where the stage-discharge relationship tends to change because of impermanent bed or banks.

"Cubic metres per second" (m^3/s) is a unit expressing rate of discharge. One cubic metre per second is equal to one cubic metre of water flowing past a particular point in one second. This is the basic unit in general use, other units being computed from it by the use of factors as given in the previous paragraph under "Conversion Factors".

"Gauging station" is a location where systematic records of stage or stage and discharge are obtained.

"Miscellaneous (or related) data" is all data not published in the regular series of hydrometric and sediment data publications such as unpublished water levels and the various parameters that are measured in obtaining discharge measurements, e.g. water depth, velocity, width, air and water temperatures, ice thickness. This also includes discharge measurements and water level and sediment observations obtained at locations which are not regular gauging stations. Various types of "derived" data could also be considered "miscellaneous", such as water levels and discharges at selected time intervals (usually hourly).

"Stage-discharge relationship" is the relation between the water level and the discharge at a gauging station.

PUBLICATION OF SURFACE WATER AND SEDIMENT DATA

Surface Water Data have been published in a variety of formats in imperial units since 1908 in approximately 280 publications which are now mostly out-of-print. Commencing with the 1979 publications, data are presented in the International System of Units (SI). However, the format has remained the same wherein Canada is divided into eight regions. The provinces each represent a separate region except for New Brunswick, Newfoundland, Nova Scotia and Prince Edward Island which together form the Atlantic Provinces region, and the Yukon and Northwest Territories which make up another. The publications are identified by the province(s) or territories covered and the year in which data were collected. These data are published annually on a calendar-year basis and the stations are listed alphabetically, with two years of data per page.

The first edition of a *Surface Water Data Reference Index* was published for data to 1966 by province or region. Subsequent editions were published annually or biennially in one publication for Canada. Commencing with the 1979 publication, data are

DÉFINITIONS DES TERMES ET ABRÉVIATIONS

«Élément régulateur» – élément qui conditionne l'écoulement en aval d'une station de jaugeage et qui détermine la relation hauteur-débit au niveau de la station. Ce peut être une série de rapides, un déversoir ou toute autre structure artificielle. En l'absence de ces structures, l'élément régulateur peut provenir d'une condition moins apparente comme le rétrécissement d'un chenal ou simplement la résistance à l'écoulement d'un tronçon situé en aval. Il y a élément régulateur changeant quand la relation hauteur-débit tend à être modifiée par un lit ou des rives instables.

«Mètres cubes par seconde» (m^3/s) – unité du taux d'écoulement. Un mètre cube par seconde équivaut à un mètre cube d'eau s'écoulant en un point donné en une seconde. C'est l'unité de base généralement employée, les autres unités dérivées à partir de celle-ci sont données sous la rubrique «Facteurs de conversion».

«Station de jaugeage» – lieu où l'on effectue des relevés systématiques de la hauteur ou de la hauteur et du débit de l'eau.

«Les données diverses (ou connexes)» – représentent toutes les données qui ne sont pas publiées dans les séries régulières des publications sur les données hydrométriques et les sédiments, par exemple celles des niveaux des eaux et des autres paramètres qui sont mesurés en même temps que le débit, soit la profondeur de l'eau, sa vitesse, son étendue, la température de l'eau et de l'air, l'épaisseur de la glace. Les mesures de débit ainsi que les observations sur les niveaux des eaux et les sédiments, obtenues à des emplacements autres que les stations régulières de jaugeage, sont aussi incluses. D'autres types de données «dérivées» pourraient aussi être classées dans cette catégorie de données «diverses», à savoir les niveaux des eaux et les débits observés à des intervalles de temps précis (en général, toutes les heures).

«Relation hauteur-débit» – relation qui existe entre la hauteur et le débit au niveau d'une station de jaugeage.

PUBLICATION DES DONNÉES SUR LES EAUX DE SURFACE ET LES SÉDIMENTS

Depuis 1908, les *Données sur les eaux de surface* ont été publiées, en utilisant diverses formules et en ayant recours au système d'unités impériales, dans quelque 280 publications lesquelles sont pour la plupart épuisées. À partir de 1979, les données sont fournies dans le Système international d'unités (SI). Toutefois, la présentation est toujours la même, c'est-à-dire que le Canada est divisé en huit régions. Chaque province représente une région distincte sauf le Nouveau-Brunswick, la Terre-Neuve, la Nouvelle-Écosse et l'Île du Prince-Édouard qui constituent la région des provinces de l'Atlantique, comme c'est le cas aussi pour le Yukon et les Territoires du Nord-Ouest qui sont réunis en une seule région. Les publications sont identifiées par le nom des provinces ou territoires concernés et par l'année de la cueillette des données. Les données sont publiées annuellement, en fonction de l'année civile, et les stations sont classées par ordre alphabétique, chaque page de données couvrant deux années.

La première édition de l'*Index de référence des données sur les eaux de surface* comprenait les données disponibles jusqu'en 1966, de chaque province ou région. Les éditions subséquentes étaient publiées annuellement ou tous les deux ans en une seule publication

presented in the International System of Units (SI) and published every two years. Gauging stations are listed by province or territory, in upstream to downstream order. Coloured maps showing the locations of both active and discontinued stations were included in the first and second editions and were provided in a separate Hydrometric Map Supplement to the 1972 and the 1977 editions. The latest editions of the Reference Index and the Hydrometric Map Supplement supersede all previous editions.

pour tout le Canada. À partir de 1979, les données sont fournies dans le Système international d'unités (SI) et les éditions subséquentes vont paraître tous les deux ans. Les stations de jaugeage sont présentées par province ou territoire et placées dans l'ordre de leur position, d'amont en aval. Des cartes en couleurs, qui indiquent l'emplacement des stations hydrométriques en service, y compris celles qui ne le sont plus, ont paru dans les première et deuxième éditions ainsi que dans le *Supplément de cartes hydrométriques* de 1972 et de 1977. L'édition la plus récente de l'*Index de référence* et celle du *Supplément de cartes hydrométriques* annulent les éditions antérieures.

The first edition of a publication series titled *Historical Streamflow Summary* was produced for data to 1970. Subsequent editions have been published every three years. This publication series contains a summary of historical monthly and annual mean discharges and annual extremes for the entire period of record for all stations where streamflow data have been collected during the history of the Water Survey of Canada. Data are published by province or region, as for the annual Surface Water Data publications. Commencing with the 1979 publications, data are presented in the International System of Units (SI). Editions subsequent to 1982 will be published every two years. The latest edition supersedes all previous editions since it contains any corrections or additions since the last publication.

La première édition d'une série de publications intitulée *Sommaire chronologique de l'écoulement* renfermait les données disponibles jusqu'en 1970. Les éditions subséquentes étaient publiées tous les trois ans. Cette série de publications renferme un résumé des moyennes mensuelles et annuelles des débits ainsi que les débits extrêmes annuels pour toute la période d'enregistrement et pour toutes les stations où des données de débit sont recueillies par la Division des relevés hydrologiques du Canada. Les données sont publiées par province ou région, comme c'est le cas pour les publications annuelles des données sur les eaux de surface. À partir de 1979, les données sont fournies dans le Système international d'unités (SI). Les éditions subséquentes à 1982 vont paraître tous les deux ans. L'édition la plus récente annule toutes les éditions antérieures, car elle renferme toutes les corrections et mises à jour depuis la dernière parution.

The first edition of a publication series titled *Historical Water Levels Summary* was produced for data to 1976. This publication series contains a summary of historical monthly and annual mean water levels and annual extremes for the period of record for all stations on lakes or reservoirs where water level data have been collected during the history of the Water Survey of Canada. It also contains a summary of water level data for all stations on rivers where "water levels only" were collected or for certain stations on rivers where streamflow data are collected, but the historical water level information is considered to be of sufficient demand to warrant inclusion in the publication (daily water levels for stations where streamflow data are collected are not normally published in the annual Surface Water Data publications). Data are published by province or region, as for the annual Surface Water Data publications. Commencing with the 1979 publications, data are presented in the International System of Units (SI). The 1983 edition will be the last hard copy edition; subsequent editions will be published every two years on microfiche only. The latest edition supersedes all previous editions since it contains any corrections or additions since the last publication.

La première édition d'une série de publications intitulée *Sommaire chronologique des niveaux d'eau* comprenait les données disponibles jusqu'en 1976. Cette série de publications contient un résumé des niveaux moyens mensuels et annuels ainsi que des niveaux extrêmes annuels pour la période d'enregistrement pour toutes les stations de lacs ou de réservoirs où des données sur les niveaux d'eau sont recueillies par la Division des relevés hydrologiques du Canada. Elle renferme également un résumé des niveaux d'eau pour toutes les stations de rivières effectuant «uniquement» des relevés de niveaux d'eau ou pour certaines stations de rivières où des données de débit sont recueillies de même que des données sur les niveaux d'eau qui peuvent répondre aux besoins des utilisateurs (en général, les niveaux d'eau quotidiens de stations effectuant des relevés de débit ne sont pas publiées dans les publications annuelles des données sur les eaux de surface). Les données sont publiées par province ou région, comme c'est le cas pour les publications annuelles des données sur les eaux de surface. À partir de 1979, les données sont fournies dans le Système international d'unités (SI). L'édition de 1983 sera la dernière édition imprimé sur papier; les éditions suivantes seront disponibles tous les deux ans sur microfiche seulement. L'édition la plus récente annule toutes les éditions antérieures, car elle renferme toutes les corrections et mises à jour depuis la dernière parution.

During the years 1948–1960, some sediment data were collected for several prairie rivers to meet the demands of particular projects and the results included in the 1961 publication. All subsequent editions titled *Sediment Data Canadian Rivers* were published annually, the same as for the Surface Water Data publications but in one volume. Commencing with the 1978 publication, data are presented entirely in the International System of Units (SI) and will continue to be published on an annual basis.

De 1948 à 1960, certaines données sur les sédiments étaient recueillies de divers cours d'eau des Prairies afin de répondre aux besoins de projets particuliers et les résultats paraissaient dans l'édition de 1961. Toutes les éditions subséquentes intitulées *Données sur les sédiments de rivières canadiennes* étaient publiées annuellement, comme c'est le cas pour les données sur les eaux de surface, mais dans un seul tome. À partir de 1978, les données sont fournies dans le Système international d'unités (SI) et la publication va paraître chaque année.

The first edition of a *Sediment Data Reference Index* was published for data to 1972. It contains a tabulation of locations where sediment data in Canada were collected by the Water Survey

La première édition de l'*Index de référence des données sur les sédiments* renfermait les données disponibles jusqu'en 1972. Elle comprenait une mise en tableaux des emplacements où des données

of Canada. The index has been subdivided alphabetically by province or territory, with sediment survey stations listed alphabetically. Commencing with the 1978 publication, data are presented in the International System of Units (SI) and will continue to be published every two years. The latest edition supersedes all previous editions since it contains any corrections or additions since the last publication.

The first edition of a new two-year publication series titled *Historical Sediment Data Summary for Canadian Rivers* was produced for data to 1974. This publication contains a summary of historical monthly and annual mean suspended sediment load, and annual extremes of daily suspended sediment concentration and loads and total annual suspended load. Commencing with the 1978 publication, data are presented entirely in the International System of Units (SI). Publications were not produced in 1980 or 1982, but beginning with the 1983 edition, future editions will be published every two years. The latest edition supersedes all previous editions since it contains any corrections or additions since the last publication.

sur les sédiments sont recueillies au Canada par la Division des relevés hydrologiques. L'Index est subdivisé alphabétiquement par province ou territoire et les stations de relevés des sédiments sont classées en ordre alphabétique. À partir de 1978, les données sont fournies dans le Système international d'unités (SI) et sont publiées tous les deux ans. L'édition la plus récente annule toutes les éditions antérieures, car elle renferme toutes les corrections et mises à jour depuis la dernière parution.

La première édition d'une nouvelle série de publications paraissant tous les deux ans et intitulée *Sommaire chronologique des données sur les sédiments de rivières canadiennes* renfermait les données disponibles jusqu'en 1974. Cette série présente un résumé des moyennes mensuelles et annuelles de la charge de sédiments en suspension, des extrêmes annuels de la concentration quotidienne et de la charge quotidienne des sédiments en suspension, ainsi que de la charge totale annuelle des sédiments en suspension. À partir de 1978, les données sont fournies dans le Système international d'unités (SI). Il n'y a pas eu de publications en 1980 ni en 1982, mais à partir de 1983, les éditions vont paraître tous les deux ans. L'édition la plus récente annule toutes les éditions antérieures, car elle renferme toutes les corrections et mises à jour depuis la dernière parution.

EXPLANATION OF HISTORICAL STREAMFLOW SUMMARY PUBLICATION

A. General Description

Descriptive information about a gauging station is given herein below the table of monthly and annual mean discharges. This refers to such items as latitude and longitude, drainage area and whether the flow is natural or regulated (the year that regulation began is given, if known); International Gauging Stations are identified and the names of co-operating agencies who supply data are given; unusual conditions are explained under "Remarks".

This descriptive information (except the "Remarks" statement) is also given in the Surface Water Data Reference Index and the annual Surface Water Data publications. However, these two publications contain additional information not given herein such as the type of gauge, period of record and other pertinent remarks. Historical streamflow data as contained herein are published by province or region and also in alphabetical order as in the annual Surface Water Data publications. However, the Historical Streamflow Summary publications contain data for both active and discontinued streamflow stations and do not contain any water level data. These publications will be published every two years and will contain data for all streamflow stations for the entire period of record not just the data for the intervening two years.

B. Method of Tabulation of Data

For gauging stations where systematic streamflow data have been obtained, the following are given for the period of record to 1982 inclusive:

1. Summary of monthly and annual mean discharges;
2. Annual maximum instantaneous discharges;

EXPLICATION DU *SOMMAIRE CHRONOLOGIQUE DE L'ÉCOULEMENT*

A. Description générale

Sous ce titre on trouve les renseignements descriptifs pour une station de relevés de l'écoulement, qui sont fournis après l'extrait des moyennes mensuelles et annuelles. Il s'agit de la latitude et de la longitude; de la superficie du bassin versant; du débit reconnu comme naturel ou régularisé (on indique l'année où la régularisation a débuté, si elle est connue); des stations internationales de jaugeage et des noms des organismes ayant fourni des données ainsi que des précisions sur les conditions spéciales qui prévalaient à la station (elles figurent dans les «Remarques»).

On trouvera également ces renseignements descriptifs (sauf les «Remarques») dans l'*Index de référence des données sur les eaux de surface* et dans les publications annuelles des *Données sur les eaux de surface*. Cependant, ces dernières traitent d'information additionnelles telles que du type de jauge, de la période d'enregistrement et d'autres remarques pertinentes. Les données historiques sur l'écoulement, qui sont contenues dans la présente publication, sont subdivisées en ordre alphabétique selon les provinces ou les territoires comme pour les publications annuelles des *Données sur les eaux de surface*. Par contre, le *Sommaire chronologique de l'écoulement* contient des données non seulement de stations en opération, mais aussi de stations qui ne le sont plus; aucune donnée sur le niveau des eaux n'est toutefois fournie. Cette publication paraîtra tous les deux ans et portera sur les données de toutes les stations de relevés de l'écoulement pour toute la période d'enregistrement plutôt que sur les données qui ne couvrent que les deux années.

B. Présentation sous forme de tableaux des données

Pour les stations où on a effectué un relevé systématique de l'écoulement, les données suivantes sont présentées pour la période d'enregistrement allant jusqu'en 1982 inclusivement:

1. Un extrait des moyennes mensuelles et annuelles;
2. Un tableau des valeurs annuelles maximales instantanées;

3. Annual maximum and minimum daily discharges;

4. Identification of the extreme recorded for the period of record;

5. Annual total discharge in cubic decametres.

The following standard symbols are used opposite the daily discharge to which they apply. These symbols will not appear opposite the monthly and annual mean discharges, but will appear with the annual maximum instantaneous value and the annual maximum and minimum daily values, if applicable:

A – Manual Gauge - indicates that one or more manual gauge observations per day were obtained and used as the mean for the day for a gauging station equipped with a recording gauge during that particular year. A station may have several periods of recording or manual gauges throughout its history. For more details concerning the type of gauge operated during the period of record, the *Surface Water Data Reference Index* should be consulted. This symbol is used during open-water periods only.

B – Ice Conditions – indicates that the presence of ice has affected the stage-discharge relationship.

E – Estimated – indicates any estimated data. It indicates that the value was determined by some indirect method such as interpolation, extrapolation, estimation from a graph of observed readings, comparison with other streams or by comparison with meteorological data.

R – Revised – indicates that a revision, correction or addition has been made to the historical discharge data base after January 1, 1980.

1. *The summary of monthly and annual mean discharge* gives:

(a) the monthly mean in cubic metres per second for each month for which there is a complete month of daily discharges. Records of daily discharges for partial months, if obtained, are published in annual publications or are available from the Regional Chief;

(b) the annual mean discharge in cubic metres per second if there are daily discharges for the complete year. In some cases a mean discharge is computed for a standard period within the year, say March to October. This is then computed for all the years for which there are daily discharge records from March to October, if there are also records for other months, say January to October, the mean is given for March to October only;

(c) the mean of all the monthly means;

(d) the mean of all the annual or standard period means.

3. Un tableau des valeurs quotidiennes maximale et minimale annuelles;

4. Un tableau des valeurs extrêmes enregistrées pour toute la période d'observation;

5. Un résumé de l'écoulement annuel total en décamètres cubes.

Les symboles normalisés donnés ci-après sont inscrits à côté des débits quotidiens auxquels ils se rapportent. Les symbols ne sont fournis ni avec les débits moyens mensuels, ni avec les débits moyens annuels, mais ils paraissent avec les valeurs appropriées, c'est-à-dire la valeur instantanée maximale annuelle et les valeurs quotidiennes maximale et minimale annuelles:

A – Jauge manuelle – indique qu'on a effectué à une station de jaugeage dotée d'une jauge enregistreuse au moins une observation par jour à l'aide d'une jauge manuelle et qu'on s'en est servi comme moyenne quotidienne pour l'année en question. Toute station peut comporter diverses périodes où les relevés sont effectués soit à partir d'une jauge enregistreuse, soit à l'aide d'une jauge manuelle. Pour obtenir d'autres renseignements sur le genre de jauge qui a servi lors de la période d'observation, il faut consulter l'*Index de référence des données sur les eaux de surface*. Le symbole n'est employé qu'au cours de périodes d'eau libre.

B – Glaces – indique la présence de glaces à la station de jaugeage, qui ont faussé la relation hauteur-débit.

E – Estimatives – indique une donnée estimative, c'est-à-dire qu'on a déterminé la valeur de façon indirecte, par exemple par interpolation, extrapolation, à l'aide de graphique, ou par comparaison avec d'autres cours d'eau ou avec des données météorologiques.

R – Révisé – indique qu'il y a eu révision, correction ou addition à la base des données chronologiques des débits après le 1er janvier 1980.

1. *L'extrait des moyennes mensuelles et annuelles* (The summary of monthly and annual mean discharges) donne:

(a) la moyenne mensuelle, exprimée en mètres cubes par seconde, des valeurs quotidienne de l'écoulement pour le mois entier. Pour les stations où on n'a mesuré l'écoulement quotidien que pour une partie du mois, les données paraissent dans les publications annuelles ou peuvent être obtenues du chef régional;

(b) la moyenne annuelle, en mètres cubes par seconde, pour les stations où on a obtenu des relevés quotidiens pour une année entière. Dans certains cas, la moyenne est calculée pour une période bien définie de l'année, par exemple pour mars à octobre. On donne donc la moyenne annuelle des relevés quotidiens effectués pour cette même période de l'année. S'il existe des données pour une autre partie de l'année, telle que pour janvier à octobre, la moyenne n'est toujours fournie que pour la période bien définie de mars à octobre;

(c) la moyenne de toutes les moyennes mensuelles;

(d) la moyenne de toutes les moyennes annuelles ou de toutes les moyennes pour une période bien définie.

2. *The annual maximum instantaneous discharge* in cubic metres per second is given for each year if available. This figure is usually available if the station is equipped with a recording gauge. It may also be estimated from high water marks or from a graph of observed water level readings during the day.

3. *The annual maximum and minimum daily discharges* in cubic metres per second are given for each year where daily discharges have been obtained for the entire year (or standard period within the year, e.g. March to October), or where they are considered to be valid for the year even though some daily discharges are missing.

4. *The extreme recorded for the period of record* is identified by an asterisk within the table of annual maximum instantaneous, maximum daily and minimum daily values.

5. *The annual total discharge* in cubic decametres is given for each year where daily discharges have been obtained for the entire year. If a standard period such as March to October has been selected, the figure applies to only those months, similar to the mean discharge in cubic metres per second.

REVISIONS

A number of corrections or revisions have been made to previously published data. Many of these were required because of typographical or computational errors which were exposed when daily discharges were stored on magnetic tape and monthly means were re-calculated by computer. Other errors were discovered or different interpretations of basic data were made during the systematic review of historical streamflow data presently underway, for example, these revisions may have been justified because a more reliable stage-discharge relationship had been developed.

Revisions to daily discharges or daily water levels are not published at present. However, those stations where a systematic review has been conducted are identified in the Surface Water Data Reference Index publication. The Historical Streamflow Summary publications contain revisions to monthly and annual mean discharges, and annual extremes of discharge. The Historical Water Levels Summary publications contain revisions to monthly and annual mean water levels, and annual extremes of water level. Revisions, corrections or additions made to the discharges and water levels after January 1, 1980 are indicated by an "R" symbol in the summary publications. Detailed information on revisions to historical data is available from the appropriate Regional Chief.

2. *Le tableau des valeurs annuelles maximales instantanées* (The annual maximum instantaneous discharge) exprimées en mètres cubes par seconde, est fourni pour toute année où des données sont disponibles. La majorité des stations munies de jauges enregistreuses détiennent ces données. Elles peuvent également être évaluées à partir du niveau des hautes eaux ou d'un graphique illustrant le niveau quotidien.

3. *Le tableau des valeurs quotidiennes minimale et maximale annuelles* (The annual maximum and minimum daily discharges), exprimées en mètres cubes par seconde, donne les valeurs pour les stations où on a fait des relevés quotidiens pour une année entière ou pour une période bien définie de l'année, par exemple pour mars à octobre, ou lorsqu'on considère que les valeurs sont valables pour toute l'année même si quelques débits quotidiens ne sont pas disponibles.

4. *Le tableau des valeurs extrêmes enregistrées pour toute la période d'observation* (The extreme recorded for the period of record) est indiqué par un astérisque et est compris avec les valeurs annuelles maximales instantanées et les valeurs quotidiennes minimale et maximale annuelles.

5. *Le résumé de l'écoulement annuel total* (The annual total discharge), en décamètres cubes, est indiqué pour les stations où on a fait des relevés quotidiens pour une année entière. Si on a choisi une période bien définie de l'année, par exemple de mars à octobre, la valeur n'a trait qu'à ces mois, tout comme la moyenne mensuelle, en mètres cubes par seconde.

RÉVISIONS

On a corrigé ou révisé beaucoup de données déjà publiées. Il a été nécessaire d'effectuer plusieurs corrections, car on a relevé des erreurs typographiques ou de calculs lorsqu'on a enregistré les débits quotidiens sur rubans magnétiques et qu'on a recalculé à l'aide d'ordinateurs les moyennes mensuelles. On a aussi relevé d'autres erreurs ou fait des interprétations différentes de données de base au cours de la révision rétrospective systématique des données de débit qu'on est à faire en ce moment. Ainsi, on peut justifier des corrections, par le fait qu'on ait trouvé une relation hauteur-débit plus sûre.

Les corrections apportées aux débits quotidiens ou aux niveaux d'eau quotidiens ne sont pas publiées, du moins pour le moment. Cependant, les stations où on a effectué une révision systématique sont identifiées dans l'*Index de référence des données sur les eaux de surface*. Les publications intitulées *Sommaire chronologique de l'écoulement* contiennent des données sur les moyennes mensuelles et annuelles des débits et sur les extrêmes annuels des débits qu'on a révisées. Les publications intitulées *Sommaire chronologique des niveaux d'eau* renferment les révisions apportées aux niveaux moyens mensuels et annuels ainsi que les extrêmes annuels. Les révisions et corrections apportées aux débits et aux niveaux d'eau après le 1er janvier 1980 sont accompagnées du symbole «R» dans les publications sommaires. On peut obtenir plus de détails sur les révisions en s'adressant au chef régional concerné.

ACCURACY OF HYDROMETRIC DATA

The overall accuracy or the degree of reliability of hydrometric data referred to herein, depends upon (1) the stability of the stage-discharge relationship; or if the control is unstable, the frequency of discharge measurements, and (2) the accuracy of observations of stage, measurements of discharge and interpretation of records. Because of all the variable factors mentioned above, the number of significant figures used herein has been standardized for uniformity of presentation and does not reflect the degree of accuracy of the data.

A measure of the reliability of the daily records can be made by an examination of the distribution of the symbols A, B and E in the annual Surface Water Data publications.

In general, data collected during open-water periods are more reliable than those collected during periods of ice conditions or those obtained by estimation. Further, water level data collected utilizing a water-stage recorder are more reliable and accurate than those using a manual gauge only, especially for small or flashy streams.

MICROFICHE

All published daily discharge, water level and sediment data are available in metric units on microfiche, upon request. The data are stored in station number order by Region, therefore data for a particular province may include fiche from two or more Regions. There are 270 frames per microfiche at 48X reduction; there is a visible heading showing the fiche number, type of data, Region, beginning and ending station number and year of data, and the month/year the fiche was created. The last frame is an index of the contents of that fiche.

EXACTITUDE DES DONNÉES HYDROMÉTRIQUES

La précision totale ou le degré d'exactitude des données hydrométriques dont on parle ici sont basés sur (1) la stabilité de la relation hauteur-débit ou, si l'élément régulateur est changeant, sur la fréquence des mesures de débits, et (2) sur la précision des observations sur les niveaux, des mesures de débits et de l'interprétation des relevés. À cause de toutes les variables déjà mentionnées, on a normalisé pour des fins d'uniformité de présentation le nombre de chiffres significatifs, mais ceci ne réflète pas le degré d'exactitude des données.

L'exactitude des données quotidiennes peut être appréciée par l'examen de la répartition des symboles A, B et E dans les publications annuelles des *Données sur les eaux de surface*.

En général, les données recueillies au cours des périodes d'eau libre sont plus sûres que celles qui sont obtenues au cours des périodes de glaces ou par estimation. De plus, les données sur le niveau des eaux qui sont mesurées à l'aide d'un limnigraphe sont plus certaines et plus exactes que celles qui sont mesurées à l'aide d'une jauge manuelle seulement, surtout dans le cas de petits cours d'eau ou de cours d'eau à crues très rapides.

MICROFICHE

Toutes les données publiées concernant les débits quotidiens, les niveaux d'eau et les sédiments sont disponibles sur microfiche en unités métriques aux usagers qui en font la demande. Ces données sont emmagasinées par ordre de numéro de station et par région. Les données relatives à une province en particulier peuvent donc inclure des fiches en provenance de deux régions ou plus. Chaque microfiche renferme 270 pages réduites de 48X. L'en-tête indique le numéro de la fiche, le genre de données, la région, le numéro de la première et de la dernière station, celui de la première et de la dernière année de cueillette ainsi que le mois et l'année de préparation de la fiche. La dernière image donne l'index du contenu de la fiche.

STREAMFLOW DATA/DONNÉES SUR L'ÉCOULEMENT

ADAMS CREEK AT SODERSTROM'S RANCH - STATION NO. 11AB005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	---	---	0.109	0.018	0.028	---	---	---	1909
1910	---	---	---	0.192	0.085	0.026	0.007	0.005	0.018	0.017	---	---	---	1910
1911	---	---	---	0.374	0.214	---	---	---	---	---	---	---	---	1911
MEAN	---	---	---	0.283	0.150	0.026	0.007	0.057	0.018	0.023	---	---	---	MEAN

LOCATION - LAT 49 35 00 N LONG 109 46 00 W DRAINAGE AREA, 62.9 km² NATURAL FLOW

ADAMS CREEK AT SODERSTROM'S RANCH - STATION NO. 11AB005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1909	---	---	---	---	1909
1910	---	---	0 ON JUL 16 *	---	1910
1911	---	---	---	---	1911
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

ADAMS CREEK AT SPANGLER'S RANCH - STATION NO. 11AB014

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	---	---	0.039	0.027	0.028	---	---	---	1909
1910	---	---	---	0.048	0.035	0.024	0.016	0.016	0.021	0.021	---	---	---	1910
1911	---	---	---	---	---	---	0.032	0.034	0.617	0.157	---	---	---	1911
1912	---	---	---	---	0.218	0.120	0.015	0.021	0.051	0.099	---	---	---	1912
1913	---	---	---	0.891	0.222	0.045	0.045	0.008	0	0.016	---	---	---	1913
1914	---	---	---	---	0.097	0.044	0.001	0	0	0.020	---	---	---	1914
1915	---	---	---	0.317	0.160	0.305	0.160	0.056	0.133	0.132	---	---	---	1915
1916	---	---	0.826	0.209	0.435	0.980	0.265	0.156	0.095	0.188	---	---	0.394	1916
MEAN	---	---	0.826	0.366	0.195	0.253	0.076	0.041	0.118	0.083	---	---	0.394	MEAN

LOCATION - LAT 49 31 38 N LONG 109 47 10 W DRAINAGE AREA, 80.8 km² NATURAL FLOW

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1916

ADAMS CREEK AT SPANGLER'S RANCH - STATION NO. 11AB014

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1909	---	---	---	---	1909
1910	---	---	---	---	1910
1911	---	---	---	---	1911
1912	---	---	0 ON JUN 13 *	---	1912
1913	---	---	0 ON AUG 4	---	1913
1914	---	---	0 ON JUL 8	---	1914
1915	---	---	---	---	1915
1916	---	3.45 ON MAR 11 *	0.023 ON MAR 8	8 340	1916
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		8 340	MEAN

ADAMS NORTH DITCH NEAR CYPRESS - STATION NO. 05HA027

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	---	---	0	0.009	---	---	---	---	---	---	---	1915
1916	---	---	---	---	---	---	---	---	---	---	---	---	---	1916
1917	---	---	---	---	0.001	---	---	---	---	---	---	---	---	1917
1918	---	---	---	---	---	---	---	---	---	---	---	---	---	1918
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
MEAN	---	---	---	---	0.001	0.009	---	---	---	---	---	---	---	MEAN

LOCATION - LAT 49 43 29 N LONG 109 35 28 W REGULATED

ADAMS NORTH DITCH NEAR CYPRESS - STATION NO. 05HA027

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	---	0 ON MAY 1 *	---	1915
1916	---	---	0R ON MAY 16	---	1916
1917	---	---	0 ON MAY 1	---	1917
1918	---	---	0R ON AUG 5	---	1918
1919	---	---	0R ON MAY 23	---	1919
				---	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

ADAMS SOUTH DITCH FROM CYPRESS CREEK - STATION NO. 05HA028

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR APR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1914	---	---	---	---	---	---	---	---	---	---	---	---	---	1914
1915	---	---	---	0.020	0.008	---	---	---	---	---	---	---	---	1915
1917	---	---	---	---	0.020R	---	---	---	---	---	---	---	---	1917
1918	---	---	---	---	---	---	---	---	---	---	---	---	---	1918
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
MEAN	---	---	---	0.020	0.014R	---	---	---	---	---	---	---	---	MEAN

LOCATION - LAT 49 43 00 N
LONG 109 35 00 W REGULATED

R - REVISED SINCE JAN 1980

ADAMS SOUTH DITCH FROM CYPRESS CREEK - STATION NO. 05HA028

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR APR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1914	---	0 ON 5(: 0 *	99 900 000 ON 5(: 0	---	1914
1915	---	---	---	---	1915
1917	---	---	---	---	1917
1918	---	---	0R ON AUG 5 *	---	1918
1919	---	---	0R ON JUN 21	---	1919
				---	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

ALCOTT CREEK ABOVE MEADOW LAKE - STATION NO. 06AD011

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1977	---	---	0.028	0.478	2.17 R	0.363	0.154	0.381	0.418	0.660	---	---	0.583R	1977
1978	---	0.054	0.057	1.63	4.55 R	0.971	0.064	0.084	0.130	0.142	---	---	0.953R	1978
1979	---	---	0.026	0.575	2.05	1.21	0.515	0.117	0.076	0.119	---	---	0.586	1979
1980	---	---	0.035	1.20	0.174	0.128	0.140	0.326	0.926	0.499	---	---	0.424	1980
1981	---	---	0.233	1.06	0.531	0.162	0.057	0.103	0.002	0.027	---	---	0.270	1981
1982	---	---	0.036	2.66	1.72	0.102	0.143	0.186	0.161	0.338	---	---	0.665	1982
MEAN	---	0.054	0.069	1.27	1.87 R	0.489	0.179	0.200	0.286	0.298	---	---	0.580	MEAN

LOCATION - LAT 53 57 10 N
LONG 107 58 30 W DRAINAGE AREA, 416 km^2

R - REVISED SINCE JAN 1980

ALCOTT CREEK ABOVE MEADOW LAKE - STATION NO. 06AD011

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1977	8.72R AT 13:20 CST ON MAY 23	8.47R ON MAY 23	0.007 ON JUL 5	12 300R	1977
1978	17.0 R AT 23:11 CST ON MAY 5 *	15.7 R ON MAY 6 *	0.001 ON JUL 27 *	20 200R	1978
1979	3.88 AT 01:00 CST ON MAY 3	3.68 ON MAY 3	0.002 ON SEP 2	12 400	1979
1980	---	3.97E ON APR 17	0.001 ON JUN 15	8 980	1980
1981	2.29 AT 17:56 CST ON AUG 15	1.87 ON APR 23	0.001 ON JUL 13	5 720	1981
1982	13.2 B AT 15:11 CST ON APR 24	11.3 B ON APR 24	0.001 ON JUN 30	14 100	1982
				12 300R	MEAN

B - ICE CONDITIONS
E - ESTIMATED

* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

ANTELOPE CREEK NEAR CABRI - STATION NO. 05HC005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	0.535	0.242	0	0	0.001	0	0	0	---	---	0.097	1970
1971	---	---	0	1.23	0.001	0	0	0	0	0	---	---	0.150	1971
1972	---	---	0.011	0	0	0	0	0	0	0	---	---	0.001	1972
1973	---	---	0.008	0	0	0	0	0	0	0	---	---	0.001	1973
1974	---	---	0	1.71	0.691	0.073	0.013	0	0	0	---	---	0.307	1974
1975	---	---	0	0.853	0.109	0	0	0	0	0	---	---	0.118	1975
1976	---	---	1.23	0.354	0.002	0.001	0.014	0	0	0	---	---	0.201	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0.039	0.040	0.001	0	0	0	0	0	---	---	0.010	1978
1979	---	---	0.084	0.125	0.001	0	0	0	0	0	---	---	0.026	1979
1980	---	---	0.018	0.003	0	0	0	0	0	0	---	---	0.003	1980
1981	---	0.236	0.007	0	0	0	0	0	0	0	---	---	0.001	1981
1982	---	0	0.385	0.120	0.001	0.038	0	0	0	0	---	---	0.068	1982
MEAN	---	0.118	0.178	0.360	0.062	0.009	0.002	0	0	0	---	---	0.076	MEAN

LOCATION - LAT 50 39 41 N DRAINAGE AREA, 244 km²
LONG 108 22 50 W NATURAL FLOW

ANTELOPE CREEK NEAR CABRI - STATION NO. 05HC005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1970	3.74 B AT 11:30 CST ON MAR 28	3.28 B ON MAR 28	0B ON MAR 1 *	2 060	1970
1971	---	8.24 ON APR 6	0B ON MAR 1	3 180	1971
1972	---	0.116B ON MAR 28	0B ON MAR 1	30.2	1972
1973	---	0.021B ON MAR 12	0B ON MAR 1	22.6	1973
1974	16.0 B AT 00:15 CST ON APR 16 *	10.4 B ON APR 16 *	0B ON MAR 1	6 510	1974
1975	9.51 AT 13:37 CST ON APR 18	6.80 ON APR 18	0B ON MAR 1	2 500	1975
1976	10.8 AT 12:43 CST ON MAR 23	7.59 ON MAR 23	0B ON MAR 1	4 250	1976
1977	0 AT 00:01 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1977
1978	0.538 AT 23:28 CST ON MAR 30	0.436 ON MAR 30	0B ON MAR 1	211	1978
1979	---	0.400B ON MAR 31	0B ON MAR 1	551	1979
1980	---	0.160B ON MAR 30	0B ON MAR 1	55.7	1980
1981	---	0.052B ON MAR 1	0 ON MAR 13	18.3	1981
1982	5.83 B AT 15:47 CST ON MAR 28	3.40 B ON MAR 29	0B ON MAR 1	1 440	1982
				1 600	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

ANTLER RIVER NEAR WAUCHOPE - STATION NO. 05NF010

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1965	---	---	0	0.231	0.002	0.008	0	0	0.129	0.178	---	---	0.068	1965
1966	---	---	0.145	0.731	0.016	0.012	0.001	0	0	0	---	---	0.155	1966
1967	---	---	0	0.225	0.039	0	0	0	0	0	---	---	0.033	1967
1968	---	---	0.100	0.001	0	0	0	0	0	0	---	---	0.013	1968
1969	---	---	0	2.84	0.052	0	0.931	0.041	0	0	---	---	0.477	1969
1970	---	---	0	1.25	1.46	0.064	0.006	0	0	0	---	---	0.387	1970
1971	---	---	0	0.299	0.022	0	0.007	0	0	0	---	---	0.040	1971
1972	---	---	0.601	0.316	0.121	0.129	0	0	0	0	---	---	0.146	1972
1973	---	---	0.048	0.003	0.007	0.011	0	0	0	0	---	---	0.009	1973
1974	---	---	0	1.87	0.707	0.118	0	0	0	0	---	---	0.333	1974
1975	---	---	0	2.58	1.11	0.379	0.036	0.201	1.36	0.233	---	---	0.729	1975
1976	---	---	0	9.96	0.500	0.126	0.010	0	0	0	---	---	1.30	1976
1977	---	---	0	0	0.003	0	0	0	0	0	---	---	0	1977
1978	---	---	0.004	0.123	0.030	0.017	0	0	0	0	---	---	0.021	1978
1979	---	---	0	0.966	0.110	0.006	0	0	0	0	---	---	0.133	1979
1980	---	---	0	0.231	0	0	0	0.002	0	0	---	---	0.028	1980
1981	---	---	0.019	0	0	0	0	0	0	0	---	---	0.002	1981
1982	---	---	0	0.907	0	0	0	0	0	0	---	---	0.111	1982
MEAN	---	---	0.051	1.25	0.251	0.048	0.055	0.018	0.083	0.023	---	---	0.219	MEAN

LOCATION - LAT 49 35 03 N DRAINAGE AREA, 389 km²
LONG 101 50 52 W NATURAL FLOW

ANTLER RIVER NEAR WAUCHOPE - STATION NO. 05MF010

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1965	---	2.20 ON APR 13	0B ON MAR 1 *	1 440	1965
1966	---	2.61 B ON APR 1	0B ON MAR 1	3 270	1966
1967	---	1.13 B ON APR 8	0B ON MAR 1	688	1967
1968	---	0.680B ON MAR 14	0B ON MAR 1	269	1968
1969	---	18.2 ON APR 13	0B ON MAR 1	10 100	1969
1970	---	3.71 ON APR 30	0B ON MAR 1	7 340	1970
1971	---	0.810B ON APR 11	0B ON MAR 1	853	1971
1972	---	3.54 B ON MAR 20	0B ON MAR 1	3 090	1972
1973	---	0.238 ON MAR 16	0B ON MAR 1	185	1973
1974	---	11.9 ON APR 19	0B ON MAR 1	7 050	1974
1975	---	11.6 ON APR 28	0B ON MAR 1	15 400	1975
1976	34.5 AT 04:59 CST ON APR 10 *	31.7 ON APR 10 *	0B ON MAR 1	27 500	1976
1977	0.241A AT 23:00 CST ON MAY 4	0.051 ON MAY 5	0B ON MAR 1	6.83	1977
1978	1.27 B AT 11:48 CST ON APR 4	0.716B ON APR 4	0B ON MAR 1	453	1978
1979	5.95 AT 10:36 CST ON APR 21	5.20 ON APR 21	0B ON MAR 1	2 810	1979
1980	3.48 B AT 20:11 CST ON APR 6	1.57 ON APR 7	0B ON MAR 1	603	1980
1981	---	0.060B ON MAR 1	0B ON APR 1	51.1	1981
1982	9.21 B AT 22:33 CST ON APR 13	7.76 B ON APR 14	0B ON MAR 1	2 350	1982
				4 640	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

ARM RIVER NEAR BETHUNE - STATION NO. 05JH001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1922	---	---	---	10.0	1.58	0.169	0.125	0.041	0.035	0.029	---	---	---	1922
1923	---	---	0.025	2.89	0.610	---	---	---	---	---	---	---	---	1923
1936	---	---	0.051	4.07	0.854	0.105	---	---	---	---	---	---	---	1936
1953	---	---	---	1.93	0.047	0.089	---	---	---	---	---	---	---	1953
1954	---	---	0.043	0.960	0.464	1.34	---	---	---	---	---	---	---	1954
1955	---	---	0.411	6.81	2.13	0.168	0.158	0.018	0	0	---	---	1.20	1955
1956	---	---	0	6.94	0.814	0.464	0.243	0.076	0.023	0.015	---	---	1.05	1956
1957	---	---	2.87	2.09	0.350	0.105	0.016	0.002	0	0.002	---	---	0.670	1957
1958	---	---	1.50	1.28	0.128	0.042	0.001	0	0	0	---	---	0.368	1958
1959	---	---	0.212	0.130	0.099	0.211	0.068	0	0.002	0.035	---	---	0.094	1959
1960	---	---	0.811	4.08	0.283	0.077	0.023	0	0	0	---	---	0.650	1960
1961	---	---	0.081	0.075	0.185	0.214	0	0	0	0	---	---	0.069	1961
1962	---	---	0.001	0.743	0.063	0.087	0.002	0	0	0	---	---	0.110	1962
1963	---	---	0.166	0.010	0.012	0.172	0.100	0.157	0.001	0	---	---	0.077	1963
1964	---	---	0.062	0.102	0.058	0	0	0	0	0	---	---	0.028	1964
1965	---	---	0	0.395	0.067	0.188	0.667	0.008	0	0.004	---	---	0.166	1965
1966	---	---	1.09	2.16	0.204	0.205	0.122	0.006	0	0.061	---	---	0.477	1966
1967	---	---	0	0.735	0.914	0.094	0.001	0	0	0	---	---	0.217	1967
1968	---	---	2.18	0.138	0.042	0.162	0	0.009	0.010	0.032	---	---	0.324	1968
1969	---	---	0	11.4	0.488	0.006	0.029	0.123	0.003	0.522	---	---	1.55	1969
1970	---	---	0.892	4.50	0.752	0.205	0.124	0.001	0.114	0.097	---	---	0.826	1970
1971	---	---	0	2.48	0.164	0.073	0.094	0.108	0	0.057	---	---	0.366	1971
1972	---	---	0.235	0.190	0.115	0.020	0	0	0	0	---	---	0.070	1972
1973	---	---	0.366	0.167	0.220	0.318	0.009	0	0	0.058	---	---	0.142	1973
1974	---	---	0	14.8	2.28	0.657	0.148	0.079	0.021	0.021	---	---	2.21	1974
1975	---	---	0	1.64	0.525	0.109	0.034	0	0	0	---	---	0.285	1975
1976	---	---	0.684	3.29	0.133	0.284	0.125	0.002	0.079	0.029	---	---	0.571	1976
1977	---	---	0.007	0.018	0.045	0.008	0	0	0	0.030	---	---	0.014	1977
1978	---	---	0.366	1.38	0.221	0.054	0.001	0	0.055	0	---	---	0.256	1978
1979	---	---	0	6.04	1.23	0.203	0.052	0.009	0	0.009	---	---	0.929	1979
1980	---	---	0.628	1.32	0.004	0.001	0.059	0.001	0	0.151	---	---	0.268	1980
1981	---	0.033	0.058	0.122	0.042	0.006	0.005	0.005	0.001	0.010	---	---	0.031	1981
1982	---	---	0.001	4.82	0.441	0.107	0.088	0.010	0	0	---	---	0.672	1982
MEAN	---	0.033	0.411	2.96	0.472	0.186	0.079	0.022	0.012	0.040	---	---	0.489	MEAN

LOCATION - LAT 50 44 12 W LONG 105 11 28 W DRAINAGE AREA, 1 910 km^2 REGULATED

ARM RIVER NEAR BETHUNE - STATION NO. 05JN001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1922	---	42.5 E ON APR 7	---	---	1922
1923	---	7.31 ON APR 14	0B ON MAR 1 *	---	1923
1936	---	28.2 ON APR 12	0B ON MAR 1	---	1936
1953	---	17.8 ON APR 2	---	---	1953
1954	---	3.65 ON APR 23	0B ON MAR 1	---	1954
1955	---	25.6 B ON APR 4	0B ON MAR 1	25 300	1955
1956	---	29.2 ON APR 17	0B ON MAR 1	22 300	1956
1957	---	16.0 B ON MAR 24	0B ON MAR 1	14 400	1957
1958	---	11.6 B ON MAR 29	0B ON MAR 10	7 790	1958
1959	---	3.28 ON JUN 28	0B ON MAR 1	2 000	1959
1960	---	19.8 ON APR 6	0B ON MAR 1	13 800	1960
1961	---	0.578 ON JUN 2	0B ON MAR 1	1 460	1961
1962	---	3.28 ON APR 7	0B ON MAR 1	2 330	1962
1963	2.11 AT 05:00 CST ON JUN 10	1.93 A ON MAR 24	0B ON MAR 1	1 640	1963
1964	---	0.368B ON MAR 18	0B ON MAR 1	585	1964
1965	---	2.60 B ON APR 10	0B ON MAR 1	3 510	1965
1966	10.3 A AT 08:00 CST ON APR 4	8.83 A ON APR 4	0B ON MAR 1	10 100	1966
1967	---	2.23 ON MAY 2	0B ON MAR 1	4 600	1967
1968	---	9.68 B ON MAR 7	0 ON JUN 23	6 870	1968
1969	91.7 B AT 22:00 CST ON APR 13	58.3 ON APR 14	0B ON MAR 1	32 700	1969
1970	---	14.2 B ON APR 10	0B ON MAR 1	17 500	1970
1971	14.6 B AT 22:36 CST ON APR 9	8.44 B ON APR 9	0B ON MAR 1	7 740	1971
1972	3.62 B AT 11:08 CST ON MAR 22	1.96 B ON MAR 22	0B ON MAR 1	1 480	1972
1973	3.06 B AT 14:42 CST ON MAR 11	1.82 B ON MAR 11	0B ON MAR 1	3 010	1973
1974	100 AT 17:58 CST ON APR 22 *	86.7 ON APR 22 *	0B ON MAR 1	46 800	1974
1975	9.37 B AT 13:01 CST ON APR 15	6.31 B ON APR 15	0B ON MAR 1	6 030	1975
1976	---	10.9 B ON APR 3	0 ON AUG 15	12 100	1976
1977	0.374 AT 20:22 CST ON MAY 26	0.252 ON MAY 26	0 ON JUL 6	289	1977
1978	---	3.65 B ON MAR 30	0B ON MAR 1	5 430	1978
1979	27.2 AT 20:20 CST ON APR 22	26.6 ON APR 22	0B ON MAR 1	19 700	1979
1980	7.70 B AT 13:50 CST ON MAR 31	5.40 B ON MAR 30	0B ON MAR 1	5 680	1980
1981	0.491B AT 17:21 CST ON APR 22	0.437 ON APR 22	0E ON JUL 11	653	1981
1982	37.6 AT 19:00 CST ON APR 16	29.7 ON APR 17	0B ON MAR 1	14 200	1982
				10 400	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

ARMSTRONG EAST DITCH NEAR MURRAYDALE - STATION NO. 11AC030

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1913	---	---	0	0	0	0	0	0	0	0	---	---	0	1913
1914	---	---	0	0	0	0	0	0	0	0	---	---	0	1914
1915	---	---	0	0	0	0	0	0	0	0	---	---	0	1915
1916	---	---	0	0	0	0	0	0	0	0	---	---	0	1916
1917	---	---	---	---	---	---	---	---	---	---	---	---	---	1917
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
1920	---	---	---	---	---	---	---	---	---	---	---	---	---	1920
1921	---	---	0	0	0	0	0	0	0	0	---	---	0	1921
1922	---	---	---	---	---	---	---	---	---	---	---	---	---	1922
1923	---	---	0	0	0	0	0	0	0	0	---	---	0	1923
1924	---	---	0	0	0	0	0	0	0	0	---	---	0	1924
1925	---	---	0	0	0	0	0	0	0	0	---	---	0	1925
1926	---	---	0	0	0	0	0	0	0	0	---	---	0	1926
1927	---	---	0	0	0	0	0	0	0	0	---	---	0	1927
1928	---	---	0	0	0	0	0	0	0	0	---	---	0	1928
1929	---	---	0	0	0	0	0	0	0	0	---	---	0	1929
1930	---	---	0	0	0	0	0	0	0	0	---	---	0	1930
1931	---	---	0	0	0	0	0	0	0	0	---	---	0	1931
1932	---	---	0	0	0	0	0	0	0	0	---	---	0	1932
1934	---	---	0	0	0.009	0.009	0	0	0	0	---	---	0.002	1934
1936	---	---	0	0	0.009	0	0	0	0	0	---	---	0.001	1936
1937	---	---	0	0	0.009	0	0	0	0	0	---	---	0.001	1937
1938	---	---	0	0	0	0	0	0	0	0	---	---	0	1938
1939	---	---	0	0	0	0	0	0	0	0	---	---	0	1939
MEAN	---	---	0	0	0.001	0	0	0	0	0	---	---	0	MEAN

LOCATION - LAT 49 37 40 N
LONG 109 12 30 W
REGULATED

ARMSTRONG EAST DITCH NEAR MURRAYDALE - STATION NO. 11AC030

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1913	---	0 ON MAR 1	0 ON MAR 1 *	0	1913
1914	---	0 ON MAR 1	0 ON MAR 1	0	1914
1915	---	0 ON MAR 1	0 ON MAR 1	0	1915
1916	---	0 ON MAR 1	0 ON MAR 1	0	1916
1917	---	---	0 ON MAY 27	---	1917
1919	---	---	0 ON MAY 28	---	1919
1920	---	---	0 ON JUN 14	---	1920
1921	---	0.001 ON JUN 12	0 ON MAR 1	0.09	1921
1922	---	---	0 ON JUN 20	---	1922
1923	---	0 ON MAR 1	0 ON MAR 1	0	1923
1924	---	0 ON MAR 1	0 ON MAR 1	0	1924
1925	---	0 ON MAR 1	0 ON MAR 1	0	1925
1926	---	0 ON MAR 1	0 ON MAR 1	0	1926
1927	---	0 ON MAR 1	0 ON MAR 1	0	1927
1928	---	0 ON MAR 1	0 ON MAR 1	0	1928
1929	---	0 ON MAR 1	0 ON MAR 1	0	1929
1930	---	0 ON MAR 1	0 ON MAR 1	0	1930
1931	---	0 ON MAR 1	0 ON MAR 1	0	1931
1932	---	0 ON MAR 1	0 ON MAR 1	0	1932
1934	---	0.009E ON MAY 1 *	0 ON MAR 1	47.4	1934
1936	---	0.009E ON MAY 1	0 ON MAR 1	24.1	1936
1937	---	0.009E ON MAY 1	0 ON MAR 1	24.1	1937
1938	---	0 ON MAR 1	0 ON MAR 1	0	1938
1939	---	0 ON MAR 1	0 ON MAR 1	0	1939
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		4.78	MEAN

E - ESTIMATED

ARMSTRONG WEST DITCH NEAR MURRAYDALE - STATION NO. 11AC031

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1917	---	---	---	---	---	---	---	---	---	---	---	---	---	1917
1919	---	---	0	0.011	0.028	0.008	0	0	0	0	---	---	0.006	1919
1920	---	---	0	0	0.037	0.011	0	0	0	0	---	---	0.006	1920
1921	---	---	0	0	0.030	---	---	---	---	---	---	---	---	1921
1922	---	---	0	0	0.011	0.003	0	0	0	0	---	---	0.002	1922
1923	---	---	0	0.200	0	0	0	0	0	0	---	---	0.024	1923
1924	---	---	0	0	0.107	0	0	0	0	0	---	---	0.014	1924
1926	---	---	0	0	0	0	0	0	0	0	---	---	0	1926
1928	---	---	0	0	0	0	0	0	0	0	---	---	0	1928
1929	---	---	0	0	0	0	0	0	0	0	---	---	0	1929
1930	---	---	0	0	0.014	0.020	0	0	0	0	---	---	0.004	1930
1934	---	---	0	0	0	0	0	0	0	0	---	---	0	1934
MEAN	---	---	0	0.019	0.021	0.004	0	0	0	0	---	---	0.006	MEAN

LOCATION - LAT 49 37 10 N
LONG 109 13 10 W REGULATED

REMARKS - ESTIMATED ANNUAL DIVERSIONS ARE: 1925(74);1927(193);1930(49);1932(123);1936(25);1937(25);1938(73); AND 1939(74) (DAM3)

ARMSTRONG WEST DITCH NEAR MURRAYDALE - STATION NO. 11AC031

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1917	---	0 ON 5(: 0	99 900 000 ON 5(: 0	---	1917
1919	---	0.037 ON APR 21	0 ON MAR 1 *	124	1919
1920	---	0.037 ON MAY 1	0 ON MAR 1	128	1920
1921	---	---	0 ON MAR 1	---	1921
1922	---	0.012 ON MAY 1	0 ON MAR 1	36.3	1922
1923	---	0.218 ON APR 1 *	0 ON MAR 1	518	1923
1924	---	0.122 ON MAY 2	0 ON MAR 1	286	1924
1926	---	0 ON MAR 1	0 ON MAR 1	0	1926
1928	---	0 ON MAR 1	0 ON MAR 1	0	1928
1929	---	0 ON MAR 1	0 ON MAR 1	0	1929
1930	---	0.051 ON MAY 14	0 ON MAR 1	88.7	1930
1934	---	0 ON MAR 1	0 ON MAR 1	0	1934
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		118	MEAN

ARNOLD TRIBUTARY NEAR FISKE - STATION NO. 05HF019

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	0	0.514	0.066	0.049	0.003	0	0	0.001	---	---	0.078	1970
1971	---	---	0	0.343	0.005	0.003	0.005	0	0	0	---	---	0.044	1971
1972	---	---	0.024	0.021	0.001	0	0	0	0	0	---	---	0.006	1972
1973	---	---	0.049	0.005	0.004	0	0	0	0	0	---	---	0.007	1973
1974	---	---	0	0.230	0.019	0.034	0.002	0.001	0.001	0.002	---	---	0.035	1974
1975	---	---	0	0.274	0.014	0.009	0	0	0	0.001	---	---	0.036	1975
1976	---	---	0.077	0.096	0.003	0.004	0.002	0	0	0	---	---	0.023	1976
1977	---	---	0.007	0.007	0.021	0	0	0	0	0.001	---	---	0.005	1977
1978	---	---	0.060	0.034	0.009	0.002	0	0	0	0	---	---	0.013	1978
1979	---	---	0.029	0.035	0.005	0.002	0.002	0	0	0	---	---	0.009	1979
MEAN	---	---	0.025	0.156	0.015	0.010	0.001	0	0	0.001	---	---	0.026	MEAN

LOCATION - LAT 51 25 08 N
LONG 108 27 52 W
DRAINAGE AREA, 24.3 km²
NATURAL FLOW

ARNOLD TRIBUTARY NEAR FISKE - STATION NO. 05HF019

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1970	6.09 AT 16:59 CST ON APR 10 *	3.37 B ON APR 6 *	0B ON MAR 1 *	1 650	1970
1971	4.36 E AT 18:30 CST ON APR 9	2.32 E ON APR 9	0B ON MAR 1	925	1971
1972	0.682B AT 12:01 CST ON MAR 18	0.159B ON APR 2	0B ON MAR 1	123	1972
1973	0.725 AT 19:40 CST ON MAR 16	0.227 ON MAR 17	0 ON MAR 1	152	1973
1974	5.07 AT 14:50 CST ON JUN 26	0.946B ON APR 19	0B ON MAR 1	749	1974
1975	3.96 AT 18:58 CST ON APR 19	1.67 B ON APR 19	0B ON MAR 1	772	1975
1976	3.03 AT 18:10 CST ON MAR 31	0.915B ON MAR 31	0B ON MAR 1	483	1976
1977	0.733 AT 18:30 CST ON MAY 19	0.221 ON MAY 19	0 ON JUN 3	95.5	1977
1978	1.73 B AT 20:00 CST ON MAR 29	0.580B ON MAR 29	0B ON MAR 1	280	1978
1979	1.12 AT 23:12 CST ON APR 18	0.313 ON APR 19	0B ON MAR 1	193	1979
				542	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

ASSINIBOINE RIVER AT KAMSACK - STATION NO. 05MD004

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	---	2.56	1.40	0.964	0.472	0.117	0.139	0.167	---	---	---	1944
1945	---	---	---	6.43	4.05	2.37	1.30	0.272	0.308	0.567	---	---	---	1945
1946	---	---	---	13.8	3.15	1.16	0.623	0.269	0.239	0.383	---	---	---	1946
1947	---	---	---	21.6	18.1	4.91	4.82	0.962	0.832	1.12	---	---	---	1947
1948	---	---	---	---	73.7	5.51	2.44	1.00	0.259	0.409	---	---	---	1948
1949	---	---	---	---	1.63	5.23	1.40	0.472	0.136	0.176	---	---	---	1949
1950	---	---	---	14.1	9.57	2.36	1.00	2.25	0.545	0.325	---	---	---	1950
1951	---	---	---	20.4	32.1	6.47	3.06	1.24	3.23	7.87	---	---	---	1951
1952	---	---	---	37.4	12.2	3.44	1.23	0.319	0.199	0.247	---	---	---	1952
1953	---	---	---	16.5	16.2	21.1	62.8	31.3	12.7	5.20	4.45	---	---	1953
1954	---	---	---	31.2	63.7	118	38.8	9.45	12.2	13.5	7.81	---	---	1954
1955	---	---	---	91.6	132	31.9	12.7	4.82	2.32	2.28	---	---	---	1955
1956	---	---	---	42.4	125	29.4	10.9	3.13	2.30	1.77	1.89	0.968	---	1956
1957	0.431	0.375	0.402	40.9	45.2	5.46	1.79	1.10	1.02 R	0.747	0.232	0.333	8.14 R	1957
1958	0.159	0.298	0.309	8.49	2.51	0.674	0.101	0.029	0.030	0.081	0.375	0.066	1.09	1958
1959	0.050	0.028	1.09	5.63	1.60	0.477	0.560	0.154	0.212	0.620	0.528	0.200	0.928	1959
1960	0.177	0.201	0.131	53.7	19.3	9.34	3.68	0.163	0.031	0.021	0.169	0.219	7.21	1960
1961	0.168	0.083	0.218	0.626	0.718	0.359	0	0	0	0	0	0	0.181	1961
1962	0	0	0.007	19.9	7.16	1.20	0.250	0.004	0.053	0.049	0.083	0	2.38	1962
1963	0	0	0.913	6.44	1.48	1.15	0.540	0.075	0	0.028	0.028	0.028	0.886	1963
1964	0.028	0.028	0.028	5.00	5.31	0.812	0.304	0.349	0.761	0.705	0.721	0.277	1.19	1964
1965	0.222	0.192	0.164	21.3	8.94	19.5	5.57	1.21	1.37	3.28	1.60	0.643	5.31	1965
1966	0.572	0.378	0.809	55.1	23.8	9.11	6.22	4.77	1.59	0.473	0.828	0.724	8.68	1966
1967	0.503	0.399	0.270	12.0	42.2	5.80	0.570	0.108	0.007	0.470	0.161	0.183	5.27	1967
1968	0.146	0.173	1.71	8.44	1.34	0.755	0.374	0.332	0.314	0.073	0.149	0.143	1.15	1968
1969	0.129	0.076	0.130	26.4	4.95	1.24	0.628	0.545	0.118	0.620	0.346	0.131	2.92	1969
1970	0.077	0.071	0.073	20.9	27.6	6.18	3.70	0.770	0.043	0.945	1.98	0.773	5.28	1970
1971	0.387	0.320	0.289	68.3	18.0	6.37	3.11	1.81	0.156	0.558	0.916	0.943	8.38	1971
1972	0.609	0.329	0.754	64.2	60.2	3.79	0.792	0.226	0.009	0.066	0.266	0.148	10.9	1972
1973	0.086	0.088	0.699	5.14	5.56	8.42	7.39	1.08	0.217	0.167	0.399	0.571	2.49	1973
1974	0.354	0.350	0.336	47.5	68.4	30.0	2.14	1.17	1.61	1.80	1.69	1.52	13.1	1974
1975	0.814	0.721	0.583	45.1	89.4	19.5	6.65	1.48	1.36	1.35	1.71	0.833	14.2	1975
1976	0.434	0.403	0.873	99.3	26.2	20.5	19.9	3.15	0.484	0.402	0.693	0.657	14.3	1976
1977	0.407	0.386	0.493	9.94	4.34	0.711	0.157	0.117	0.146	0.354	0.461	0.436	1.49	1977
1978	0.266	0.184	0.269	15.7	6.91	0.888	1.24	0.130	0.070	0.177	0.693	0.573	2.26	1978
1979	0.414	0.311	0.229	41.1	93.2	14.0	1.85	0.483	0.511	0.330	0.404	0.460	12.9	1979
1980	0.453	0.374	0.358	28.8	5.13	0.629	0.434	0.115	0.078	0.264	0.497	0.319	3.09	1980
1981	0.187	0.181	1.79	4.70	1.75	1.48	1.25	0.644	0.122	1.48	1.63	0.619	1.32	1981
1982	0.215	0.155	0.342	9.21	4.29	1.44	5.15	0.498	0.053	0.242	0.344	0.202	1.85	1982
MEAN	0.280	0.235	0.510	27.6	27.4	10.3	5.54	1.95	1.17 R	1.25	1.07	0.443	5.27	MEAN

LOCATION - LAT 51 33 53 N
LONG 101 54 58 W
DRAINAGE AREA, 12 900 km²
REGULATED

R - REVISED SINCE JAN 1980

ASSINIBOINE RIVER AT KANSACK - STATION NO. 05MD004

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	8.01 B ON APR 18	0 ON APR 1 *	---	1944
1945	---	13.9 B ON APR 2	---	---	1945
1946	---	22.3 B ON MAR 28	---	---	1946
1947	---	48.4 ON APR 22	0 B ON APR 1	---	1947
1948	---	238 ON APR 29	---	---	1948
1949	---	---	---	---	1949
1950	---	45.9 ON APR 24	---	---	1950
1951	---	51.8 ON MAY 10	---	---	1951
1952	---	60.0 ON APR 20	---	---	1952
1953	---	107 ON JUL 7	---	---	1953
1954	---	269 ON JUN 17	---	---	1954
1955	---	239 ON MAY 10	---	---	1955
1956	---	203 ON APR 26	---	---	1956
1957	---	143 ON APR 25	0.057E ON OCT 20	257 000R	1957
1958	18.2 AT 14:00 CST ON APR 7	17.0 ON APR 6	0.028 ON AUG 2	34 200	1958
1959	---	14.7 B ON APR 4	0.028B ON JAN 25	29 300	1959
1960	123 AT 06:00 CST ON APR 20	121 ON APR 20	0 E ON OCT 17	228 000	1960
1961	---	0.963 ON MAY 15	0 ON JUL 2	5 700	1961
1962	64.8 AT 01:00 CST ON APR 26	64.0 ON APR 25	0 ON JAN 1	75 100	1962
1963	---	13.5 A ON APR 16	0 B ON JAN 1	27 900	1963
1964	---	14.7 B ON APR 19	0.028B ON JAN 1	37 700	1964
1965	50.4 AT 01:00 CST ON APR 18	49.6 ON APR 18	0.139 ON SEP 14	167 000	1965
1966	106 AT 02:00 CST ON APR 17	104 ON APR 17	0.153 ON OCT 11	274 000	1966
1967	66.3 AT 03:30 CST ON MAY 8	66.0 ON MAY 8	0 ON AUG 28	166 000	1967
1968	---	16.4 B ON APR 7	0 ON JUL 15	36 500	1968
1969	64.0 AT 07:39 CST ON APR 20	63.7 ON APR 20	0 ON SEP 20	92 200	1969
1970	81.6 AT 24:00 CST ON MAY 8	81.3 ON MAY 8	0 ON AUG 28	166 000	1970
1971	185 AT 08:03 CST ON APR 21	183 ON APR 21	0.054 ON SEP 22	264 000	1971
1972	158 AT 12:40 CST ON APR 26	155 ON APR 26	0 ON SEP 6	345 000	1972
1973	12.6 AT 18:08 CST ON JUL 14	12.6 ON JUL 14	0.028B ON JAN 21	78 600	1973
1974	192 AT 22:55 CST ON APR 25	190 ON APR 26	0.093B ON FEB 27	413 000	1974
1975	223 AT 03:43 CST ON MAY 5	219 ON MAY 5	0.280B ON JAN 12	448 000	1975
1976	276 AT 06:11 CST ON APR 17 *	273 ON APR 17 *	0.210 ON SEP 24	453 000	1976
1977	23.3 AT 12:45 CST ON APR 18	23.1 ON APR 18	0.034 ON SEP 8	47 000	1977
1978	25.8 AT 14:56 CST ON APR 25	25.7 ON APR 25	0.027 ON SEP 18	71 100	1978
1979	234 AT 12:15 CST ON APR 29	229 ON APR 29	0.158 ON SEP 30	406 000	1979
1980	57.7 AT 01:18 CST ON APR 15	55.3 ON APR 15	0.061 ON AUG 3	97 700	1980
1981	9.92B AT 08:30 CST ON APR 11	9.28 B ON APR 10	0.022 ON OCT 5	41 500	1981
1982	32.4 AT 02:33 CST ON JUL 19	31.5 ON JUL 18	0.026 ON SEP 6	58 300	1982
				166 000R	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980

ASSINIBOINE RIVER AT STURGIS - STATION NO. 05MC001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	---	0.806	0.553	0.181	0.083	0.028	0.019	0.020	---	---	---	1944
1945	---	---	---	2.43	1.65	0.973	0.706	0.107	0.116	0.143	---	---	---	1945
1946	---	---	---	4.05	1.26	0.766	0.362	0.043	0.232	0.228	---	---	---	1946
1947	---	---	---	---	4.72	1.61	2.27	0.410	0.474	0.527	---	---	---	1947
1948	---	---	---	---	20.9	1.77	0.523	0.267	0.048	0.073	---	---	---	1948
1949	---	---	---	1.02	1.33	3.96	0.806	0.199	0.031	0.044	---	---	---	1949
1950	---	---	---	---	3.84	1.11	0.482	2.10	0.186	0.166	---	---	---	1950
1951	---	---	---	6.62	14.0	3.43	1.67	0.955	3.55	6.68	---	---	---	1951
1952	---	---	---	18.9	6.23	1.85	0.446	0.232	0.085	0.187	---	---	---	1952
1953	---	---	---	4.30	9.46	16.3	26.6	14.8	7.01	1.96	1.68	---	---	1953
1954	---	---	---	6.26	29.1	44.6	5.64	2.18	5.06	3.70	1.75	---	---	1954
1955	---	---	---	26.8	36.0	4.60	1.13	0.338	0.216	0.259	---	---	---	1955
1956	---	---	---	4.38	32.3	5.98	1.59	0.600	0.632	0.597	---	---	---	1956
1957	---	---	0.133	12.8	9.23	0.916	0.364	0.199	0.261	0.221	---	---	2.99	1957
1958	---	---	0.153	1.89	0.631	0.299	0.104	0	0	0	---	---	0.380	1958
1959	---	---	0.149	0.888	0.426	0.029	0.109	0.030	0.139	0.516	---	---	0.285	1959
1960	---	---	0	17.2	6.87	5.81	1.79	0.044	0.005	0	---	---	3.93	1960
1961	---	---	0.037	0.305	0.481	0.029	0	0	0	0	---	---	0.106	1961
1962	---	---	0	5.10	1.79	0.185	0	0	0	0	---	---	0.874	1962
1963	---	---	0.209	3.45	0.444	0.367	0.133	0	0	0	---	---	0.566	1963
1965	---	---	0	9.25	5.73	19.7	4.24	0.594	0.352	0.380	---	---	4.97	1965
1966	---	---	0.668	18.6	9.90	3.88	2.40	2.17	0.538	0.323	---	---	4.77	1966
1967	---	---	0.233	3.99	16.4	2.53	0.156	0	0	0	---	---	2.92	1967
1968	---	---	0.201	3.22	0.232	0.161	0.209	0.333	0.085	0.216	---	---	0.575	1968
1969	---	---	0.082	8.02	1.34	0.254	0.114	0.010	0.002	0.150	---	---	1.23	1969
1970	---	---	0.027	7.25	12.4	2.84	1.35	0.671	0.122	0.232	---	---	3.10	1970
1971	---	---	0.294	22.5	4.19	2.39	0.685	1.02	0.043	0.160	---	---	3.66	1971
1972	---	---	0.202	26.0	28.1	1.51	0.434	0.140	0.040	0.490	---	---	7.10	1972
1973	---	---	0.345	4.29	3.86	5.36	5.92	0.530	0.058	0.197	---	---	2.56	1973
1974	---	---	0.190	15.7	29.8	10.7	0.922	0.125	0.786	0.948	---	---	7.38	1974
1975	---	---	0.327	15.9	22.0	5.66	1.71	0.180	0.285	0.494	---	---	5.81	1975
1976	---	---	0.172	30.0	4.68	8.59	6.32	0.656	0.411	0.106	---	---	6.28	1976
1977	---	---	0.146	4.46	1.18	0.182	0.023	0.016	0.042	0.047	---	---	0.752	1977
1978	---	---	0.056	6.93	2.60	0.170	1.51	0.141	0.107	0.139	---	---	1.45	1978
1979	---	---	0.154	16.0	32.5	6.59	0.533	0.090	0.015	0.063	---	---	6.99	1979
1980	---	---	0.132	6.82	0.668	0.115	0.062	0.062	0.063	0.163	---	---	0.994	1980
1981	---	---	0.037	3.53	0.883	0.241	0.139	0.267	0.065	0.034	---	---	0.845	1981
1982	---	---	0.106	5.30	1.69	0.457	0.141	0.078	0.035	0.166	---	---	0.986	1982
MEAN	---	---	0.194	9.28	9.45	4.37	1.89	0.779	0.556	0.539	1.72	---	2.87	MEAN

LOCATION - LAT 51 56 23 N LONG 102 32 49 W DRAINAGE AREA, 1 930 km^2 NATURAL FLOW

ASSINIBOINE RIVER AT STURGIS - STATION NO. 05MC001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	3.06 B ON APR 16	0 ON APR 1 *	---	1944
1945	---	7.70 B ON APR 3	0 ON AUG 28	---	1945
1946	---	9.23 B ON MAR 31	---	---	1946
1947	---	10.3 ON MAY 3	---	---	1947
1948	---	44.2 B ON APR 25	---	---	1948
1949	---	6.99 ON JUN 8	---	---	1949
1950	---	19.3 ON AUG 7	---	---	1950
1951	---	32.3 ON MAY 2	0 B ON APR 1	---	1951
1952	---	33.7 ON APR 11	---	---	1952
1953	---	---	---	---	1953
1954	---	---	---	---	1954
1955	---	73.1 ON MAY 6	---	---	1955
1956	---	61.7 ON MAY 13	---	---	1956
1957	---	49.6 ON APR 27	0.028 ON AUG 6	63 400	1957
1958	2.83 AT 11:00 CST ON APR 3	2.83 ON APR 3	0 ON JUL 20	8 040	1958
1959	---	1.19 ON OCT 31	0 ON MAR 1	6 030	1959
1960	---	39.4 ON APR 19	0 E ON MAR 1	83 100	1960
1961	---	0.745 ON MAY 13	0 ON JUN 6	2 260	1961
1962	---	28.6 ON APR 22	0 ON MAR 1	18 500	1962
1963	15.6 AT 17:00 CST ON APR 10	11.8 ON APR 10	0 ON MAR 1	12 000	1963
1965	56.9 AT 06:00 CST ON JUN 7	56.6 ON JUN 7	0 E ON MAR 1	105 000	1965
1966	47.6 AT 05:00 CST ON APR 16	46.4 ON APR 16	0.085 ON SEP 27	101 000	1966
1967	29.7 A AT 23:00 CST ON MAY 3	29.2 A ON MAY 3	0 ON JUL 29	61 800	1967
1968	9.51 AT 00:45 CST ON APR 11	6.82 ON APR 11	0 ON JUN 25	12 200	1968
1969	---	29.4 B ON APR 14	0 ON SEP 20	26 000	1969
1970	30.9 AT 18:00 CST ON APR 29	30.6 ON APR 29	0.022B ON MAR 1	65 700	1970
1971	81.0 AT 08:42 CST ON APR 18	78.7 ON APR 18	0 ON SEP 21	81 700	1971
1972	101 AT 20:32 CST ON APR 28 *	100 ON APR 28 *	0.028E ON OCT 4	150 000	1972
1973	11.8 AT 22:41 CST ON JUL 9	11.7 ON JUL 9	0.028E ON SEP 11	54 100	1973
1974	50.1 AT 00:13 CST ON MAY 26	49.6 ON MAY 26	0.074E ON AUG 22	156 000	1974
1975	69.7 AT 24:00 CST ON APR 30	69.4 ON APR 30	0.164 ON AUG 8	123 000	1975
1976	88.9 AT 01:21 CST ON APR 14	88.1 ON APR 14	0.028E ON SEP 29	133 000	1976
1977	16.0 AT 15:15 CST ON APR 13	13.5 ON APR 14	0.009E ON AUG 9	15 900	1977
1978	21.9 AT 12:47 CST ON APR 20	20.4 B ON APR 20	0.031 ON JUN 27	30 600	1978
1979	72.3 AT 11:43 CST ON APR 28	72.0 ON APR 28	0.010E ON SEP 12	148 000	1979
1980	23.4 AT 07:14 CST ON APR 15	22.6 ON APR 16	0.019E ON JUL 30	21 100	1980
1981	7.11 AT 21:20 CST ON APR 6	6.77 ON APR 6	0.040E ON SEP 25	17 900	1981
1982	13.1 B AT 12:00 CST ON APR 21	12.5 B ON APR 22	0.025 ON SEP 24	20 800	1982
				60 700	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

AVONLEA CREEK NEAR ROULEAU - STATION NO. 05JE005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	0	0	0	0	---	---	---	---	---	---	---	1944
1945	---	---	0	0	0	0	---	---	---	---	---	---	---	1945
1946	---	---	2.75	0.039	0	0	---	---	---	---	---	---	---	1946
1947	---	---	0	6.59	0.340	0.194	---	---	---	---	---	---	---	1947
1948	---	---	0	7.72	2.61	0.191	---	---	---	---	---	---	---	1948
1949	---	---	0	1.13	0	0.018	---	---	---	---	---	---	---	1949
1950	---	---	0.018	4.48	0.901	0.046	---	---	---	---	---	---	---	1950
1951	---	---	0	3.02	2.32	0.038	---	---	---	---	---	---	---	1951
1952	---	---	0.099	5.41	0.074	0.068	---	---	---	---	---	---	---	1952
1953	---	---	0.464	0.211	0.546	10.4	---	---	---	---	---	---	---	1953
1969	---	---	0	9.10	1.21	0.031	0.339	0.053	0	0.407	---	---	1.37	1969
1970	---	---	0.086	4.85	7.89	1.10	0.199	0.004	0	0.154	---	---	1.78	1970
1971	---	---	0.612	6.67	0.486	0.204	0.653	0.077	0	0.179	---	---	1.10	1971
1972	---	---	4.14	0.585	2.42	0.323	0.140	0.124	0	0	---	---	0.974	1972
1973	---	---	0.011	0.017	0.050	0.057	0.011	0.001	0	0.020	---	---	0.021	1973
1974	---	---	0	17.3	4.47	0.513	0.187	1.40	0.015	0.030	---	---	2.96	1974
1975	---	---	0.033	11.0	4.48	0.682	0.131	0.063	0.013	0.013	---	---	2.03	1975
1976	---	---	6.32	11.7	0.296	0.790	0.595	0.091	0.004	0.333	---	---	2.50	1976
1977	---	---	0.013	0.034	0.080	0.097	0.045	0	0	0	---	---	0.034	1977
1978	---	---	1.75	1.39	0.297	0.060	0.123	0.040	0.008	0.014	---	---	0.459	1978
1979	---	---	0.665	8.42	5.08	0.252	0.641	0.017	0.001	0	---	---	1.87	1979
1980	---	---	0.112	0.583	0.026	0.055	0.031	0.030	0	0.002	---	---	0.104	1980
1981	---	0.035	0.003	0.002	0.005	0.033	0.186	0.071	0	0.003	---	---	0.038	1981
1982	---	---	0.044	10.1	0.851	0.416	4.52	0.053	0.006	0.002	---	---	1.98	1982
MEAN	---	0.035	0.713	4.60	1.43	0.649	0.557	0.145	0.003	0.083	---	---	1.23	MEAN

LOCATION - LAT 50 02 50 N LONG 104 59 27 W
DRAINAGE AREA, 963 km^2
REGULATED

REMARKS - RECORDS COLLECTED IN SE05-14-22-W2, ABOUT 9.6 km DOWNSTREAM FOR THE PERIODS 1944-53 AND 1968-70

AVONLEA CREEK NEAR ROULEAU - STATION NO. 05JE005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	---	0 ON MAR 1 *	---	1944
1945	---	---	0 ON MAR 1	---	1945
1946	---	9.77 E ON MAR 19	0 ON MAR 1	---	1946
1947	---	13.7 ON APR 5	0B ON MAR 1	---	1947
1948	---	25.9 ON APR 19	0B ON MAR 1	---	1948
1949	---	5.80 ON APR 5	0B ON MAR 1	---	1949
1950	---	26.6 ON APR 18	0B ON MAR 1	---	1950
1951	---	9.26 ON MAY 1	0B ON MAR 1	---	1951
1952	---	16.5 ON APR 4	0B ON MAR 1	---	1952
1953	---	30.6 ON JUN 26	0B ON MAR 1	---	1953
1969	---	28.3 ON APR 10	0B ON MAR 1	29 100	1969
1970	---	30.9 ON MAY 6	0B ON MAR 1	37 700	1970
1971	28.3 AT 01:30 CST ON APR 9	26.4 ON APR 9	0B ON MAR 1	23 200	1971
1972	26.7 B AT 21:30 CST ON MAR 17	25.0 B ON MAR 17	0B ON MAR 1	20 600	1972
1973	---	0.241 ON JUN 4	0B ON MAR 1	445	1973
1974	54.4 AT 20:26 CST ON APR 19	51.3 ON APR 19	0B ON MAR 1	62 600	1974
1975	38.8 AT 22:20 CST ON APR 21	37.9 ON APR 21	0B ON MAR 1	43 000	1975
1976	35.7 AT 17:33 CST ON APR 2	35.1 ON APR 2	0B ON MAR 1	52 800	1976
1977	2.42 AT 04:38 CST ON JUL 11	0.867 ON MAY 19	CB ON MAR 1	709	1977
1978	14.9 B AT 22:55 CST ON MAR 28	13.6 B ON MAR 28	0B ON MAR 1	9 720	1978
1979	35.2 AT 17:57 CST ON APR 20	34.4 ON APR 20	0B ON MAR 1	39 600	1979
1980	2.43 AT 19:44 CST ON APR 4	1.91 ON APR 4	0B ON MAR 1	2 190	1980
1981	---	0.485 ON JUL 25	0 ON APR 3	810	1981
1982	55.9 B AT 15:28 CST ON APR 15 *	51.9 B ON APR 15 *	0B ON MAR 1	41 800	1982
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		26 000	MEAN

BADGER DITCH NEAR CONSUL - STATION NO. 11AB026

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1920	---	---	---	---	---	---	---	---	---	---	---	---	---	1920
1921	---	---	0	0	0	0	0	0	0	0	---	---	0	1921
1922	---	---	0	0	0.006	0	0	0	0	0	---	---	0.001	1922
1923	---	---	0	0	0	0	0	0	0	0	---	---	0	1923
1924	---	---	0	0	0	0	0	0	0	0	---	---	0	1924
1925	---	---	0	0	0	0	0	0	0	0	---	---	0	1925
1926	---	---	0	0	0	0	0	0	0	0	---	---	0	1926
1927	---	---	0	0	0	0	0	0	0	0	---	---	0	1927
1928	---	---	0	0	0	0	0	0	0	0	---	---	0	1928
1929	---	---	0	0	0	0	0	0	0	0	---	---	0	1929
MEAN	---	---	0	0	0.001	0	0	0	0	0	---	---	0	MEAN

LOCATION - LAT 49 07 20 N
LONG 109 25 20 W REGULATED

BADGER DITCH NEAR CONSUL - STATION NO. 11AB026

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1920	---	---	0 ON MAR 19 *	---	1920
1921	---	0 ON MAR 1	0 ON MAR 1	0	1921
1922	---	0.059 ON MAY 3 *	0 ON MAR 1	15.3	1922
1923	---	0 ON MAR 1	0 ON MAR 1	0	1923
1924	---	0 ON MAR 1	0 ON MAR 1	0	1924
1925	---	0 ON MAR 1	0 ON MAR 1	0	1925
1926	---	0 ON MAR 1	0 ON MAR 1	0	1926
1927	---	0 ON MAR 1	0 ON MAR 1	0	1927
1928	---	0 ON MAR 1	0 ON MAR 1	0	1928
1929	---	0 ON MAR 1	0 ON MAR 1	0	1929
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		1.7	MEAN

BALLANTYNE RIVER ABOVE BALLANTYNE BAY - STATION NO. 05KF001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	1.40	1.56	20.2	30.7	11.9	6.18	1.99	3.39	---	---	---	1967
1968	---	---	0.666	3.33	13.9	17.5	7.57	3.23	18.9	11.1	---	---	---	1968
1969	---	---	1.44	16.5	9.14	6.10	2.55	1.49	2.01	10.8	---	---	---	1969
1970	---	---	---	---	---	19.0	37.0	18.3	9.94	7.83	---	---	---	1970
1971	---	---	2.97	17.8	14.3	12.2	19.3	5.92	2.85	3.93	---	---	---	1971
1972	---	---	1.17	9.54	33.8	6.53	3.13	2.61	7.45	16.8	4.43	1.80	---	1972
1973	1.41	0.962	0.803	7.22	34.9	54.2	25.6	8.04	11.3	8.32	6.16	3.93	13.6	1973
1974	3.09	2.85	3.33	4.43	30.8	22.1	134	19.7	16.9	14.6	9.97	5.29	22.5	1974
1975	2.40	2.26	5.68	7.92	27.1	18.0	6.70	4.32	4.57	3.83	1.84	0.988	7.16	1975
1976	0.936	1.20	0.741	5.46	4.61	5.13	14.5	5.54	2.95	3.73	0.844	0.378	3.85	1976
1977	0.243	0.189	0.199	5.79	18.7	---	---	---	9.17	10.9	3.25	1.16	---	1977
1978	0.913	0.506	0.838	3.22	10.9	11.4	8.35	12.6	15.0	10.7	5.57	2.73	6.93	1978
1979	1.36	0.772	1.34	5.03	25.8	19.8	8.27	4.61	22.7	13.5	8.55	3.35	9.61	1979
1980	1.88	1.78	1.58	8.10	6.33	2.68	3.29	5.87	14.4	13.8	4.63	1.67	5.50	1980
1981	1.31	0.953	1.59	4.12	9.75	8.76	6.61	1.89	1.40	2.08	1.44	1.73	3.49	1981
1982	0.837	0.156	0.238	1.28	14.4	16.2	9.94	13.8	6.87	8.21	5.95	2.16	6.72	1982
MEAN	1.44	1.16	1.60	6.75	18.3	16.7	19.9	7.61	9.28	8.95	4.78	2.29	8.82	MEAN

LOCATION - LAT 54 33 40 N DRAINAGE AREA, 1 860 km²
LONG 103 56 30 W NATURAL FLOW

BALLANTYNE RIVER ABOVE BALLANTYNE BAY - STATION NO. 05KF001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1969	---	---	---	---	1969
1970	127 AT 04:30 MST ON JUL 2	121 ON JUL 2	---	---	1970
1971	---	39.6E ON APR 23	---	---	1971
1972	---	79.9 ON MAY 1	---	---	1972
1973	158 AT 23:51 CST ON JUN 5	140 ON JUN 6	0.445B ON MAR 18	428 000	1973
1974	1 840 A AT 22:00 CST ON JUL 11 *	1 170 A ON JUL 12 *	2.80 B ON FEB 5	711 000	1974
1975	---	34.0E ON MAY 4	0.934B ON DEC 10	226 000	1975
1976	41.3 AT 08:28 CST ON JUL 16	41.1 ON JUL 16	0.311B ON DEC 31	122 000	1976
1977	---	---	0.173B ON MAR 5	---	1977
1978	27.2 AT 08:32 CST ON AUG 26	26.7 ON AUG 26	0.402B ON FEB 8	219 000	1978
1979	51.0 AT 17:24 CST ON MAY 18	49.9 ON MAY 19	0.659B ON FEB 19	303 000	1979
1980	27.0 AT 21:43 CST ON SEP 17	26.6 ON SEP 17	0.816B ON DEC 23	174 000	1980
1981	16.3 AT 14:55 CST ON JUN 24	15.7 ON JUN 24	0.510B ON FEB 14	110 000	1981
1982	33.6 AT 20:00 CST ON JUN 7	32.7 ON JUN 7	0.074B ON FEB 4 *	212 000	1982
				278 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BARRIER RIVER BELOW BARRIER LAKE - STATION NO. 05LA006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1977	---	---	0	1.16	1.40	0.768	0.119	0.009	0.052	0.134	---	---	0.453	1977
1978	---	---	0	3.24	2.06	0.167	0.005	0.031	0.050	0.020	---	---	0.690	1978
1979	---	---	0	2.15	13.5	4.70	0.944	0.020	0.001	0.001	---	---	2.67	1979
1980	---	---	0.020	2.08	1.56	0.026	0	0.006	0.002	0	---	---	0.459	1980
1981	---	---	0.009	0.469	0.953	0.002	0.011	0.006	0.003	0.016	---	---	0.184	1981
1982	---	---	0.055	2.09	1.62	1.09	0.027	0.007	0	0	---	---	0.605	1982
MEAN	---	---	0.014	1.86	3.52	1.13	0.184	0.013	0.018	0.029	---	---	0.844	MEAN

LOCATION - LAT 52 32 58 N DRAINAGE AREA, 1 340 km²
LONG 103 41 10 W

BARRIER RIVER BELOW BARRIER LAKE - STATION NO. 05LA006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1977	---	2.29 ON APR 22	0B ON MAR 1 *	9 590	1977
1978	8.50 AT 14:26 CST ON APR 24	8.44 ON APR 24	0B ON MAR 1	14 600	1978
1979	26.7 AT 20:14 CST ON MAY 2 *	26.5 ON MAY 2 *	0B ON MAR 1	56 600	1979
1980	5.29B AT 07:26 CST ON APR 26	5.22 ON APR 25	0 ON JUN 26	9 720	1980
1981	2.09 AT 22:51 CST ON MAY 2	2.03 ON MAY 3	0B ON MAR 1	3 900	1981
1982	5.58 AT 17:38 CST ON APR 24	5.39 ON APR 24	0 ON AUG 16	12 800	1982
				17 900	MEAN

B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BARRIER RIVER NEAR MCKAGUE - STATION NO. 05LA002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1964	---	---	---	1.72	---	---	---	---	---	---	---	---	---	1964
1965	---	---	---	1.80	1.88	---	---	---	---	---	---	---	---	1965
1966	---	---	---	2.62	2.84	---	---	---	---	---	---	---	---	1966
1967	---	---	---	---	---	1.67	---	---	---	---	---	---	---	1967
1969	---	---	---	3.45	---	---	---	---	---	---	---	---	---	1969
1971	---	---	---	1.08	---	---	---	---	---	---	---	---	---	1971
1973	---	---	---	---	2.60	4.76	2.55	0.761	---	---	---	---	---	1973
1974	---	---	---	---	6.94	---	1.05	---	---	---	---	---	---	1974
1975	---	---	0	2.16	7.71	2.93	0.953	0.044	0	0	---	---	1.73	1975
1976	---	---	0.113	3.88	2.01	1.61	1.50	0.421	0.054	0	---	---	1.19	1976
MEAN	---	---	0.057	2.24	4.00	2.74	1.51	0.409	0.027	0	---	---	1.46	MEAN

LOCATION - LAT 52 38 17 N
LONG 104 01 45 W
DRAINAGE AREA, 1 090 km²
NATURAL FLOW

BARRIER RIVER NEAR MCKAGUE - STATION NO. 05LA002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1964	---	---	---	---	1964
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1969	---	---	---	---	1969
1971	---	---	---	---	1971
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	---	16.6 ON MAY 1 *	0B ON MAR 1 *	36 500	1975
1976	---	8.16 ON APR 13	0 ON SEP 29	25 100	1976
				30 800	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

BARRIER RIVER OVERFLOW - STATION NO. 05LA001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1971	---	---	---	0.595	---	---	---	---	---	---	---	---	---	1971
1972	---	---	---	2.29	0.797	---	---	---	---	---	---	---	---	1972
1973	---	---	---	---	---	0	0.007	---	---	---	---	---	---	1973
1974	---	---	---	---	2.24	---	---	---	---	---	---	---	---	1974
1975	---	---	0	1.84	1.75	0.044	0	0	0	0	---	---	0.452	1975
1976	---	---	0	2.11	0.009	0.031	0.005	0.001	0	0	---	---	0.264	1976
1977	---	---	0	0.278	0.216	0.075	0	0	0	0	---	---	0.071	1977
1978	---	---	0	0.850	0.060	0	0	0	0	0	---	---	0.112	1978
1979	---	---	0	4.04	3.53	0.303	0	0	0	0	---	---	0.978	1979
MEAN	---	---	0	1.71	1.23	0.076	0.002	0	0	0	---	---	0.375	MEAN

LOCATION - LAT 52 37 53 N
LONG 104 31 29 W
NATURAL FLOW

BARRIER RIVER OVERFLOW - STATION NO. 05LA001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1971	---	---	---	---	1971
1972	---	---	---	---	1972
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	---	11.9 ON APR 30	0B ON MAR 1 *	9 580	1975
1976	---	8.92 ON APR 9	0B ON MAR 1	5 590	1976
1977	---	1.61B ON APR 9	0B ON MAR 1	1 490	1977
1978	---	3.23B ON APR 10	0B ON MAR 1	2 360	1978
1979	---	19.4 ON APR 28 *	0B ON MAR 1	29 700	1979
				7 940	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

BARROBY DITCH NEAR RAVENSCRAG - STATION NO. 11AC032

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1913	---	---	---	---	---	---	---	---	---	---	---	---	---	1913
1914	---	---	---	---	---	---	---	---	---	---	---	---	---	1914
1915	---	---	0	0	0	0	0	0	0	0	---	---	0	1915
1922	---	---	---	---	---	---	---	---	---	---	---	---	---	1922
MEAN	---	---	0	0	0	0	0	0	0	0	---	---	0	MEAN

LOCATION - LAT 49 30 40 N
LONG 109 02 20 W
REGULATED

REMARKS - NO WATER WAS DIVERTED FROM 1915-24

BARROBY DITCH NEAR RAVENSCRAG - STATION NO. 11AC032

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1913	---	0.012 ON AUG 12	0.012 ON AUG 12	---	1913
1914	---	0.051 ON JUN 27 *	0.015 ON JUL 20	---	1914
1915	---	0 ON MAR 1	0 ON MAR 1 *	0	1915
1922	---	---	0 ON JUN 22	---	1922
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		0	MEAN

BATE CREEK AT BATE'S RANCH - STATION NO. 11AC024

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1914	---	---	---	---	0.010	0.008	0.001	0.001	0.005	0.005	---	---	---	1914
1915	---	---	---	0.023	0.009	0.010	0.008	0.003	0.007	0.009	---	---	---	1915
1916	---	---	---	0.032	0.026	0.019	0.167	0.004	0.007	0.015	---	---	---	1916
MEAN	---	---	---	0.028	0.015	0.012	0.059	0.003	0.006	0.010	---	---	---	MEAN

LOCATION - LAT 49 27 10 N
LONG 108 08 50 W
DRAINAGE AREA, 22.0 km^2
REGULATED

BATE SOUTH DITCH - STATION NO. 11AC034

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1918	---	---	0	0	0	0	0.001	0	0	0	---	---	0	1918
1919	---	---	0	0	0	0	0.001	0	0	0	---	---	0	1919
1920	---	---	0	0	0	0	0	0.001	0	0	---	---	0	1920
1921	---	---	0	0	0	0	0	0.001	0	0	---	---	0	1921
1922	---	---	0	0	0	0.001	0.001	0.001	0.001	0	---	---	0.001	1922
1923	---	---	0	0	0.001	0	0.001	0	0	0	---	---	0	1923
1924	---	---	0	0	0	0	0.002	0.002	0.001	0	---	---	0.001	1924
1925	---	---	0	0	0	0	0.001	0.001	0.001	0	---	---	0	1925
1926	---	---	0	0	0	0	0.001	0.001	0	0	---	---	0	1926
1927	---	---	0	0	0	0	0	0.001	0	0	---	---	0	1927
1928	---	---	0	0	0.001	0	0	0.001	0.001	0	---	---	0	1928
1929	---	---	0	0	0	0	0.001	0.001	0	0	---	---	0	1929
1930	---	---	0	0	0	0	0.002	0.004	0	0	---	---	0.001	1930
MEAN	---	---	0	0	0	0	0.001	0.001	0	0	---	---	0	MEAN

LOCATION - LAT 49 27 00 N
LONG 108 09 00 W
REGULATED

BATE SOUTH DITCH - STATION NO. 11AC034

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1918	---	0.001 ON MAY 23	0 ON MAR 1 *	3.72	1918
1919	---	0.001 ON JUN 22	0 ON MAR 1	3.90	1919
1920	---	0.001 ON JUN 4	0 ON MAR 1	3.37	1920
1921	---	0.001 ON JUL 21	0 ON MAR 1	2.33	1921
1922	---	0.001 ON JUN 1	0 ON MAR 1	11.5	1922
1923	---	0.006E ON MAY 24 *	0 ON MAR 1	5.96	1923
1924	---	0.006E ON JUL 20	0 ON MAR 1	13.0	1924
1925	---	0.001E ON JUN 25	0 ON MAR 1	7.18	1925
1926	---	0.001E ON JUL 1	0 ON MAR 1	5.36	1926
1927	---	0.001 ON JUL 24	0 ON MAR 1	3.37	1927
1928	---	0.001E ON MAY 7	0 ON MAR 1	5.44	1928
1929	---	0.001E ON JUL 1	0 ON MAR 1	5.36	1929
1930	---	0.005 ON JUL 18	0 ON MAR 1	16.0	1930
	E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		6.65	MEAN

BATTLE CREEK ABOVE CYPRESS LAKE WEST INFLOW CANAL - STATION NO. 11AB076

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1939	---	- -	1.83	1.42	0.645	0.794	0.22	0.012	0.004	0.035	---	---	0.620	1939
1940	---	---	0.105	6.22	1.61	0.775	0.411	0.116	0.042	0.164	---	---	1.17	1940
1941	---	---	2.14	1.14	0.382	0.518	0.851	0.035	0.028	0.115	---	---	0.652	1941
1942	---	---	0.325	2.87	0.773	3.22	1.00	0.436	0.305	0.332	---	---	1.15	1942
1943	---	---	3.27	3.67	0.805	0.737	0.166	0.025	0.042	0.019	---	---	1.09	1943
1944	---	---	0.398	1.67	0.303	0.228	0.029	0.001	0.002	0.096	---	---	0.337	1944
1945	---	---	1.02	0.826	0.340	0.048	0.055	0	0.001	0.059	---	---	0.293	1945
1946	---	---	1.44	1.03	0.361	0.239	0.046	0.002	0.026	0.272	---	---	0.426	1946
1947	---	---	0.136	2.58	0.989	0.472	0.178	0.079	0.126	0.204	---	---	0.590	1947
1948	---	---	0.004	4.86	2.44	0.641	0.164	0.041	0.011	0.038	---	---	1.02	1948
1949	---	---	0.110	0.984	0.201	0.071	0.029	0.009	0	0.024	---	---	0.177	1949
1950	---	---	0.033	3.10	0.614	0.160	0.061	0.122	0.081	0.107	---	---	0.528	1950
1951	---	---	0.043	4.47	3.91	1.19	0.520	0.241	0.631	0.587	---	---	1.44	1951
1952	---	---	0.238	19.5	2.72	0.708	0.477	0.161	0.176	0.245	---	---	2.99	1952
1953	---	---	0.477	1.79	5.30	7.00	1.02	0.469	0.383	0.470	---	---	2.10	1953
1954	---	---	0.635	2.97	2.51	1.94	0.661	0.865	0.764	1.02	---	---	1.42	1954
1955	---	---	0.060	11.0	8.68	2.29	3.13	0.895	0.812	0.834	---	---	3.55	1955
1956	---	---	0.778	2.57	1.83	0.766	0.826	0.445	0.399	0.536	---	---	1.02	1956
1957	---	---	0.418	3.92	3.08	0.727	0.293	0.231	0.160	0.302	---	---	1.14	1957
1958	---	---	0.575	4.24	0.591	0.267	0.484	0.025	0.066	0.193	---	---	0.796	1958
1959	---	---	0.489	3.13	1.02	0.567	0.429	0.019	0.170	0.317	---	---	0.761	1959
1960	---	---	3.22	1.89	2.09	0.555	0.182	0.087	0.064	0.108	---	---	1.03	1960
1961	---	---	0.453	0.247	0.278	0.152	0.023	0.001	0.003	0.053	---	---	0.151	1961
1962	---	---	0.227	0.772	0.240	0.213	0.203	0.032	0.051	0.137	---	---	0.233	1962
1963	---	---	0.426	1.03	0.390	0.266	0.758	0.109	0.038	0.079	---	---	0.437	1963
1964	---	---	0.164	0.870	2.29	0.514	0.204	0.041	0.322	0.254	---	---	0.582	1964
1965	---	---	0.256	7.67	2.82	3.68	2.29	0.371	1.12	0.731	---	---	2.34	1965
1966	---	---	3.40	3.48	1.90	1.13	0.539	0.421	0.341	0.443	---	---	1.45	1966
MEAN	---	---	0.853	3.57	1.75	1.07	0.545	0.189	0.220	0.278	---	---	1.05	MEAN

LOCATION - LAT 49 25 44 N, LONG 109 41 02 W DRAINAGE AREA, 658 km^2 NATURAL FLOW INTERNATIONAL GAUGING STATION

BATTLE CREEK ABOVE CYPRESS LAKE WEST INFLOW CANAL - STATION NO. 11AB076

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1939	---	6.65 B ON MAR 22	0 ON AUG 18 *	13 100	1939
1940	41.3 AT 10:00 MST ON APR 23	33.1 ON APR 23	0.014 ON SEP 3	24 700	1940
1941	10.7 AT 01:30 MST ON JUL 1	9.26 ON JUL 1	0.008 ON SEP 6	13 800	1941
1942	---	19.8 E ON JUN 26	0.181 ON SEP 15	24 300	1942
1943	---	23.1 B ON MAR 30	0.006 ON AUG 31	23 000	1943
1944	---	4.42 B ON APR 6	0 ON JUL 29	7 150	1944
1945	9.74 AT 18:00 MST ON MAR 28	6.09 ON MAR 28	0 ON JUN 18	6 210	1945
1946	16.2 AT 13:00 MST ON MAR 29	11.6 ON MAR 29	0 ON AUG 15	9 020	1946
1947	12.7 B AT 14:00 MST ON APR 14	10.5 B ON APR 14	0 B ON MAR 1	12 500	1947
1948	23.1 AT 22:00 MST ON APR 24	19.6 ON APR 24	0 B ON MAR 1	21 500	1948
1949	3.00 AT 08:00 MST ON APR 10	1.81 B ON APR 8	0 B ON MAR 1	3 740	1949
1950	16.7 AT 15:30 MST ON APR 22	13.8 ON APR 22	0.014 ON SEP 6	11 200	1950
1951	27.3 AT 19:30 MST ON APR 29	25.3 ON APR 29	0.028B ON MAR 1	30 500	1951
1952	---	79.0 E ON APR 18 *	0.038 ON AUG 25	63 200	1952
1953	66.8 AT 11:30 MST ON JUN 5 *	47.0 ON JUN 5	0.280 ON AUG 31	44 600	1953
1954	10.6 AT 06:30 MST ON MAY 8	7.76 ON MAY 8	0.210 ON AUG 1	30 000	1954
1955	36.2 B AT 14:30 MST ON APR 11	27.8 B ON APR 11	0.283B ON APR 4	75 100	1955
1956	5.64B AT 12:00 MST ON APR 16	4.33 B ON APR 15	0.235 ON SEP 17	21 500	1956
1957	20.7 AT 17:00 MST ON MAY 2	18.4 ON MAY 1	0.113 ON JUL 27	24 100	1957
1958	13.5 B AT 10:00 MST ON APR 1	11.0 ON APR 5	0.011 ON AUG 17	16 900	1958
1959	8.64 AT 07:00 MST ON APR 15	6.91 ON APR 15	0 ON AUG 5	16 100	1959
1960	16.8 B AT 22:30 MST ON MAR 20	12.2 B ON MAR 21	0.040 ON SEP 6	21 800	1960
1961	1.87 AT 02:00 MST ON MAR 31	0.934 ON MAR 31	0 ON AUG 6	3 200	1961
1962	---	2.10 B ON APR 7	0.008 ON AUG 21	4 930	1962
1963	---	7.16 B ON MAR 30	0.023 ON SEP 8	9 250	1963
1964	12.0 AT 07:00 MST ON MAY 9	9.20 ON MAY 9	0.023 ON AUG 18	12 300	1964
1965	38.5 AT 21:00 MST ON APR 26	31.1 ON APR 27	0.204B ON APR 5	49 600	1965
1966	22.4 AT 21:00 MST ON APR 1	20.3 ON APR 1	0.176 ON AUG 18	30 600	1966
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		22 300	MEAN

BATTLE CREEK ABOVE CYPRESS LAKE WEST OUTFLOW CANAL - STATION NO. 11AB100

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1964	---	---	---	---	1.56	0.514	0.203	0.088	0.301	0.200	---	---	---	1964
1965	---	---	---	---	1.82	1.96	0.694	0.383	0.602	0.609	---	---	---	1965
1966	---	---	---	---	0.938	0.994	0.415	0.369	0.283	0.529	---	---	---	1966
1967	---	---	0.361	0.595	13.9	1.95	0.452	0.028	0.324	0.420	---	---	2.27	1967
1968	---	---	0.876	1.11	1.03	0.610	0.355	0.162	0.299	0.516	---	---	0.619	1968
1969	---	---	0.359	0.351	1.12	0.374	0.203	0.067	0.028	0.303	---	---	0.352	1969
1970	---	---	0.363	0.702	4.79	1.09	0.779	0.175	0.212	0.301	---	---	1.06	1970
1971	---	---	0.380	1.14	1.92	0.482	0.619	0.079	0.130	0.302	---	---	0.631	1971
1972	---	---	1.08	0.683	0.433	0.156	0.236	0.168	0.167	0.307	---	---	0.484	1972
1973	---	---	0.589	0.625	0.259	0.185	0.172	0.082	0.074	0.140	---	---	0.266	1973
1974	---	---	0.193	0.207	0.686	0.379	0.195	0.150	0.132	0.221	---	---	0.271	1974
1975	---	---	0.281	0.328	1.46	1.74	0.722	0.485	0.242	0.690	---	---	0.743	1975
1976	---	---	0.780	0.670	0.405	0.257	0.233	0.224	0.134	0.376	---	---	0.385	1976
1977	---	---	0.354	0.436	0.163	0.128	0.127	0.036	0.062	0.147	---	---	0.181	1977
1978	---	---	0.201	0.087	0.338	0.451	0.179	0.158	0.392	0.230	---	---	0.254	1978
1979	---	---	0.463	0.803	1.53	0.489	0.255	0.146	0.187	0.291	---	---	0.521	1979
1980	---	---	0.246	0.696	0.151	0.271	0.172	---	---	---	---	---	---	1980
MEAN	---	---	0.466	0.602	1.91	0.708	0.354	0.170	0.223	0.349	---	---	0.612	MEAN

LOCATION - LAT 49 27 53 N DRAINAGE AREA, 756 km^2
LONG 109 36 04 W REGULATED

BATTLE CREEK ABOVE CYPRESS LAKE WEST OUTFLOW CANAL - STATION NO. 11AB100

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1964	---	---	---	---	1964
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	96.0 AT 07:00 MST ON MAY 19 *	77.9 ON MAY 19 *	0.014 ON AUG 14	47 900	1967
1968	3.48 AT 09:30 MST ON MAY 6	2.59 ON MAY 7	0.011B ON MAR 3	13 100	1968
1969	2.08 AT 09:14 MST ON MAY 21	1.88 ON MAY 21	0 ON AUG 25 *	7 450	1969
1970	19.1 AT 22:05 MST ON MAY 6	17.2 ON MAY 7	0.074 ON AUG 21	22 300	1970
1971	9.06 AT 20:32 CST ON APR 27	5.21 ON APR 28	0.054 ON AUG 30	13 400	1971
1972	5.21B AT 10:35 CST ON MAR 14	2.89B ON MAR 15	0 ON SEP 10	8 550	1972
1973	2.71 AT 04:10 CST ON APR 21	1.29 ON APR 21	0.021 ON MAY 2	5 620	1973
1974	2.89 AT 16:06 CST ON MAY 27	1.69 ON MAY 22	0.028 ON AUG 11	5 730	1974
1975	6.20 AT 19:22 CST ON JUN 20	3.51 ON JUN 25	0.010 ON SEP 11	15 700	1975
1976	9.29B AT 11:28 CST ON MAR 19	4.67B ON MAR 19	0.022 ON JUN 16	8 160	1976
1977	4.90 AT 10:14 CST ON APR 9	2.82 ON APR 9	0.005 ON AUG 19	3 840	1977
1978	2.10B AT 16:31 CST ON APR 2	1.38 ON SEP 12	0.015B ON APR 7	5 380	1978
1979	7.25B AT 01:47 CST ON APR 20	3.21B ON APR 24	0.025B ON APR 14	11 000	1979
1980	---	1.62 ON APR 14	---	---	1980
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		12 900	MEAN

BATTLE CREEK ABOVE GAFF DITCH - STATION NO. 11AB003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	3.62	1.04	0.357	0.221	0.320	---	---	---	1909
1910	---	---	---	1.19	0.602	0.184	0.057	0.090	0.250	0.237	0.311	---	---	1910
1911	---	---	---	---	1.44	0.697	0.542	0.397	2.43	1.04	---	---	---	1911
1912	---	---	---	7.30	2.48	1.23	0.681	0.502	0.556	0.688	---	---	---	1912
1913	---	---	---	6.02	1.69	0.702	0.489	0.250	0.171	0.322	---	---	---	1913
1914	---	---	---	3.15	0.962	0.549	0.076	0.051	0.268	0.744	---	---	---	1914
1915	---	---	---	3.10	1.12	2.33	1.28	0.768	0.847	1.10	---	---	---	1915
1916	---	---	---	1.92	3.68	5.77	2.16	1.46	1.21	1.50	---	---	---	1916
1917	---	---	---	---	10.6	2.07	0.743	0.485	0.860	0.909	---	---	---	1917
1918	---	---	---	6.15	1.64	0.589	0.201	0.207	0.209	0.330	---	---	---	1918
1919	---	---	---	1.31	0.649	0.278	0.071	0.051	0.099	0.202	---	---	---	1919
1920	---	---	0.207	2.14	5.57	0.995	0.267	0.075	0.092	0.212	---	---	1.20	1920
1921	---	---	0.541	5.07	2.32	0.668	0.275	0.106	0.334	0.391	---	---	1.20	1921
1922	---	---	0.227	6.62	5.79	0.787	0.417	0.189	0.174	0.211	---	---	1.79	1922
1923	---	---	0.315	1.79	0.932	1.94	1.03	0.451	0.147	0.226	---	---	0.849	1923
1924	---	---	0.337	2.06	0.883	0.826	0.222	0.113	0.093	0.271	---	---	0.596	1924
1925	---	---	1.61	6.23	1.41	0.702	0.126	0.097	0.160	0.385	---	---	1.33	1925
1926	---	---	1.90	2.24	0.536	0.235	0.462	0.061	0.178	0.215	---	---	0.727	1926
1927	---	---	0.254	8.39	9.27	3.32	1.25	0.568	0.517	0.813	---	---	3.04	1927
1928	---	---	3.01	2.73	1.51	2.20	1.29	0.532	0.416	0.621	---	---	1.54	1928
1929	---	---	0.652	4.65	2.82	1.60	0.460	0.107	0.270	0.338	---	---	1.35	1929
1930	---	---	0.671	3.79	1.25	0.568	0.234	0.105	0.338	0.432	---	---	0.915	1930
1931	---	---	0.526	0.741	0.459	0.202	0.282	0.159	0.376	0.532	---	---	0.409	1931
1932	---	---	---	1.79	1.03	0.578	0.316	0.182	0.321	0.269	---	---	---	1932
1935	---	---	---	---	---	---	---	---	0.031	0.055	---	---	---	1935
1936	---	---	0.168	2.03	0.810	0.183	---	---	---	---	---	---	---	1936
1972	---	---	---	---	---	0.820	0.289	0.127	0.144	0.302	---	---	---	1972
1973	---	---	---	0.551	0.714	0.679	0.137	0.050	0.084	0.162	---	---	---	1973
1974	---	---	---	---	2.26	0.856	0.297	0.178	0.146	0.217	---	---	---	1974
1975	---	---	---	---	---	2.40	0.804	0.619	0.509	0.609	---	---	---	1975
1976	---	---	---	---	0.640	0.922	0.319	0.220	0.120	0.244	---	---	---	1976
MEAN	---	---	0.801	3.52	2.34	1.28	0.545	0.295	0.386	0.463	0.311	---	1.25	MEAN

LOCATION - LAT 49 25 53 N LONG 109 50 44 W DRAINAGE AREA, 520 km² REGULATED

BATTLE CREEK ABOVE GAFF DITCH - STATION NO. 11AB003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1909	---	---	---	---	1909
1910	---	---	---	---	1910
1911	---	---	---	---	1911
1912	---	21.7 ON APR 11	---	---	1912
1913	---	20.8 ON APR 14	---	---	1913
1914	---	12.2 ON APR 14	---	---	1914
1915	---	16.6 ON APR 4	---	---	1915
1916	---	27.8 ON MAY 31	---	---	1916
1917	---	34.3 ON MAY 9	---	---	1917
1918	---	23.2 B ON MAR 27	---	---	1918
1919	---	3.21B ON APR 3	---	---	1919
1920	---	27.5 ON MAY 9	0.051 ON AUG 25	25 300	1920
1921	---	14.7 ON APR 15	0.022 ON AUG 29 *	25 400	1921
1922	---	29.2 ON APR 23	0.057B ON MAR 1	38 000	1922
1923	---	9.29 ON JUN 22	0.113 ON SEP 10	18 000	1923
1924	---	9.03B ON APR 7	0.025 ON SEP 4	12 600	1924
1925	---	19.1 ON APR 6	0.054 ON AUG 13	28 100	1925
1926	---	13.7 ON APR 12	0.040 ON JUL 29	15 400	1926
1927	---	47.3 ON APR 27 *	0.195B ON MAR 1	64 300	1927
1928	---	17.6 B ON MAR 23	0.255B ON MAR 1	32 500	1928
1929	---	26.2 ON APR 23	0.068 ON AUG 28	28 700	1929
1930	---	10.1 ON APR 7	0.054 ON AUG 10	19 400	1930
1931	---	1.98 ON MAR 21	0.102 ON JUL 30	8 670	1931
1932	---	3.06 ON APR 24	---	---	1932
1935	---	---	---	---	1935
1936	---	5.66B ON APR 11	---	---	1936
1972	---	---	---	---	1972
1973	2.66 AT 00:10 CST ON JUN 20	2.50 ON JUN 20	---	---	1973
1974	8.58 AT 19:56 CST ON MAY 26	7.48 ON MAY 26	0.057 ON AUG 3	---	1974
1975	---	---	---	---	1975
1976	13.0 A AT 22:20 CST ON APR 6 *	8.41 ON APR 7	0.076 ON SEP 4	---	1976
				26 400	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

BATTLE CREEK AT ALBERTA BOUNDARY - STATION NO. 11AB117

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1975	---	---	0.895	0.425	2.75	1.10	0.441	0.348	0.314	0.338	---	---	0.728	1975
1976	---	---	0.301	1.51	0.242	0.399	0.178	0.175	0.061	0.074	---	---	0.364	1976
1977	---	---	0.239	0.590	0.266	0.078	0.054	0.048	0.043	0.063	---	---	0.172	1977
1978	---	---	0.084	0.765	0.416	0.188	0.160	0.132	0.272	0.218	---	---	0.278	1978
1979	---	---	0.265	1.60	1.13	0.380	0.266	0.158	0.178	0.163	---	---	0.507	1979
1980	---	---	0.172	0.682	0.135	0.150	0.082	0.082	0.087	0.119	---	---	0.187	1980
1981	---	---	0.182	0.304	0.293	0.418	0.141	0.075	0.064	0.083	---	---	0.192	1981
1982	---	---	0.099	1.05	0.740	1.79	0.526	0.113	0.131	0.303	---	---	0.589	1982
MEAN	---	---	0.180	0.866	0.747	0.563	0.231	0.141	0.134	0.170	---	---	0.377	MEAN

LOCATION - LAT 49 38 55 N DRAINAGE AREA, 111 km²
LONG 110 00 15 W REGULATED

BATTLE CREEK AT ALBERTA BOUNDARY - STATION NO. 11AB117

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1975	25.3 AT 21:59 CST ON MAY 7	14.8 ON MAY 8	0.057B ON MAR 11	15 480	1975
1976	14.8 AT 01:36 CST ON APR 1	7.65 ON APR 5	0.040 ON AUG 2	7 700	1976
1977	9.00B AT 22:04 CST ON APR 7	3.65B ON APR 8	0.022 ON AUG 1	3 640	1977
1978	11.0 AT 01:40 CST ON APR 27	6.46 ON APR 27	0.020B ON MAR 1	5 870	1978
1979	39.4 E AT 20:55 CST ON APR 17 *	19.8 B ON APR 17 *	0.087 ON AUG 21	10 700	1979
1980	7.77B AT 01:00 CST ON APR 14	3.48B ON APR 14	0.029 ON AUG 1	3 960	1980
1981	5.81 AT 18:53 CST ON JUN 14	3.29 ON JUN 14	0.006 ON JUL 5 *	4 060	1981
1982	23.0 AT 00:28 CST ON APR 24	10.7 ON APR 24	0.043 ON SEP 22	12 500	1982
				7 980	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BATTLE CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AB027

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1917	---	---	---	23.6	11.9	2.82	0.733	0.143	0.548	0.626	0.717	---	---	1917
1918	---	---	---	16.7	2.21	0.440	0.007	0.021	0.021	0.254	0.321	0.163	---	1918
1919	0.044	0.079	0.078	1.83	0.576	0.122	0	0	0	0	0	0	0.322	1919
1920	0	0	0.249	4.89	5.77	1.01	0.299	0.001	0	0.019	---	---	1.52	1920
1921	---	---	0.849	5.24	2.13	0.455	0.340	0.008	0.024	0.143	---	---	1.14	1921
1922	---	---	0.950	14.5	7.80	1.16	0.372	0.136	0.105	0.135	---	---	3.11	1922
1923	---	---	0.290	2.85	0.722	1.56	1.67	0.579	0.095	0.145	---	---	0.982	1923
1924	---	---	0.017	2.83	0.721	0.651	0.218	0.013	0	0.024	---	---	0.552	1924
1925	---	---	4.96	12.6	1.47	0.877	0.102	0	0.036	0.294	---	---	2.52	1925
1926	---	---	---	1.76	0.277	0.065	0.242	0.003	0.013	0.033	---	---	---	1926
1927	---	---	0.414	19.0	15.2	7.40	1.85	0.682	0.568	0.815	---	---	5.71	1927
1928	---	---	5.77	10.8	1.78	1.75	1.28	0.485	0.375	0.741	---	---	2.85	1928
1929	---	---	0.490	4.98	3.31	1.67	0.428	0.004	0	0.284	---	---	1.38	1929
1930	---	---	4.77	7.85	1.11	0.412	0.230	0.022	0.019	0.339	---	---	1.83	1930
1931	---	---	0.532	0.568	0.039	0.001	0	0	0	0	---	---	0.142	1931
1932	---	---	0.893	2.46	1.03	0.764	0.154	0	0.006	0.217	---	---	0.685	1932
1933	---	---	0.851	3.06	2.24	0.356	0.259	0	0	0	---	---	0.842	1933
1934	---	---	2.82	2.31	0.165	0.351	0.019	0	0	0	---	---	0.706	1934
1935	---	---	2.54	4.70	1.62	0.268	0.254	0.001	0	0	0	0	1.17	1935
1936	0	0	0	6.57	0.621	0.027	0	0	0	0	0	0	0.886	1936
1937	0	0	0.071	2.24	0.022	0	0	0	0	0	---	---	0.286	1937
1938	---	---	1.24	1.43	0.656	0.753	0.297	0	0	0	---	---	0.546	1938
1939	---	---	4.35	0.245	0.071	0.664	0.274	0	0	0	---	---	0.705	1939
1940	---	---	0	10.6	1.08	0.463	0.039	0.176	0	0	---	---	1.52	1940
1941	---	---	5.79	0.389	0.315	0.464	0.810	0.001	0.027	0.023	---	---	0.985	1941
1942	---	---	0.288	0.629	0.247	2.10	1.12	0.380	0.137	0.237	---	---	0.638	1942
1943	---	---	5.37	3.37	0.799	0.652	0.133	0.157	0.007	0.084	---	---	1.32	1943
1944	---	---	0.732	0.431	0.255	0.139	0.972	0.817	0.167	0.044	---	---	0.447	1944
1945	---	---	2.25	0.526	0.391	0.407	0.176	0	0	0	---	---	0.471	1945
1946	---	---	1.92	0.625	0.244	0.219	0.129	0.100	0.001	0	---	---	0.406	1946
1947	---	---	1.02	0.884	0.780	0.268	0.098	0.173	0	0	---	---	0.403	1947
1948	---	---	0.131	1.95	0.841	0.403	0.207	0.131	0	0.020	---	---	0.457	1948
1949	---	---	0.018	0.130	0.270	0.301	0.098	0	0	0	---	---	0.102	1949
1950	---	---	0	4.74	0.066	0.035	0.015	0.051	0	0	---	---	0.601	1950
1951	---	---	0	2.05	3.53	0.711	0.353	0.103	0.537	0.451	---	---	0.965	1951
1952	---	---	0.037	43.2	4.21	0.711	0.420	0.125	0.216	0.209	---	---	6.03	1952
1953	---	---	0.383	0.520	3.15	6.80	1.15	0.566	0.253	0.394	---	---	1.64	1953
1954	---	---	0.596	4.42	1.58	1.91	0.579	0.995	0.886	1.03	---	---	1.49	1954
1955	---	---	0.953	19.5	11.7	2.70	7.08	1.05	0.662	1.01	---	---	5.56	1955
1956	---	---	1.88	2.57	1.70	0.781	0.970	0.643	0.441	0.432	---	---	1.18	1956
1957	---	---	0.487	3.31	2.60	0.743	0.620	0.316	0.193	0.455	---	---	1.09	1957
1958	---	---	2.67	4.84	0.667	0.569	0.509	0.159	0.001	0.065	---	---	1.18	1958
1959	---	---	1.74	0.698	1.27	0.533	0.785	0.081	0.020	0.389	---	---	0.693	1959
1960	---	---	3.86	1.20	1.04	0.480	0.467	0.217	0.010	0.005	---	---	0.914	1960
1961	---	---	1.26	0.169	0.277	0.333	0	0.068	0	0	---	---	0.264	1961
1962	---	---	0.938	0.625	0.332	0.241	0.133	0.002	0	0	---	---	0.284	1962
1963	---	---	0.169	1.08	0.205	0.229	0.478	0.002	0	0	---	---	0.268	1963
1964	---	---	0.026	0.693	1.32	0.303	0.138	0	0	0.045	---	---	0.315	1964
1965	---	---	0	4.15	2.78	2.51	1.87	0.432	0.688	0.488	---	---	1.60	1965
1966	---	---	3.27	3.02	0.820	0.888	0.415	0.415	0.217	0.360	---	---	1.17	1966
1967	---	---	1.23	6.04	14.9	2.14	0.389	0.266	0.172	0.334	---	---	3.19	1967
1968	---	---	0.985	0.953	0.729	0.588	0.516	0.272	0.243	0.464	---	---	0.594	1968
1969	---	---	0.201	6.18	0.980	0.336	0.261	0.231	0	0.084	---	---	1.02	1969
1970	---	---	0.237	1.24	4.43	1.26	0.828	0.309	0.022	0.177	---	---	1.07	1970
1971	---	---	0.261	2.43	1.53	0.784	0.364	0.313	0	0.179	---	---	0.729	1971
1972	---	---	1.74	0.750	0.645	2.33	0.352	0.420	0.022	0.267	---	---	0.813	1972
1973	---	---	0.748	0.557	0.381	0.246	0.034	0.341	0	0.023	---	---	0.291	1973
1974	---	---	0.783	1.42	1.72	0.998	0.292	0.362	0.042	0.150	---	---	0.720	1974
1975	---	---	0.032	2.75	3.15	3.25	0.842	1.43	0.233	0.621	---	---	1.53	1975
1976	---	---	3.85	1.69	0.654	1.14	0.217	0.286	0.009	0.163	---	---	1.00	1976
1977	---	---	0.452	0.294	0.292	0.210	0.002	0	0	0.009	---	---	0.157	1977
1978	---	---	0.030	3.80	0.610	1.14	0.299	0.008	0.351	0.175	---	---	0.789	1978
1979	---	---	3.96	2.79	2.14	0.708	0.372	0.212	0.084	0.177	---	---	1.31	1979
1980	---	---	0.369	0.586	0.438	0.388	0.156	0.131	0.001	0.151	---	---	0.277	1980
1981	---	---	0.411	0.123	0.772	0.471	0.299	0.037	0	0	---	---	0.265	1981
1982	---	---	0.091	3.34	0.972	2.30	0.936	0.169	0.093	0.480	---	---	1.04	1982
MEAN	0.011	0.020	1.32	4.61	2.09	1.03	0.530	0.213	0.114	0.201	0.208	0.041	1.19	MEAN

LOCATION - LAT 49 00 10 N DRAINAGE AREA, 2 580 km² INTERNATIONAL GAUGING STATION
LONG 109 25 20 W REGULATED

BATTLE CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AB027

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1917	90.6 AT 09:00 MST ON APR 13	80.1 ON APR 13	---	---	1917
1918	---	70.8 B ON MAR 31	0 ON JUL 13 *	---	1918
1919	4.67 AT 12:00 MST ON APR 17	3.54 ON APR 17	0 ON JUL 3	6 820	1919
1920	26.1 AT 07:00 MST ON MAY 11	23.9 ON MAY 11	0 B ON MAR 1	32 200	1920
1921	19.5 AT 07:00 MST ON APR 17	17.3 ON APR 17	0 ON AUG 15	24 100	1921
1922	---	30.0 ON APR 25	0 B ON MAR 1	65 900	1922
1923	9.66 AT 08:00 MST ON JUN 25	8.01 ON APR 21	0.028B ON MAR 1	20 800	1923
1924	---	7.62B ON APR 11	0 B ON MAR 1	11 700	1924
1925	40.5 AT 23:00 MST ON APR 2	37.1 B ON APR 3	0 B ON MAR 1	53 400	1925
1926	---	---	0 ON JUL 26	---	1926
1927	56.9 ON APR 4	48.1 ON APR 4	0 B ON MAR 1	121 000	1927
1928	65.7 B AT 18:00 MST ON APR 3	56.6 B ON APR 3	0.212 ON AUG 23	60 400	1928
1929	21.6 AT 03:00 MST ON APR 26	18.6 ON APR 25	0 B ON MAR 1	29 200	1929
1930	30.3 B AT 13:00 MST ON APR 2	22.5 B ON APR 2	0 ON AUG 4	38 800	1930
1931	1.87 AT 07:30 MST ON APR 7	1.50 ON APR 7	0 ON JUN 5	3 000	1931
1932	11.8 AT 04:30 MST ON APR 6	10.2 ON APR 6	0 ON JUL 29	14 500	1932
1933	8.78 AT 07:00 MST ON APR 22	7.36 ON APR 22	0 B ON MAR 1	17 800	1933
1934	---	9.17 ON APR 9	0 ON JUL 19	14 900	1934
1935	25.8 AT 08:00 MST ON APR 21	20.2 ON APR 21	0 B ON MAR 1	24 700	1935
1936	76.7 AT 20:40 MST ON APR 12	52.1 ON APR 12	0 ON MAR 1	18 700	1936
1937	21.0 AT 22:00 MST ON APR 8	10.2 ON APR 8	0 ON MAR 1	6 060	1937
1938	22.7 AT 21:30 MST ON MAR 26	8.98 ON MAR 27	0 ON MAR 1	11 600	1938
1939	51.8 AT 22:00 MST ON MAR 22	28.6 ON MAR 22	0 B ON MAR 1	14 900	1939
1940	64.8 AT 07:00 MST ON APR 21	54.9 ON APR 21	0 ON MAR 1	32 100	1940
1941	48.7 B AT 23:00 MST ON MAR 21	37.1 B ON MAR 22	0 B ON MAR 1	20 900	1941
1942	17.5 AT 20:00 MST ON JUN 28	8.89 ON JUN 29	0 B ON MAR 1	13 500	1942
1943	81.3 B AT 22:00 MST ON MAR 29	56.6 B ON MAR 29	0 B ON MAR 1	28 000	1943
1944	24.3 AT 20:00 MST ON AUG 25	12.1 ON JUL 6	0 B ON MAR 1	9 460	1944
1945	11.3 AT 02:00 MST ON MAR 20	8.81 ON MAR 20	0 B ON MAR 1	9 960	1945
1946	12.4 AT 21:00 MST ON MAR 11	8.95 ON MAR 11	0 ON MAR 1	8 590	1946
1947	14.2 B ON MAR 28	9.06B ON MAR 29	0 ON MAR 1	8 540	1947
1948	14.0 B AT 11:00 MST ON APR 14	7.93B ON APR 14	0 ON MAR 1	9 660	1948
1949	1.12 AT 12:30 MST ON MAY 27	1.07 ON MAY 27	0 B ON MAR 1	2 150	1949
1950	41.9 AT 21:30 MST ON APR 12	24.5 ON APR 13	0 ON MAR 1	12 700	1950
1951	15.9 ON MAY 2	13.4 ON MAY 2	0 B ON MAR 1	20 400	1951
1952	165 * AT 07:00 MST ON APR 15 *	158 * ON APR 15 *	0 B ON MAR 1	128 000	1952
1953	27.0 AT 12:00 MST ON JUN 8	24.8 ON JUN 8	0.102 ON SEP 18	34 700	1953
1954	48.7 B AT 20:45 MST ON APR 5	22.5 B ON APR 6	0.147 ON JUL 18	31 500	1954
1955	54.4 AT 20:30 MST ON JUL 12	34.8 ON APR 23	0.283B ON MAR 13	118 000	1955
1956	---	5.66B ON MAR 27	0.142B ON MAR 10	24 900	1956
1957	33.1 B AT 03:30 MST ON APR 1	18.5 B ON APR 1	0.023 ON SEP 8	23 000	1957
1958	28.9 B AT 04:30 MST ON APR 3	26.8 B ON APR 3	0 ON SEP 7	24 900	1958
1959	21.9 B AT 20:00 MST ON MAR 26	11.0 B ON MAR 26	0 B ON MAR 1	14 700	1959
1960	28.3 B AT 24:00 MST ON MAR 23	20.5 B ON MAR 24	0 B ON MAR 1	19 300	1960
1961	36.5 B AT 23:45 MST ON MAR 15	9.77B ON MAR 16	0 ON JUL 3	5 590	1961
1962	18.3 B AT 22:00 MST ON MAR 26	8.21B ON MAR 26	0 ON MAR 1	6 010	1962
1963	5.95 AT 02:00 MST ON JUL 6	2.86 ON JUL 6	0 ON MAY 31	5 680	1963
1964	6.31 AT 15:45 MST ON MAY 11	5.27 ON MAY 11	0 B ON MAR 1	6 680	1964
1965	21.8 AT 03:30 MST ON JUN 27	16.1 B ON APR 18	0 ON MAR 1	33 900	1965
1966	17.3 B AT 06:00 MST ON MAR 30	12.8 B ON MAR 29	0.042 ON AUG 19	24 800	1966
1967	55.5 AT 06:00 MST ON MAY 22	53.5 ON MAY 22	0 ON SEP 2	67 500	1967
1968	2.55B AT 22:15 MST ON MAR 13	1.96B ON MAR 14	0.059 ON SEP 11	12 600	1968
1969	51.5 AT 02:45 MST ON APR 6	31.4 ON APR 7	0 A ON AUG 25	21 600	1969
1970	16.5 AT 18:00 MST ON MAY 9	16.2 ON MAY 9	0 B ON MAR 1	22 600	1970
1971	9.06B AT 14:20 CST ON APR 14	7.82B ON APR 14	0 ON AUG 30	15 400	1971
1972	28.1 AT 02:00 MDT ON JUN 11	18.0 ON JUN 11	0 B ON MAR 1	17 200	1972
1973	2.55 AT 18:15 CST ON AUG 9	2.44 ON AUG 9	0 ON MAR 1	6 160	1973
1974	19.2 AT 11:45 CST ON MAY 21	13.3 B ON APR 1	0.006 ON SEP 27	15 200	1974
1975	18.8 AT 18:33 CST ON AUG 24	10.8 ON JUN 20	0.008B ON MAR 1	32 400	1975
1976	21.2 B AT 06:30 CST ON MAR 20	20.4 B ON MAR 20	0 ON SEP 23	21 200	1976
1977	4.08 AT 00:15 MST ON APR 12	2.52 ON APR 12	0 ON JUL 9	3 330	1977
1978	45.9 B AT 21:15 CST ON APR 5	18.0 B ON APR 6	0 ON AUG 12	16 700	1978
1979	17.8 B AT 23:00 CST ON MAR 23	14.8 B ON MAR 23	0 B ON MAR 1	27 600	1979
1980	3.76B AT 06:00 MST ON MAR 21	2.10B ON MAR 21	0 B ON MAR 1	5 860	1980
1981	2.30 AT 10:00 CST ON MAY 19	2.05 ON MAY 19	0 ON AUG 22	5 610	1981
1982	52.6 AT 23:00 CST ON APR 13	22.5 ON APR 14	0 B ON MAR 1	21 900	1982
				25 100	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

BATTLE CREEK AT NASH'S RANCH - STATION NO. 11AB010

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	---	---	---	0.226	0.277	---	---	---	1909
1910	---	---	---	---	---	0.075	0.012	0.022	0.133	0.121	---	---	---	1910
1911	---	---	---	2.95	1.29	0.301	0.265	0.269	3.34	1.07	---	---	---	1911
1912	---	---	---	---	2.54	1.06	0.218	0.299	0.474	0.682	---	---	---	1912
1913	---	---	---	5.71	1.57	0.368	0.601	0.267	0.140	0.351	---	---	---	1913
1914	---	---	---	4.39	0.736	0.028	0.006	0	0.076	0.472	---	---	---	1914
1915	---	---	---	6.51	1.01	2.85	1.48	0.696	0.703	0.791	---	---	---	1915
1916	---	---	21.4	3.88	2.67	6.89	2.90	1.62	1.27	1.58	---	---	5.29	1916
1917	---	---	---	18.5	11.9	2.47	0.495	0.194	0.598	0.677	---	---	---	1917
1918	---	---	---	15.6	2.19	0.358	0.058	0.096	0.051	0.114	---	---	---	1918
1919	---	---	0.100	1.72	0.532	0.122	0.012	0	0	0.043	---	---	0.313	1919
1920	---	---	0.118	3.67	5.77	0.905	0.294	0.049	0.016	0.180	---	---	1.37	1920
1921	---	---	0.610	5.55	2.28	0.371	0.364	0.028	0.114	0.206	---	---	1.18	1921
1922	---	---	0.007	11.5	7.94	1.01	0.438	0.233	0.211	0.169	---	---	2.67	1922
1923	---	---	0.112	2.82	0.626	2.18	1.55	0.471	0.097	0.137	---	---	0.991	1923
1924	---	---	0	2.71	0.689	0.578	0.174	0.059	0	0.099	---	---	0.532	1924
1925	---	---	1.14	10.7	1.49	0.684	0.087	0.032	0.148	0.322	---	---	1.80	1925
1926	---	---	3.57	1.93	0.247	0.135	0.359	0	0.064	0.141	---	---	0.807	1926
1927	---	---	1.24	15.8	12.9	6.33	1.39	0.682	0.538	0.847	---	---	4.94	1927
1928	---	---	4.8E	7.36	1.63	2.00	1.37	0.525	0.376	0.627	---	---	2.32	1928
1929	---	---	0.6E)	5.03	3.21	1.58	0.397	0.021	0.060	0.290	---	---	1.40	1929
1930	---	0.237	1.39	6.19	1.06	0.411	0.197	0.011	0.099	0.375	---	---	1.20	1930
1931	---	---	0.519	0.555	0.154	---	---	---	---	---	---	---	---	1931
1935	---	---	---	---	---	---	---	---	0	0	---	---	---	1935
1936	---	---	0.101	3.32	0.497	0.022	---	---	---	---	---	---	---	1936
MEAN	---	0.237	2.39	6.50	2.86	1.38	0.603	0.265	0.380	0.414	---	---	1.91	MEAN

LOCATION - LAT 49 11 15 N
LONG 109 33 20 W
DRAINAGE AREA, 2 120 km²
REGULATED

BATTLE CREEK AT NASH'S RANCH - STATION NO. 11AB010

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1909	---	---	---	---	1909
1910	---	---	0 ON JUL 15 *	---	1910
1911	---	16.0 ON SEP 6	---	---	1911
1912	---	---	---	---	1912
1913	---	20.1 ON APR 16	---	---	1913
1914	---	16.5 ON APR 16	0 ON JUL 8	---	1914
1915	---	27.6 ON APR 2	---	---	1915
1916	---	49.0 B ON MAR 14	1.05 ON SEP 28	112 000	1916
1917	---	69.9 B ON APR 12 *	---	---	1917
1918	---	52.1 B ON MAR 29	---	---	1918
1919	---	3.26B ON APR 16	0 ON JUL 14	6 620	1919
1920	---	19.6 ON MAY 10	0 B ON MAR 1	29 000	1920
1921	---	17.9 ON APR 16	0 ON AUG 30	25 000	1921
1922	---	32.0 B ON APR 24	0 B ON MAR 1	56 600	1922
1923	---	8.21 ON APR 20	0 B ON MAR 2	21 000	1923
1924	---	7.33B ON APR 7	0 B ON MAR 1	11 300	1924
1925	---	30.0 A ON APR 2	0 B ON MAR 1	38 200	1925
1926	---	9.54A ON MAR 23	0 ON AUG 5	17 100	1926
1927	---	45.6 ON APR 29	0 B ON MAR 1	105 000	1927
1928	---	36.5 B ON APR 2	0.113B ON MAR 1	49 300	1928
1929	---	21.8 ON APR 25	0 ON AUG 22	29 600	1929
1930	---	16.2 ON APR 9	0 ON AUG 9	25 500	1930
1931	---	1.98B ON MAR 24	0.085 ON MAY 26	---	1931
1935	---	---	0 ON SEP 1	---	1935
1936	---	22.7 E ON APR 11	0 B ON MAR 1	---	1936
				40 500	MEAN

A - MANUAL GAUGE
(SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BATTLE CREEK AT RANGER STATION - STATION NO. 11AB081

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1951	---	---	---	3.08	1.75	0.581	0.235	0.183	0.285	0.387	---	---	---	1951
1952	---	---	0.182	5.55	1.18	0.445	0.531	0.423	0.195	0.212	---	---	1.08	1952
1953	---	---	0.253	1.70	4.13	3.85	0.768	0.433	0.398	0.382	---	---	1.48	1953
1954	---	---	0.472	1.19	1.24	0.927	0.369	0.358	0.469	0.787	---	---	0.719	1954
1955	---	---	0.309	4.85	6.02	1.51	2.07	0.673	0.580	0.638	---	---	2.08	1955
1956	---	---	0.453	1.59	1.22	0.600	0.677	0.346	0.312	0.310	---	---	0.687	1956
1957	---	---	0.393	4.03	1.98	0.500	0.229	0.162	0.168	0.250	---	---	0.957	1957
1958	---	---	0.308	2.09	0.388	0.203	0.136	0.049	0.116	0.159	---	---	0.427	1958
1959	---	---	0.316	2.17	0.712	0.499	0.244	0.124	0.157	0.312	---	---	0.563	1959
1960	---	---	1.12	1.04	1.24	0.460	0.172	0.143	0.082	0.096	---	---	0.544	1960
1961	---	---	0.304	0.282	0.363	0.119	0.038	0.015	0.058	0.093	---	---	0.159	1961
1962	---	---	0.248	1.31	0.304	0.196	0.124	0.028	0.052	0.088	---	---	0.291	1962
1963	---	---	1.05	0.804	0.309	0.334	0.617	0.042	0.049	0.050	---	---	0.406	1963
1964	---	---	---	---	2.05	0.612	0.239	0.062	0.297	0.152	---	---	---	1964
1965	---	---	---	---	1.81	1.87	0.983	0.268	0.791	0.476	---	---	---	1965
1966	---	---	---	---	---	0.846	0.440	0.475	0.448	0.321	---	---	---	1966
1967	---	---	0.244	0.836	6.91	1.23	0.489	0.279	0.333	0.302	---	---	1.31	1967
1968	---	---	0.839	0.819	0.842	0.753	0.506	0.214	0.336	0.373	---	---	0.585	1968
1969	---	---	0.200	2.37	0.605	0.257	0.179	0.066	0.060	0.234	---	---	0.492	1969
1970	---	---	0.232	0.805	4.97	0.979	0.499	0.199	0.178	0.168	---	---	1.01	1970
1971	---	---	0.226	3.17	0.814	1.05	0.247	0.097	0.138	0.217	---	---	0.736	1971
1972	---	---	1.89	0.537	0.571	0.287	0.152	0.084	0.115	0.157	---	---	0.476	1972
1973	---	---	0.204	0.551	0.561	0.538	0.110	0.069	0.086	0.141	---	---	0.281	1973
1974	---	---	0.184	1.46	1.28	0.536	0.289	0.172	0.147	0.158	---	---	0.526	1974
MEAN	---	---	0.469	1.90	1.79	0.799	0.431	0.207	0.244	0.269	---	---	0.740	MEAN

LOCATION - LAT 49 36 04 N DRAINAGE AREA, 205 km²
LONG 109 55 21 W NATURAL FLOW

BATTLE CREEK AT RANGER STATION - STATION NO. 11AB081

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1951	31.7 AT 03:00 MST ON APR 28	18.8 ON APR 27	---	---	1951
1952	45.0 AT 02:30 MST ON APR 19	30.3 ON APR 18	0.102 ON SEP 26	22 800	1952
1953	42.2 AT 22:45 MST ON JUN 3	23.4 ON JUN 3	0.057B ON MAR 1	31 400	1953
1954	11.8 B AT 04:00 MST ON APR 17	7.42 B ON APR 17	0.102 ON AUG 9	15 200	1954
1955	30.0 AT 06:00 MST ON MAY 2	23.0 ON MAY 2	0.283B ON MAR 1	44 000	1955
1956	---	4.25 B ON APR 16	0.227 ON AUG 24	14 600	1956
1957	36.0 AT 04:00 MST ON APR 30	20.0 ON APR 30	0.113 ON AUG 1	20 200	1957
1958	9.74B AT 03:00 MST ON APR 8	6.88 B ON APR 8	0.031 ON AUG 18	9 030	1958
1959	12.5 B AT 10:00 MST ON APR 13	7.42 B ON APR 13	0.079 ON SEP 7	11 900	1959
1960	11.8 B AT 06:05 MST ON MAR 29	7.25 B ON MAR 29	0.057 ON SEP 20	11 500	1960
1961	---	0.725 ON MAY 11	0.003 ON AUG 8 *	3 370	1961
1962	3.45B AT 08:00 MST ON APR 15	1.97 B ON APR 11	0.008 ON AUG 18	6 160	1962
1963	8.89B AT 04:15 MST ON MAR 29	4.76 B ON MAR 28	0.003 ON AUG 8	8 600	1963
1964	15.5 AT 20:00 MST ON MAY 7	9.63 ON MAY 7	---	---	1964
1965	---	27.1 B ON APR 25	---	---	1965
1966	---	---	---	---	1966
1967	90.6 AT 24:00 MST ON MAY 17 *	39.4 ON MAY 18 *	0.204B ON MAR 25	27 700	1967
1968	2.56 AT 12:00 MST ON JUN 24	2.01 ON JUN 24	0.136 ON AUG 27	12 400	1968
1969	14.3 B AT 04:00 MST ON APR 7	11.1 ON APR 10	0.014 ON SEP 10	10 400	1969
1970	63.4 AT 01:20 MST ON MAY 6	36.8 ON MAY 5	0.108 ON SEP 8	21 300	1970
1971	29.2 AT 04:30 CST ON APR 17	18.3 ON APR 17	0.076 ON AUG 22	15 600	1971
1972	32.6 B AT 05:45 CST ON MAR 17	17.3 B ON MAR 17	0.045 ON AUG 11	10 100	1972
1973	2.59 AT 06:50 CST ON JUN 19	2.35 ON JUN 19	0.034 ON AUG 5	5 960	1973
1974	4.96 AT 04:50 CST ON MAY 26	4.16 ON MAY 26	0.139B ON MAR 1	11 100	1974
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		15 700	MEAN

BATTLE CREEK AT WILSON'S RANCH - STATION NO. 11AB011

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1910	---	---	---	---	---	---	0.092	0.082	0.227	0.255	---	---	---	1910
1911	---	---	---	---	1.46	0.642	0.526	0.434	3.00	1.23	---	---	---	1911
MEAN	---	---	---	---	1.46	0.642	0.309	0.258	1.61	0.743	---	---	---	MEAN

LOCATION - LAT 49 26 30 N DRAINAGE AREA, 663 km²
LONG 109 40 00 W REGULATED

BATTLE CREEK BELOW DIVERSION CANAL - STATION NO. 11AB015

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1912	---	---	---	---	7.08	0.980	0.412	0.402	0.537	0.774	---	---	---	1912
1913	---	---	---	---	1.68	0.588	0.590	0.362	0.185	0.284	---	---	---	1913
1914	---	---	---	---	0.852	0.154	0.018	0.033	0.356	0.560	---	---	---	1914
1915	---	---	---	4.60	1.19	3.69	2.11	0.999	0.806	1.04	---	---	---	1915
1916	---	---	---	2.21	3.29	7.45	2.38	1.50	1.26	1.62	---	---	---	1916
1917	---	---	---	---	11.4	3.04	0.599	0.309	0.579	0.760	---	---	---	1917
1922	---	---	---	---	---	---	0.477	0.275	0.253	---	---	---	---	1922
1923	---	---	---	---	---	2.05	1.05	0.458	0.154	0.238	---	---	---	1923
1924	---	---	---	---	0.875	0.717	0.198	0.094	0.052	0.138	---	---	---	1924
1925	---	---	---	---	---	0.749	0.134	0.105	0.172	0.454	---	---	---	1925
1926	---	---	---	2.24	0.340	0.237	0.299	0.020	0.116	0.176	---	---	---	1926
1928	---	---	---	---	---	---	---	0.580	---	---	---	---	---	1928
1929	---	---	---	---	---	---	0.403	0.069	0.192	---	---	---	---	1929
1930	---	---	---	---	1.39	0.583	0.236	0.060	---	---	---	---	---	1930
1939	---	---	0.497	0.133	0.390	0.709	0.224	0.008	0.001	0.019	---	---	---	1939
MEAN	---	---	0.497	2.30	2.84	1.74	0.652	0.352	0.359	0.551	---	---	---	MEAN

LOCATION - LAT 49 26 11 N DRAINAGE AREA, 764 km²
LONG 109 35 10 W REGULATED

BATTLE CREEK BELOW DIVERSION CANAL - STATION NO. 11AB015

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1912	---	---	---	---	1912
1913	---	---	---	---	1913
1914	---	---	0 ON JUL 21 *	---	1914
1915	---	---	---	---	1915
1916	---	20.6 ON JUN 1 *	---	---	1916
1917	---	---	---	---	1917
1922	---	---	---	---	1922
1923	---	---	---	---	1923
1924	---	---	---	---	1924
1925	---	---	---	---	1925
1926	---	14.2 E ON APR 12	0 ON AUG 7	---	1926
1928	---	---	---	---	1928
1929	---	---	---	---	1929
1930	---	---	---	---	1930
1939	---	2.80B ON MAR 27	0 ON AUG 18	---	1939
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

BATTLE CREEK BELOW GAFF DITCH - STATION NO. 11AB112

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1972	---	---	---	---	---	0.867	0.389	0.213	0.156	0.362	---	---	---	1972
1973	---	---	---	0.597	0.371	0.544	0.158	0.085	0.097	0.176	---	---	---	1973
1974	---	---	---	---	2.12	0.548	0.290	0.193	0.135	0.224	---	---	---	1974
1975	---	---	---	---	---	2.22	0.814	0.616	0.527	0.588	---	---	---	1975
1976	---	---	---	---	0.295	0.759	0.332	0.270	0.141	0.246	---	---	---	1976
MEAN	---	---	---	0.597	0.929	0.988	0.397	0.275	0.211	0.319	---	---	---	MEAN

LOCATION - LAT 49 24 43 N DRAINAGE AREA, 603 km²
LONG 109 44 35 W REGULATED

BATTLE CREEK BELOW GAFF DITCH - STATION NO. 11AB112

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1972	---	---	---	---	1972
1973	2.97 AT 06:00 CST ON JUN 20	2.76 ON JUN 20	---	---	1973
1974	7.59 AT 02:10 CST ON MAY 27	6.57 ON MAY 26	0.054 ON AUG 5 *	---	1974
1975	22.4 AT 15:48 CST ON MAY 9 *	20.4 ON MAY 9 *	---	---	1975
1976	11.4 E AT 06:00 CST ON APR 7	8.78E ON APR 7	0.105 ON SEP 6	---	1976
	E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

BATTLE CREEK BELOW NASHLYN PROJECT - STATION NO. 11AB101

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1964	---	---	---	---	---	0.303	0.141	0.001	0.088	0.129	---	---	---	1964
1965	---	---	---	---	2.53	2.39	1.59	0.415	0.706	0.523	---	---	---	1965
1966	---	---	---	---	0.670	0.737	0.409	0.402	0.245	0.470	---	---	---	1966
1967	---	---	---	---	---	1.90	0.442	0.310	0.203	0.365	---	---	---	1967
1968	---	---	---	---	0.745	0.653	0.610	0.290	0.266	0.455	---	---	---	1968
1969	---	---	---	---	0.929	0.395	0.304	0.305	0	0.183	---	---	---	1969
1970	---	---	---	---	4.37	1.31	0.901	0.293	0.081	0.242	---	---	---	1970
1971	---	---	---	---	1.46	0.847	0.353	0.245	0.014	0.232	---	---	---	1971
1972	---	---	---	0.682	0.798	2.54	0.450	0.427	0.069	0.292	---	---	---	1972
1973	---	---	---	0.512	0.416	0.264	0.066	0.462	0.001	0.094	---	---	---	1973
1974	---	---	---	---	1.30	1.30	0.422	0.451	0.086	0.216	---	---	---	1974
1975	---	---	---	---	2.31	3.27	1.00	1.13	0.224	0.713	---	---	---	1975
1976	---	---	---	---	0.638	0.751	0.299	0.322	0.034	0.194	---	---	---	1976
1977	---	---	---	0.268	0.234	0.158	0.036	0.040	0	0.102	---	---	---	1977
1978	---	---	---	1.58	0.535	1.20	0.324	0.078	0.286	0.288	---	---	---	1978
1979	---	---	---	---	1.93	0.781	0.582	0.270	0.128	0.230	---	---	---	1979
1980	---	---	---	---	0.602	0.449	0.248	0.170	0.021	0.241	---	---	---	1980
1981	---	---	---	0.111	0.737	0.525	0.403	0.051	0	0.019	---	---	---	1981
1982	---	---	---	---	0.582	2.06	0.892	0.201	0.131	0.420	---	---	---	1982
MEAN	---	---	---	0.631	1.22	1.15	0.499	0.309	0.136	0.285	---	---	---	MEAN

LOCATION - LAT 49 09 52 N DRAINAGE AREA, 2 210 km²
LONG 109 27 52 W REGULATED

BATTLE CREEK BELOW NASHLYN PROJECT - STATION NO. 11AB101

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1964	---	---	0 ON AUG 4 *	---	1964
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	0 ON AUG 29	---	1971
1972	35.1 AT 14:10 CST ON JUN 10 *	27.4 ON JUN 10 *	---	---	1972
1973	---	---	0 ON SEP 12	---	1973
1974	3.91 AT 05:06 CST ON JUN 28	3.62 ON JUN 28	0.012 ON APR 19	---	1974
1975	9.23 AT 15:16 CST ON MAY 7	8.44 ON JUN 21	0.102 ON SEP 17	---	1975
1976	---	---	0.018 ON SEP 18	---	1976
1977	6.12 AT 08:35 CST ON APR 11	2.89B ON APR 11	0 ON JUL 8	---	1977
1978	---	6.60B ON APR 6	---	---	1978
1979	---	---	---	---	1979
1980	---	---	0 ON SEP 5	---	1980
1981	---	---	0 ON AUG 16	---	1981
1982	5.44 AT 16:57 CST ON JUN 5	5.05 ON JUN 6	---	---	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

BATTLE CREEK BELOW WILKES' RANCH - STATION NO. 11AB073

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1928	---	---	---	---	---	---	---	0.567	---	---	---	---	---	1928
1929	---	---	---	---	---	---	0.379	0.075	0.177	---	---	---	---	1929
1930	---	---	---	---	1.31	0.552	0.234	0.057	---	---	---	---	---	1930
MEAN	---	---	---	---	1.31	0.552	0.307	0.233	0.177	---	---	---	---	MEAN

LOCATION - LAT 49 26 00 N DRAINAGE AREA, 787 km²
LONG 109 35 00 W REGULATED

BATTLE CREEK BELOW WILSON'S WEIR - STATION NO. 11AB118

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1980	---	---	---	---	---	---	---	0.106R	---	---	---	---	---	1980
1981	---	---	0.419	0.172	0.338	0.568	0.410	0.082	0.014	0.174	---	---	0.273	1981
1982	---	---	0.109	0.091	0.718	2.37	0.704	0.225	0.213	0.498	---	---	0.613	1982
MEAN	---	---	0.264	0.132	0.528	1.47	0.557	0.138R	0.114	0.336	---	---	0.443	MEAN

LOCATION - LAT 49 27 01 N
LONG 109 38 39 W REGULATED

R - REVISED SINCE JAN 1980

BATTLE CREEK BELOW WILSON'S WEIR - STATION NO. 11AB118

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1980	---	---	---	---	1980
1981	2.43 AT 06:13 CST ON JUN 16	1.65 ON JUN 16	0.004 ON MAY 28 *	5 770	1981
1982	5.38 AT 11:29 CST ON JUN 4 *	4.91 ON JUN 5 *	0.007B ON MAR 28	13 000	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		9 390	MEAN

BATTLE CREEK NEAR CONSUL - STATION NO. 11AB096

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1963	---	---	---	---	0.251	0.323	0.534	---	---	---	---	---	---	1963
1964	---	---	---	---	1.50	0.483	0.166	0.001	0.190	0.205	---	---	---	1964
1965	---	---	---	---	2.37	1.55	1.50	0.453	0.654	0.566	---	---	---	1965
1966	---	---	---	---	0.949	0.896	0.511	0.486	0.251	0.455	---	---	---	1966
1967	---	---	---	---	14.7	1.97	0.582	0.363	0.298	0.414	---	---	---	1967
1968	---	---	---	---	0.911	0.687	0.760	0.261	0.303	0.457	---	---	---	1968
1969	---	---	---	---	1.02	0.472	0.452	0.277	0.001	0.271	---	---	---	1969
1970	---	---	---	---	4.95	1.29	0.930	0.277	0.118	0.241	---	---	---	1970
1971	---	---	---	---	1.94	0.802	0.682	0.295	0.059	0.256	---	---	---	1971
1972	---	---	---	0.948	0.996	2.69	0.555	0.349	0.061	0.307	---	---	---	1972
1973	---	---	---	---	0.497	0.219	0.265	0.472	0.035	0.157	---	---	---	1973
1974	---	---	---	---	1.59	1.35	0.504	0.368	0.112	0.197	---	---	---	1974
1975	---	---	---	---	3.04	3.44	0.868	0.930	0.140	0.713	---	---	---	1975
1976	---	---	---	---	1.11	0.821	0.549	0.328	0.050	0.282	---	---	---	1976
1977	---	---	---	0.604	0.671	0.248	0.352	0.040	0.021	0.136	---	---	---	1977
1978	---	---	---	1.35	0.591	1.28	0.325	0.135	0.270	0.296	---	---	---	1978
1979	---	---	---	---	2.39	0.819	0.650	0.131	0.141	0.268	---	---	---	1979
1980	---	---	0.091	0.841	0.851	0.352	0.528	0.179	0.103	0.278	---	---	0.403	1980
1981	---	---	---	0.314	1.00	0.329	0.319	0.043	0	0.041	---	---	---	1981
1982	---	---	---	---	0.962	2.37	0.951	0.244	0.191	0.582	---	---	---	1982
MEAN	---	---	0.091	0.811	2.11	1.12	0.599	0.296	0.158	0.322	---	---	0.403	MEAN

LOCATION - LAT 49 17 12 N DRAINAGE AREA, 1 850 km^2
LONG 109 31 22 W REGULATED

BATTLE CREEK NEAR CONSUL - STATION NO. 11AB096

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1963	---	---	---	---	1963
1964	---	---	---	---	1964
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	68.8 A AT 07:00 MST ON MAY 20 *	66.0 A ON MAY 20 *	---	---	1967
1968	---	---	---	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1972	59.5 AT 12:15 CST ON JUN 9	33.1 ON JUN 9	---	---	1972
1973	---	---	---	---	1973
1974	4.16 AT 02:08 CST ON MAY 14	3.99 ON MAY 13	0.065 ON SEP 28	---	1974
1975	8.50 AT 08:19 CST ON JUN 20	8.18 ON JUN 20	0.031 ON SEP 7	---	1975
1976	---	---	0.021 ON SEP 15	---	1976
1977	5.55 AT 10:12 CST ON APR 10	3.48 ON APR 10	---	---	1977
1978	5.75B AT 09:25 CST ON APR 6	3.88B ON APR 6	---	---	1978
1979	---	---	---	---	1979
1980	3.28 AT 19:48 CST ON MAY 25	2.61 ON MAY 25	0.030B ON MAR 1	8 530	1980
1981	---	---	0 ON SEP 1 *	---	1981
1982	5.96 AT 23:22 CST ON JUN 4	5.55 ON JUN 5	---	---	1982
	A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		8 530	MEAN

BATTLE RIVER AT BATTLEFORD - STATION NO. 05FF001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1912	---	---	---	---	17.0	16.6	32.4	44.2	33.8	20.6	---	---	---	1912
1913	1.62	1.64	2.13	90.0	28.0	12.7	14.5	12.9	13.3	10.3	5.50	2.87	22.8	1913
1914	0.821	0.596	0.632	12.6	40.4	43.9	56.5	16.5	11.2	14.4	8.17	4.65	24.5	1914
1915	2.94	2.04	4.26	37.7	14.1	26.8	55.6	50.7	20.0	13.0	6.38	2.90	27.8	1915
1916	1.31	0.960	0.639	27.0	26.9	39.8	46.2	38.7	55.0	42.4	20.1	---	34.5	1916
1917	4.01	3.23	2.57	68.7	83.7	55.5	21.9	10.5	8.36	6.09	4.42	1.34	32.0	1917
1918	0.234	0.233	1.05	30.6	12.6	9.02	4.89	2.60	1.90	2.18	1.49	0.608	8.04	1918
1919	0.310	0.399	0.298	14.3	18.4	9.54	3.40	2.66	2.13	1.33	---	---	6.48	1919
1920	0.194	0	0	40.8	90.7	65.8	22.7	7.22	4.91	3.96	4.22	0.729	29.4	1920
1921	0.405	0.327	0.117	86.3	29.0	10.2	5.70	3.60	3.83	3.53	---	---	17.6	1921
1922	---	---	---	21.1	9.69	5.56	2.58	2.01	1.61	1.78	---	---	---	1922
1923	---	---	---	6.19	5.75	7.05	8.70	5.98	4.19	3.42	---	---	---	1923
1924	---	---	0.053	4.98	13.9	8.71	4.35	2.18	2.22	2.25	---	---	4.83	1924
1925	---	---	0.037	46.3	31.5	9.70	4.90	3.30	2.87	3.52	---	---	12.7	1925
1926	---	---	0.892	40.6	21.0	8.34	8.76	6.71	6.61	13.2	---	---	13.2	1926
1927	---	---	---	42.2	104	48.9	34.5	31.7	12.6	9.32	---	---	---	1927
1928	---	---	---	40.4	30.2	14.0	11.7	8.95	5.13	3.98	---	---	---	1928
1929	---	---	1.75	10.6	11.2	6.66	2.92	1.43	1.07	0.647	---	---	4.52	1929
1930	---	---	1.20	5.38	3.95	3.31	4.59	1.77	1.11	2.43	---	---	2.96	1930
1931	---	---	0.360	9.56	4.39	3.64	3.95	3.02	3.37	3.14	---	---	3.91	1931
1932	---	---	---	---	18.2	10.3	5.77	2.94	2.37	1.76	---	---	---	1932
1935	---	---	---	---	---	---	---	---	2.37	2.72	---	---	---	1935
1936	---	---	---	---	60.2	18.2	---	---	---	---	---	---	---	1936
1967	---	---	---	---	37.5	16.6	6.16	2.92	1.27	1.29	---	---	---	1967
1968	---	---	30.3	12.6	5.35	2.82	1.96	1.98	2.21	6.86	---	---	8.04	1968
1969	---	---	0.593	86.2	33.4	10.5	6.34	3.08	2.68	3.14	---	---	18.1	1969
1970	---	---	1.10	67.3	31.7	13.4	27.5	9.65	4.64	3.78	---	---	19.8	1970
1971	---	---	1.46	72.3	50.9	16.8	12.2	10.4	5.05	3.73	---	---	21.5	1971
1972	---	---	3.42	42.3	22.3	11.9	7.52	5.80	3.57	3.37	---	---	12.4	1972
1973	---	---	4.48	26.2	19.6	19.6	21.2	27.7	15.8	8.77	---	---	17.9	1973
1974	---	---	2.00	97.8	280	87.5	31.2	20.2	11.2	8.19	---	---	67.3	1974
1975	---	---	1.61	15.9	40.0	20.0	14.4	6.95	3.85	2.72	---	---	13.2	1975
1976	---	---	2.05	40.6	11.7	11.5	6.67	2.78	1.66	1.59	---	---	9.71	1976
1977	---	---	0.952	5.42	9.82	6.34	3.58	1.19	0.859	1.37	---	---	3.68	1977
1978	---	---	0.940	13.7	8.69	5.44	2.94	1.57	5.71	5.75	---	---	5.55	1978
1979	---	---	5.25	48.9	24.0	12.0	6.71	4.67	2.56	2.05	---	---	13.2	1979
1980	---	---	0.416	26.7	16.6	6.69	9.38	6.79	7.70	11.2	---	---	10.6	1980
1981	---	---	5.54	25.0	11.1	7.63	3.68	3.85	11.0	5.23	---	---	9.06	1981
1982	---	---	1.53	8.31	45.3	18.7	20.3	26.2	10.1	7.49	---	---	17.3	1982
MEAN	1.32	1.05	2.59	36.0	34.8	18.5	14.5	10.7	7.62	6.38	7.18	2.18	16.4	MEAN

LOCATION - LAT 52 44 07 N DRAINAGE AREA, 30 000 km²
LONG 108 20 09 W NATURAL FLOW

REMARKS - PREVIOUS TO SEP 17 1975 DATA COLLECTED IN SE19-43-16-W3 AND NW25-43-17-W3

BATTLE RIVER AT BATTLEFORD - STATION NO. 05FF001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1912	---	---	---	---	1912
1913	---	163 ON APR 7	0.708B ON MAR 14	482 000	1913
1914	---	83.5 ON JUN 26	0.566B ON MAR 18	519 000	1914
1915	---	79.0 ON JUL 22	1.70 B ON MAR 21	588 000	1915
1916	---	72.8 ON SEP 11	0.425B ON MAR 19	731 000	1916
1917	---	210 B ON APR 22	2.38 B ON MAR 11	678 000	1917
1918	---	63.7B ON APR 8	0.425B ON MAR 6	170 000	1918
1919	---	32.0B ON APR 17	0.170B ON MAR 28	137 000	1919
1920	---	184 B ON APR 25	0 B ON MAR 1 *	623 000	1920
1921	---	326 B ON APR 19	0.085B ON MAR 14	373 000	1921
1922	---	70.8B ON APR 14	---	---	1922
1923	---	18.5 ON JUN 28	0 B ON APR 1	---	1923
1924	---	24.9B ON APR 27	0 B ON MAR 1	102 000	1924
1925	---	79.0 ON APR 10	0 ON MAR 1	268 000	1925
1926	---	114 ON APR 22	0.793B ON MAR 6	279 000	1926
1927	---	145 B ON APR 24	---	---	1927
1928	---	60.9 ON APR 26	---	---	1928
1929	---	22.0B ON APR 20	0.300 ON OCT 8	95 800	1929
1930	---	11.8B ON APR 9	0.850B ON MAR 1	62 700	1930
1931	---	31.7B ON APR 9	0.227B ON MAR 10	82 800	1931
1932	---	---	---	---	1932
1935	---	---	---	---	1935
1936	---	---	---	---	1936
1967	---	---	---	---	1967
1968	---	45.6B ON MAR 10	0.071B ON MAR 1	170 000	1968
1969	---	247 ON APR 15	0.538B ON MAR 12	382 000	1969
1970	---	192 ON APR 15	1.08 B ON MAR 1	419 000	1970
1971	---	154 ON APR 17	1.40 B ON MAR 1	454 000	1971
1972	---	93.4B ON APR 14	1.13 B ON MAR 1	264 000	1972
1973	---	55.5 ON JUN 24	0.640B ON MAR 1	379 000	1973
1974	419 AT 06:20 CST ON MAY 9 *	411 ON MAY 9 *	1.77 B ON APR 8	1 430 000	1974
1975	---	85.0B ON APR 25	1.50 B ON MAR 1	279 000	1975
1976	---	118 B ON APR 9	1.30 B ON MAR 1	206 000	1976
1977	18.8 AT 22:30 CST ON MAY 26	18.4 ON MAY 27	0.501 ON AUG 24	77 900	1977
1978	---	24.0B ON APR 11	0.399B ON MAR 12	118 000	1978
1979	147 B AT 09:13 CST ON APR 25	138 B ON APR 25	0.315B ON MAR 18	279 000	1979
1980	---	74.1B ON APR 18	0.360B ON MAR 27	225 000	1980
1981	---	35.3 ON APR 12	2.00 B ON MAR 1	192 000	1981
1982	56.5 AT 13:30 CST ON MAY 15	56.2 ON MAY 15	1.30 B ON MAR 16	366 000	1982
				348 000	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

BATTLE RIVER NEAR UNWIN - STATION NO. 05FE001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	1.71	12.1	5.17	7.35	14.5	15.0	6.98	5.06	---	---	---	1944
1945	---	---	1.53	10.7	6.73	3.31	1.68	1.50	1.10	1.06	---	---	---	1945
1946	---	---	3.08	17.0	7.61	5.38	6.07	6.29	5.44	4.98	---	---	---	1946
1947	---	---	4.58	39.2	16.0	6.40	3.49	2.72	4.19	3.07	---	---	---	1947
1948	---	---	0.367	41.7	212	60.7	15.0	8.57	5.98	5.25	---	---	---	1948
1949	---	---	0.984	9.36	6.36	2.64	3.32	6.55	2.19	1.85	1.45	0.738	---	1949
1950	0.408	0.540	1.25	10.1	12.0	5.13	4.40	2.15	0.764	2.27	1.21	0.522	3.41	1950
1951	0.567	0.498	0.581	64.2	55.7	14.6	5.87	3.88	3.08	2.40	2.10	1.52	12.9	1951
1952	0.802	1.05	0.870	93.3	27.6	11.6	9.90	5.70	3.58	2.93	2.47	1.36	13.3	1952
1953	0.967	1.15	0.998	23.5	29.2	11.2	8.79	11.7	8.46	6.32	3.81	2.33	9.07	1953
1954	1.30	0.992	1.03	5.47	23.0	40.4	25.4	12.3	47.2	26.1	15.8	7.51	17.2	1954
1955	3.63	3.02	5.12	48.8	68.0	28.4	10.7	6.72	4.07	4.33	2.24	1.01	15.6	1955
1956	0.836	0.833	0.623	79.8	68.6	17.3	13.4	8.39	6.24	4.58	2.73	1.55	17.1	1956
1957	0.586	0.636	1.80	34.6	21.2	5.94	2.77	3.74	3.29	2.32	2.40	1.45	6.72	1957
1958	0.862	1.07	0.496	47.9	17.5	5.58	2.16	1.17	1.06	1.02	0.874	0.416	6.64	1958
1959	0.301	0.113	1.22	6.20	3.83	2.14	1.05	0.768	2.02	2.70	1.77	0.608	1.89	1959
1960	0.202	0.105	4.36	21.9	8.66	3.17	2.07	1.25	1.12	1.36	1.03	0.648	3.81	1960
1961	0.487	0.141	1.08	7.19	4.14	2.22	1.08	0.454	0.288	0.615	0.563	0.190	1.54	1961
1962	0.097	0.042	0.019	15.2	7.82	5.49	13.7	3.69	1.53	0.947	0.752	1.05	4.21	1962
1963	0.622	0.564	9.71	48.1	20.1	9.96	13.4	4.67	2.43	1.34	1.41	1.03	9.45	1963
1964	1.05	0.918	1.02	4.74	6.43	2.82	1.24	0.776	1.74	1.67	0.713	0.654	1.98	1964
1965	0.287	0.160	0.238	75.8	59.2	30.8	28.8	15.6	7.25	4.98	2.93	1.43	19.0	1965
1966	0.700	0.861	1.26	29.8	12.7	6.15	2.87	4.21	2.36	1.79	1.01	0.670	5.35	1966
1967	0.722	0.577	0.490	3.54	33.9	10.1	3.78	1.93	0.779	0.776	0.504	0.285	4.83	1967
1968	0.029	0.012	12.4	7.41	3.59	1.87	1.17	2.10	3.29	5.13	1.95	0.995	3.34	1968
1969	0.703	0.722	0.649	73.7	28.5	7.90	4.27	2.18	2.21	2.28	1.33	0.989	10.4	1969
1970	0.773	0.834	0.852	58.0	25.3	8.92	26.5	6.94	3.17	2.75	2.49	1.40	11.5	1970
1971	0.930	1.27	1.02	56.8	44.3	12.8	10.1	8.87	4.20	2.97	2.10	0.924	12.2	1971
1972	0.635	0.673	2.95	29.7	20.1	9.34	6.04	4.40	2.56	2.36	1.95	0.630	6.76	1972
1973	0.487	0.518	1.78	29.6	17.8	21.3	20.5	27.9	13.6	8.40	4.14	2.32	12.4	1973
1974	1.64	1.69	1.71	90.5	260	68.4	25.7	16.6	8.83	6.98	4.41	1.91	41.0	1974
1975	1.57	1.36	1.49	16.7	51.3	16.7	11.8	4.91	2.45	2.32	2.18	1.09	9.55	1975
1976	1.10	0.945	1.01	29.2	9.58	6.73	4.38	1.48	0.921	0.880	0.539	0.894	4.78	1976
1977	0.771	0.802	1.41	4.14	8.39	4.96	2.02	0.999	0.534	0.623	0.553	0.466	2.15	1977
1978	0.466	0.649	0.915	15.0	7.44	4.06	2.43	0.811	6.81	4.25	2.15	1.20	3.84	1978
1979	0.499	0.421	1.95	24.9	19.2	9.47	5.99	4.28	2.04	1.15	0.917	0.585	5.96	1979
MEAN	0.801	0.772	2.02	32.9	34.1	13.1	8.79	5.87	4.83	3.61	2.27	1.24	9.26	MEAN

LOCATION - LAT 52 56 25 N LONG 109 52 25 W DRAINAGE AREA, 25 900 km^2 NATURAL FLOW

REMARKS - RECORDS FROM MAR 1945 - MAY 1958 OBTAINED 0.8 km DOWNSTREAM. STATION DISCONTINUED DEC 31 1979

BATTLE RIVER NEAR UNWIN - STATION NO. 05FE001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	39.4 ON AUG 7	---	---	1944
1945	---	14.6 B ON APR 3	---	---	1945
1946	---	25.3 ON APR 3	---	---	1946
1947	---	55.2 ON APR 10	---	---	1947
1948	---	282 ON MAY 7	---	---	1948
1949	---	22.8 ON AUG 1	---	---	1949
1950	---	30.0 ON APR 22	0.227B ON JAN 26	108 000	1950
1951	---	140 ON APR 13	0.396B ON MAR 13	407 000	1951
1952	---	239 ON APR 12	0.396B ON JAN 22	822 000	1952
1953	---	51.5 ON MAY 7	0.510B ON JAN 2	286 000	1953
1954	---	51.5 ON SEP 2	0.595B ON JAN 28	543 000	1954
1955	---	131 ON MAY 3	0.595B ON DEC 31	490 000	1955
1956	---	185 ON APR 20	0.453B ON MAR 21	540 000	1956
1957	---	46.2 B ON APR 8	0.227B ON FEB 22	212 000	1957
1958	---	98.3 ON APR 11	0.198B ON DEC 14	209 000	1958
1959	---	8.38 ON APR 8	0.028B ON FEB 18	59 800	1959
1960	---	29.2 ON APR 9	0.028B ON MAR 15	120 000	1960
1961	---	10.6 ON APR 18	0.057B ON FEB 13	48 500	1961
1962	68.2 AT 06:30 CST ON JUL 20	64.6 ON JUL 20	0 B ON MAR 27 *	133 000	1962
1963	---	70.2 B ON APR 1	0.133B ON FEB 7	298 000	1963
1964	---	11.7 ON MAY 12	0.215B ON NOV 15	62 700	1964
1965	---	185 ON APR 14	0.136B ON FEB 21	600 000	1965
1966	---	48.7 B ON APR 8	0.425B ON DEC 12	169 000	1966
1967	---	56.4 A ON MAY 6	0.059B ON DEC 25	152 000	1967
1968	---	27.2 B ON MAR 9	0 B ON JAN 12	106 000	1968
1969	---	210 ON APR 14	0.580B ON MAR 21	328 000	1969
1970	---	121 ON APR 13	8.660B ON JAN 21	363 000	1970
1971	189 AT 11:53 CST ON APR 17	148 ON APR 17	0.592B ON DEC 18	385 000	1971
1972	---	50.7 A ON APR 15	8.360B ON DEC 17	214 000	1972
1973	67.4 AT 08:13 CST ON JUN 21	58.6 ON JUN 21	0.292B ON FEB 23	391 000	1973
1974	402 AT 13:07 CST ON MAY 3 *	402 ON MAY 3 *	1.23 B ON FEB 8	1 290 000	1974
1975	92.9 AT 19:46 CST ON APR 28	92.3 ON APR 30	0.728B ON DEC 14	301 000	1975
1976	---	58.0 A ON APR 13	8.328B ON NOV 28	151 000	1976
1977	16.6 AT 15:56 CST ON MAY 21	16.1 ON MAY 21	0.326 ON SEP 3	67 700	1977
1978	29.7 AT 23:57 CST ON APR 9	27.8 ON APR 11	0.382B ON JAN 1[illegible]	121 000	1978
1979	98.6B AT 02:00 CST ON APR 23	58.0 B ON APR 23	0.134B ON FEB 1	188 000	1979
				292 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

BEAR CREEK AT BERTRAM'S RANCH - STATION NO. 05HA005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR APR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	---	---	---	---	0.183	---	---	---	1909
1910	---	---	---	0.247	0.124	0.072	0.030	0.035	0.136	0.183	---	---	0.118	1910
1911	---	---	---	0.841	0.374	0.190	0.076	0.052	0.168	0.167	---	---	0.265	1911
1912	---	---	---	---	0.882	0.494	0.172	0.117	0.114	0.170	---	---	---	1912
1913	---	---	---	2.21	0.400	0.131	0.083	0.003	0.036	0.153	---	---	0.425	1913
1914	---	---	---	0.636	0.246	0.113	0.002	0	0.012	0.225	---	---	0.175	1914
MEAN	---	---	---	0.984	0.405	0.200	0.073	0.041	0.093	0.180	---	---	0.246	MEAN

LOCATION - LAT 49 51 50 N, LONG 109 05 40 W DRAINAGE AREA, 95.6 km^2, NATURAL FLOW

BEAR CREEK AT BERTRAM'S RANCH - STATION NO. 05HA005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR APR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1909	---	---	---	---	1909
1910	---	0.430 ON APR 1	0.003 ON JUL 15	2 170	1910
1911	---	2.18 ON APR 10	0.006 ON JUL 16	4 900	1911
1912	---	---	---	---	1912
1913	---	7.25 ON APR 6 *	0 ON JUL 18 *	7 860	1913
1914	---	1.95 ON APR 4	0 ON JUL 14	3 240	1914
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		4 540	MEAN

BEAR CREEK NEAR PIAPOT - STATION NO. 05HA003

NONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1908	---	---	---	---	---	---	0.152	0.189	0.149	0.405	---	---	---	1908
1909	---	---	---	---	1.56	2.41	1.16	0.173	0.144	0.290	---	---	---	1909
1910	---	---	---	0.470	0.241	0.135	0.043	0.030	0.106	0.185	---	---	---	1910
1911	---	---	---	---	1.07	0.317	0.237	0.094	0.284	0.257	---	---	---	1911
1912	---	---	---	4.81	1.10	0.620	0.156	0.127	0.120	0.227	---	---	---	1912
1913	---	---	---	3.55	0.387	0.153	0.113	0.028	0.015	0.101	---	---	---	1913
1914	---	---	---	0.957	0.285	0.118	0.006	0	0.020	0.196	---	---	---	1914
1915	---	---	---	1.92	0.485	0.454	0.269	0.067	0.141	0.275	---	---	---	1915
1916	---	---	2.84	0.782	0.953	1.36	0.437	0.203	0.298	0.486	---	---	0.871	1916
1917	---	---	---	5.11	2.96	0.683	0.169	0.106	0.144	0.271	---	---	---	1917
1918	---	---	---	1.87	0.411	0.239	0.124	0.030	0.030	0.097	---	---	---	1918
1919	---	---	0.087	1.25	0.365	0.117	0.052	0.007	0.005	0.025	---	---	0.236	1919
1920	---	---	0.919	2.81	0.877	0.374	0.116	0.003	0	0.024	---	---	0.635	1920
1921	---	---	0.640	2.37	0.710	0.171	0.122	0.028	0.073	0.177	---	---	0.532	1921
1922	---	---	0.353	4.43	1.55	0.256	0.119	0.014	0.003	0.062	---	---	0.839	1922
1923	---	---	0.160	1.03	0.352	0.428	0.185	0.125	0.035	0.063	---	---	0.295	1923
1924	---	---	0.007	0.688	0.294	0.224	0.036	0.081	0.014	0.032	---	---	0.170	1924
1925	---	0.091	1.08	3.20	0.504	0.322	0.027	0.002	0.026	0.104	---	---	0.651	1925
1926	---	0.067	1.61	0.791	0.317	0.138	0.089	0	0.016	0.062	---	---	0.378	1926
1927	---	---	0.066	3.68	2.62	1.02	0.338	0.068	0.124	0.383	---	---	1.03	1927
1928	---	---	1.28	0.497	0.300	0.581	0.887	0.105	0.058	0.149	---	---	0.479	1928
1929	---	---	0.660	2.02	0.860	0.517	0.162	0.002	0.009	0.025	---	---	0.528	1929
1930	---	---	0.451	1.17	0.523	0.417	0.204	0.086	0.006	0.009	---	---	0.356	1930
1931	---	---	0.081	---	---	---	---	---	---	---	---	---	---	1931
1936	---	---	0.387	3.59	0.385	0.118	---	---	---	---	---	---	---	1936
1963	---	---	1.19	0.583	0.347	0.305	0.269	0.004	0	0	---	---	0.338	1963
1964	---	---	0.047	0.757	0.686	0.237	0.025	0.002	0.006	0.021	---	---	0.221	1964
1965	---	---	0.046	4.93	0.931	0.379	0.413	0.046	0.265	0.188	---	---	0.888	1965
1966	---	---	1.26	1.01	0.564	0.312	0.079	0.032	0.038	0.171	---	---	0.433	1966
1967	---	---	0.803	1.53	3.18	0.328	0.070	0.030	0.014	0.037	---	---	0.751	1967
1968	---	---	0.741	0.456	0.478	0.166	0.066	0.058	0.053	0.077	---	---	0.262	1968
1969	---	---	0.678	2.70	0.643	0.211	0.286	0.014	0	0.078	---	---	0.571	1969
1970	---	---	0.316	2.56	1.81	0.335	0.111	0.005	0	0.067	---	---	0.646	1970
1971	---	---	0.243	2.39	0.716	0.225	0.022	0.001	0	0.001	---	---	0.445	1971
1972	---	---	1.23	0.377	0.514	0.201	0.058	0	0.004	0.037	---	---	0.304	1972
1973	---	---	0.456	0.563	0.313	0.852	0.021	0.001	0.001	0.003	---	---	0.274	1973
1974	---	---	0.370	0.921	1.15	0.281	0.018	0.048	0.018	0.072	---	---	0.360	1974
1975	---	---	0.184	1.48	1.91	0.564	0.083	0.046	0.072	0.172	---	---	0.562	1975
1976	0.092	0.239	1.18	0.840	0.115	0.158	0.058	0.004	0	0	---	---	0.294	1976
1977	---	---	0.186	0.348	0.115	0.005	0.001	0	0	0.002	---	---	0.082	1977
1978	---	---	0.642	0.772	0.543	0.213	0.020	0.003	0.009	0.059	---	---	0.282	1978
1979	---	---	0.698	2.67	1.27	0.340	0.189	0.026	0.002	0.015	---	---	0.646	1979
1980	---	---	0.469	0.626	0.066	0.038	0.001	0.001	0	0.011	---	---	0.151	1980
1981	---	0.382	0.224	0.188	0.147	0.487	0.046	0.005	0	0	---	---	0.136	1981
1982	---	---	0.368	1.72	0.547	1.14	0.278	0.012	0.030	0.192	---	---	0.529	1982
MEAN	0.092	0.195	0.615	1.79	0.817	0.417	0.170	0.044	0.054	0.119	---	---	0.460	MEAN

LOCATION - LAT 49 53 55 N DRAINAGE AREA, 253 km²
LONG 109 06 20 W REGULATED

REMARKS - GAUGE HAS BEEN LOCATED AT VARIOUS LOCATIONS IN VICINITY OF PRESENT SITE

BEAR CREEK NEAR PIAPOT - STATION NO. 05HA003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1908	---	---	---	---	1908
1909	---	---	---	---	1909
1910	---	---	---	---	1910
1911	---	---	---	---	1911
1912	---	---	---	---	1912
1913	---	---	---	---	1913
1914	---	4.50 B ON MAR 16	0 ON JUL 9 *	---	1914
1915	---	9.57 ON APR 4	---	---	1915
1916	---	11.5 ON MAR 12	0 E ON MAR 2	18 400	1916
1917	---	12.8 ON APR 22	---	---	1917
1918	---	10.2 ON MAR 26	---	---	1918
1919	---	3.31 B ON APR 2	0 ON JUL 21	4 990	1919
1920	---	10.9 ON APR 14	0 B ON MAR 1	13 400	1920
1921	---	13.1 ON APR 14	0 B ON MAR 7	11 300	1921
1922	28.9 ON APR 22 *	19.2 ON APR 22 *	0 ON AUG 28	17 800	1922
1923	---	3.11 B ON APR 16	0 ON SEP 14	6 240	1923
1924	---	4.36 B ON APR 7	0 B ON MAR 8	3 600	1924
1925	---	10.6 ON APR 5	0 B ON MAR 1	13 800	1925
1926	---	6.12 ON MAR 19	0 ON JUL 31	8 000	1926
1927	---	16.0 ON APR 26	0 B ON MAR 1	21 800	1927
1928	---	8.55 B ON MAR 21	0 B ON MAR 1	10 100	1928
1929	---	7.50 ON APR 22	0 ON JUL 26	11 200	1929
1930	---	3.77 ON APR 5	0 ON SEP 7	7 540	1930
1931	---	0.147B ON MAR 23	0.068B ON MAR 1	---	1931
1936	---	12.7 E ON APR 14	0 B ON MAR 1	---	1936
1963	6.1E AT 21:00 MST ON MAR 24	4.9E ON MAR 25	0 ON AUG 8	7 140	1963
1964	3.7E AT 10:00 MST ON MAY 8	3.34 ON MAY 8	0 B ON MAR 1	4 680	1964
1965	22.0 AT 07:00 MST ON APR 25	15.5 ON APR 25	0 B ON MAR 3	18 800	1965
1966	10.5 AT 01:00 MST ON MAR 31	6.94 ON MAR 30	0 ON JUL 31	9 170	1966
1967	17.4 AT 11:00 MST ON MAY 8	12.4 ON MAY 10	0 B ON MAR 7	15 900	1967
1968	---	1.38 B ON MAR 7	0.017 ON JUL 21	5 550	1968
1969	17.2 AT 07:50 MST ON APR 7	11.8 ON APR 7	0 B ON MAR 1	12 100	1969
1970	16.3 AT 10:05 MST ON APR 11	11.8 ON APR 11	0 ON AUG 15	13 700	1970
1971	7.02 AT 12:49 CST ON APR 16	5.52 ON APR 16	0 ON JUL 22	9 420	1971
1972	11.3 B AT 14:28 CST ON MAR 17	7.96 B ON MAR 17	0 B ON MAR 1	6 440	1972
1973	19.5 AT 09:18 CST ON JUN 15	12.2 ON JUN 15	0 ON AUG 2	5 800	1973
1974	4.53B AT 05:00 CST ON MAR 29	3.94 ON MAY 25	0 B ON MAR 4	7 620	1974
1975	14.5 AT 06:33 CST ON MAY 7	11.2 ON MAY 7	0 B ON MAR 1	11 900	1975
1976	10.9 B AT 12:01 CST ON MAR 19	9.17 B ON MAR 19	0 B ON MAR 16	6 230	1976
1977	1.86 AT 15:40 CST ON APR 8	1.37 ON APR 8	0 ON JUN 21	1 730	1977
1978	2.33B AT 13:56 CST ON MAR 30	2.18 B ON MAR 30	0.001 ON JUL 28	5 970	1978
1979	23.7 AT 07:17 CST ON APR 18	17.3 ON APR 18	0.001 ON AUG 30	13 700	1979
1980	3.94B AT 22:05 CST ON MAR 29	3.12 B ON MAR 30	0 ON JUL 5	3 190	1980
1981	6.63 AT 08:10 CST ON JUN 15	5.19 ON JUN 15	0 ON AUG 23	2 880	1981
1982	12.0 AT 12:38 CST ON APR 14	8.93 ON APR 14	0 ON SEP 24	11 200	1982
				9 740	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BEAVER CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AF005

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1977	---	---	---	---	---	---	---	0.021	0.039	0.035	0.036	0.028	---	1977
1978	0.016	0.011	3.05	0.227	0.086	0.107	0.096	0.027	0.051	0.051	0.045	0.034	0.322	1978
1979	0.029	0.041	0.659	3.40	0.339	0.078	0.042	0.041	0.032	0.040	0.039	0.047	0.397	1979
1980	0.052	0.030	0.343	0.106	0.033	0.027	0.030	0.030	0.033	0.038	0.035	0.042	0.067	1980
1981	0.039	0.567	0.053	0.038	0.031	0.029	0.028	0.023	0.025	0.029	0.039	0.044	0.075	1981
1982	0.011	0.009	0.024	6.38	0.434	0.107	0.118	0.043	0.035	0.044	0.042	---	---	1982
MEAN	0.029	0.132	0.826	2.03	0.185	0.070	0.063	0.031	0.036	0.040	0.039	0.039	0.215	MEAN

LOCATION - LAT 49 00 01 N, LONG 105 02 08 W
DRAINAGE AREA, 385 km^2
NATURAL FLOW
INTERNATIONAL GAUGING STATION

BEAVER CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AF005

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1977	---	---	---	---	1977
1978	---	11.3 B ON MAR 22	0.005B ON FEB 14	10 200	1978
1979	22.2 B AT 05:16 CST ON APR 18	17.8 B ON APR 18	0.025 ON SEP 20	12 500	1979
1980	2.60B AT 05:10 CST ON MAR 20	1.53B ON MAR 20	0.017B ON MAR 9	2 120	1980
1981	5.59B AT 05:29 CST ON FEB 17	4.10B ON FEB 17	0.015B ON FEB 4	2 370	1981
1982	47.6 AT 23:42 CST ON APR 14 *	36.1 B ON APR 14 *	0.002B ON FEB 6 *	---	1982
				6 800	MEAN

B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BEAVER CREEK NEAR INTERNATIONAL BOUNDARY - STATION NO. 11AF004

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1949	---	---	---	---	0.054	0.038	0.012	0.020	0.028	0.059	---	---	---	1949
1950	---	---	0.005	3.21	0.192	0.256	0.083	0.189	0.041	0.057	---	---	---	1950
1951	---	---	0.015	5.74	0.519	0.081	0.048	0.037	0.065	0.069	---	---	---	1951
1952	---	---	0.045	12.0	0.074	0.045	0.043	0.043	0.035	0.050	---	---	---	1952
MEAN	---	---	0.022	6.98	0.210	0.105	0.037	0.062	0.042	0.059	---	---	---	MEAN

LOCATION - LAT 48 59 20 N LONG 105 00 40 W DRAINAGE AREA, 458 km² REGULATED INTERNATIONAL GAUGING STATION

BEAVER RIVER BELOW WATERHEN RIVER - STATION NO. 06AG001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1971	44.7	40.7	43.0	88.1	219	124	163	147	83.8	53.7	39.3	22.2	89.6	1971
1972	17.0	15.4	20.0	60.7	149	77.4	46.7	33.8	35.0	36.4	27.8	11.8	44.4	1972
1973	11.2	13.7	15.1	40.6	92.2	133	183	124	145	125	141	72.4	91.8	1973
1974	44.5	44.3	55.7	152	549	387	207	139	123	112	75.4	50.1	162	1974
1975	34.8	25.5	32.6	67.4	190	152	173	143	110	84.2	54.7	35.0	92.3	1975
1976	33.6	36.9	35.6	84.9	62.7	43.2	70.5	72.8	63.9	48.1	34.9	18.3	50.4	1976
1977	18.6	19.8	17.4	38.1	61.9	66.9	42.6	48.9	41.2	42.4	31.5	16.6	37.2	1977
1978	14.2	16.0	20.8	64.0R	135 R	133	79.4	48.3	52.3	61.1	27.1	16.7	55.8R	1978
1979	12.9	10.3	16.1	30.5	150	123	96.7	67.2	57.4	45.4	29.0	23.4	55.5	1979
1980	18.0	13.4	15.2	57.8	53.5	28.6	20.9	39.8	59.3	66.5	48.2	24.7	37.2	1980
1981	27.0	24.2	28.5	61.4	59.1	33.3	38.8	26.8	15.6	13.9	8.79	5.80	28.6	1981
1982	4.57	3.83	3.47	28.8	74.2	42.1	35.9	36.1	28.8	32.0	25.1	18.4	27.9	1982
MEAN	23.4	22.0	25.3	64.5R	150 R	112	96.5	77.2	67.9	60.1	45.2	26.3	64.4	MEAN

LOCATION - LAT 54 49 00 N LONG 107 49 00 W DRAINAGE AREA, 45 000 km² NATURAL FLOW

R - REVISED SINCE JAN 1980

BEAVER RIVER BELOW WATERHEN RIVER - STATION NO. 06AG001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1971	272 AT 14:00 CST ON MAY 12	271 ON MAY 12	17.5 B ON DEC 30	2 830 000	1971
1972	164 AT 17:22 CST ON MAY 19	163 ON MAY 19	9.54B ON DEC 25	1 400 000	1972
1973	289 AT 23:25 CST ON JUL 2	283 ON JUL 3	8.38B ON MAR 14	2 900 000	1973
1974	708 AT 19:13 CST ON MAY 10 *	688 ON MAY 9 *	40.8 B ON FEB 17	5 110 000	1974
1975	219 AT 15:32 CST ON MAY 11	211 ON MAY 9	21.7 B ON FEB 8	2 910 000	1975
1976	---	102 ON APR 14	11.9 B ON DEC 30	1 600 000	1976
1977	98.8 AT 08:58 CST ON MAY 31	97.7 ON MAY 31	14.0 B ON DEC 7	1 170 000	1977
1978	149 AT 10:24 CST ON JUN 18	148 ON JUN 18	9.57B ON NOV 20	1 760 000R	1978
1979	173 B AT 16:04 CST ON MAY 4	165 ON MAY 9	9.83B ON FEB 21	1 750 000	1979
1980	112 AT 02:06 CST ON APR 22	110 ON APR 20	11.7 B ON FEB 20	1 180 000	1980
1981	77.0 AT 21:54 CST ON APR 17	78.1 ON APR 21	4.50B ON DEC 10	902 000	1981
1982	107 B AT 22:08 CST ON APR 28	101 B ON APR 29	3.04B ON MAR 8 *	881 000	1982
				2 030 000R	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980

BEAVER RIVER NEAR DORINTOSH - STATION NO. 06AD001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1933	---	---	---	---	115	62.1	48.2	36.4	20.4	---	---	---	---	1933
1934	---	---	---	---	57.8	38.4	59.5	30.7	14.3	14.6	---	---	---	1934
1935	---	---	---	---	111	53.2	38.0	83.5	37.6	27.0	---	---	---	1935
1936	---	---	---	---	127	50.2	26.5	13.2	13.0	16.1	---	---	---	1936
1937	---	---	---	---	27.7	13.2	9.30	8.56	8.85	6.86	---	---	---	1937
1938	---	---	---	---	25.4	9.01	3.94	2.95	2.61	2.18	---	---	---	1938
1939	---	---	---	---	32.9	19.1	18.2	7.76	3.37	3.39	---	---	---	1939
1940	---	---	---	---	15.7	13.5	10.2	6.81	4.52	2.64	---	---	---	1940
1960	---	---	---	140	98.1	119	118	---	---	---	---	---	---	1960
1961	---	---	---	87.7	102	47.8	37.0	51.8	24.3	---	---	---	---	1961
1962	---	---	---	61.2	87.7	325	179	127	66.7	44.2	31.3	---	---	1962
1963	---	---	6.23	114	164	64.2	28.4	15.3	10 3	6.55	---	---	---	1963
1964	---	---	2.85	16.4	37.3	17.0	8.17	14.4	21.2	24.7	---	---	---	1964
1965	---	---	4.92	42.5	107	172	100	29.9	36.8	26.8	---	---	---	1965
1966	---	---	3.80	57.2	43.5	55.3	22.7	18.9	25.6	13.5	---	---	---	1966
1967	---	---	4.48	7.88	69.2	28.0	13.0	11.6	6.25	4.38	---	---	---	1967
1968	---	---	2.97	15.5	12.2	9.42	5.34	6.67	9.26	23.5	---	---	---	1968
1969	---	---	3.74	87.8	81.6	35.9	16.0	16.6	15.6	24.1	---	---	---	1969
1970	---	---	5.38	75.7	64.0	31.0	181	100	65.9	57.5	---	---	---	1970
1971	---	---	11.7	98.3	159	63.6	155	60.5	26.7	16.0	11.1	6.97	---	1971
1972	6.73	5.31	7.18	62.7	109	30.7	13.8	9.36	7.35	9.08	6.80	3.72	22.7	1972
1973	3.41	4.24	3.42	28.8	35.3	58.9	54.8	54.7	62.5	51.8	49.3	22.7	35.9	1973
1974	13.4	11.8	10.2	137	372	152	59.5	36.8	29.2	24.3	15.8	14.2	73.4	1974
1975	8.67	7.83	8.76	43.8	129	82.5	110	47.8	40.9	26.3	11.9	12.6	44.5	1975
1976	10.9	9.72	7.95	47.1	24.5	17.9	68.5	42.8	30.5	16.4	8.40	4.63	24.2	1976
1977	4.98	4.90	4.88	28.5	39.3	33.4	16.3	20.8	14.9	18.1	9.63	6.00	16.8	1977
1978	5.59	5.82	7.66	32.1	62.7	97.1	23.4	13.1	26.8	32.2	12.6	6.03	27.1	1978
1979	4.17	4.70	5.59	43.1	120	85.6	52.3	28.0	21.7	17.8	9.66	6.24	33.4	1979
1980	5.19	2.98	3.42	44.2	20.0	10.4	6.75	29.2	34.5	34.2	16.5	7.00	17.9	1980
1981	5.62	5.88	10.3	46.4	23.8	10.3	25.6	11.5	4.78	3.73	3.48	2.35	12.8	1981
1982	2.14	1.76	1.78	24.8	37.2	18.1	13.4	12.0	5.89	5.34	2.92	2.32	10.7	1982
MEAN	6.44	5.90	5.86	58.4	81.0	58.8	49.1	31.6	23.1	19.8	14.6	7.90	29.0	MEAN

LOCATION - LAT 54 17 46 N DRAINAGE AREA, 20 500 km²
LONG 108 36 06 W NATURAL FLOW

BEAVER RIVER NEAR DORINTOSH - STATION NO. 06AD001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1933	---	158 ON MAY 16	---	---	1933
1934	---	---	---	---	1934
1935	---	182 ON MAY 3	---	---	1935
1936	---	178 ON MAY 19	---	---	1936
1937	---	---	---	---	1937
1938	---	---	---	---	1938
1939	---	---	---	---	1939
1940	---	---	---	---	1940
1960	---	229 E ON APR 18	---	---	1960
1961	---	161 ON APR 25	---	---	1961
1962	---	654 ON JUN 18 *	---	---	1962
1963	268 AT 07:00 CST ON APR 26	266 ON APR 26	---	---	1963
1964	---	48.1 ON MAY 15	---	---	1964
1965	---	211 ON JUN 18	---	---	1965
1966	---	93.4B ON APR 14	---	---	1966
1967	---	101 B ON MAY 6	---	---	1967
1968	28.6 AT 12:00 CST ON OCT 4	28.6 ON OCT 4	---	---	1968
1969	176 AT 20:00 CST ON APR 25	175 ON APR 25	---	---	1969
1970	241 AT 22:00 CST ON JUL 17	240 ON JUL 16	---	---	1970
1971	261 AT 18:18 CST ON MAY 3	260 ON MAY 3	---	---	1971
1972	---	155 A ON APR 25	2.60B ON DEC 31	717 000	1972
1973	116 AT 07:24 CST ON JUN 27	115 ON JUN 27	2.53B ON JAN 1	1 130 000	1973
1974	614 AT 18:59 CST ON APR 28 *	566 ON APR 28	9.40B ON MAR 19	2 320 000	1974
1975	177 AT 09:30 CST ON APR 28	177 ON APR 28	6.29B ON JAN 28	1 400 000	1975
1976	104 AT 19:09 CST ON JUL 23	104 ON JUL 23	4.13B ON DEC 19	764 000	1976
1977	82.4 AT 03:14 CST ON APR 19	75.3 ON APR 19	4.22B ON FEB 12	531 000	1977
1978	---	158 A ON JUN 11	5.10B ON JAN 29	855 000	1978
1979	---	220 A ON MAY 1	3.55B ON JAN 12	1 050 000	1979
1980	138 A AT 20:31 CST ON APR 18	132 A ON APR 18	2.36B ON FEB 28	565 000	1980
1981	64.6B AT 00:19 CST ON APR 6	62.8B ON APR 6	1.49B ON DEC 29 *	404 000	1981
1982	117 B AT 17:54 CST ON APR 26	106 B ON APR 26	1.50B ON FEB 10	337 000	1982
				916 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

BEAVERDAM CREEK NEAR WEYBURN - STATION NO. 05NB004

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1919	---	---	0	0	0	0	0	0	0	0	---	---	---	1919
1920	---	---	0	0	0	0	0	0	0	0	---	---	---	1920
1921	---	---	0	0	0	0.001	0	0	0	0	---	---	---	1921
1922	---	---	0	0	0	0	0	0	0	0	---	---	---	1922
1925	---	---	0	0	0	0	0	0	0	0	---	---	---	1925
MEAN	---	---	0	0	0	0	0	0	0	0	---	---	---	MEAN

LOCATION - LAT 49 35 50 N, LONG 103 57 55 W DRAINAGE AREA, 241 km² NATURAL FLOW

BECKETT BROOK NEAR FOAM LAKE - STATION NO. 05MA022

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1962	---	---	---	0.769	---	---	---	---	---	---	---	---	---	1962
1963	---	---	0.151	---	---	---	---	---	---	---	---	---	---	1963
1965	---	---	---	0.583	---	---	---	---	---	---	---	---	---	1965
1968	---	---	0.593	---	---	---	---	---	---	---	---	---	---	1968
1970	---	---	---	0.860	---	---	---	---	---	---	---	---	---	1970
1971	---	---	---	1.64	---	---	---	---	---	---	---	---	---	1971
1974	---	---	---	1.71	1.07	---	---	---	---	---	---	---	---	1974
1975	---	---	0	1.69	1.23	0.019	0	0	0	0	---	---	0.366	1975
1976	---	---	0	2.30	0.028	0.472	0.145	0	0	0	---	---	0.361	1976
1977	---	---	0	0.070	0.005	0	0	0	0	0	---	---	0.009	1977
1978	---	---	0.004	0.181	0.007	0.041	0.039	0	0.001	0	---	---	0.034	1978
1979	---	---	0	2.34	0.768	0.002	0	0	0	0	---	---	0.384	1979
1980	---	---	0	0.918	0	0	0	0	0	0	---	---	0.112	1980
1981	---	0	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	0.274	0.017	0	0	0	0	0	---	---	0.036	1982
MEAN	---	0	0.075	1.03	0.347	0.067	0.023	0	0	0	---	---	0.163	MEAN

LOCATION - LAT 51 39 30 N, LONG 103 36 12 W DRAINAGE AREA, 631 km² NATURAL FLOW

BECKETT BROOK NEAR FOAM LAKE - STATION NO. 05MA022

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1962	---	---	---	---	1962
1963	---	1.13 ON MAR 26	0E ON MAR 1 *	---	1963
1965	---	---	---	---	1965
1968	---	---	---	---	1968
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1974	---	---	---	---	1974
1975	8.58 AT 03:40 CST ON APR 30	7.59 ON APR 30	0B ON MAR 1	7 740	1975
1976	18.5 AT 19:00 CST ON APR 8 *	12.2 ON APR 8 *	0B ON MAR 1	7 630	1976
1977	0.683 AT 12:21 CST ON APR 13	0.493 ON APR 13	0B ON MAR 1	197	1977
1978	1.29 B AT 13:50 CST ON APR 10	1.04 B ON APR 10	0B ON MAR 1	710	1978
1979	11.8 AT 08:56 CST ON APR 25	10.2 B ON APR 25	0B ON MAR 1	8 140	1979
1980	6.83 B AT 11:31 CST ON APR 6	3.49 B ON APR 11	0B ON MAR 1	2 380	1980
1981	---	0 B ON MAR 1	0B ON MAR 1	0	1981
1982	5.26 B AT 13:30 CST ON APR 13	1.30 ON APR 16	0B ON MAR 1	756	1982
				3 440	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BELANGER CREEK ABOVE CYPRESS LAKE EAST INFLOW CANAL - STATION NO. 11AC016

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1912	---	---	---	3.41	0.599	0.385	0.242	---	0.126	0.194	---	---	---	1912
1913	---	---	---	2.08	0.281	0.204	0.171	0.121	0.087	0.096	---	---	---	1913
1914	---	---	---	---	---	---	---	---	---	---	---	---	---	1914
1915	---	---	---	---	---	---	---	0.586	0.196	0.200	0.197	---	---	1915
1916	---	---	---	0.573	0.731	0.823	0.540	0.447	0.295	0.346	---	---	---	1916
1917	---	---	---	---	---	0.511	0.312	0.276	0.268	0.263	---	---	---	1917
1918	---	---	---	2.08	0.369	0.272	0.187	0.121	0.105	0.111	---	---	---	1918
1919	---	---	---	0.863	0.153	0.088	0.065	0.046	0.049	0.068	---	---	---	1919
1920	---	---	0.089	2.63	0.847	0.323	0.202	0.077	0.088	0.107	---	---	0.588	1920
1921	---	---	0.326	1.72	0.503	0.233	0.131	0.077	0.092	0.111	---	---	0.396	1921
1922	---	---	0.063	4.13	1.11	0.352	0.202	0.154	0.115	0.115	---	---	0.772	1922
1923	---	---	0.055	0.737	0.257	0.276	0.185	0.124	0.112	0.111	---	---	0.230	1923
1924	---	---	0.084	0.642	0.145	0.157	0.072	0.076	0.059	0.064	---	---	0.156	1924
1925	---	---	0.105	2.31	0.291	0.203	0.111	0.083	0.127	0.099	---	---	0.410	1925
1926	---	---	0.842	0.318	0.011	0.037	0.016	0.029	0.054	0.042	---	---	0.169	1926
1927	---	---	0.082	3.01	1.58	0.639	0.363	0.216	0.182	0.151	---	---	0.772	1927
1928	---	---	0.824	0.571	0.279	0.286	0.310	0.141	0.090	0.093	---	---	0.324	1928
1939	---	---	0.387	0.330	0.241	0.322	0.147	0.059	0.065	0.076	---	---	0.283	1939
1940	---	---	0.020	1.95	1.00	0.455	0.183	0.081	0.071	0.088	---	---	0.476	1940
1941	---	---	1.21	0.770	0.177	0.115	0.085	0.040	0.057	0.062	---	---	0.309	1941
1942	---	---	0.074	1.93	0.335	0.542	0.234	0.142	0.133	0.137	---	---	0.436	1942
1943	---	---	1.26	1.97	0.255	0.204	0.080	0.025	0.027	0.054	---	---	0.481	1943
1944	---	---	0.295	1.99	0.122	0.126	0.142	0.102	0.080	0.073	---	---	0.362	1944
1945	---	---	0.551	0.125	0.241	0.088	0.033	0.036	0.050	0.090	---	---	0.153	1945
MEAN	---	---	0.389	1.63	0.454	0.298	0.196	0.121	0.110	0.119	---	---	0.387	MEAN

LOCATION - LAT 49 30 00 N DRAINAGE AREA, 161 km²
LONG 109 22 07 W NATURAL FLOW

BELANGER CREEK ABOVE CYPRESS LAKE EAST INFLOW CANAL - STATION NO. 11AC016

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1912	---	11.8 ON APR 5	---	---	1912
1913	---	---	---	---	1913
1914	---	---	0 B ON MAR 26 *	---	1914
1915	---	---	---	---	1915
1916	---	---	---	---	1916
1917	---	---	---	---	1917
1918	---	---	---	---	1918
1919	---	---	---	---	1919
1920	15.4 AT 23:30 MST ON APR 19	11.9 ON APR 20	0.051 ON AUG 16	11 400	1920
1921	24.0 AT 24:00 MST ON APR 13	13.4 ON APR 14	0.034 ON SEP 1	8 380	1921
1922	35.4 AT 01:00 MST ON APR 22 *	28.6 ON APR 22 *	0.057B ON MAR 1	16 300	1922
1923	3.34 ON APR 14	2.49 ON APR 14	0.040B ON MAR 1	4 870	1923
1924	12.7 B AT 24:00 MST ON APR 6	8.24B ON APR 7	0.028B ON MAR 5	3 290	1924
1925	20.7 AT 23:00 ON APR 4	9.68 ON APR 5	0.028B ON MAR 1	8 680	1925
1926	5.07B AT 21:00 MST ON MAR 18	3.51B ON MAR 18	0.003 ON JUL 7	3 570	1926
1927	---	23.8 E ON APR 26	0.071B ON MAR 1	16 300	1927
1928	9.34B AT 20:20 MST ON MAR 21	4.79B ON MAR 21	0.059 ON JUN 2	6 870	1928
1939	3.74 AT 09:00 MST ON MAR 25	2.94 ON MAR 25	0.003 ON JUN 27	4 300	1939
1940	10.6 AT 20:15 MST ON APR 19	10.0 ON APR 21	0.020B ON MAR 1	10 100	1940
1941	7.02B AT 20:00 MST ON MAR 26	5.30B ON MAR 26	0.014 ON AUG 21	6 550	1941
1942	9.91 AT 01:30 MST ON APR 13	8.41 ON APR 13	0.071E ON MAR 1	9 230	1942
1943	---	9.63B ON MAR 29	0.006 ON AUG 23	10 200	1943
1944	10.5 AT 02:00 MST ON APR 4	9.51 ON APR 3	0.057B ON MAR 1	7 670	1944
1945	4.79 AT 21:30 MST ON MAR 22	3.09 ON MAR 23	0.006 ON JUL 12	3 240	1945
				8 180	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BELANGER CREEK AT GARRISON'S RANCH - STATION NO. 11AC006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	---	0.627	0.179	0.120	0.130	---	---	---	1909
1910	---	---	---	0.179	0.161	0.155	0.062	0.046	0.040	0.033	---	---	---	1910
1911	---	---	---	---	---	---	---	---	0.071	0.079	---	---	---	1911
1912	---	---	---	1.88	0.057	0.033	0.018	0.057	0.099	0.095	---	---	---	1912
MEAN	---	---	---	1.03	0.109	0.094	0.236	0.094	0.083	0.084	---	---	---	MEAN

LOCATION - LAT 49 33 00 N DRAINAGE AREA, 121 km²
LONG 109 23 00 W REGULATED

BELANGER CREEK BELOW CYPRESS LAKE EAST INFLOW CANAL - STATION NO. 11AC059

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1939	---	---	0.019	0.023	0.057	0.064	0.094	0.040	0.021	0.044	---	---	0.045	1939
1940	---	---	0.014	0.016	0.012	0.076	0.132	0.042	0.038	0.075	---	---	0.051	1940
1941	---	---	0.127	0.037	0.016	0.050	0.025	0.007	0.008	0.008	---	---	0.035	1941
1942	---	---	0.078	0.125	0.183	0.076	0.070	0.137	0.143	0.150	---	---	0.120	1942
1943	---	---	0.409	0.252	0.091	0.084	0.039	0.011	0.022	0.015	---	---	0.116	1943
1944	---	---	0.083	0.170	0.047	0.120	0.142	0.102	0.080	0.073	---	---	0.102	1944
1945	---	---	0.123	0.100	0.241	0.088	0.033	0.036	0.030	0.059	---	---	0.089	1945
MEAN	---	---	0.122	0.103	0.092	0.080	0.076	0.054	0.049	0.061	---	---	0.080	MEAN

LOCATION - LAT 49 29 50 N
LONG 109 21 53 W
DRAINAGE AREA, 161 km²
REGULATED

BELANGER CREEK BELOW CYPRESS LAKE EAST INFLOW CANAL - STATION NO. 11AC059

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1939	---	0.130 ON MAY 28	0 B ON MAR 1 *	959	1939
1940	---	0.181 ON JUL 28	0 ON APR 23	1 070	1940
1941	---	0.425B ON MAR 19	0 ON AUG 9	736	1941
1942	---	0.476 ON APR 28	0.003 ON JUL 3	2 550	1942
1943	---	7.08 B ON MAR 29 *	0 ON OCT 14	2 450	1943
1944	---	0.595B ON APR 2	0.034 ON MAY 27	2 150	1944
1945	---	0.365A ON MAY 20	0.006A ON JUL 12	1 890	1945
				1 690	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BELANGER CREEK DIVERSION TO CYPRESS LAKE - STATION NO. 11AC064

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1946	---	---	0.717	0.153	0.085	0.005	0	0	0	0.006	---	---	0.122	1946
1947	---	---	0.269	0.999	0.169	0.034	0.025	0.001	0.001	0	---	---	0.186	1947
1948	---	---	0	1.15	0.086	0.004	0	0	0	0	---	---	0.152	1948
1949	---	---	0.008	0.734	0.068	0	0	0	0	0	---	---	0.100	1949
1950	---	---	0	1.21	0.164	0.003	0.030	0.002	0	0	---	---	0.174	1950
1951	---	---	0.001	3.89	2.15	0.175	0	0.033	0.035	0.068	---	---	0.787	1951
1952	---	---	0	1.63	0	0.041	0	0	0	0	---	---	0.205	1952
1953	---	---	0.015	1.59	1.45	0.357	0.200	0	0	0	---	---	0.449	1953
1954	---	---	0	0.955	0.357	0.076	0	0	0	0	---	---	0.171	1954
1955	---	---	0	1.08	0.971	0.410	0.194	0	0	0	---	---	0.330	1955
1956	---	---	0.011	0.514	0.566	0.037	0	0	0	0	---	---	0.141	1956
1957	---	---	0.013	2.09	0.158	0	0	0	0	0	---	---	0.277	1957
1958	---	---	0.012	1.65	0	0	0	0	0	0	---	---	0.204	1958
1959	---	---	0.676	1.17	0.118	0.288	0.045	0	0	0	---	---	0.284	1959
1960	---	---	1.91	0.667	0.137	0.019	0	0	0	0	---	---	0.342	1960
1961	---	---	0.394	0.183	0.012	0.014	0.005	0	0	0	---	---	0.076	1961
1962	---	---	0.289	0.798	0.021	0	0	0	0	0	---	---	0.137	1962
1963	---	---	1.04	0.745	0.225	0.093	0.008	0	0	0	---	---	0.264	1963
1964	---	---	0	0.648	0.441	0.017	0	0	0	0	---	---	0.137	1964
1965	---	---	0	4.69	1.38	0.166	0.123	0	0	0	---	---	0.786	1965
1966	---	---	1.23	1.51	0.655	0.149	0	0	0	0	---	---	0.442	1966
1967	---	---	0	0.989	1.79	0.060	0	0	0	0	---	---	0.354	1967
1968	---	---	1.27	0.204	0.032	0.064	0	0	0	0	---	---	0.198	1968
1969	---	---	0	2.36	0.147	0.019	0.007	0	0	0	---	---	0.311	1969
1970	---	---	0	3.22	1.58	0.214	0.004	0	0	0	---	---	0.621	1970
1971	---	---	0	1.47	0	0	0.013	0	0	0	---	---	0.182	1971
1972	---	---	1.24	0.006	0.003	0.232	0.018	0	0	0	---	---	0.189	1972
1973	---	---	0.059	0.128	0.015	0.190	0	0	0	0	---	---	0.048	1973
1974	---	---	0	1.46	1.82	0.288	0	0	0	0	---	---	0.444	1974
1975	---	---	0.021	1.52	3.57	0.135	0	0	0	0	---	---	0.657	1975
1976	---	---	0.809	0.882	0.003	0	0	0	0	0	---	---	0.211	1976
1977	---	---	0.003	0.163	0	0	0	0	0	0	---	---	0.020	1977
1978	---	---	0.018	1.75	0.642	0.012	0	0	0.017	0	---	---	0.302	1978
1979	---	---	0.891	3.45	1.28	0.103	0	0	0	0	---	---	0.710	1979
1980	---	---	0.003	1.32	0.083	0.034	0	0	0	0	---	---	0.176	1980
1981	---	---	0.019	0.005	0	0.114	0	0	0.004	0	---	---	0.017	1981
1982	---	---	0	0.909	0.287	1.79	0.026	0	0	0	---	---	0.370	1982
MEAN	---	---	0.295	1.29	0.553	0.139	0.019	0.001	0.002	0.002	---	---	0.286	MEAN

LOCATION - LAT 49 29 39 N
LONG 109 21 54 W
REGULATED SINCE 1939
INTERNATIONAL GAUGING STATION

BELANGER CREEK DIVERSION TO CYPRESS LAKE - STATION NO. 11AC064

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1946	---	2.69B ON MAR 19	0B ON MAR 1 *	2 570	1946
1947	---	2.75 ON APR 10	0B ON MAR 1	3 930	1947
1948	---	7.76 ON APR 17	0 ON MAR 1	3 230	1948
1949	---	1.95B ON APR 8	0 ON MAR 1	2 100	1949
1950	---	6.06B ON APR 21	0B ON MAR 1	3 670	1950
1951	---	15.7 B ON APR 29	0B ON MAR 1	16 700	1951
1952	---	10.5 ON APR 14	0B ON MAR 1	4 350	1952
1953	---	10.3 ON APR 28	0B ON MAR 1	9 500	1953
1954	---	3.82B ON APR 14	0B ON MAR 1	3 630	1954
1955	---	6.71B ON APR 11	0B ON MAR 1	6 990	1955
1956	---	1.76 ON APR 17	0B ON MAR 1	2 980	1956
1957	---	6.63 ON APR 19	0B ON MAR 1	5 870	1957
1958	---	8.81 ON APR 4	0 ON MAR 1	4 320	1958
1959	---	6.97 ON APR 2	0B ON MAR 1	6 020	1959
1960	---	8.50B ON MAR 28	0B ON MAR 1	7 250	1960
1961	---	2.32 ON MAR 22	0B ON MAR 1	1 610	1961
1962	---	3.99B ON APR 5	0B ON MAR 1	2 900	1962
1963	---	6.29 ON MAR 28	0B ON MAR 1	5 590	1963
1964	---	4.87B ON APR 4	0B ON MAR 1	2 900	1964
1965	---	11.2 ON APR 29	0B ON MAR 1	16 700	1965
1966	---	14.7 B ON MAR 30	0B ON MAR 1	9 350	1966
1967	---	11.6 ON MAY 9	0B ON MAR 1	7 500	1967
1968	---	4.13B ON MAR 6	0 ON APR 21	4 190	1968
1969	---	13.7 B ON APR 6	0B ON MAR 1	6 590	1969
1970	---	13.1 ON APR 11	0B ON MAR 1	13 100	1970
1971	---	7.70 ON APR 24	0B ON MAR 1	3 860	1971
1972	---	11.0 B ON MAR 17	0B ON MAR 1	3 990	1972
1973	---	1.10 ON JUN 16	0B ON MAR 8	1 020	1973
1974	---	10.1 ON MAY 25	0B ON MAR 1	9 410	1974
1975	18.3 AT 10:50 CST ON MAY 7 *	16.9 ON MAY 7 *	0B ON APR 2	13 900	1975
1976	---	5.64B ON APR 1	0B ON MAR 1	4 470	1976
1977	---	2.44 ON APR 9	0B ON MAR 16	429	1977
1978	---	3.79 ON APR 27	0B ON MAR 1	6 390	1978
1979	---	14.6 ON APR 18	0B ON MAR 1	15 000	1979
1980	---	7.03B ON APR 7	0B ON MAR 1	3 740	1980
1981	---	1.82 ON JUN 15	0B ON MAR 1	371	1981
1982	---	10.8 ON JUN 4	0B ON MAR 1	7 830	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		6 050	MEAN

BEVERIDGE WEST DITCH NEAR SKIBEREEN - STATION NO. 05HA020

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1912	---	---	---	---	---	---	---	---	---	---	---	---	---	1912
1915	---	---	---	0.010	0.014	0.026	---	---	---	---	---	---	---	1915
1916	---	---	---	---	---	---	---	---	---	---	---	---	---	1916
1917	---	---	---	---	---	---	---	---	---	---	---	---	---	1917
MEAN	---	---	---	0.010	0.014	0.026	---	---	---	---	---	---	---	MEAN

LOCATION - LAT 49 49 17 N
LONG 109 14 47 W REGULATED

BEVERIDGE WEST DITCH NEAR SKIBEREEN - STATION NO. 05HA020

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1912	---	---	0R ON JUL 18 *	---	1912
1915	---	---	0 ON APR 1	---	1915
1916	---	---	0R ON AUG 29	---	1916
1917	---	---	0R ON JUL 13	---	1917
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980		---	MEAN

BIG GULLY CREEK NEAR HAIDSTONE - STATION NO. 05EF005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	---	---	---	---	---	---	---	0.015	---	---	---	1970
1971	---	---	0.014	6.83	2.58	0.708	0.313	0.322	0.041	0.091	---	---	1.35	1971
1972	---	---	0.038	10.3	2.29	0.382	0.031	0.036	0.117	0.067	---	---	1.64	1972
1973	---	---	0.189	4.33	1.80	0.526	1.01	0.071	0.003	0.551	---	---	1.05	1973
1974	---	---	0.021	19.4	8.67	1.95	0.530	0.099	0.039	0.054	---	---	3.81	1974
1975	---	---	0.028	2.33	4.50	1.44	0.485	0.035	0.054	0.62	---	---	1.18	1975
1976	---	---	0.006	1.53	0.723	0.034	0.066	0.002	0.061	0.015	---	---	0.302	1976
1977	---	---	0	0.002	0.162	0.007	0	0	0	0	---	---	0.021	1977
1978	---	---	0.019	0.384	0.170	0	0	0	0	0	---	---	0.071	1978
1979	---	---	0	1.71	1.77	0.539	0.041	0	0	0	---	---	0.504	1979
1980	---	---	0	1.69	0.582	0.192	0.105	0	0	0	---	---	0.317	1980
1981	---	---	0.051	1.46	0.241	0	0	0.088	0	0	---	---	0.227	1981
1982	---	---	0	0.006	0	0	0	0.012	0	0	---	---	0.002	1982
MEAN	---	---	0.027	4.16	1.96	0.482	0.208	0.055	0.026	0.109	---	---	0.873	MEAN

LOCATION - LAT 53 14 39 N LONG 109 17 45 W DRAINAGE AREA, 1 630 km² NATURAL FLOW

REMARKS - PRIOR TO OCT 01 1976 RECORDS OBTAINED 7.2 km DOWNSTREAM IN NE18-49-22-W3

BIG GULLY CREEK NEAR HAIDSTONE - STATION NO. 05EF005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1970	---	---	0 ON OCT 1 *	---	1970
1971	15.2 AT 19:33 CST ON APR 19	15.1 ON APR 19	0.002 ON SEP 6	28 500	1971
1972	32.3 AT 00:49 CST ON APR 16 *	29.7 ON APR 15	0 B ON MAR 1	34 700	1972
1973	11.4 AT 11:59 CST ON APR 5	8.72 ON APR 5	0 B ON MAR 1	22 100	1973
1974	---	82.1 A ON APR 21 *	0 ON JUL 20	80 500	1974
1975	17.9 B AT 15:19 CST ON APR 25	15.2 B ON APR 25	0 ON JUL 28	24 900	1975
1976	9.26 AT 19:34 CST ON APR 9	5.83 B ON APR 9	0 B ON MAR 1	6 400	1976
1977	---	0.377 ON MAY 21	0 B ON MAR 1	454	1977
1978	0.869 AT 16:48 CST ON APR 7	0.8308 ON APR 7	0 B ON MAR 1	1 500	1978
1979	7.42 AT 18:45 CST ON APR 21	6.87 ON APR 22	0 B ON MAR 1	10 700	1979
1980	6.56 AT 14:08 CST ON APR 16	5.94 ON APR 16	0 B ON MAR 1	6 720	1980
1981	2.75 AT 16:11 CST ON APR 2	2.59 ON APR 2	0 B ON MAR 1	4 810	1981
1982	0.217 AT 18:31 CST ON AUG 23	0.146 ON AUG 24	0 B ON MAR 1	49.2	1982
				18 400	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

BIG MUDDY CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AF002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1949	---	---	---	---	0.014	0	0.004	0.016	0	0	---	---	---	1949
1950	---	---	0.003	0.294	0.006	0.145	0	0.024	0	0	---	---	---	1950
1951	---	---	0.001	0.533	0.033	0	0	0.007	0.012	0.004	---	---	---	1951
MEAN	---	---	0.002	0.414	0.018	0.048	0.001	0.016	0.004	0.001	---	---	---	MEAN

LOCATION - LAT 49 00 30 N LONG 104 51 40 W DRAINAGE AREA, 88.6 km² NATURAL FLOW INTERNATIONAL GAUGING STATION

BIG MUDDY CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AF002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1949	---	---	0E ON APR 22 *	---	1949
1950	1.53 ON JUN 12	---	---	---	1950
1951	2.24 ON APR 4 *	---	---	---	1951
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

E - ESTIMATED

BIRCH CREEK NEAR ELFROS - STATION NO. 05MA011

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1963	---	---	0.236	0.031	0.002	0.003	0	0	0	0	---	---	0.034	1963
1964	---	---	0	0.190	0.047	0	0.002	0	0.002	0	---	---	0.030	1964
1965	---	---	0	0.993	0.073	0.190	0.016	0	0.001	0	---	---	0.156	1965
1966	---	---	0.431	2.68	0.411	0.024	0.002	0.090	0	0	---	---	0.445	1966
1967	---	---	0	2.53	0.769	0.014	0	0	0	0	---	---	0.409	1967
1968	---	---	1.00	0.233	0.004	0	0	0	0	0	---	---	0.155	1968
1969	---	---	0	2.72	0.023	0	0	0	0	0	---	---	0.335	1969
1970	---	---	0	3.40	0.444	0.011	0.008	0	0	0	---	---	0.475	1970
1971	---	---	0	3.90	0.054	0.068	0.001	0	0	0	---	---	0.493	1971
1972	---	---	0.210	3.18	0.258	0	0	0	0	0	---	---	0.449	1972
1973	---	---	0.024	0.026	0.014	0.549	0.142	0.011	0	0	---	---	0.095	1973
1974	---	---	0	3.12	1.89	0.656	0.032	0.003	0.009	0.028	---	---	0.711	1974
1975	---	---	0	5.55	3.35	0.152	0.019	0.010	0.006	0.005	---	---	1.13	1975
1976	---	---	0.007	4.87	0.156	0.179	0.056	0.008	0.008	0.004	---	---	0.649	1976
1977	---	---	0.001	0.087	0.004	0	0	0	0	0	---	---	0.011	1977
1978	---	---	0.189	0.620	0.005	0.006	0.043	0.020	0.003	0.008	---	---	0.111	1978
1979	---	---	0	5.97	1.39	0.074	0	0	0	0	---	---	0.916	1979
1980	---	---	0	2.18	0.005	0	0	0	0	0	---	---	0.268	1980
1981	---	0	0.001	0.001	0	0	0	0	0	0.001	---	---	0	1981
1982	---	---	0	0.696	0.017	0.004	0.002	0.001	0	0.002	---	---	0.089	1982
MEAN	---	0	0.105	2.15	0.446	0.097	0.016	0.007	0.001	0.002	---	---	0.348	MEAN

LOCATION - LAT 51 44 46 N DRAINAGE AREA, 688 km²
LONG 103 52 27 W REGULATED

BIRCH CREEK NEAR ELFROS - STATION NO. 05MA011

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1963	1.21 B AT 23:00 CST ON MAR 22	1.09 B ON MAR 24	0 B ON MAR 1 *	727	1963
1964	0.926B AT 02:30 CST ON APR 5	0.756B ON APR 5	0 B ON MAR 1	633	1964
1965	7.87 AT 19:00 CST ON APR 11	5.47 ON APR 14	0 B ON MAR 1	3 300	1965
1966	28.1 AT 22:00 CST ON MAR 31	18.7 ON APR 1	0 B ON MAR 1	9 420	1966
1967	9.03 B ON APR 23	9.03 B ON APR 23	0 B ON MAR 1	8 670	1967
1968	7.05 B AT 21:00 CST ON MAR 7	3.62 B ON MAR 27	0 B ON MAR 1	3 290	1968
1969	27.0 B AT 20:00 CST ON APR 10	15.3 B ON APR 11	0 B ON MAR 1	7 100	1969
1970	28.9 AT 23:10 CST ON APR 10	23.4 B ON APR 10	0 B ON MAR 1	10 100	1970
1971	36.8 B AT 19:56 CST ON APR 10 *	25.7 B ON APR 10	0 B ON MAR 1	10 400	1971
1972	16.1 AT 23:01 CST ON APR 14	12.7 B ON APR 13	0 B ON MAR 1	9 500	1972
1973	1.32 AT 13:08 CST ON JUN 5	1.23 ON JUN 5	0 B ON MAR 1	2 000	1973
1974	20.7 B AT 19:23 CST ON APR 20	12.9 B ON APR 21	0 B ON MAR 1	15 000	1974
1975	35.8 AT 22:15 CST ON APR 28	28.9 ON APR 29 *	0 B ON MAR 1	23 900	1975
1976	31.7 AT 23:40 CST ON APR 8	26.1 ON APR 9	0.002 ON SEP 18	13 700	1976
1977	---	0.671B ON APR 10	0 B ON MAR 1	238	1977
1978	---	4.25 A ON APR 10	0 B ON MAR 1	2 350	1978
1979	35.4 B AT 01:03 CST ON APR 24	26.5 B ON APR 24	0 B ON MAR 1	19 400	1979
1980	11.5 B AT 01:01 CST ON APR 6	7.72 ON APR 10	0 B ON MAR 1	5 680	1980
1981	---	0.003B ON APR 17	0 B ON MAR 1	10.4	1981
1982	5.74 B AT 00:16 CST ON APR 14	3.75 B ON APR 14	0 B ON MAR 1	1 880	1982
				7 360	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BIRCH RIVER NEAR MANITOBA BOUNDARY - STATION NO. 05KH013

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1979	---	---	---	---	---	---	3.88	9.53	3.09	---	---	---	---	1979
1980	---	---	---	---	6.56	0.964	0.555	4.67	10.7	---	---	---	---	1980
1981	0.015	0.015	0.015	0.015	0.703	1.23	0.358	3.75	3.38	1.86	0.015	0.015	0.953	1981
1982	0.015	0.015	0.015	0.015	3.68	4.25	2.93	7.14	0.840	0.331	0.015	0.015	1.62	1982
MEAN	0.015	0.015	0.015	0.015	3.65	2.15	1.93	6.27	4.50	1.10	0.015	0.015	1.29	MEAN

LOCATION - LAT 53 50 00 N DRAINAGE AREA, 1 340 km²
LONG 101 57 23 W REGULATED

DATA CONTRIBUTED BY - SASKATCHEWAN DEPARTMENT OF THE ENVIRONMENT

BIRCH RIVER NEAR MANITOBA BOUNDARY - STATION NO. 05KH013

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1979	---	---	---	---	1979
1980	---	---	---	---	1980
1981	---	10.8 ON AUG 24 *	0.015E ON JAN 1 *	30 100	1981
1982	---	10.6 ON AUG 2	0.015E ON JAN 1	51 100	1982
				40 600	MEAN

E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BIRLING CREEK NEAR PAYNTON - STATION NO. 05EG006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	---	---	---	---	---	---	---		---	---	---	
1971	---	---	0	0.180	0.523	0.040	0.004	0	0	0	---	---	---	1970
1972	---	---	0	0.263	0.996	0.122	0	0	0	0	---	---	0.098	1971
1973	---	---	0	0.045	0.163	0.004	0	0	0	0	---	---	0.173	1972
1974	---	---	0	0.095	1.43	1.12	0.247	0.006	0	0.006	---	---	0.027	1973
													0.362	1974
1975	---	---	0	0.066	0.429	0.278	0.029	0.001	0	0	---	---	0.100	1975
1976	---	---	0	0.049	0.127	0	0.009	0	0	0	---	---	0.023	1976
1977	---	---	0	0	0.005	0.002	0	0	0	0	---	---	0.001	1977
1978	---	---	0	0	0	0	0	0	0	0	---	---	0	1978
1979	---	---	0	0.016	0.002	0	0	0	0	0	---	---	0.002	1979
1980	---	---	0	0.005	0	0	0	0	0	0	---	---	0.001	1980
1981	---	---	0.001	0.004	0	0	0	0	0	0	---	---	0.001	1981
1982	---	---	0	0.002	0	0	0	0	0	0	---	---	0	1982
MEAN	---	---	0	0.060	0.306	0.131	0.024	0.001	0	0	---	---	0.065	MEAN

LOCATION - LAT 53 04 45 N DRAINAGE AREA, 424 km²
LONG 108 59 00 W NATURAL FLOW

BIRLING CREEK NEAR PAYNTON - STATION NO. 05EG006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1970	---	---			
1971	0.660 AT 10:30 CST ON APR 19	0.614 ON MAY 10	0 ON OCT 1 *	---	1970
1972	1.39 AT 05:44 CST ON MAY 2	1.33 ON MAY 8	0B ON MAR 1	1 980	1971
1973	---	0.609 ON APR 30	0B ON MAR 1	3 670	1972
1974	2.06 AT 18:34 CST ON MAY 28 *	2.05 ON MAY 28 *	0B ON MAR 1	565	1973
			0B ON MAR 1	7 660	1974
1975	0.801 AT 15:25 CST ON JUN 8	0.643 ON MAY 16	0B ON MAR 1	2 120	1975
1976	0.348 AT 04:00 CST ON MAY 1	0.343 ON MAY 1	0B ON MAR 1	492	1976
1977	---	0.031 ON MAY 20	0B ON MAR 1	19.9	1977
1978	0 E ON APR 19	0 B ON MAR 1	0B ON MAR 1	0	1978
1979	0.310 AT 11:57 CST ON APR 23	0.124 ON APR 26	0B ON MAR 1	48.8	1979
1980	0.132 AT 01:36 CST ON APR 18	0.050 ON APR 18	0B ON MAR 1	14.2	1980
1981	0.117 AT 10:41 CST ON APR 6	0.039 ON APR 6	0B ON MAR 1	13.0	1981
1982	0.046 AT 06:10 CST ON APR 20	0.018 ON APR 20	0B ON MAR 1	4.24	1982
				1 380	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BISSETT CREEK NEAR CHOICELAND - STATION NO. 05KE006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1956	---	---	---	3.73	11.6	---	---	---	---	---	---	---	---	1956
1957	---	---	---	9.19	7.92	---	---	---	---	---	---	---	---	1957
1958	---	---	---	4.41	0.661	---	---	---	---	---	---	---	---	1958
1959	---	---	---	1.75	---	---	---	---	---	---	---	---	---	1959
1960	---	---	---	4.80	---	---	---	---	---	---	---	---	---	1960
1961	---	---	---	2.55	---	---	---	---	---	---	---	---	---	1961
1962	---	---	---	1.46	---	---	---	---	---	---	---	---	---	1962
1963	---	---	---	1.22	---	---	---	---	---	---	---	---	---	1963
1965	---	---	---	2.26	1.38	1.04	---	---	---	---	---	---	---	1965
1966	---	---	---	1.42	1.51	---	---	---	---	---	---	---	---	1966
1967	---	---	---	0.062	---	---	---	---	---	---	---	---	---	1967
1968	---	---	---	1.29	---	---	---	---	---	---	---	---	---	1968
1969	---	---	---	0.988	---	---	---	---	---	---	---	---	---	1969
1970	---	---	---	4.50	---	---	---	---	---	---	---	---	---	1970
1971	---	---	---	4.27	---	---	---	---	---	---	---	---	---	1971
1973	---	---	---	3.08	---	---	---	---	---	---	---	---	---	1973
1974	---	---	---	13.6	---	---	---	---	---	---	---	---	---	1974
1975	---	---	0	2.11	3.15	2.25	0.883	0	0	0	---	---	0.994	1975
1976	---	---	0	1.23	0.014	0.203	0.295	0.035	0	0.007	---	---	0.220	1976
1977	---	---	0	0	0	0	0	0.016	0.181	0.019	---	---	0.022	1977
1978	---	---	0	2.30	1.00	0.476	0.194	0.012	0.037	0.044	---	---	0.503	1978
1979	---	---	0	5.87	7.73	3.08	0.427	0	0	0	---	---	2.13	1979
1980	---	---	0	0.713	0.181	0	0	0	0	0.005	---	---	0.106	1980
1981	---	---	0.004	0.169	0.135	0.058	0.030	0.003	0	0	---	---	0.050	1981
1982	---	---	0	1.57	0.155	0.026	0.032	0.113	0.093	0.200	---	---	0.269	1982
MEAN	---	---	0.001	2.98	2.72	0.793	0.183	0.022	0.034	0.034	---	---	0.537	MEAN

LOCATION - LAT 53 27 11 N DRAINAGE AREA, 538 km²
LONG 104 34 07 W NATURAL FLOW

BISSETT CREEK NEAR CHOICELAND - STATION NO. 05KE006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1956	---	---	---	---	1956
1957	---	---	---	---	1957
1958	---	---	---	---	1958
1959	---	---	---	---	1959
1960	---	---	---	---	1960
1961	---	---	---	---	1961
1962	---	---	---	---	1962
1963	---	---	---	---	1963
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	---	8.50 ON APR 29	0B ON MAR 1 *	21 100	1975
1976	---	6.43 B ON APR 8	0B ON MAR 1	4 650	1976
1977	---	0.252 ON SEP 16	0B ON MAR 1	459	1977
1978	9.37 AT 05:04 CST ON APR 22	8.18 ON APR 22	0B ON MAR 1	10 600	1978
1979	29.1 B AT 05:28 CST ON APR 24 *	26.7 B ON APR 24 *	0B ON MAR 1	45 000	1979
1980	2.78 AT 10:15 CST ON APR 17	2.53 ON APR 17	0B ON MAR 1	2 240	1980
1981	---	0.470E ON MAY 1	0B ON MAR 1	1 050	1981
1982	8.85B AT 11:20 CST ON APR 20	7.92 B ON APR 20	0B ON MAR 1	5 700	1982
				11 300	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BLACKTAIL CREEK AT GARISSERE'S RANCH - STATION NO. 11AC011

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1910	---	---	---	---	0.008	0.003	0.001	0	0	0.001	---	---	---	1910
1911	---	---	---	---	---	---	0.005	0	0	0	---	---	---	1911
MEAN	---	---	---	---	0.008	0.003	0.003	0	0	0.001	---	---	---	MEAN

LOCATION - LAT 49 30 00 N
LONG 109 05 00 W
DRAINAGE AREA, 31.3 km^2
NATURAL FLOW

BLACKTAIL CREEK AT GARISSERE'S RANCH - STATION NO. 11AC011

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1910	---	---	0 ON JUL 15 *	---	1910
1911	---	---	0 ON JUL 19	---	1911
				---	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BOGGY CREEK NEAR LUNSDEN - STATION NO. 05JF006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1945	---	---	0.018	0.015	0.004	0.010	0.011	---	---	---	---	---	---	1945
1946	---	---	0.042	0.021	0.009	0.011	---	---	---	---	---	---	---	1946
1947	---	---	0	2.23	0.033	0.014	---	---	---	---	---	---	---	1947
1948	---	---	0	2.20	0.203	0.022	---	---	---	---	---	---	---	1948
1949	---	---	0.059	0.123	0.159	0.036	---	---	---	---	---	---	---	1949
1950	---	---	0.024	1.17	0.105	0.027	---	---	---	---	---	---	---	1950
1951	---	---	---	---	---	1.50	---	---	---	---	---	---	---	1951
1953	---	---	0.594	1.08	0.051	0.055	---	---	---	---	---	---	---	1953
1954	---	---	0.021	0.327	0.028	0.191	---	---	---	---	---	---	---	1954
1955	---	---	0.140	3.43	3.13	0.061	0.132	0.006	0.004	0.008	---	---	0.860	1955
1956	---	---	0	5.01	0.290	0.473	0.063	0.006	0.004	0.015	---	---	0.720	1956
1957	---	---	1.40	0.807	0.033	0.007	0.003	0.007	0.003	0.005	---	---	0.283	1957
1958	---	---	0.086	0.154	0.008	0.002	0.003	0	0.003	0.008	---	---	0.033	1958
1959	---	---	0.087	0.040	0.012	0.018	0.010	0	0.006	0.013	---	---	0.023	1959
1960	---	---	0.153	1.75	0.088	1.22	0.183	0.008	0.006	0.007	---	---	0.421	1960
1961	---	---	0.046	0.021	0.023	0.006	0.002	0.001	0.003	0.008	---	---	0.014	1961
1962	---	---	0.011	0.078	0.011	0.007	0.004	0.001	0.002	0.006	---	---	0.015	1962
1963	---	---	0.055	0.031	0.008	0.015	0.056	0.008	0.006	0.006	---	---	0.023	1963
1964	---	---	0.001	0.068	0.013	0.002	0.041	0.072	0.009	0.022	---	---	0.029	1964
1965	---	---	---	---	---	0.126	0.059	0	0.002	0.003	---	---	---	1965
1966	---	---	---	---	---	0.018	0.009	0.011	0.004	0.006	---	---	---	1966
1967	---	---	---	---	0.080	0.006	0.002	0.002	0.010	0.009	---	---	---	1967
1968	---	---	0.277	0.038	0.005	0.016	0.003	0	0	0	---	---	0.043	1968
1969	---	---	0	2.60	0.013	0.001	0.001	0	0	0.006	---	---	0.321	1969
1970	---	---	0.004	1.13	0.254	0.001	0	0	0	0	---	---	0.171	1970
1971	---	---	0	4.30	0.132	0.040	0.012	0	0	0.001	---	---	0.550	1971
1972	---	---	0.716	0.574	0.017	0.007	0.005	0.002	0.006	0.005	---	---	0.166	1972
1973	---	---	0.013	0.010	0.008	0.015	0.016	0.002	0.006	0.004	---	---	0.009	1973
1974	---	---	0	5.27	0.354	0.048	0.008	0.011	0.010	0.010	---	---	0.701	1974
1975	---	---	0	1.42	0.222	3.86	0.456	0.014	0.012	0.014	---	---	0.737	1975
1976	---	---	0.650	3.95	0.022	0.374	0.019	0.004	0.010	0.006	---	---	0.620	1976
1977	---	---	0.008	0.016	0.014	0.017	0.023	0.007	0.017	0.009	---	---	0.014	1977
1978	---	---	0.127	0.347	0.045	0.008	0.009	0.010	0.013	0.009	---	---	0.070	1978
1979	---	---	0.006	2.54	0.204	0.018	0.013	0.003	0.005	0.008	---	---	0.343	1979
1980	---	---	0.034	0.770	0.011	0.004	0.001	0.002	0.001	0.001	---	---	0.101	1980
1981	---	0.002	0.010	0.004	0.002	0.003	0	0	0	0.001	---	---	0.003	1981
1982	---	---	0	3.31	0.033	0.003	0.002	0	0	0.004	---	---	0.411	1982
MEAN	---	0.002	0.139	1.36	0.165	0.223	0.040	0.006	0.005	0.007	---	---	0.267	MEAN

LOCATION - LAT 50 35 55 N LONG 104 49 05 W DRAINAGE AREA, 401 km² REGULATED

REMARKS - PRIOR TO APR 20 1948, RECORDS WERE OBTAINED ABOUT 6.4 km UPSTREAM

BOGGY CREEK NEAR LUNSDEN - STATION NO. 05JF006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1945	---	---	0 B ON MAR 1 *	---	1945
1946	---	---	0 B ON MAR 1	---	1946
1947	---	11.9 ON APR 13	0 B ON MAR 1	---	1947
1948	---	10.6 ON APR 22	0 B ON MAR 1	---	1948
1949	---	2.83 E ON MAY 30	0 B ON MAR 1	---	1949
1950	---	8.50 B ON APR 17	0 B ON MAR 1	---	1950
1951	---	---	---	---	1951
1953	---	8.04 B ON APR 2	0 B ON MAR 1	---	1953
1954	---	1.18 ON APR 16	0 B ON MAR 1	---	1954
1955	---	24.1 E ON MAY 3	0.003 ON SEP 10	18 200	1955
1956	---	41.6 ON APR 15	0 B ON MAR 1	15 200	1956
1957	---	7.84 B ON MAR 24	0 B ON MAR 1	5 980	1957
1958	---	1.10 B ON MAR 26	0 B ON MAR 1	693	1958
1959	---	0.538B ON MAR 23	0 B ON MAR 1	490	1959
1960	16.9 AT 19:00 CST ON JUN 26	13.2 ON JUN 26	0 B ON MAR 1	6 900	1960
1961	1.50 AT 02:00 CST ON MAY 31	0.374 ON MAY 31	0 B ON MAR 30	290	1961
1962	---	0.311B ON APR 6	0 B ON MAR 1	313	1962
1963	0.852 AT 01:00 CST ON JUL 10	0.575 ON JUL 10	0 B ON MAR 1	492	1963
1964	---	0.467 ON AUG 2	0 B ON MAR 1	605	1964
1965	2.42 AT 22:00 CST ON JUN 26	---	---	---	1965
1966	0.178 AT 14:00 CST ON JUN 27	---	---	---	1966
1967	---	---	0 ON JUN 1	---	1967
1968	1.25 B AT 06:00 CST ON MAR 11	1.11 B ON MAR 11	0 ON JUL 26	906	1968
1969	29.7 AT 12:30 CST ON APR 10	19.6 B ON APR 10	0 B ON MAR 1	6 790	1969
1970	9.97 B AT 15:50 CST ON APR 8	7.62 B ON APR 8	0 B ON MAR 1	3 610	1970
1971	43.0 E AT 08:30 CST ON APR 11	39.6 E ON APR 11	0 B ON MAR 1	11 700	1971
1972	9.66 B AT 18:28 CST ON MAR 23	5.64 B ON MAR 24	0 B ON MAR 1	3 520	1972
1973	0.195 AT 11:31 CST ON SEP 26	0.139 ON JUL 2	0 ON JUL 22	197	1973
1974	103 AT 00:10 CST ON APR 20 *	36.5 ON APR 19	0 B ON MAR 1	14 900	1974
1975	76.5 AT 06:37 CST ON JUN 27	56.6 ON JUN 27 *	0 B ON MAR 1	15 600	1975
1976	31.1 B AT 12:48 CST ON APR 2	22.5 B ON APR 2	0 ON AUG 31	13 100	1976
1977	0.130 AT 21:58 CST ON MAY 24	0.057 ON JUL 18	0.001 ON OCT 14	291	1977
1978	4.30 B AT 17:49 CST ON APR 1	2.04 B ON APR 1	0 B ON MAR 1	1 490	1978
1979	22.8 B AT 12:44 CST ON APR 22	15.6 B ON APR 21	0 ON AUG 13	7 260	1979
1980	6.22 B AT 16:04 CST ON APR 2	4.77 B ON APR 2	0.001B ON MAR 1	2 130	1980
1981	0.016B AT 15:05 CST ON MAR 11	0.012B ON MAR 11	0 ON JUL 3	53.5	1981
1982	33.8 B AT 11:08 CST ON APR 16	26.2 B ON APR 16	0 B ON MAR 1	8 690	1982
				5 660	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BOLINGBROKE DITCH NEAR EASTEND - STATION NO. 11AC021

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1914	---	---	0	0	0	0.001	0	0	0	0	---	---	0	1914
1915	---	---	0	0	0	0	0	0	0	0	---	---	0	1915
1916	---	---	0	0	0	0	0	0	0	0	---	---	0	1916
1917	---	---	0	0	0	0	0	0	0	0	---	---	0	1917
1918	---	---	0	0	0	0	0	0	0	0	---	---	0	1918
1919	---	---	0	0	0	0	0	0	0	0	---	---	0	1919
1920	---	---	0	0	0	0	0	0	0	0	---	---	0	1920
1921	---	---	---	---	---	---	---	---	---	---	---	---	---	1921
1922	---	---	0	0	0	0.006	0	0	0	0	---	---	0.001	1922
1923	---	---	0	0	0	0.023	0	0	0	0	---	---	0.003	1923
1924	---	---	0	0	0	0.003	0	0	0	0	---	---	0	1924
1925	---	---	0	0	0.003	0.008	0.001	0	0	0	---	---	0.001	1925
1926	---	---	0	0	0	0.005	0.005	0	0	0	---	---	0.001	1926
1927	---	---	0	0	0	0	0.004	0	0	0	---	---	0.001	1927
1928	---	---	0	0	0.005	0.004	0.004	0	0	0	---	---	0.002	1928
1929	---	---	0	0	0	0.008	0.004	0	0	0	---	---	0.002	1929
1930	---	---	0	0	0	0.002	0.005	0	0	0	---	---	0.001	1930
1931	---	---	0	0	0	0.004	0	0	0	0	---	---	0	1931
MEAN	---	---	0	0	0	0.004	0.001	0	0	0	---	---	0.001	MEAN

LOCATION - LAT 49 32 50 N
LONG 108 58 20 W
REGULATED SINCE 1914

REMARKS - ESTIMATED ANNUAL DIVERSIONS IN CUBIC DECAMETRES FOR 1932-39 ARE: 18.5; 15; 10; 10; 10; 10; 6.2; AND 6.2

BOLINGBROKE DITCH NEAR EASTEND - STATION NO. 11AC021

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1914	---	0.005 ON JUN 13	0 ON MAR 1 *	2.33	1914
1915	---	0 ON MAR 1	0 ON MAR 1	0	1915
1916	---	0 ON MAR 1	0 ON MAR 1	0	1916
1917	---	0 ON MAR 1	0 ON MAR 1	0	1917
1918	---	0 ON MAR 1	0 ON MAR 1	0	1918
1919	---	0 ON MAR 1	0 ON MAR 1	0	1919
1920	---	0 ON MAR 1	0 ON MAR 1	0	1920
1921	---	---	0 ON JUL 21	---	1921
1922	---	0.016 ON JUN 29	0 ON MAR 1	15.6	1922
1923	---	0.068 ON JUN 14 *	0 ON MAR 1	60.5	1923
1924	---	0.021 ON JUN 8	0 ON MAR 1	7.86	1924
1925	---	0.020 ON JUN 11	0 ON MAR 1	31.5	1925
1926	---	0.011 ON JUL 2	0 ON MAR 1	25.2	1926
1927	---	0.011 ON JUL 10	0 ON MAR 1	11.3	1927
1928	---	0.059 ON JUL 17	0 ON MAR 1	34.8	1928
1929	---	0.020 ON JUN 17	0 ON MAR 1	32.5	1929
1930	---	0.011 ON JUL 11	0 ON MAR 1	17.4	1930
1931	---	0.006 ON JUN 3	0 ON MAR 1	9.07	1931
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		14.5	MEAN

BONE CREEK AT LEWIS RANCH - STATION NO. 05ND003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR APR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1908	---	---	---	---	---	---	0.048	0.061	0.052	0.184	---	---	---	1908
1909	---	---	---	0.168	0.174	0.183	0.073	0.043	0.044	0.042	---	---	0.103	1909
1910	---	---	---	0.071	0.069	0.062	0.033	0.038	0.043	0.042	---	---	0.051	1910
1911	---	---	---	0.642	0.071	0.055	0.037	0.036	0.071	0.044	---	---	0.135	1911
1912	---	---	---	0.995	0.162	0.084	0.058	0.045	0.052	0.044	---	---	0.203	1912
1913	---	---	---	0.408	0.080	0.062	0.039	0.032	0.036	0.041	---	---	0.099	1913
1914	---	---	---	0.167	0.077	0.037	0.015	0.016	0.033	0.044	---	---	0.055	1914
1915	---	---	---	0.139	0.059	0.062	0.042	0.025	0.039	0.056	---	---	0.060	1915
1916	---	---	---	0.131	0.086	0.067	0.040	0.040	0.045	0.058	---	---	0.066	1916
MEAN	---	---	---	0.340	0.097	0.077	0.043	0.037	0.046	0.062	---	---	0.097	MEAN

LOCATION - LAT 49 41 42 N
LONG 108 54 55 W
DRAINAGE AREA, 39.9 km^2
NATURAL FLOW

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1914 AND 1916

BONE CREEK AT LEWIS RANCH - STATION NO. 05HD003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR APR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1908	---	---	---	---	1908
1909	---	1.25 ON JUN 20	0.042 ON JUL 16	1 910	1909
1910	---	0.136 ON MAY 15	0.025 ON JUL 15	940	1910
1911	---	3.57 ON APR 10	0.023 ON AUG 18	2 490	1911
1912	---	4.25 ON APR 11 *	0.031 ON JUN 23	3 760	1912
1913	---	1.30 ON APR 5	0.021 ON JUL 21	1 820	1913
1914	---	0.623 ON APR 12	0.009 ON JUL 27 *	1 020	1914
1915	---	1.02 ON APR 3	0.015 ON MAY 5	1 110	1915
1916	---	0.289 ON APR 13	0.027 ON JUL 16	1 230	1916
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		1 790	MEAN

BOWREY DITCH NEAR BARNARD - STATION NO. 11AE004

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1921	---	0.027	0.063	0	0.010	0.043	---	---	---	---	---	---	---	1921
1926	---	---	0.094	---	---	---	---	---	---	---	---	---	---	1926
1927	---	---	---	0.161	---	---	---	---	---	---	---	---	---	1927
1928	---	---	0.116	0.002	0	0.143	---	---	---	---	---	---	---	1928
1929	---	---	0.008	0.076	---	0.020	0.002	---	---	---	---	---	---	1929
MEAN	---	0.027	0.070	0.060	0.005	0.069	0.002	---	---	---	---	---	---	MEAN

LOCATION - LAT 49 00 00 N
LONG 106 48 00 W REGULATED

BOXELDER CREEK NEAR WALSH - STATION NO. 05AH001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	0.356	0.230	0.101	0.051	0.229	0	0.397	0.017	---	---	0.172	1911
1912	---	---	---	0.489	0.094	0.028	0	0	0	0	---	---	---	1912
1913	---	---	---	0.277	0.010	0	0	0	0	0	---	---	---	1913
1914	---	---	0.133	0.147	0.011	0	0	0	0	0.096	---	---	0.048	1914
1915	---	---	0.515	0.237	0.055	0.506	0.048	0	0	0	---	---	0.169	1915
1916	---	1.25	0.553	0.031	0.647	1.08	0.140	0.091	0	0.087	---	---	0.328	1916
1917	---	---	0.159	4.13	0.806	0.111	0	0	0	0	---	---	0.641	1917
1918	---	---	1.67	0.111	0.010	0	0	0	0	0	---	---	0.227	1918
1919	---	---	0.003	0.078	0	0	0	0	0	0	---	---	0.010	1919
1950	---	---	---	---	---	0	0	0.004	0	0	---	---	---	1950
1951	---	---	1.36	2.14	0.339	0.213	0.052	0.002	0.151	0	---	---	0.528	1951
1952	---	0.841	2.77	2.46	0.128	0	0	0	0	0	---	---	0.668	1952
1953	---	---	0.650	0.559	0.475	1.48	0.001	0	0	0	---	---	0.392	1953
1954	---	0.004	0	0.799	0.166	0.176	0.001	0	0	0	---	---	0.140	1954
1955	---	---	1.13	4.94	0.494	0.026	1.14	0	0	0	---	---	0.958	1955
1956	---	---	1.50	0.256	0.042	0	0	0.304	0	0	---	---	0.265	1956
1957	---	0.585	0.864	0.457	0.021	0	0	0	0	0	---	---	0.168	1957
1958	---	---	0.254	0.366	0	0	0	0	0	0	---	---	0.077	1958
1959	---	---	0.806	0.103	0.002	0.009	0.002	0	0	0	---	---	0.116	1959
1960	---	---	0.285	0.040	0.169	0	0	0	0	0	---	---	0.062	1960
1961	---	---	0	0	0	0	0	0	0	0	---	---	0	1961
1962	---	---	0.118	0.002	0	0.023	0	0	0	0	---	---	0.018	1962
1963	---	---	0.014	0	0	0.003	0.119	0	0	0	---	---	0.017	1963
1964	---	---	0	0	0.248	0.063	0	0	0	0	---	---	0.039	1964
1965	---	---	0.048	1.63	0.033	0.421	0.043	0	0	0	---	---	0.267	1965
1966	---	---	0.715	0.230	0.111	0	0	0	0	0	---	---	0.133	1966
1967	---	---	1.28	0.788	2.35	0.030	0	0	0	0	---	---	0.559	1967
1968	---	---	0.047	0.038	0.011	0	0	0	0	0	---	---	0.012	1968
1969	---	---	1.12	0.258	0	0	0	0	0	0	---	---	0.173	1969
1970	---	---	0.320	0.471	0.116	0.081	0	0	0	0	---	---	0.123	1970
1971	---	1.78	0.358	0.369	0.003	0.008	0	0	0	0	---	---	0.092	1971
1972	---	---	0.632	0	0	0	0	0	0	0	---	---	0.080	1972
1973	---	0.003	0.008	0.048	0.009	0	0	0	0	0	---	---	0.008	1973
1974	---	---	0.204	0.118	0.215	0.005	0	0	0	0	---	---	0.068	1974
1975	---	---	0	0.620	1.31	0.432	0.025	0	0	0	---	---	0.298	1975
1976	---	---	0.476	0.085	0	0.041	0	0	0	0	---	---	0.076	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0.746	0.243	0.017	0	0	0	0	0	0	---	0.126	1978
1979	---	---	1.39	0.386	0.167	0	0.006	0	0	0	---	---	0.245	1979
1980	---	---	0.099	0	0	0	0	0	0	0	---	---	0.013	1980
1981	---	0.055	0	0	0	0.116	0	0	0	0	---	---	0.014	1981
1982	---	0.186	0.238	0.555	0.077	0.694	0.001	0	0	0	---	---	0.193	1982
MEAN	---	0.588	0.534	0.578	0.201	0.133	0.043	0.010	0.013	0.005	0	---	0.193	MEAN

LOCATION - LAT 49 57 39 N DRAINAGE AREA, 319 km^2
LONG 109 59 19 W REGULATED

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1916, 1957, 1963, 1971

BOXELDER CREEK NEAR WALSH - STATION NO. 05AH001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	2.80 ON JUL 2	0 ON MAR 1 *	3 640	1911
1912	---	---	0 ON JUN 12	---	1912
1913	---	---	0 ON APR 28	---	1913
1914	---	1.33 ON OCT 10	0 ON MAR 1	1 020	1914
1915	---	4.67 ON JUN 5	0 ON MAR 1	3 570	1915
1916	---	6.40 ON JUN 12	0 ON APR 25	6 940	1916
1917	---	12.8 ON APR 9	0 ON MAR 1	13 600	1917
1918	---	9.51 ON MAR 17	0 ON MAR 1	4 800	1918
1919	---	0.515 ON APR 20	0 ON MAR 1	208	1919
1950	---	---	0 ON MAY 20	---	1950
1951	11.0 AT 14:15 MST ON MAR 30	9.71 ON MAR 30	0B ON MAR 1	11 200	1951
1952	---	23.2 B ON MAR 29	0B ON MAR 1	14 100	1952
1953	---	17.1 ON JUN 4	0B ON MAR 1	8 290	1953
1954	5.97 B ON APR 6	5.15 B ON APR 6	0B ON MAR 1	2 970	1954
1955	101 AT 02:00 MST ON APR 10 *	47.6 ON APR 10 *	0B ON MAR 1	20 300	1955
1956	22.6 B ON MAR 20	15.3 B ON MAR 20	0B ON MAR 1	5 600	1956
1957	---	2.89 B ON MAR 2	0 ON MAY 16	3 550	1957
1958	2.21 AT 09:40 MST ON MAR 31	2.18 ON MAR 31	0 ON MAR 1	1 630	1958
1959	3.45 AT 22:00 MST ON MAR 2	2.46 ON MAR 3	0 ON APR 23	2 460	1959
1960	---	2.18 B ON MAR 19	0B ON MAR 1	1 320	1960
1961	0 ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1961
1962	1.29 B AT 19:00 MST ON MAR 21	0.691B ON MAR 22	0B ON MAR 1	372	1962
1963	---	0.923 ON JUL 2	0B ON MAR 1	365	1963
1964	3.51 AT 06:00 MST ON MAY 9	2.80 ON MAY 9	0 ON MAR 1	828	1964
1965	6.91 AT 10:00 MST ON JUN 28	6.17 ON JUN 28	0B ON MAR 1	5 660	1965
1966	---	2.55 B ON MAR 11	0B ON MAR 27	2 810	1966
1967	14.3 AT 13:30 MST ON MAY 7	11.2 ON MAY 8	0B ON MAR 10	11 800	1967
1968	---	0.221B ON MAR 2	0B ON MAR 13	255	1968
1969	13.5 B AT 16:30 MST ON MAR 18	10.6 B ON MAR 18	0B ON MAR 1	3 660	1969
1970	2.55 AT 15:40 MST ON APR 8	1.88 ON APR 8	0B ON MAR 1	2 600	1970
1971	---	1.12 ON MAR 31	0 ON APR 30	1 940	1971
1972	5.13 AT 03:30 MST ON MAR 12	3.96 ON MAR 12	0B ON MAR 1	1 690	1972
1973	0.561 AT 19:00 MST ON APR 28	0.345 ON APR 29	0B ON MAR 8	171	1973
1974	---	1.96 B ON MAR 30	0B ON MAR 1	1 440	1974
1975	21.3 AT 06:30 MST ON MAY 7	13.5 ON MAY 7	0B ON MAR 1	6 320	1975
1976	4.05 B AT 22:50 MST ON MAR 18	3.06 B ON MAR 19	0B ON MAR 1	1 610	1976
1977	---	0 ON MAR 1	0 ON MAR 1	0	1977
1978	---	3.11 B ON MAR 10	0B ON MAR 1	2 680	1978
1979	---	8.07 B ON MAR 8	0B ON MAR 1	5 180	1979
1980	---	0.550B ON MAR 16	0B ON MAR 6	265	1980
1981	1.66 AT 05:40 MST ON JUN 17	1.38 ON JUN 17	0 ON MAR 1	301	1981
1982	5.92 AT 01:05 MST ON JUN 3	5.01 ON JUN 2	0 ON JUN 22	4 090	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		4 080	MEAN

BRADWELL INLET CANAL ABOVE BRADWELL RESERVOIR - STATION NO. 05HG010

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	---	---	0	0.237	0	0	0	0.681	0	---	---	1968
1969	---	---	---	---	0	0.277	0.400	0.419	0	0	0	---	---	1969
1970	---	---	---	---	---	0.054	0.432	0.239	---	---	---	---	---	1970
1971	---	---	0	0	0.162	0	0.036	0.399	0	0	---	---	0.076	1971
1972	---	---	0	0	0	0	0	?	0.670	0.550	---	---	0.152	1972
1973	---	---	0	0	0	0	0	0.359	0.444	0	---	---	0.100	1973
1974	---	---	---	---	0.099	0.195	0	0.036	0.335	---	---	---	---	1974
1975	---	---	---	---	---	---	---	---	0.368	0.227	---	---	---	1975
1976	---	---	---	0.230	0.169	0.185	---	0.120	0.256	---	---	---	---	1976
1977	---	---	---	---	0.129	0.328	0	0.103	0.371	---	---	---	---	1977
1978	---	---	0	0	0	0	0.058	0.192	0.503	0.174	---	---	0.115	1978
1979	---	---	0	0	0	0	0	0.093	0.576	0.020	---	---	0.085	1979
1980	---	---	0	0	0	0	0	0.332	0.416	0	---	---	0.093	1980
1981	---	---	0	0	0.017	0	0.230	0.521	0.440	0	---	---	0.151	1981
1982	---	---	0	0	0.093	0.084	0.159	0.265	0.397	0	---	---	0.124	1982
MEAN	---	---	0	0.026	0.051	0.097	0.101	0.220	0.341	0.150	0	---	0.112	MEAN

LOCATION - LAT 51 54 36 N
LONG 106 13 54 W REGULATED

DATA CONTRIBUTED BY - SASKATCHEWAN DEPARTMENT OF THE ENVIRONMENT

BRADWELL INLET CANAL ABOVE BRADWELL RESERVOIR - STATION NO. 05BG010

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	0.957 ON JUN 18	0 ON MAY 1 *	---	1968
1969	---	0.790 ON AUG 25	0 ON MAY 1	---	1969
1970	---	0.878E ON AUG 8	0 ON JUN 1	---	1970
1971	---	0.663 ON MAY 15	0 ON MAR 1	1 600	1971
1972	---	1.23 ON OCT 16 *	0 ON MAR 1	3 210	1972
1973	---	0.883 ON SEP 20	0E ON MAR 1	2 110	1973
1974	---	0.906E ON MAY 29	0E ON MAY 1	---	1974
1975	---	0.515 ON SEP 19	0 ON SEP 18	---	1975
1976	---	0.770 ON JUN 17	0 ON APR 1	---	1976
1977	---	0.943 ON JUN 8	0 ON MAY 1	---	1977
1978	---	1.08 ON SEP 11	0 ON MAR 1	2 430	1978
1979	---	0.771 ON SEP 10	0 ON MAR 1	1 790	1979
1980	---	0.878 ON SEP 5	0 ON MAR 1	1 970	1980
1981	---	0.685 ON AUG 11	0 ON MAR 1	3 190	1981
1982	---	0.793 ON SEP 18	0 ON MAR 1	2 630	1982
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		2 370	MEAN

E - ESTIMATED

BRANIFF DITCH NEAR PIAPOT - STATION NO. 05HA038

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	---	---	---	---	---	---	---	---	---	1911
1912	---	---	---	---	---	---	---	---	---	---	---	---	---	1912
1915	---	---	---	---	---	---	---	---	---	---	---	---	---	1915
1916	---	---	---	---	---	---	---	---	---	---	---	---	---	1916
1917	---	---	---	---	---	---	0 R	---	---	---	---	---	---	1917
1918	---	---	---	---	---	---	---	---	---	---	---	---	---	1918
1919	---	---	0	0	0.060	0.037	0	0	0	0	---	---	0.012	1919
1920	---	---	0	0	0.077	0.074	0.005	0	0	0	---	---	0.019	1920
1921	---	---	0	0	0.023	0.062	0	0	0	0	---	---	0.011	1921
MEAN	---	---	0	0	0.053	0.058	0.001R	0	0	0	---	---	0.014	MEAN

LOCATION - LAT 49 56 17 N
LONG 109 07 45 W
REGULATED

R - REVISED SINCE JAN 1980

BRANIFF DITCH NEAR PIAPOT - STATION NO. 05HA038

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	---	0R ON JUN 22 *	---	1911
1912	---	---	0R ON JUN 19	---	1912
1915	---	---	0R ON APR 3	---	1915
1916	---	---	0R ON AUG 29	---	1916
1917	---	---	0R ON JUN 19	---	1917
1918	---	---	0R ON MAY 2	---	1918
1919	---	0.221 ON MAY 23 *	0 ON MAR 1	258	1919
1920	---	0.091 ON MAY 4	0 ON MAR 1	411	1920
1921	---	0.074 ON JUN 14	0 ON MAR 1	223	1921
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		297	MEAN

R - REVISED SINCE JAN 1980

BREED CREEK NEAR BUZZARD'S RANCH - STATION NO. 11AC026

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1914	---	---	---	0.487	0.010	0.048	0	0	0	0	---	---	---	1914
1915	---	---	---	0.489	0.029	---	---	0	0	0	---	---	---	1915
1916	---	---	---	3.42	0.473	---	---	---	---	---	---	---	---	1916
MEAN	---	---	---	1.45	0.171	0.048	0	0	0	0	---	---	---	MEAN

LOCATION - LAT 49 06 10 N
LONG 107 24 24 W
DRAINAGE AREA, 300 km^2
NATURAL FLOW

BREED CREEK NEAR BUZZARD'S RANCH - STATION NO. 11AC026

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1914	---	---	0 ON MAY 24 *	---	1914
1915	---	3.68 ON APR 3	0 ON MAY 3	---	1915
1916	---	10.3 B ON MAR 28 *	---	---	1916
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

BRIDGE CREEK AT GULL LAKE - STATION NO. 05HA015

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	0.009	0	0	0	0	0	---	---	---	1911
1912	---	---	---	---	---	0.031	0.001	0	0	0	---	---	---	1912
1913	---	---	---	---	---	0	0	0	0	0	---	---	---	1913
1914	---	---	---	---	0	0.022	0	0	0	0	---	---	---	1914
1915	---	---	---	0.027	0	0	0.001	0	0	0	---	---	---	1915
1916	---	---	1.73	0.618	0.115	0.594	0.775	0.079	0.001	0.018	---	---	0.491	1916
1917	---	---	0	3.54	0.957	0.021	0	0	0	0	---	---	0.557	1917
1918	---	---	1.76	0.642	0.005	0	0	0	0	0	---	---	0.302	1918
1919	---	---	0.007	0.081	0	---	---	---	---	---	---	---	---	1919
1920	---	---	0.353	0.321	0.034	0.018	0	0	0	0	---	---	0.090	1920
1921	---	---	0.103	0.020	0	0	0	0	0.006	0	---	---	0.016	1921
1922	---	---	0.330	1.58	0.330	0.264	0.012	0.002	0.005	0	---	---	0.311	1922
1963	---	---	0.216	0.019	0	0	0.004	0	0	0	---	---	0.030	1963
1964	---	---	0.008	0.003	0	0	0	0	0	0	---	---	0.001	1964
1965	---	---	0.020	1.91	0.078	0.056	0.028	0	0	0	---	---	0.256	1965
1966	---	---	0.662	0.276	0.043	0.030	0.011	0.001	0	0	---	---	0.128	1966
1967	---	---	0.784	1.88	1.14	0.040	0	0	0	0	---	---	0.478	1967
1968	---	---	0.080	0	0	0	0	0	0	0	---	---	0.010	1968
1969	---	---	0.299	1.43	0.114	0	0.022	0	0	0	---	---	0.230	1969
1970	---	---	0.555	0.959	0.119	0.010	0	0	0	0	---	---	0.204	1970
1971	---	---	0.420	1.51	0.174	0.003	0	0	0	0	---	---	0.260	1971
1972	---	---	0.144	0	0.002	0	0	0	0	0	---	---	0.019	1972
1973	---	---	0.048	0.001	0	0	0	0	0	0	---	---	0.006	1973
1974	---	---	0.177	0.418	0.212	0.092	0.012	0	0	0	---	---	0.113	1974
1975	---	---	0.001	0.498	0.948	0.048	0	0	0	0	---	---	0.186	1975
1976	---	0.003	0.769	0.257	0.015	0.002	0	0	0	0	---	---	0.131	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0.274	0.171	0.056	0.005	0	0	0	0	---	---	0.063	1978
1979	---	---	0.294	0.783	0.299	0.006	0	0	0	0	---	---	0.172	1979
1980	---	---	0.022	0.009	0	0	0	0	0	0	---	---	0.004	1980
1981	---	0.061	0	0	0	0.002	0	0	0	0	---	---	0	1981
1982	---	0.101	0.158	0.543	0.069	0.792	0.305	0.031	0	0	---	---	0.235	1982
MEAN	---	0.055	0.341	0.625	0.157	0.066	0.038	0.004	0	0	---	---	0.165	MEAN

LOCATION - LAT 50 05 36 N DRAINAGE AREA, 378 km²
LONG 108 29 38 W NATURAL FLOW

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1968

BRIDGE CREEK AT GULL LAKE - STATION NO. 05HA015

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	---	0 ON MAY 11 *	---	1911
1912	---	---	0 ON JUN 27	---	1912
1913	---	---	0 ON MAY 31	---	1913
1914	---	---	0 ON APR 16	---	1914
1915	---	1.93 ON MAR 24	0 ON APR 18	---	1915
1916	---	3.88 ON MAR 27	0 ON AUG 8	10 400	1916
1917	---	7.14 B ON APR 13 *	0B ON MAR 1	11 800	1917
1918	---	4.76 ON MAR 23	0E ON MAR 1	6 390	1918
1919	---	0.963B ON APR 1	0B ON MAR 1	---	1919
1920	---	1.56 B ON MAR 22	0B ON MAR 1	1 920	1920
1921	---	0.765B ON MAR 25	0B ON MAR 10	344	1921
1922	---	3.74 ON APR 5	0B ON MAR 1	6 590	1922
1963	---	0.966 ON MAR 22	0 ON APR 17	639	1963
1964	---	0.057B ON MAR 16	0B ON MAR 1	31.7	1964
1965	---	6.14 ON APR 13	0B ON MAR 2	3 420	1965
1966	---	1.38 B ON MAR 19	0B ON MAR 5	2 710	1966
1967	---	6.12 B ON MAR 29	0B ON MAR 1	10 100	1967
1968	---	0.413B ON MAR 1	0B ON MAR 11	215	1968
1969	---	3.99 B ON APR 2	0B ON MAR 1	4 870	1969
1970	---	2.11 ON APR 7	0B ON MAR 1	4 320	1970
1971	---	4.13 B ON APR 1	0B ON MAR 1	5 510	1971
1972	---	1.41 B ON MAR 15	0B ON MAR 1	394	1972
1973	---	0.258B ON MAR 6	0B ON MAR 16	131	1973
1974	2.39 B AT 15:08 CST ON MAR 30	1.85 B ON MAR 31	0B ON MAR 1	2 390	1974
1975	2.51 AT 10:10 CST ON APR 23	2.38 ON APR 23	0B ON MAR 1	3 950	1975
1976	6.51 B AT 23:26 CST ON MAR 19 *	4.79 B ON MAR 20	0B ON MAR 11	2 770	1976
1977	---	0.001B ON APR 5	0B ON MAR 1	0.09	1977
1978	---	1.31 B ON MAR 23	0B ON MAR 1	1 340	1978
1979	1.79 AT 13:14 CST ON APR 20	1.61 ON APR 20	0B ON MAR 1	3 630	1979
1980	0.108B AT 16:21 CST ON MAR 30	0.077B ON MAR 30	0B ON MAR 6	83.0	1980
1981	---	0.011 ON JUN 18	0B ON MAR 3	5.96	1981
1982	2.75 AT 20:37 CST ON JUN 7	2.68 ON JUN 8	0 ON AUG 23	4 970	1982
				3 500	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD
E - ESTIMATED

BRIDGE CREEK AT RAYMOND'S RANCH - STATION NO. 05HA013

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	0.019	0.011	0.009	0.007	0.013	---	---	---	---	1911
1912	---	---	---	0.099	0.051	0.024	0.008	0.008	0.007	0.010	---	---	---	1912
1913	---	---	---	0.087	0.007	0.002	0.00[illegible]	0.002	0.004	0.005	---	---	---	1913
1914	---	---	0.300	0.043	0.005	0.004	0	0.001	0.011	0.030	---	---	0.050	1914
1915	---	---	---	0.135	0.078	0.053	0.084	0.005	0.018	0.022	---	---	---	1915
1916	---	---	---	0.067	0.025	0.024	0.009	0.013	0.013	0.021	---	---	---	1916
MEAN	---	---	0.300	0.086	0.031	0.020	0.019	0.006	0.011	0.018	---	---	0.050	MEAN

LOCATION - LAT 49 51 33 N DRAINAGE AREA, 11.4 km²
LONG 108 55 12 W REGULATED

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1913, 1914 AND 1916

BRIDGE CREEK AT RAYMOND'S RANCH - STATION NO. 05HA013

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	---	---	---	1911
1912	---	---	---	---	1912
1913	---	---	0 ON JUN 10 *	---	1913
1914	---	0.651B ON MAR 8 *	0 ON MAY 30	1 060	1914
1915	---	---	---	---	1915
1916	---	---	---	---	1916
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		1 060	MEAN

BRIDGE CREEK NEAR SKULL CREEK - STATION NO. 05HA001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	---	---	0.003	0.001	0.003	---	---	---	1909
1910	---	---	---	0.023	0.004	0	0	0	0	0	---	---	---	1910
1911	---	---	---	---	0.011	0.001	0.004	0	0.020	---	---	---	---	1911
1912	---	---	---	---	0.052	0.019	0	0	---	---	---	---	---	1912
1913	---	---	---	0.143	0.011	0	0	---	---	---	---	---	---	1913
1914	---	---	---	0.087	0.005	0	0	0	0	0	---	---	---	1914
MEAN	---	---	---	0.084	0.017	0.004	0.001	0.001	0.005	0.001	---	---	---	MEAN

LOCATION - LAT 49 54 04 N DRAINAGE AREA, 33.9 km²
LONG 108 53 00 W REGULATED

BRIDGE CREEK NEAR SKULL CREEK - STATION NO. 05HA001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1909	---	---	0 ON AUG 12 *	---	1909
1910	---	---	0 ON JUN 2	---	1910
1911	---	---	0 ON JUN 10	---	1911
1912	---	---	0 ON JUN 12	---	1912
1913	---	---	0 ON MAY 26	---	1913
1914	---	---	0B ON MAR 24	---	1914
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

BRIGHTWATER CREEK BELOW BRIGHTWATER RESERVOIR - STATION NO. 05HG016

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	0	0	1.13	0	0	0	0	0	---	---	0.143	1967
1968	---	---	0	1.62	0	0	0	0	0	0	---	---	0.199	1968
1969	---	---	0	4.30	0	0	0	0	0	0	---	---	0.526	1969
1970	---	---	0	2.01	0.494	0	0	0	0	0	---	---	0.309	1970
1971	---	---	0	0.541	0.977	0	0	0	0	0	---	---	0.190	1971
1972	---	---	0	2.13	0.365	0	0	0	0	0	---	---	0.307	1972
1973	---	---	0	2.34	0	0	0	0	0	0	---	---	0.286	1973
1974	---	---	0.573	---	---	---	---	---	---	---	---	---	---	1974
1975	---	---	---	---	1.98	---	---	---	---	---	---	---	---	1975
1976	---	---	---	3.07	0	5.06	---	---	---	---	---	---	---	1976
1977	---	---	---	1.53	---	---	---	---	---	---	---	---	---	1977
1978	---	---	0	1.73	0.250	0	0	0	0	0	---	---	0.244	1978
1980	---	---	0	2.85	0	0	0	0	0	0	---	---	0.349	1980
1981	---	---	0	3.27	0.386	0	0	0	0	0	---	---	0.326	1981
1982	---	---	0	2.30	1.12	0	0	0	0	0	---	---	0.424	1982
MEAN	---	---	0.048	2.05	0.516	0.422	0	0	0	0	---	---	0.300	MEAN

LOCATION - LAT 51 37 08 N DRAINAGE AREA, 1 530 km²
LONG 106 32 42 W REGULATED SINCE 1967

DATA CONTRIBUTED BY - SASKATCHEWAN DEPARTMENT OF THE ENVIRONMENT

BRIGHTWATER CREEK BELOW BRIGHTWATER RESERVOIR - STATION NO. 05HG016

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1967	---	3.23 ON MAY 15	0 ON MAR 1 *	3 080	1967
1968	---	4.02 ON APR 4	0 ON MAR 1	4 200	1968
1969	---	36.8 ON APR 11 *	0 ON MAR 1	11 100	1969
1970	---	13.2 ON APR 9	0 ON MAR 1	6 540	1970
1971	---	5.72 ON APR 30	0 ON MAR 1	4 020	1971
1972	---	4.90 ON APR 21	0 ON MAR 1	6 500	1972
1973	---	4.84 ON APR 13	0E ON MAR 1	6 050	1973
1974	---	34.5 ON APR 23	0E ON MAR 1	---	1974
1975	---	---	---	---	1975
1976	---	20.1 ON JUN 11	0 ON APR 1	---	1976
1977	---	---	---	---	1977
1978	---	5.83 ON APR 21	0E ON MAR 1	5 160	1978
1980	---	7.29 ON APR 10	0B ON MAR 1	7 400	1980
1981	---	5.60 ON APR 8	0 ON MAR 1	6 910	1981
1982	---	5.54 ON APR 20	0 ON MAR 1	8 960	1982
				6 350	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BRIGHTWATER CREEK NEAR KENASTON - STATION NO. 05HG002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1960	---	---	0.005	2.61	0	0	0	0	0	0	---	---	0.320	1960
1961	---	---	0	0	0	0	0	0	0	0	---	---	0	1961
1962	---	---	0	0.086	0	0	0	0	0	0	---	---	0.011	1962
1963	---	---	0.359	0.019	0	0	0	0	0	0	---	---	0.048	1963
1964	---	---	0	0.068	0.002	0	0.026	0	0	0	---	---	0.012	1964
1965	---	---	0	1.46	0.058	0.244	0.030	0	0	0	---	---	0.220	1965
1966	---	---	0.751	0.323	0.001	0	0	0	0	0	---	---	0.135	1966
1967	---	---	0	0.357	0.228	0	0	0	0	0	---	---	0.073	1967
1968	---	---	0.894	0.034	0.001	0	0	0	0	0	---	---	0.118	1968
1969	---	---	0	3.37	0.011	0	0	0	0	0	---	---	0.414	1969
1970	---	---	0.461	1.64	0.026	0	0.014	0	0	0	---	---	0.264	1970
1971	---	---	0	0.943	0.041	0.008	0.001	0	0	0	---	---	0.122	1971
1972	---	---	0.238	0.226	0.015	0	0	0	0	0	---	---	0.060	1972
1973	---	---	0.008	0.029	0.003	0	0.039	0	0	0	---	---	0.010	1973
1974	---	---	0	7.82	0.314	0.028	0	0	0	0	---	---	1.00	1974
1975	---	---	0	0.291	0.050	0	0	0	0	0	---	---	0.042	1975
1976	---	---	0	3.39	0.018	4.15	0.125	0.001	0	0	---	---	0.941	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0.093	0.160	0.003	0	0	0	0	0	---	---	0.032	1978
1979	---	---	0	3.98	0.110	0.006	0	0	0	0	---	---	0.502	1979
1980	---	---	0.451	0.171	0	0	0	0	0	0	---	---	0.078	1980
1981	---	---	0	0.017	0	0.038	0	0	0	0	---	---	0.006	1981
1982	---	---	0	0.710	0.058	0.081	0	0	0	0	---	---	0.104	1982
MEAN	---	---	0.142	1.20	0.041	0.198	0.010	0	0	0	---	---	0.196	MEAN

LOCATION - LAT 51 33 45 N DRAINAGE AREA, 898 km^2
LONG 106 30 03 W REGULATED

REMARKS - RECORDS COLLECTED AT SOUTH BOUNDARY OF 26-29-4-W3 IN 1960 AND IN NE03-30-04-W3 FROM 1961-74

BRIGHTWATER CREEK NEAR KENASTON - STATION NO. 05HG002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1960	---	24.6 B ON APR 4	0B ON MAR 1 *	6 780	1960
1961	0 AT 12:00 CST ON MAY 12	0 ON MAR 1	0 ON MAR 1	0	1961
1962	---	0.326B ON APR 12	0B ON MAR 1	224	1962
1963	---	3.51 B ON MAR 24	0B ON MAR 1	1 010	1963
1964	1.29 B AT 19:00 CST ON APR 4	0.425B ON APR 5	0B ON MAR 1	249	1964
1965	---	11.3 B ON APR 11	0B ON MAR 1	4 660	1965
1966	---	6.71 B ON MAR 29	0B ON MAR 1	2 850	1966
1967	---	2.72 B ON APR 25	0B ON MAR 1	1 540	1967
1968	11.3 B AT 07:00 CST ON MAR 6	8.33 B ON MAR 6	0B ON MAR 1	2 490	1968
1969	24.2 B AT 08:00 CST ON APR 10	20.0 B ON APR 10	0B ON MAR 1	8 760	1969
1970	11.8 AT 13:30 CST ON APR 7	10.6 ON APR 7	0B ON MAR 1	5 590	1970
1971	11.7 B AT 04:40 CST ON APR 12	7.25 B ON APR 12	0B ON MAR 1	2 580	1971
1972	3.74 B AT 10:00 CST ON MAR 27	1.99 B ON MAR 28	0B ON MAR 1	1 260	1972
1973	1.19 AT 18:15 CST ON JUL 1	0.487 ON JUL 2	0B ON MAR 1	209	1973
1974	77.9 AT 04:48 CST ON APR 21 *	54.4 ON APR 20 *	0B ON MAR 1	21 200	1974
1975	3.99 AT 02:29 CST ON APR 20	2.02 ON APR 20	0B ON MAR 1	888	1975
1976	37.7 AT 11:29 CST ON JUN 10	34.8 ON JUN 10	0B ON MAR 1	20 000	1976
1977	0.062 AT 11:03 CST ON MAY 5	0.005 ON MAY 5	0 ON MAR 1	0.43	1977
1978	2.24 B AT 20:56 CST ON MAR 29	1.29 B ON MAR 30	0B ON MAR 1	673	1978
1979	30.2 AT 17:43 CST ON APR 18	27.2 ON APR 18	0B ON MAR 1	10 600	1979
1980	4.52 B AT 16:57 CST ON MAR 29	4.04 B ON MAR 29	0B ON MAR 1	1 650	1980
1981	1.67 AT 17:32 CST ON JUN 20	0.453 ON JUN 21	0B ON MAR 1	133	1981
1982	9.44 AT 17:24 CST ON APR 13	6.37 A ON APR 13	0B ON MAR 1	2 210	1982
				4 150	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

BRIGHTWATER CREEK NEAR PROCTOR LAKE - STATION NO. 05HG020

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1978	---	---	0	1.29	0.325	0	0	0	0	0	---	---	0.199	1978
1979	---	---	---	---	0.856	0	0	0	0	0	---	---	---	1979
1980	---	---	0.026	2.15	0	0	0	0	0	0	---	---	0.266	1980
1981	---	---	0	1.83	0.007	0	0	0	0	0	---	---	0.225	1981
1982	---	---	0	1.94	0.325	0	0	0	0	0	---	---	0.278	1982
MEAN	---	---	0.007	1.80	0.303	0	0	0	0	0	---	---	0.242	MEAN

LOCATION - LAT 51 42 49 N, LONG 106 35 38 W DRAINAGE AREA, 1 750 km^2 REGULATED

BRIGHTWATER CREEK NEAR PROCTOR LAKE - STATION NO. 05HG020

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1978	4.42 AT 16:48 CST ON APR 23	4.22 ON APR 23	0E ON MAR 1 *	4 220	1978
1979	---	---	0 ON MAY 15	---	1979
1980	6.93 AT 09:45 CST ON APR 11	6.90B ON APR 10 *	0B ON MAR 1	5 630	1980
1981	5.50 AT 12:00 CST ON APR 9	5.40 ON APR 9	0B ON MAR 1	4 760	1981
1982	7.04 AT 08:12 CST ON APR 17 *	5.15 ON APR 17	0B ON MAR 1	5 890	1982
				5 130	MEAN

B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

BRODERICK IRRIGATION PROJECT MAIN CANAL ABOVE BRODERICK RESERVOIR - STATION NO. 05HF006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	---	---	---	---	5.73	7.37	8.12	8.05	4.06	---	---	1967
MEAN	---	---	---	---	---	---	5.73	7.37	8.12	8.05	4.06	---	---	MEAN

LOCATION - LAT 51 27 45 N
LONG 106 55 00 W REGULATED

BRODERICK IRRIGATION PROJECT MAIN CANAL ABOVE BRODERICK RESERVOIR - STATION NO. 05HF006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1967	---	9.03 ON JUL 22 *	---	---	1967
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

BRODERICK IRRIGATION PROJECT MAIN CANAL BELOW PUMPING STATION - STATION NO. 05HF007

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	---	---	---	---	5.69	7.31	7.79	8.08	3.90	---	---	1967
1968	---	---	---	---	0.615	3.10	4.42	0.350	0.032	---	---	---	---	1968
1969	---	---	---	---	1.61	4.97	2.25	0.824	0.459	0	0	---	---	1969
1970	---	---	---	---	0.266	0.989	2.44	0.811	0.187	0.008	---	---	---	1970
1971	---	---	0	0	1.66	2.03	3.25	0.926	1.12	0.461	---	---	1.18	1971
1972	---	---	0	0	2.92	3.45	5.04	4.18	3.50	0.422	---	---	2.44	1972
1973	---	---	0	3.18	2.84	4.55	4.95	4.95	4.63	0.111	---	---	3.14	1973
1974	---	---	---	---	---	1.98	4.90	1.90	0.095	1.41	---	---	---	1974
1975	---	---	---	---	2.50	4.64	6.37	2.78	3.63	---	---	---	---	1975
1976	---	---	---	---	2.78	3.46	4.50	4.89	0.718	---	---	---	---	1976
1977	---	---	---	---	4.28	6.48	12.6	5.35	4.30	---	---	---	---	1977
1978	---	---	0	0	3.84	8.35	10.4	6.12	4.76	0	---	---	4.19	1978
1979	---	---	0	0	0.155	3.48	10.6	6.25	3.57	0	---	---	3.01	1979
1980	---	---	0	0	6.29	10.3	13.2	6.08	6.04	0	---	---	5.24	1980
1981	---	---	0	0	7.60	5.74	13.1	6.29	7.58	0	---	---	5.05	1981
1982	---	---	0	0	4.53	3.00	9.58	5.53	3.95	0	---	---	3.34	1982
MEAN	---	---	0	0.398	2.99	4.43	7.08	4.03	3.27	0.874	1.95	---	3.45	MEAN

LOCATION - LAT 51 17 07 N
LONG 106 50 10 W REGULATED

DATA CONTRIBUTED BY -
SASKATCHEWAN DEPARTMENT OF THE ENVIRONMENT

BRODERICK IRRIGATION PROJECT MAIN CANAL BELOW PUMPING STATION - STATION NO. 05HF007

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1967	---	8.27 ON AUG 28	0 ON JUL 1 *	---	1967
1968	---	5.04 ON JUL 18	0 ON MAY 1	---	1968
1969	---	5.27 ON JUL 24	0 ON MAY 1	---	1969
1970	---	5.13 ON JUL 1	0 ON MAY 1	---	1970
1971	---	5.38 ON JUL 21	0 ON MAR 1	25 000	1971
1972	---	5.13 ON JUN 29	0 ON MAR 1	51 700	1972
1973	---	4.98 ON JUL 20	0E ON MAR 1	66 600	1973
1974	---	5.04 ON JUL 9	0E ON JUN 1	---	1974
1975	---	9.83 ON JUL 23	0 ON MAY 1	---	1975
1976	---	10.1 ON AUG 3	0 ON MAY 1	---	1976
1977	---	14.0 ON JUL 7	0 ON SEP 8	---	1977
1978	---	15.9 ON JUL 17	0 ON MAR 1	88 600	1978
1979	---	10.8 ON JUL 8	0 ON MAR 1	63 700	1979
1980	---	15.6 ON JUL 16	0 ON MAR 1	111 000	1980
1981	---	16.1 ON JUL 27 *	0 ON MAR 1	107 000	1981
1982	---	11.0 ON JUL 31	0 ON MAR 1	70 600	1982
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		73 000	MEAN

E - ESTIMATED

BROKENSHELL CREEK NEAR TROSSACHS - STATION NO. 05JE009

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1969	---	---	---	3.99	---	---	---	---	---	---	---	---	---	1969
1970	---	---	---	2.27	2.26	0.011	---	---	---	---	---	---	---	1970
1971	---	---	---	2.17	---	---	---	---	---	---	---	---	---	1971
1973	---	---	---	0.223	---	---	---	---	---	---	---	---	---	1973
1974	---	---	---	3.58	0.558	0.161	---	---	---	---	---	---	---	1974
1975	---	---	0.002	3.84	0.284	0.002	0.002	0	0	0	---	---	0.507	1975
1976	---	---	1.50	3.71	0.007	2.03	0.004	0	0	0	---	---	0.893	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	1.24	0.302	0.011	0.033	0.386	0	0	0	---	---	0.248	1978
1979	---	---	0.214	3.85	1.04	0.009	0	0	0	0	---	---	0.832	1979
1980	---	---	0.167	0.090	0	0	0	0	0	0	---	---	0.032	1980
1981	---	0	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	2.99	0.031	0.007	0.894	0	0	0	---	---	0.485	1982
MEAN	---	0	0.390	2.08	0.419	0.225	0.161	0	0	0	---	---	0.350	MEAN

LOCATION - LAT 49 38 55 N, LONG 104 13 07 W DRAINAGE AREA, 153 km² NATURAL FLOW

BROKENSHELL CREEK NEAR TROSSACHS - STATION NO. 05JE009

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	22.3 AT 13:31 CST ON APR 20	21.3 ON APR 20	0B ON MAR 1 *	10 700	1975
1976	36.2 AT 06:05 CST ON JUN 13 *	28.2 ON JUN 13 *	0B ON MAR 1	18 900	1976
1977	0 B AT 00:01 CST ON MAR 1	0 B ON MAR 1	0B ON MAR 1	0	1977
1978	12.6 AT 11:52 CST ON MAR 27	10.6 ON MAR 27	0B ON MAR 1	5 240	1978
1979	26.0 B AT 09:30 CST ON APR 19	23.9 B ON APR 19	0B ON MAR 1	13 400	1979
1980	2.41B AT 11:05 CST ON MAR 30	2.07B ON MAR 30	0B ON MAR 1	679	1980
1981	---	0 ON MAR 1	0 ON MAR 1	0	1981
1982	27.8 AT 04:56 CST ON JUL 17	22.2 ON APR 15	0B ON MAR 1	10 300	1982
				7 400	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

BROWN DITCH NEAR DIVIDE - STATION NO. 11AD002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1917	---	---	---	---	---	---	---	---	---	---	---	---	---	1917
1918	---	---	---	---	---	---	---	---	---	---	---	---	---	1918
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
1924	---	---	0	0.002	0	0	0	0	0	0	---	---	0	1924
MEAN	---	---	0	0.002	0	0	0	0	0	0	---	---	0	MEAN

LOCATION - LAT 49 09 36 N, LONG 109 08 18 W REGULATED

BROWN DITCH NEAR DIVIDE - STATION NO. 11AD002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1917	---	---	0 ON SEP 15 *	---	1917
1918	---	---	0 ON AUG 20	---	1918
1919	---	---	0 ON JUN 25	---	1919
1924	---	0.028 ON APR 3 *	0 ON MAR 1	6.39	1924
				6.39	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

BUCHANAN DITCH NEAR GOVENLOCK - STATION NO. 11AB109

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	0	0.058	0.005	0	0	0	0	0	---	---	0.008	1968
1969	---	---	0	0.030	0.013	0	0	0.015	0	0	---	---	0.007	1969
1970	---	---	0	0.063	0	0.042	0	0	0	0	---	---	0.013	1970
1971	---	---	---	0	0.045	0	0.018	0.105	0	0	---	---	---	1971
MEAN	---	---	0	0.038	0.016	0.011	0.005	0.030	0	0	---	---	0.009	MEAN

LOCATION - LAT 49 10 45 N, LONG 109 50 45 W REGULATED

BUCHANAN DITCH NEAR GOVENLOCK - STATION NO. 11AB109

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	0.351 ON APR 23	0 ON MAR 1 *	163	1968
1969	---	0.241 ON AUG 11	0 ON MAR 1	150	1969
1970	---	0.476 ON APR 8 *	0 ON MAR 1	272	1970
1971	---	0.357 ON JUL 29	0 ON APR 1	---	1971
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		195	MEAN

BURNTOUT BROOK NEAR ARBORFIELD - STATION NO. 05KB005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1955	---	---	---	---	---	---	---	---	---	---	---	---	---	1955
1956	---	---	---	---	---	---	---	---	---	---	---	---	---	1956
1957	---	---	---	---	---	---	---	---	---	---	---	---	---	1957
1958	---	---	---	2.34	---	---	---	---	---	---	---	---	---	1958
1959	---	---	---	---	---	---	---	---	---	---	---	---	---	1959
1960	---	---	---	5.62	---	---	---	---	---	---	---	---	---	1960
1961	---	---	---	---	---	---	---	---	---	---	---	---	---	1961
1962	---	---	---	---	---	---	---	---	---	---	---	---	---	1962
1963	---	---	---	---	---	---	---	---	---	---	---	---	---	1963
1965	---	---	0	3.18	1.58	2.65	0.166	0	0	0	---	---	0.936	1965
1966	---	---	0.001	4.48	2.17	1.49	0.232	0.007	0.008	0.001	---	---	1.04	1966
1967	---	---	0	1.75	3.09	0.133	0.005	0.003	0	0.071	---	---	0.632	1967
1968	---	---	1.02	0.577	0.026	0.008	0	0	0	0.086	---	---	0.214	1968
1969	---	---	0	2.30	0.028	0.013	0	0	0.020	0.157	---	---	0.309	1969
1970	---	---	0	3.66	0.972	1.53	1.86	0.033	0	0	---	---	0.999	1970
1971	---	---	0	4.54	0.234	0.002	0	0	0	0.058	---	---	0.593	1971
1972	---	---	0	8.67	2.33	0.003	0	0	0	0	---	---	1.36	1972
1973	---	---	0.024	0.337	0.044	3.18	4.03	0.009	0.004	0.025	---	---	0.958	1973
1974	---	---	0.274	6.44	1.94	0.558	0.084	0.290	0.232	0.336	---	---	1.26	1974
1975	---	---	0	3.61	1.40	0.307	0.038	0	0	0.078	---	---	0.671	1975
1976	---	---	0.045	3.37	0.119	0.335	0.176	0	0	0.022	---	---	0.500	1976
1977	---	---	0	0.296	0.192	0.090	0	0	0	0.002	---	---	0.072	1977
1978	---	---	0	4.68	0.906	0.014	0	0.096	0.058	0.313	---	---	0.748	1978
1979	---	---	0.003	8.71	5.06	2.28	0.038	0	0	0.043	---	---	2.00	1979
1980	---	---	0	1.24	0.027	0.001	0	0	0	0.021	---	---	0.158	1980
1981	---	---	0.146	0.282	0.017	0.016	0.014	0	0	0.045	---	---	0.065	1981
1982	---	---	0	3.05	0.337	0.397	0	0	0	0.034	---	---	0.469	1982
MEAN	---	---	0.084	3.46	1.14	0.723	0.369	0.024	0.018	0.072	---	---	0.721	MEAN

LOCATION - LAT 53 06 16 N DRAINAGE AREA, 305 km^2
LONG 103 40 45 W REGULATED

BURNTOUT BROOK NEAR ARBORFIELD - STATION NO. 05KB005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1955	---	9.12 ON APR 16	0E ON APR 5 *	---	1955
1956	---	16.1 E ON APR 20	0E ON APR 14	---	1956
1957	---	35.4 ON APR 24 *	0E ON APR 16	---	1957
1958	---	11.3 E ON MAR 31	0E ON MAR 24	---	1958
1959	---	6.23 ON APR 6	0E ON MAR 28	---	1959
1960	---	10.9 ON APR 6	0E ON APR 1	---	1960
1961	---	3.74 ON APR 19	0E ON APR 12	---	1961
1962	---	20.0 ON APR 22	0E ON APR 12	---	1962
1963	---	11.2 ON MAR 29	0E ON MAR 25	---	1963
1965	---	18.8 ON APR 13	0B ON MAR 1	19 800	1965
1966	---	15.9 B ON APR 13	0B ON MAR 1	22 000	1966
1967	---	10.6 B ON APR 28	0B ON MAR 1	13 400	1967
1968	---	5.30 B ON MAR 25	0B ON MAR 1	4 540	1968
1969	---	14.0 B ON APR 11	0B ON MAR 1	6 540	1969
1970	---	18.0 ON JUN 30	0B ON MAR 1	21 100	1970
1971	---	17.8 ON APR 15	0B ON MAR 1	12 600	1971
1972	36.8 AT 08:49 CST ON APR 23	30.9 ON APR 23	0B ON MAR 1	28 700	1972
1973	---	34.0 ON JUL 3	0B ON MAR 1	20 200	1973
1974	---	30.6 ON APR 19	0B ON MAR 1	26 600	1974
1975	11.8 AT 09:48 CST ON APR 22	10.0 ON APR 22	0B ON MAR 1	14 200	1975
1976	---	9.00 ON APR 9	0B ON MAR 1	10 600	1976
1977	4.90 B AT 07:05 CST ON APR 10	3.23 B ON APR 10	0B ON MAR 1	1 520	1977
1978	14.1 AT 07:26 CST ON APR 18	11.8 ON APR 18	0B ON MAR 1	15 800	1978
1979	39.0 AT 01:34 CST ON APR 20 *	35.0 ON APR 20	0 ON JUL 14	42 200	1979
1980	6.68 A AT 08:20 CST ON APR 14	5.05 A ON APR 14	0B ON MAR 1	3 340	1980
1981	0.953B AT 12:33 CST ON APR 19	0.692B ON APR 19	0B ON MAR 1	1 370	1981
1982	18.1 AT 05:56 CST ON APR 16	15.1 ON APR 16	0B ON MAR 1	9 920	1982
				15 200	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

BUSBY COULEE NEAR CONSUL - STATION NO. 11AB071

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAY TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1927	---	---	---	---	2.14	0.557	0.011	0	0	0	---	---	0.454	1927
1928	---	---	---	---	0.024	0	0	0	0	0	---	---	0.004	1928
MEAN	---	---	---	---	1.08	0.279	0.006	0	0	0	---	---	0.229	MEAN

LOCATION - LAT 49 18 16 N LONG 109 27 23 W DRAINAGE AREA, 339 km² REGULATED

BUSBY COULEE NEAR CONSUL - STATION NO. 11AB071

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAY TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1927	---	8.21 E ON MAY 24 *	0 ON MAY 1 *	7 210	1927
1928	---	0.167 ON MAY 1	0 ON MAY 17	64.1	1928
				3 640	MEAN

E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

CANOE RIVER NEAR BEAUVAL - STATION NO. 06BB005

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1974	---	---	---	---	---	48.3	26.7	18.1	15.4	12.3	---	---	---	1974
1975	---	---	---	---	---	---	---	---	13.2	15.4	12.4	---	---	1975
1976	6.43	7.68	6.08	13.0	13.6	9.32	17.8	19.7	19.0	18.7	17.6	9.81	13.2	1976
1977	---	---	---	13.3	25.3	26.6	18.2	18.6	15.8	17.8	---	---	---	1977
1978	6.56	3.68	3.39	9.18	44.9	25.5	10.5	7.92	12.2	16.2	13.6	8.14	13.5	1978
1979	5.69	3.76	2.91	11.0	23.1	14.7	9.55	5.57	9.06	15.2	11.6	7.85	10.0	1979
1980	4.78	3.83	3.26	9.27	11.9	4.28	2.56	4.29	9.87	17.9	16.7	9.82	8.20	1980
1981	7.09	6.83	6.76	16.4	15.5	7.10	3.54	2.11	1.88	2.07	2.07	1.77	6.08	1981
1982	0.695	0.182	0.068	1.11	17.8	14.4	6.96	5.57	6.79	9.28	9.11	6.21	6.55	1982
MEAN	5.21	4.33	3.74	10.5	21.7	18.8	11.5	9.73	11.5	13.9	11.9	7.27	9.59	MEAN

LOCATION - LAT 55 24 20 N LONG 108 01 40 W DRAINAGE AREA, 4 730 km² NATURAL FLOW

CANOE RIVER NEAR BEAUVAL - STATION NO. 06BB005

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1974	---	---	---	---	1974
1975	---	---	---	---	1975
1976	22.5 AT 19:22 CST ON JUL 29	22.2 ON JUL 30	4.87 B ON DEC 31	419 000	1976
1977	49.8 AT 19:43 CST ON MAY 29	47.6 ON MAY 29	---	---	1977
1978	58.3 AT 17:28 CST ON MAY 19 *	56.1 ON MAY 19 *	2.97 B ON MAR 3	427 000	1978
1979	---	25.0E ON MAY 16	2.85 B ON MAR 28	316 000	1979
1980	---	22.7 ON NOV 11	1.65 ON JUL 10	259 000	1980
1981	---	20.0 ON APR 30	1.31 B ON DEC 29	192 000	1981
1982	21.4 AT 17:50 CST ON MAY 21	21.3 ON MAY 21	0.060B ON MAR 18 *	206 000	1982
				303 000	MEAN

B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

CARROT RIVER AT BEAULIEU'S FARM - STATION NO. 05KA003

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1919	---	---	---	0.042	0.059	0.034	0.213	0.074	0.051	0.026	0	0	---	1919
1920	0	0	0	0.629	2.61	0.489	0.098	0	0	0	0	0	0.321	1920
1921	0	0	0	2.62	3.14	0.831	0.375	0.392	0.189	0.208	0.120	0.039	0.662	1921
1922	0	0	0	1.64	1.66	0.541	0.150	0.034	0.031	0.033	0.050	0.011	0.348	1922
1923	0	0	0	0.165	0.183	0.329	0.246	0.224	0.114	0.079	---	---	---	1923
1924	---	---	0	0.327	0.572	0.222	0.035	0.006	0	0	---	---	---	1924
1925	---	---	0	0.302	0.127	0.334	0.136	0.050	0.051	0.051	---	---	---	1925
1926	---	---	---	0.110	0.385	0.447	0.105	0.006	0.004	0.008	---	---	---	1926
1927	---	---	---	0.832	1.64	0.533	0.386	0.286	0.183	0.263	---	---	---	1927
1928	---	---	---	0.698	0.246	0.165	0.094	0.046	0.003	0.003	---	---	---	1928
1929	---	---	0	0.245	0.339	0.209	0.093	0.032	0.003	0	---	---	---	1929
1930	---	---	---	0.158	0.147	0.036	0.027	0	0.005	0.048	---	---	---	1930
1931	---	---	0.007	0.169	---	---	---	---	---	---	---	---	---	1931
MEAN	0	0	0.001	0.611	0.926	0.348	0.163	0.098	0.053	0.060	0.043	0.013	0.444	MEAN

LOCATION - LAT 52 51 00 N LONG 105 11 00 W DRAINAGE AREA, 546 km² NATURAL FLOW

CARROT RIVER AT BEAULIEU'S FARM - STATION NO. 05KA003

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1919	---	---	0 ON MAR 14 *	---	1919
1920	---	5.28 ON MAY 3	0B ON JAN 1	10 200	1920
1921	---	12.9 ON APR 27 *	0B ON JAN 1	20 900	1921
1922	---	2.49 B ON APR 10	0B ON JAN 1	11 000	1922
1923	---	0.527 ON JUN 25	0B ON JAN 1	---	1923
1924	---	1.10 ON APR 29	0B ON MAR 1	---	1924
1925	---	0.983 ON APR 7	0 ON MAR 1	---	1925
1926	---	0.595 ON MAY 29	0B ON APR 1	---	1926
1927	---	2.89 ON APR 26	---	---	1927
1928	---	---	0 ON SEP 11	---	1928
1929	---	0.637 ON APR 21	0B ON MAR 1	---	1929
1930	---	0.328 ON APR 12	0B ON APR 1	---	1930
1931	---	---	0B ON MAR 1	---	1931
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		14 000	MEAN

CARROT RIVER NEAR ARMLEY - STATION NO. 05KB003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1955	---	---	0.031	63.4	72.5	12.8	2.26	0.060	0.009	0.012	---	---	18.8	1955
1956	---	---	0.004	30.9	53.3	5.59	1.23	0.494	0.029	0.021	---	---	11.4	1956
1957	---	---	0.033	50.0	30.5	1.38	0.245	0.011	0.058	0.010	---	---	10.2	1957
1958	---	---	0.046	22.5	1.87	0.115	0.014	0.002	0.004	0.019	---	---	3.01	1958
1959	---	---	0.002	10.7	1.12	0.079	0.085	0.008	0.001	0.037	---	---	1.48	1959
1960	---	---	0.028	31.6	7.16	1.45	0.428	0.002	0	0	---	---	5.01	1960
1961	---	---	0	2.27	0.291	0.002	0	0	0	0	---	---	0.315	1961
1962	---	---	0	16.2	3.41	0.045	0	0	0	0	---	---	2.42	1962
1963	---	---	0	11.7	0.016	0.005	0.042	0	0	0	---	---	1.44	1963
1964	---	---	0	9.54	0.861	0.055	0	0	0	0	---	---	1.28	1964
1965	---	---	0	15.4	2.87	1.18	0.700	0.090	0.001	0.001	---	---	2.89	1965
1966	---	---	0.008	39.1	7.27	1.67	0.930	0.134	0.031	0.018	---	---	6.05	1966
1967	---	---	0.006	3.22	30.8	1.86	0.007	0	0.002	0.002	---	---	4.52	1967
1968	---	---	6.51	11.8	0.723	0.091	0.003	0.115	0.791	0.075	---	---	2.49	1968
1969	---	---	0.006	34.3	6.39	0.612	0.006	0.004	0.001	0.388	---	---	5.13	1969
1970	---	---	0	38.2	17.0	2.12	2.44	0.274	0.011	0.067	---	---	7.84	1970
1971	---	---	0	34.9	4.75	0.474	0.747	0.212	0.026	0.163	---	---	5.07	1971
1972	---	---	0	63.2	28.5	1.21	0.103	0.010	0.002	0	---	---	11.5	1972
1973	---	---	0.112	2.97	0.310	19.1	11.7	2.56	0.827	0.605	---	---	4.74	1973
1974	---	---	0.018	87.8	63.0	19.8	4.06	0.937	1.64	1.34	---	---	22.2	1974
1975	---	---	0.016	23.5	39.8	5.84	1.69	0.400	0.063	0.024	---	---	8.90	1975
1976	---	---	0.025	22.8	3.11	0.677	1.17	0.216	0.001	0.015	---	---	3.45	1976
1977	---	---	0	1.99	1.38	1.67	0.043	0.005	0.002	0.020	---	---	0.631	1977
1978	---	---	0.001	39.9	10.5	0.682	1.25	0.137	0.304	0.044	---	---	6.51	1978
1979	---	---	0	63.2	66.9	13.7	2.47	0.155	0.110	0.020	---	---	18.2	1979
1980	---	---	0.010	27.3	5.07	0.172	0.042	0.010	0.077	0.087	---	---	4.04	1980
1981	---	---	0.373	0.873	0.137	0.016	0.025	0.016	0.003	0.022	---	---	0.182	1981
1982	---	---	0	15.0	2.99	1.62	0.293	0.016	0.027	0.024	---	---	2.46	1982
MEAN	---	---	0.258	27.7	16.5	3.36	1.14	0.210	0.144	0.108	---	---	6.12	MEAN

LOCATION - LAT 53 08 11 N LONG 104 01 15 W
DRAINAGE AREA, 4 340 km^2
NATURAL FLOW

CARROT RIVER NEAR ARMLEY - STATION NO. 05KB003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1955	---	117 ON MAY 2	0 B ON MAR 22 *	397 000	1955
1956	---	177 ON APR 25	0 ON AUG 26	242 000	1956
1957	311 E AT 18:00 CST ON APR 26	309 E ON APR 26	0 B ON MAR 1	216 000	1957
1958	61.7 B AT 08:30 CST ON APR 7	60.9 B ON APR 7	0 B ON MAR 1	63 800	1958
1959	---	29.4 B ON APR 7	0 B ON MAR 1	31 400	1959
1960	82.4 AT 16:00 CST ON APR 16	81.0 ON APR 16	0 E ON AUG 13	106 000	1960
1961	10.8 B AT 17:00 CST ON APR 18	9.77B ON APR 18	0 B ON MAR 1	6 670	1961
1962	64.8 B AT 19:00 CST ON APR 22	64.6 B ON APR 22	0 B ON MAR 1	51 100	1962
1963	45.3 B AT 20:20 CST ON APR 9	35.7 B ON APR 9	0 B ON MAR 1	30 500	1963
1964	48.7 B AT 16:30 CST ON APR 11	43.6 B ON APR 11	0 B ON MAR 1	27 200	1964
1965	---	48.7 B ON APR 14	0 B ON MAR 1	52 800	1965
1966	129 AT 19:30 CST ON APR 17	123 ON APR 17	0 ON AUG 13	128 000	1966
1967	63.1 B AT 17:00 CST ON MAY 1	61.4 B ON MAY 1	0 ON JUL 23	95 600	1967
1968	---	40.5 B ON MAR 28	0 B ON MAR 1	52 700	1968
1969	---	108 B ON APR 13	0 ON JUL 10	109 000	1969
1970	121 AT 16:30 CST ON APR 20	119 ON APR 20	0 B ON MAR 1	157 000	1970
1971	119 AT 15:00 CST ON APR 16	115 ON APR 16	0 B ON MAR 1	107 000	1971
1972	328 AT 20:13 CST ON APR 24	306 ON APR 24	0 B ON MAR 1	244 000	1972
1973	49.6 AT 11:09 CST ON JUN 10	48.4 ON JUN 10	0 B ON MAR 1	100 000	1973
1974	450 AT 17:10 CST ON APR 21 *	377 ON APR 21 *	0 B ON MAR 24	470 000	1974
1975	106 AT 16:41 CST ON MAY 1	105 ON MAY 1	0 B ON MAR 11	189 000	1975
1976	---	60.0 ON APR 8	0 ON AUG 29	73 100	1976
1977	7.93 AT 18:05 CST ON MAY 28	6.12 ON MAY 29	0 B ON MAR 1	13 400	1977
1978	115 AT 19:14 CST ON APR 21	114 ON APR 21	0.001B ON MAR 1	138 000	1978
1979	310 AT 19:04 CST ON APR 26	310 ON APR 27	0 B ON MAR 1	386 000	1979
1980	76.4 AT 18:32 CST ON APR 21	74.4 ON APR 21	0 B ON MAR 1	85 500	1980
1981	---	1.69B ON APR 3	0 B ON MAR 1	3 840	1981
1982	73.7 AT 17:55 CST ON APR 18	69.1 ON APR 18	0 B ON MAR 1	52 200	1982
				130 000	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

CARROT RIVER NEAR KINISTINO - STATION NO. 05KA001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1919	---	---	0	0.043	0	0	0	0	0	0	0	0	0.005	1919
1920	0	0	0	0.608	3.56	0.724	0.070	0	0	0	0	0	0.622	1920
1921	0	0	0	3.81	11.1	4.62	2.04	0.757	1.08	1.02	---	---	3.06	1921
1922	---	---	0	3.77	6.20	2.53	5.97	2.21	0.193	0.276	0.178	0.004	2.65	1922
1923	0	0	0	0.464	0.356	1.50	0.886	0.870	0.230	0.231	---	---	0.565	1923
1924	---	---	0	1.64	0.949	0.353	0.071	0.072	0.014	0	---	---	0.384	1924
1925	---	---	0	1.78	0.394	2.64	0.776	0.207	0.235	0.230	---	---	0.773	1925
1926	---	---	0.054	0.815	1.60	1.14	0.117	0.010	0.056	0.196	---	---	0.496	1926
1927	---	---	0	5.01	3.51	1.48	1.54	0.645	0.584	0.639	---	---	1.67	1927
1928	---	---	1.33	1.52	0.619	0.570	0.300	0.068	0.057	0.087	---	---	0.568	1928
1929	---	---	0	1.68	0.653	1.35	0.620	0.083	0.046	0.045	---	---	0.553	1929
1930	---	---	0	1.04	0.224	0.142	0.072	0.006	0.055	0.048	---	---	0.195	1930
1931	---	---	0.023	0.631	---	---	---	---	---	---	---	---	---	1931
1956	---	---	0	6.80	7.72	1.46	0.325	0.327	0.134	0.026	---	---	2.09	1956
1957	---	---	0.008	2.94	4.43	0.565	0.093	0.037	0.061	0.015	---	---	1.02	1957
1958	---	---	0.028	1.57	0.692	0.267	0.003	0	0.001	0.005	---	---	0.317	1958
1959	---	---	0	0.131	0.197	0.012	0	0	0	0	---	---	0.042	1959
1960	---	---	0	2.61	0.905	0.675	0.204	0.088	0.014	0	---	---	0.556	1960
1961	---	---	0	0.082	0.021	0.004	0	0	0	0	---	---	0.013	1961
1962	---	---	0	0.212	0.025	0.005	0	0	0	0.004	---	---	0.030	1962
1963	---	---	0.001	0.129	0.007	0.006	0.005	0	0	0.010	---	---	0.020	1963
1964	---	---	0	0.016	0.017	0.003	0	0	0.003	0.016	---	---	0.007	1964
1965	---	---	0	0.778	0.497	0.001	0.007	0	0	0.008	---	---	0.160	1965
1966	---	---	0	3.56	1.71	0.435	0.338	0.060	0.072	0.134	---	---	0.780	1966
1967	---	---	0	0.108	5.10	0.375	0.063	0.033	0.021	0.049	---	---	0.725	1967
1968	---	---	0.315	0.932	0.135	0.019	0.106	0.019	0.113	0.062	---	---	0.211	1968
1969	---	---	0.008	5.11	2.35	0.319	0.088	0.076	0.030	0.199	---	---	1.01	1969
1970	---	---	0	5.67	5.32	0.511	0.330	0.120	0.011	0.049	---	---	1.49	1970
1971	---	---	0	3.22	0.888	0.108	0.057	0.043	0.027	0.008	---	---	0.537	1971
1972	---	---	0	4.86	6.19	0.500	0.048	0.028	0.007	0.008	---	---	1.45	1972
1973	---	---	0.010	0.057	0.014	1.03	0.785	0.349	0.386	0.187	---	---	0.350	1973
1974	---	---	0	8.20	18.1	7.54	1.86	0.423	0.886	0.501	---	---	4.68	1974
1975	---	---	0.036	2.13	8.71	2.34	0.970	0.157	0.061	0.188	---	---	1.83	1975
1976	---	---	0.012	4.97	0.533	0.075	0.193	0.095	0.026	0.022	---	---	0.729	1976
1977	---	---	0.001	0.060	0.016	0.006	0.012	0.047	0.012	0.015	---	---	0.021	1977
1978	---	---	0.002	2.32	2.04	0.761	0.460	0.225	0.043	0.088	---	---	0.738	1978
1979	---	---	0	2.74	13.9	4.40	0.895	0.183	0.311	0.025	---	---	2.81	1979
1980	---	---	0	2.63	1.20	0.011	0.023	0.005	0.018	0.041	---	---	0.486	1980
1981	---	---	0.031	0.111	0.006	0.005	0	0.001	0.001	0.004	---	---	0.020	1981
1982	---	---	0	0.320	0.629	0.224	0.005	0.148	0.074	0.076	---	---	0.184	1982
MEAN	0	0	0.046	2.13	3.83	0.992	0.496	0.190	0.125	0.116	0.059	0.001	0.868	MEAN

LOCATION - LAT 52 56 55 N LONG 105 00 18 W
DRAINAGE AREA, 1 170 km^2
REGULATED

REMARKS - RECORDS PRIOR TO 1966 WERE OBTAINED AT VARIOUS OTHER SITES IN THE VICINITY

CARROT RIVER NEAR KINISTINO - STATION NO. 05KA001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1919	---	0.379 ON APR 6	0 B ON MAR 1 *	112	1919
1920	---	7.05 ON MAY 8	0 ON MAR 1	13 200	1920
1921	---	19.7 ON APR 26	0 B ON MAR 1	64 700	1921
1922	---	17.9 ON JUL 15	0 B ON MAR 1	56 100	1922
1923	---	3.11 ON JUN 23	0 ON MAR 1	12 000	1923
1924	---	5.21 B ON APR 22	0 B ON MAR 1	8 120	1924
1925	---	6.14 B ON APR 7	0 B ON MAR 1	16 800	1925
1926	---	2.66 ON JUN 1	0 B ON MAR 1	10 500	1926
1927	---	10.1 ON APR 26	0 E ON MAR 1	35 300	1927
1928	---	4.81 B ON MAR 26	0 B ON MAR 1	12 000	1928
1929	---	4.62 B ON APR 20	0 B ON MAR 1	11 700	1929
1930	---	4.59 B ON APR 11	0 B ON MAR 1	4 130	1930
1931	---	1.98 B ON APR 9	0 B ON MAR 14	---	1931
1956	---	27.8 ON APR 18 *	0 E ON MAR 1	69 200	1956
1957	---	10.4 B ON APR 29	0.0038 ON MAR 1	21 600	1957
1958	---	3.20 ON APR 14	0 ON JUL 13	6 700	1958
1959	---	1.27 B ON APR 30	0 B ON MAR 1	897	1959
1960	---	5.24 ON APR 26	0 B ON MAR 1	11 800	1960
1961	---	0.3688 ON APR 19	0 B ON MAR 1	277	1961
1962	2.86 B AT 16:30 CST ON APR 17	0.965 ON APR 22	0 B ON MAR 1	691	1962
1963	---	0.7878 ON APR 13	0 B ON MAR 1	413	1963
1964	---	0.0768 ON APR 14	0 B ON MAR 1	148	1964
1965	---	4.05 ON APR 29	0 B ON MAR 1	3 390	1965
1966	---	9.00 B ON APR 15	0 B ON MAR 1	16 500	1966
1967	---	9.85 ON MAY 6	0 B ON MAR 1	15 300	1967
1968	---	4.16 B ON MAR 30	0 B ON MAR 1	4 460	1968
1969	---	10.1 ON APR 18	0 ON SEP 9	21 500	1969
1970	---	11.8 ON APR 24	0 B ON MAR 1	31 700	1970
1971	11.5 AT 00:00 CST ON APR 17	9.91 ON APR 17	0 B ON MAR 1	11 400	1971
1972	18.6 B AT 07:41 CST ON APR 22	17.6 B ON APR 22	0 B ON MAR 1	30 700	1972
1973	3.88 AT 12:00 CST ON JUL 3	3.88 ON JUL 3	0 B ON MAR 1	7 420	1973
1974	25.4 AT 17:31 CST ON APR 29 *	25.2 ON APR 30	0 B ON MAR 1	99 000	1974
1975	13.7 AT 13:45 CST ON MAY 2	13.5 ON MAY 2	0.008 ON SEP 23	38 700	1975
1976	10.8 AT 21:09 CST ON APR 9	7.62 ON APR 19	0 B ON MAR 1	15 500	1976
1977	---	0.379 ON APR 17	0 B ON MAR 1	450	1977
1978	6.85 AT 18:19 CST ON APR 26	6.77 ON APR 26	0 B ON MAR 1	15 600	1978
1979	19.7 AT 18:15 CST ON APR 30	19.4 ON MAY 8	0 B ON MAR 1	59 500	1979
1980	7.85 AT 16:51 CST ON APR 20	7.06 ON APR 21	0 B ON MAR 1	10 300	1980
1981	0.5368 AT 12:46 CST ON APR 7	0.3448 ON APR 18	0 B ON MAR 1	916	1981
1982	3.51 AT 13:30 CST ON JUN 21	1.55 ON APR 27	0 B ON MAR 1	3 910	1982
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		18 400	MEAN

CARROT RIVER NEAR MYRNEIM'S FARM - STATION NO. 05KB004

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1956	---	---	---	8.39	11.7	2.34	---	---	---	---	---	---	---	1956
1962	---	---	0	2.44	0.516	0.050	0	0	0	---	---	---	---	1962
MEAN	---	---	0	5.42	6.11	1.20	0	0	0	---	---	---	---	MEAN

LOCATION - LAT 53 04 00 N DRAINAGE AREA, 1 980 km^2
LONG 104 43 00 W NATURAL FLOW

CARROT RIVER NEAR MYRNEIM'S FARM - STATION NO. 05KB004

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1956	---	51.0 ON APR 22 *	0E ON APR 1 *	---	1956
1962	---	12.9 ON APR 23	0B ON MAR 1	---	1962
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

CARROT RIVER NEAR SMOKY BURN - STATION NO. 05KC001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1955	---	---	0.307	142	155	26.4	8.14	0.804	0.402	0.661	---	---	---	1955
1956	---	---	0.382	60.0	205	11.8	3.06	1.79	0.562	0.810	---	---	---	1956
1957	---	---	0.091	102	115	5.46	1.98	0.693	0.843	0.745	---	---	---	1957
1958	---	---	0.527	66.5	7.08	2.78	1.06	0.338	1.42	2.14	---	---	---	1958
1959	---	---	0.235	61.6	18.6	2.08	1.84	0.504	0.819	1.73	---	---	---	1959
1960	---	---	0.115	94.5	31.0	8.67	2.08	0.656	0.077	0.213	---	---	---	1960
1961	---	---	0.125	14.6	6.50	0.193	0.065	0.042	0.005	0.067	0.085	---	---	1961
1962	---	---	0.184	70.6	21.0	0.966	0.123	0.183	0.627	0.368	---	---	---	1962
1963	---	---	0.837	39.6	1.37	0.986	4.03	0.975	0.935	0.389	---	---	---	1963
1964	---	---	0.394	42.1	8.50	0.435	0.252	0.375	2.35	2.04	---	---	---	1964
1965	---	---	0.100	60.5	25.8	32.5	11.3	5.26	1.52	2.36	---	---	---	1965
1966	---	---	0.155	124	37.2	19.0	8.52	3.06	2.28	1.15	---	---	---	1966
1967	---	---	0.448	19.0	92.8	6.85	0.822	0.952	0.253	0.593	---	---	---	1967
1968	---	---	20.6	31.9	6.77	3.82	4.09	1.17	3.34	1.01	---	---	---	1968
1969	---	---	0.300	79.4	11.2	1.61	0.423	0.471	0.153	6.77	---	---	---	1969
1970	---	---	0.283	86.9	44.2	7.82	23.8	0.972	0.294	1.23	---	---	---	1970
1971	---	---	0.241	113	11.1	2.12	4.50	1.97	0.872	4.29	---	---	---	1971
1972	---	---	0.262	169	92.2	8.56	1.12	0.364	0.219	0.698	---	---	---	1972
1973	---	---	0.359	11.3	7.21	29.9	24.3	10.2	1.39	1.49	---	---	---	1973
1974	---	---	0.215	192	109	31.6	6.16	8.30	5.65	6.50	---	---	---	1974
1975	---	---	0.961	64.1	81.3	17.3	4.95	0.910	0.428	1.66	---	---	---	1975
1976	---	---	0.245	54.0	6.03	7.79	6.12	0.661	0.228	0.380	---	---	---	1976
1977	---	---	0.306	9.47	7.13	4.59	0.419	1.39	2.55	1.60	---	---	---	1977
1978	---	---	0.243	124	32.5	3.06	2.24	2.85	2.66	5.80	3.92	1.22	---	1978
1979	0.542	0.266	0.279	141	176	37.6	5.75	0.456	0.362	0.883	0.827	0.431	30.5	1979
1980	0.394	0.353	0.287	60.5	9.56	0.490	0.895	1.07	1.62	2.04	1.00	0.435	6.48	1980
1981	0.211	0.228	3.73	8.12	3.17	0.897	0.759	0.736	0.292	2.48	2.19	0.631	1.96	1981
1982	0.085	0.042	0.029	57.2	12.3	13.6	1.60	0.834	0.655	1.19	0.536	0.337	7.31	1982
MEAN	0.308	0.222	1.15	75.0	47.7	10.3	4.64	1.71	1.17	1.83	1.43	0.611	11.6	MEAN

LOCATION - LAT 53 25 00 N DRAINAGE AREA, 9 230 km²
LONG 103 08 30 W NATURAL FLOW

CARROT RIVER NEAR SMOKY BURN - STATION NO. 05KC001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1955	---	266 ON MAY 8	---	---	1955
1956	---	504 ON MAY 9	---	---	1956
1957	733A AT 21:00 CST ON APR 26	697 A ON APR 27	---	---	1957
1958	---	178 B ON APR 7	---	---	1958
1959	---	165 B ON APR 8	---	---	1959
1960	266 AT 20:00 CST ON APR 17	255 ON APR 18	---	---	1960
1961	---	66.0B ON APR 21	---	---	1961
1962	275 AT 10:00 CST ON APR 25	274 ON APR 25	---	---	1962
1963	133B AT 02:00 CST ON APR 13	109 B ON APR 12	---	---	1963
1964	---	133 B ON APR 15	---	---	1964
1965	---	201 B ON APR 18	---	---	1965
1966	413 AT 18:00 CST ON APR 19	374 ON APR 19	---	---	1966
1967	180 AT 22:00 CST ON MAY 5	178 ON MAY 5	---	---	1967
1968	---	106 B ON MAR 30	---	---	1968
1969	266 AT 17:00 CST ON APR 17	263 ON APR 17	---	---	1969
1970	297 AT 18:00 CST ON APR 24	294 ON APR 24	---	---	1970
1971	411 AT 11:56 CST ON APR 19	402 ON APR 19	---	---	1971
1972	818 AT 10:17 CST ON APR 26	816 ON APR 26 *	---	---	1972
1973	---	60.3E ON JUN 11	---	---	1973
1974	824 AT 18:00 CST ON APR 23 *	804 ON APR 23	---	---	1974
1975	219 AT 13:22 CST ON MAY 4	218 ON MAY 4	---	---	1975
1976	151 AT 06:48 CST ON APR 12	150 ON APR 12	---	---	1976
1977	---	38.5 ON MAY 29	---	---	1977
1978	348 AT 16:36 CST ON APR 24	345 ON APR 24	---	---	1978
1979	625 AT 16:05 CST ON APR 28	622 B ON APR 28	0.206 ON AUG 28	962 000	1979
1980	178 AT 20:38 CST ON APR 20	176 ON APR 20	0.117E ON JUN 23	205 000	1980
1981	---	19.3B ON MAR 31	0.037 ON SEP 8	61 800	1981
1982	204 AT 15:34 CST ON APR 22	202 ON APR 22	0.022B ON MAR 25 *	230 000	1982
				365 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

CARROT RIVER NEAR TURNBERRY - STATION NO. 05KH007

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1966	---	---	1.21	39.0	126	72.5	41.0	16.0	10.2	7.99	6.59	3.17	---	1966
1967	2.37	2.02	1.96	3.62	113	74.0	19.1	11.7	4.72	2.61	2.17	1.55	20.0	1967
1968	1.05	0.877	4.60	33.1	40.6	35.7	41.4	13.1	20.2	9.90	6.12	3.20	17.5	1968
1969	1.59	1.15	1.15	47.1	55.3	13.7	4.39	3.30	2.77	14.2	4.40	1.76	12.6	1969
1970	0.988	0.834	0.771	21.2	128	41.8	58.1	15.3	5.41	7.56	16.8	4.68	25.4	1970
1971	1.92	1.24	1.23	53.5	97.8	16.4	12.8	11.2	9.13	25.0	18.4	5.85	21.3	1971
1972	2.78	1.75	1.70	25.9	196	53.7	17.3	7.13	5.91	6.97	1.93	0.420	27.0	1972
1973	0.632	0.663	1.27	18.3	36.6	86.2	78.3	30.1	12.2	10.2	7.67	5.00	24.0	1973
1974	3.20	2.59	2.23	33.6	211	102	28.8	19.1	19.1	18.4	9.47	4.07	38.1	1974
1975	2.69	2.12	1.90	19.9	113	84.0	43.4	11.7	11.1	15.4	7.18	1.92	26.3	1975
1976	1.27	1.25	1.15	40.6	38.8	28.5	31.9	5.70	3.00	3.13	1.79	1.18	13.2	1976
1977	0.931	0.865	1.68	20.8	20.6	12.9	2.68	10.6	9.81	8.98	13.2	3.39	8.88	1977
1978	1.71	0.929	1.27	26.6	129	33.3	9.76	17.0	13.8	38.2	19.9	6.27	25.0	1978
1979	2.33	1.48	1.37	20.9	226	137	33.9	6.46	6.42	8.28	6.84	2.12	38.1	1979
1980	1.12	1.01	1.67	33.9	39.2	5.49	9.17	4.42	8.80	12.3	3.36	1.55	10.2	1980
1981	0.641	0.781	3.12	16.6	19.1	7.51	9.95	5.25	2.97	16.0	8.09	2.26	7.73	1981
1982	0.777	0.362	0.335	21.5	58.8	46.1	11.5	4.23	5.26	9.27	2.28	1.48	13.5	1982
MEAN	1.62	1.25	1.68	28.0	97.0	50.0	26.7	11.3	8.87	12.6	8.01	2.93	20.6	MEAN

LOCATION - LAT 53 36 00 N
LONG 102 07 00 W
DRAINAGE AREA, 12 600 km²
NATURAL FLOW

CARROT RIVER NEAR TURNBERRY - STATION NO. 05KH007

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1966	---	163 ON MAY 4	---	---	1966
1967	---	169 ON MAY 26	1.25 B ON DEC 31	631 000	1967
1968	---	68.8 ON JUL 1	0.793B ON FEB 28	554 000	1968
1969	---	110 ON APR 29	1.05 E ON SEP 21	398 000	1969
1970	---	162 ON MAY 8	0.765B ON MAR 5	800 000	1970
1971	---	193 A ON MAY 1	1.16 B ON FEB 15	673 000	1971
1972	228 AT 21:00 CST ON MAY 9 *	227 ON MAY 5	0.331B ON DEC 11	853 000	1972
1973	126 AT 12:42 CST ON JUN 23	126 ON JUN 23	0.527B ON JAN 1	758 000	1973
1974	---	246 ON MAY 2 *	2.12 B ON MAR 14	1 200 000	1974
1975	---	138 ON MAY 21	1.44 B ON DEC 31	830 000	1975
1976	68.8 AT 10:15 CST ON APR 26	64.6 ON APR 24	0.977B ON DEC 31	417 000	1976
1977	47.3B AT 19:34 CST ON APR 17	46.4 ON APR 18	0.583B ON FEB 2	280 000	1977
1978	200 AT 16:29 CST ON MAY 8	200 ON MAY 7	0.609B ON MAR 31	789 000	1978
1979	---	241 ON MAY 4	1.36 B ON MAR 10	1 200 000	1979
1980	65.4 AT 16:04 CST ON APR 23	64.9 ON APR 23	0.935B ON FEB 12	322 000	1980
1981	41.0 AT 03:14 CST ON JUL 17	38.9 ON JUL 17	0.496B ON JAN 12	244 000	1981
1982	82.9 AT 20:30 CST ON MAY 4	82.8 ON MAY 5	0.181B ON MAR 2 *	427 000	1982
				649 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

CATON DITCH NEAR RAVENSCRAG - STATION NO. 11AC035

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
1920	---	---	0	0	0.053	0.081	0.043	0	0	0	---	---	0.022	1920
1921	---	---	0	0	0	0.037	0	0	0	0	---	---	0.005	1921
1922	---	---	0	0	0.117	0.133	0.013	0	0	0	---	---	0.033	1922
1923	---	---	0	0	0.081	0.095	0	0	0	0	---	---	0.022	1923
1924	---	---	0	0	0.034	0.006	0	0	0	0	---	---	0.005	1924
1925	---	---	0	0	0.006	0.078	0.033	0	0	0	---	---	0.015	1925
1926	---	---	0	0	0.035	0.022	0	0	0	0	---	---	0.007	1926
1927	---	---	0	0	0	0	0	0	0	0	---	---	0	1927
1928	---	---	0	0	0	0	0	0	0	0	---	---	0	1928
1929	---	---	0	0	0.022	0.089	0.011	0	0	0	---	---	0.015	1929
1930	---	---	0	0	0.035	0.104	0.052	0	0	0	---	---	0.024	1930
MEAN	---	---	0	0	0.035	0.059	0.014	0	0	0	---	---	0.013	MEAN

LOCATION - LAT 49 30 20 N
LONG 109 14 50 W
REGULATED

CATON DITCH NEAR RAVENSCRAG - STATION NO. 11AC035

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1919	---	---	0 ON AUG 25 *	---	1919
1920	---	0.096 ON JUN 18	0 ON MAR 1	465	1920
1921	---	0.057 ON JUN 16	0 ON MAR 1	96.9	1921
1922	---	0.252 ON MAY 23 *	0 ON MAR 1	696	1922
1923	---	0.218 ON MAY 11	0 ON MAR 1	462	1923
1924	---	0.093 ON MAY 14	0 ON MAR 1	107	1924
1925	---	0.139 ON JUN 10	0 ON MAR 1	308	1925
1926	---	0.096 ON MAY 27	0 ON MAR 1	152	1926
1927	---	0 ON MAR 1	0 ON MAR 1	0	1927
1928	---	0 ON MAR 1	0 ON MAR 1	0	1928
1929	---	0.142 ON JUN 2	0 ON MAR 1	319	1929
1930	---	0.150 ON MAY 26	0 ON MAR 1	501	1930
				282	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

CHIPMAN RIVER ABOVE BLACK LAKE - STATION NO. 07LC002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1973	---	---	---	---	---	---	---	---	---	---	4.72	---	---	1973
1974	---	---	---	---	---	---	---	16.1	11.6	8.48	7.39	---	---	1974
1975	---	---	---	---	---	---	18.0	13.4	9.00	7.03	---	---	---	1975
1976	---	---	6.38	7.13	27.5	31.7	22.2	14.3	11.3	10.1	9.29	8.86	---	1976
1977	7.39	7.01	6.33	6.57	13.6	34.1	41.1	35.1	32.2	28.0	22.6	17.0	21.0	1977
1978	13.1	9.94	7.79	6.82	14.6	23.3	16.3	14.1	12.3	12.3	11.1	9.60	12.6	1978
1979	7.81	6.22	5.45	4.88	7.09	17.3	16.4	10.4	7.00	6.56	6.11	5.31	8.39	1979
1980	4.81	4.45	4.13	4.36	6.40	10.6	12.2	9.19	6.28	5.75	5.74	5.73	6.65	1980
1981	5.24	4.65	4.42	4.40	8.94	13.9	12.6	11.5	9.48	8.36	7.55	7.52	8.23	1981
1982	6.50	5.38	4.92	4.87	14.1	24.6	22.8	17.5	17.2	15.0	11.1	9.87	12.9	1982
MEAN	7.48	6.28	5.63	5.58	13.2	22.2	20.2	15.7	12.9	11.3	9.51	9.07	11.6	MEAN

LOCATION - LAT 59 19 10 N, LONG 105 18 10 W DRAINAGE AREA, 6 580 km^2, NATURAL FLOW

CHIPMAN RIVER ABOVE BLACK LAKE - STATION NO. 07LC002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	---	---	---	---	1975
1976	37.9 AT 21:04 CST ON MAY 25	37.7 ON MAY 25	---	---	1976
1977	43.6 AT 15:45 CST ON JUL 5 *	43.0 ON JUN 30 *	5.75 ON APR 11	662 000	1977
1978	---	25.3E ON JUN 7	6.51 ON APR 23	398 000	1978
1979	20.2 AT 00:48 CST ON JUN 22	20.1 ON JUN 21	4.77 ON APR 13	265 000	1979
1980	12.8 AT 23:25 CST ON JUN 28	12.8 ON JUN 28	3.80 ON APR 15 *	210 000	1980
1981	14.6 AT 01:52 CST ON JUN 9	14.5 ON JUN 8	4.33 ON APR 2	260 000	1981
1982	25.8 AT 15:21 CST ON JUN 22	25.5 ON JUN 14	4.77 ON APR 26	405 000	1982
				367 000	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

E - ESTIMATED

CHURCHILL RIVER ABOVE DIPPER RAPIDS - STATION NO. 06BB002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	---	---	---	---	---	177	129	110	101	90.8	---	1967
1968	84.0	79.5	75.3	77.8	93.4	93.0	80.1	72.0	72.3	89.1	93.4	87.6	83.1	1968
1969	82.4	76.5	69.7	95.4	136	143	125	114	104	113	105	88.7	105	1969
1970	77.0	69.9	84.6	94.1	134	---	---	---	---	---	---	---	---	1970
1971	---	---	---	---	---	244	252	243	216	189	---	---	---	1971
MEAN	81.1	75.3	76.5	89.1	121	160	152	152	130	125	99.8	89.1	94.1	MEAN

LOCATION - LAT 55 57 40 N, LONG 107 26 20 W DRAINAGE AREA, 85 000 km^2, NATURAL FLOW

CHURCHILL RIVER ABOVE DIPPER RAPIDS - STATION NO. 06BB002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1967	---	---	---	---	1967
1968	---	103B ON NOV 12	69.7 ON APR 2	2 630 000	1968
1969	147 AT 17:00 CST ON JUN 10 *	146 ON JUN 5 *	63.4 ON APR 9 *	3 300 000	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
				2 970 000	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

CHURCHILL RIVER ABOVE OTTER RAPIDS - STATION NO. 06CD002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1963	---	---	---	---	---	---	---	---	---	315	265	223	---	1963
1964	183	167	164	163	240	308	252	225	264	349	351	290	247	1964
1965	245	215	197	192	327	438	467	484	491	495	463	417	370	1965
1966	388	328	301	290	297	353	380	346	298	269	247	226	310	1966
1967	210	200	192	183	211	344	398	398	333	252	206	178	259	1967
1968	163	145	132	129	150	169	172	149	139	137	145	148	188	1968
1969	147	145	133	147	234	239	210	209	191	236	232	204	194	1969
1970	183	165	155	147	205	265	535	522	537	486	470	461	346	1970
1971	382	340	309	316	356	381	430	454	394	330	292	265	354	1971
1972	240	228	208	202	369	446	380	329	283	308	313	276	299	1972
1973	232	209	196	191	246	353	484	543	493	469	483	513	369	1973
1974	444	400	370	370	622	790	864	883	761	689	604	554	618	1974
1975	520	421	368	349	412	460	493	505	495	476	444	425	448	1975
1976	363	275	275	280	290	295	446	532	478	428	395	345	367	1976
1977	288	256	234	238	327	428	411	381	341	321	310	266	317	1977
1978	233	218	197	189	324	501	469	377	356	374	362	321	327	1978
1979	278	244	227	221	279	428	449	405	380	386	388	361	338	1979
1980	309	271	247	236	258	230	214	211	226	282	302	272	255	1980
1981	228	206	196	206	265	296	257	211	169	144	134	128	203	1981
1982	111	106	93.3	98.4	171	298	301	296	273	225	194	171	195	1982
MEAN	271	239	221	218	294	370	401	393	363	349	330	302	314	MEAN

LOCATION - LAT 55 38 47 W DRAINAGE AREA, 119 000 km^3
LONG 104 44 05 W NATURAL FLOW

CHURCHILL RIVER ABOVE OTTER RAPIDS - STATION NO. 06CD002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1963	---	---	---	---	1963
1964	---	368 ON OCT 29	160 E ON APR 23	7 800 000	1964
1965	---	498E ON OCT 9	187 ON MAR 26	11 700 000	1965
1966	482 AT 01:00 CST ON JAN 1	439 ON JAN 1	214 ON DEC 31	9 790 000	1966
1967	---	419 ON JUL 24	171 E ON DEC 27	8 180 000	1967
1968	181 AT 15:30 CST ON JUL 14	180 ON JUL 14	122 E ON APR 10	4 680 000	1968
1969	251 AT 01:30 CST ON OCT 27	251 ON OCT 26	131 ON MAR 27	6 120 000	1969
1970	578 AT 17:26 CST ON JUL 15	578 ON JUL 15	184 ON APR 12	10 900 000	1970
1971	473 AT 15:40 CST ON JUL 26	470 ON JUL 26	257 ON DEC 30	11 200 000	1971
1972	467 AT 00:04 CST ON JUN 5	464 ON JUN 1	195 ON APR 2	9 460 000	1972
1973	564 AT 10:54 CST ON AUG 4	561 ON AUG 3	187 ON APR 9	11 600 000	1973
1974	932 AT 21:50 CST ON JUL 30 *	926 ON JUL 26 *	351 ON MAR 29	19 400 000	1974
1975	561 AT 01:13 CST ON JAN 7	558 ON JAN 1	340 ON APR 3	18 100 000	1975
1976	589 AT 00:12 CST ON JUL 29	589 ON JUL 28	246 E ON FEB 24	11 600 000	1976
1977	442 AT 09:07 CST ON JUN 10	439 ON JUN 9	221 ON APR 12	10 000 000	1977
1978	524 AT 23:24 CST ON JUN 30	521 ON JUL 1	181 E ON APR 10	10 300 000	1978
1979	459 AT 11:41 CST ON JUL 13	457 ON JUL 15	214 ON APR 6	10 700 000	1979
1980	330 AT 03:01 CST ON JAN 1	328 ON JAN 1	206 ON AUG 6	8 060 000	1980
1981	---	303A ON JUN 2	123 ON DEC 29	6 410 000	1981
1982	324 AT 17:28 CST ON JUN 23	323 ON JUN 23	88.5B ON APR 2 *	6 160 000	1982
				9 900 000	MEAN

A - MANUAL GAUGE B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD
(SEE REFERENCE INDEX) E - ESTIMATED

CHURCHILL RIVER AT SANDY BAY - STATION NO. 06EA002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1928	---	---	---	---	---	---	---	---	---	394	377	351	---	1928
1929	310	306	331	298	309	378	587	666	654	645	598	607	475	1929
1930	522	529	519	510	628	785	764	594	598	593	574	569	599	1930
1931	552	535	503	576	733	822	937	955	966	994	943	859	783	1931
1932	798	718	653	645	862	1 160	1 280	1 540	1 620	1 380	1 120	925	1 060	1932
1933	790	722	708	674	1 010	1 210	1 250	1 270	1 120	985	882	792	953	1933
1934	753	714	670	657	1 230	1 490	1 460	1 320	1 150	1 070	1 010	898	1 040	1934
1935	815	762	681	690	912	1 010	925	897	856	804	760	694	817	1935
1936	636	583	558	543	676	742	787	752	697	636	587	539	645	1936
1937	496	448	418	422	470	472	460	414	353	292	298	287	402	1937
1938	282	274	269	278	371	413	387	318	293	321	329	340	323	1938
1939	343	319	309	312	437	612	670	684	685	594	584	552	510	1939
1940	497	497	430	397	442	465	428	337	310	302	385	308	396	1940
1941	312	310	309	309	314	313	306	324	314	329	331	334	317	1941
1942	349	336	334	350	388	416	391	356	357	402	405	395	373	1942
1943	397	404	405	413	410	390	394	406	397	432	415	398	405	1943
1944	403	401	399	386	380	341	366	340	389	558	552	542	421	1944
1945	527	506	469	468	566	610	612	549	517	703	708	643	574	1945
1946	589	540	515	550	706	753	761	851	1 160	684	457	468	669	1946
1947	452	444	430	418	667	1 160	1 310	881	698	574	711	786	713	1947
1948	815	749	714	694	880	1 040	1 190	1 050	760	700	636	607	820	1948
1949	557	534	522	528	642	967	1 400	1 510	1 390	1 010	835	755	889	1949
1950	701	650	618	605	652	843	814	775	712	579	529	558	670	1950
1951	541	527	516	515	688	847	888	938	883	757	670	622	700	1951
1952	580	604	576	553	523	559	567	523	531	512	577	534	553	1952
1953	523	533	519	534	578	562	567	549	536	548	603	589	553	1953
1954	561	545	527	514	578	711	822	1 240	1 290	954	870	792	785	1954
1955	666	635	664	738	966	952	919	791	700	780	820	778	785	1955
1956	742	706	677	667	647	561	524	532	528	511	520	519	594	1956
1957	532	537	521	501	628	664	657	640	611	599	579	625	592	1957
1958	616	590	579	677	783	839	824	740	751	732	713	685	711	1958
1959	637	603	597	617	773	1 130	1 230	1 040	949	903	714	690	824	1959
1960	651	649	626	567	727	1 300	1 510	1 280	1 130	998	822	756	918	1960
1961	656	699	705	712	928	1 030	778	684	641	656	638	653	731	1961
1962	661	670	650	650	986	993	887	838	798	741	679	684	770	1962
1963	702	756	735	743	767	764	1 080	778	849	784	730	692	782	1963
1964	701	685	682	676	767	709	584	656	857	893	868	797	739	1964
1965	726	705	708	700	829	901	891	904	899	895	860	798	819	1965
1966	753	725	783	748	707	823	826	723	622	650	591	569	710	1966
1967	629	651	629	616	651	757	829	810	634	586	665	668	677	1967
1968	703	725	709	675	695	633	608	602	613	635	619	654	656	1968
1969	677	672	641	711	631	645	586	601	680	670	650	665	652	1969
1970	659	650	637	642	652	658	890	738	750	657	671	664	689	1970
1971	652	496	427	429	510	583	822	1 140	979	887	793	800	712	1971
1972	797	800	773	792	962	957	833	753	716	773	759	752	806	1972
1973	761	737	741	728	770	772	747	860	804	757	761	767	767	1973
1974	707	730	771	853	1 030	1 210	1 310	1 300	1 240	1 070	976	902	1 010	1974
1975	845	937	947	986	1 050	1 030	1 000	1 070	1 060	967	871	866	969	1975
1976	854	807	790	757	611	689	910	1 090	1 200	1 200	967	891	898	1976
1977	870	896	843	864	830	1 250	1 430	1 350	1 120	825	794	814	991	1977
1978	877	859	807	763	768	900	804	773	799	1 140	959	938	865	1978
1979	892	926	890	832	867	898	750	652	682	847	871	867	831	1979
1980	867	886	854	843	672	692	687	731	717	742	759	826	773	1980
1981	819	783	748	696	700	647	583	582	627	645	652	617	674	1981
1982	623	587	556	480	513	623	467	480	496	448	603	703	548	1982
MEAN	637	622	604	602	694	790	820	800	772	723	684	662	703	MEAN

LOCATION - LAT 55 31 24 N DRAINAGE AREA, 210 000 km²
LONG 102 19 06 W REGULATED SINCE 1928

REMARKS - PRIOR TO 1975 RECORDS COLLECTED BY CHURCHILL RIVER POWER COMPANY

CHURCHILL RIVER AT SANDY BAY - STATION NO. 06EA002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1928	---	---	---	---	1928
1929	---	680 ON JUL 31	292B ON APR 1	15 000 000	1929
1930	---	867 ON AUG 5	0 ON MAY 17 *	18 900 000	1930
1931	---	1 030 ON SEP 29	487B ON MAR 31	24 700 000	1931
1932	---	1 700 ON SEP 9 *	589 ON APR 4	33 500 000	1932
1933	---	1 310 ON AUG 9	648 ON APR 17	30 100 000	1933
1934	---	1 590 ON JUN 29	643 ON MAR 18	32 700 000	1934
1935	---	1 040 ON JUN 8	640 ON APR 7	25 800 000	1935
1936	---	804 ON JUL 5	524 ON DEC 7	20 400 000	1936
1937	---	524 ON JAN 1	264 ON DEC 5	12 700 000	1937
1938	---	464 ON JUN 24	249 ON SEP 18	10 200 000	1938
1939	---	745 ON SEP 1	286 ON APR 23	16 100 000	1939
1940	---	527 ON FEB 6	277 ON OCT 13	12 500 000	1940
1941	---	374 ON AUG 16	289 ON MAY 27	10 000 000	1941
1942	---	439 ON NOV 6	323 ON JAN 1	11 800 000	1942
1943	---	481 ON JUN 25	326 ON AUG 13	12 800 000	1943
1944	---	637 ON OCT 17	311 ON AUG 24	13 300 000	1944
1945	---	762 ON OCT 24	430 ON MAR 31	18 100 000	1945
1946	---	1 210 ON SEP 6	394 ON DEC 1	21 100 000	1946
1947	---	1 360 ON JUL 4	413 ON APR 6	22 500 000	1947
1948	---	1 230 ON JUN 28	586 ON DEC 26	25 900 000	1948
1949	---	1 550 ON JUL 20	496 ON MAR 27	28 000 000	1949
1950	---	872 ON JUN 20	504 ON NOV 25	21 100 000	1950
1951	---	988 ON AUG 7	498 ON MAR 24	22 100 000	1951
1952	---	623 ON FEB 16	476 ON OCT 22	17 500 000	1952
1953	---	646 ON JUN 27	484 ON MAR 15	17 500 000	1953
1954	---	1 440 ON SEP 11	462 ON MAY 7	24 800 000	1954
1955	---	1 120 ON MAY 13	597 ON FEB 28	24 800 000	1955
1956	---	787 ON JAN 1	433 ON SEP 3	18 800 000	1956
1957	---	773 ON MAY 30	430 ON APR 20	18 600 000	1957
1958	---	872 ON JUN 6	558 ON MAR 17	22 400 000	1958
1959	---	1 390 ON JUN 27	575 ON MAR 8	26 000 000	1959
1960	---	1 600 ON JUL 13	476 ON APR 24	29 000 000	1960
1961	---	1 070 ON JUN 8	561 ON DEC 4	23 100 000	1961
1962	---	1 180 ON MAY 19	617 ON APR 9	24 300 000	1962
1963	---	1 270 ON JUL 17	631 ON DEC 15	24 600 000	1963
1964	---	994 ON SEP 19	513 ON JUL 20	23 400 000	1964
1965	---	946 ON JUN 7	654 ON APR 25	25 800 000	1965
1966	---	949 ON JUN 17	549 ON DEC 4	22 400 000	1966
1967	---	886 ON JUL 21	532 ON OCT 9	21 300 000	1967
1968	---	779 ON MAY 3	555 ON NOV 11	20 700 000	1968
1969	---	793 ON APR 25	515 ON JUL 27	20 600 000	1969
1970	---	988 ON JUL 8	586 ON MAR 8	21 800 000	1970
1971	---	1 250 ON JUL 30	394 ON MAR 15	22 500 000	1971
1972	---	1 120 ON MAY 29	665 ON SEP 9	25 500 000	1972
1973	---	900 ON AUG 10	665 ON JUL 2	24 200 000	1973
1974	---	1 390 ON JUL 13	674 ON JAN 19	31 900 000	1974
1975	---	1 190 ON MAY 29	799 ON JAN 22	30 600 000	1975
1976	1 300 AT 18:30 CST ON SEP 17	1 300 ON SEP 17	589 ON MAY 24	28 400 000	1976
1977	1 460 AT 19:27 CST ON JUL 11 *	1 460 ON JUL 7	731 ON MAY 14	31 200 000	1977
1978	1 210 AT 15:20 CST ON OCT 20	1 210 ON OCT 16	708 ON SEP 16	27 300 000	1978
1979	1 020 AT 14:07 CST ON DEC 24	1 010 ON DEC 24	603 ON SEP 1	26 200 000	1979
1980	932 AT 10:04 CST ON FEB 27	927 ON FEB 26	616E ON MAY 17	24 400 000	1980
1981	861 AT 19:26 CST ON JAN 16	860 ON JAN 16	541 ON AUG 3	21 300 000	1981
1982	---	730 ON DEC 25	396A ON OCT 2	17 300 000	1982
				22 200 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

CHURCHILL RIVER BELOW TRADE LAKE - STATION NO. 06CD004

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	---	---	---	185	188	179	172	180	183	187	---	1968
1969	---	---	---	---	---	220	243	215	209	216	248	238	203	---	1969
1970	---	---	---	---	170	198	---	---	---	662	583	---	---	---	1970
MEAN	---	---	---	---	170	209	214	202	194	350	337	211	195	---	MEAN

LOCATION - LAT 55 27 10 N
LONG 103 26 40 W
DRAINAGE AREA, 140 000 km^2
NATURAL FLOW

CHURCHILL RIVER NEAR PATUANAK - STATION NO. 06BB003

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1972	---	---	---	---	---	---	---	---	---	104	101	97.3	---	1972
1973	95.0	92.1	88.5	90.1	109	129	183	199	215	232	218	220	156	1973
1974	225	209	188	192	448	577	569	501	465	429	357	304	373	1974
1975	253	222	193	165	234	262	290	301	293	271	246	221	246	1975
1976	195	181	164	162	173	169	187	202	193	180	164	147	176	1976
1977	133	123	114	115	137	177	179	172	152	146	136	128	143	1977
1978	120	110	101	101	153	207	196	162	148	151	144	135	144	1978
1979	123	116	112	109	137	190	203	178	174	178	169	153	154	1979
1980	140	127	113	110	117	107	98.9	90.4	103	124	124	119	114	1980
1981	120	113	106	107	116	112	102	90.8	74.6	62.1	55.2	53.2	92.5	1981
1982	51.3	50.4	47.4	45.9	74.2	102	99.9	93.2	79.0	70.3	66.4	65.0	70.5	1982
MEAN	146	134	123	120	170	203	210	199	190	177	162	149	167	MEAN

LOCATION - LAT 55 55 30 N, LONG 107 43 40 W DRAINAGE AREA, 78 700 km² NATURAL FLOW

CHURCHILL RIVER NEAR PATUANAK - STATION NO. 06BB003

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1972	---	---	---	---	1972
1973	254 AT 20:55 CST ON OCT 14	243 ON OCT 15	85.2 ON APR 9	4 930 000	1973
1974	680 AT 00:14 CST ON JUN 25 *	614 ON MAY 29 *	175 ON APR 10	11 800 000	1974
1975	385 AT 00:15 CST ON JUL 8	311 ON AUG 9	160 E ON APR 15	7 760 000	1975
1976	226 AT 09:54 CST ON JUL 27	216 ON JUL 27	148 ON DEC 31	5 570 000	1976
1977	207 AT 02:02 CST ON JUN 26	190 ON JUL 19	108 ON APR 8	4 500 000	1977
1978	235 AT 23:45 CST ON JUN 26	218 ON JUN 16	97.4 ON APR 7	4 550 000	1978
1979	237 AT 12:03 CST ON JUL 7	213 ON JUN 25	107 E ON APR 14	4 850 000	1979
1980	158 AT 09:39 CST ON OCT 30	145 ON JAN 1	87.0A ON AUG 27	3 610 000	1980
1981	131 AT 17:55 CST ON JUL 8	122 ON JAN 5	50.0E ON DEC 31	2 920 000	1981
1982	137 AT 16:59 CST ON JUL 22	108 ON JUN 23	43.0 ON APR 10 *	2 220 000	1982
				5 270 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

CLARKE AND THOMPSON DITCH NEAR EASTEND - STATION NO. 11AC036

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1912	---	---	0	0	0	0	0	0	0	0	---	---	---	1912
MEAN	---	---	0	0	0	0	0	0	0	0	---	---	---	MEAN

LOCATION - LAT 49 32 10 N, LONG 108 48 40 W REGULATED

REMARKS - NO WATER WAS DIVERTED FROM 1912-22

CLEARWATER RIVER AT OUTLET OF LLOYD LAKE - STATION NO. 07CD006

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1973	---	---	---	---	---	---	---	---	---	---	21.0	18.4	---	1973
1974	15.6	13.8	12.5	15.7	41.5	42.0	38.8	34.7	29.6	28.7	25.5	21.0	26.7	1974
1975	19.7	16.2	14.6	16.2	37.0	36.9	34.8	30.1	29.2	32.1	29.4	25.4	26.9	1975
1976	21.2	18.0	16.1	25.4	36.4	32.3	25.4	24.2	27.2	28.4	25.1	20.8	25.1	1976
1977	17.6	15.7	15.9	21.7	35.4	36.9	36.1	31.6	28.3	28.3	22.2	17.3	25.6	1977
1978	15.5	14.3	13.6	16.2	33.3	31.0	30.7	23.7	25.9	33.6	27.8	22.1	24.0	1978
1979	21.8	20.1	19.1	19.3	34.8	40.3	31.5	24.5	24.2	27.1	24.8	23.1	25.9	1979
1980	19.9	18.0	17.3	21.6	27.6	20.7	17.1	15.8	15.8	18.3	16.2	14.8R	18.6R	1980
1981	13.3	13.2	13.8	16.9	28.7	25.3	19.1	14.7	11.3	11.2	12.4	13.4	16.1	1981
1982	11.6	9.05	8.15	9.09	28.6	32.6	24.0	22.6	21.4	20.3	18.2	17.6	18.7	1982
MEAN	17.8	15.4	14.6	18.0	33.7	33.1	28.6	24.7	23.7	25.3	22.3	19.4R	23.1	MEAN

LOCATION - LAT 57 19 50 N, LONG 108 45 50 W DRAINAGE AREA, 4 250 km² NATURAL FLOW

R - REVISED SINCE JAN 1980

CLEARWATER RIVER AT OUTLET OF LLOYD LAKE - STATION NO. 07CD006

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1973	---	---	---	---	1973
1974	51.0 IN JUN *	43.6 ON JUN 18	12.1 ON MAR 31	843 000	1974
1975	42.8 AT 17:40 CST ON MAY 25	40.5 ON MAY 25	13.6 ON APR 8	847 000	1975
1976	45.3 AT 17:07 CST ON MAY 3	40.2 ON MAY 9	15.5 ON MAR 30	792 000	1976
1977	43.9 AT 19:15 CST ON JUN 9	39.9 ON JUN 10	15.3 E ON MAR 1	809 000	1977
1978	41.6 AT 12:29 CST ON OCT 16	36.2 ON MAY 26	13.1 ON MAR 6	758 000	1978
1979	47.2 AT 19:33 CST ON MAY 27	44.7 ON MAY 28 *	18.3 ON APR 5	817 000	1979
1980	36.4 AT 12:35 CST ON MAY 5	33.1 ON MAY 5	13.8 ON AUG 27	588 000R	1980
1981	32.2 AT 12:26 CST ON MAY 20	30.7 ON MAY 20	9.07 ON SEP 28	508 000	1981
1982	40.1 AT 14:00 CST ON MAY 24	37.1 ON MAY 31	7.86 ON MAR 26 *	588 000	1982
	E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980		728 000R	MEAN

COLD RIVER AT OUTLET OF COLD LAKE - STATION NO. 06AF001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1952	---	---	---	---	---	---	23.8	22.6	17.4	11.8	8.18	5.88	---	1952
1953	5.20	5.65	5.93	6.75	8.71	10.9	13.9	18.3	15.1	8.72	7.22	5.85	9.37	1953
1954	2.81	2.11	4.69	6.78	15.0	49.8	56.9	75.8	39.7	56.3	36.6	27.5	34.7	1954
1955	23.5	22.8	19.6	28.7	45.7	46.0	37.9	28.8	14.8	9.78	6.98	6.31	23.6	1955
1956	7.00	7.53	7.71	8.70	14.6	19.8	26.3	23.2	19.6	16.9	12.6	10.4	14.6	1956
1957	10.8	10.6	10.7	10.2	14.5	17.4	19.8	20.3	17.4	14.8	12.0	8.91	14.0	1957
1958	8.39	9.17	9.47	14.5	29.0	30.1	21.1	13.5	9.88	7.19	4.64	3.13	13.4	1958
1959	3.00	3.44	4.79	7.18	10.6	14.8	20.0	15.2	23.5	---	---	---	---	1959
MEAN	8.67	8.76	8.98	11.3	19.7	27.0	27.5	26.7	24.5	17.9	12.6	9.71	18.3	MEAN

LOCATION - LAT 54 34 00 N, LONG 109 50 10 W
DRAINAGE AREA, 6 420 km^2
NATURAL FLOW

COLD RIVER AT OUTLET OF COLD LAKE - STATION NO. 06AF001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1952	---	---	---	---	1952
1953	---	19.3 ON AUG 10	5.07B ON DEC 31	296 000	1953
1954	---	90.0 ON AUG 23 *	1.98B ON FEB 8	1 090 000	1954
1955	---	49.8 ON MAY 30	5.89B ON DEC 20	742 000	1955
1956	---	27.9 ON JUL 16	6.85B ON JAN 4	460 000	1956
1957	---	22.8 ON JUL 24	8.18B ON DEC 31	441 000	1957
1958	---	32.8 ON MAY 31	1.16B ON DEC 5 *	421 000	1958
1959	---	27.5E ON SEP 24	2.61B ON JAN 22	---	1959
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		575 000	MEAN

CONGLOMERATE CREEK AT CROSS RANCH - STATION NO. 11AC002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR APR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1908	---	---	---	---	---	---	---	0.130	0.159	---	---	---	---	1908
1909	---	---	---	---	0.739	0.527	0.444	0.212	0.247	0.286	---	---	---	1909
1910	---	---	---	0.305	0.249	0.138	0.099	0.137	0.177	0.213	---	---	0.188	1910
1911	---	---	---	---	0.374	0.198	0.225	0.194	0.305	0.372	---	---	---	1911
1912	---	---	---	---	0.289	0.215	0.168	0.178	0.210	0.235	---	---	---	1912
1913	---	---	---	2.32	0.309	0.275	0.236	0.163	0.159	0.197	---	---	0.518	1913
1914	---	---	---	1.16	0.280	0.197	0.101	0.124	0.200	0.245	---	---	0.326	1914
1915	---	---	---	---	0.258	0.307	0.245	0.214	0.223	0.277	---	---	---	1915
1916	---	---	---	0.606	0.387	0.247	0.190	0.185	0.209	0.269	---	---	0.298	1916
1917	---	---	---	---	1.17	0.192	0.117	0.135	0.185	0.286	---	---	---	1917
1918	---	---	---	1.11	0.261	0.198	0.117	0.188	0.171	0.226	---	---	0.322	1918
1919	---	---	---	0.773	0.281	0.105	0.096	0.155	0.208	0.223	---	---	0.262	1919
MEAN	---	---	---	1.05	0.414	0.236	0.185	0.168	0.204	0.257	---	---	0.319	MEAN

LOCATION - LAT 49 33 40 N, LONG 108 55 30 W
DRAINAGE AREA, 133 km^2
REGULATED

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1916 AND 1918

CONGLOMERATE CREEK AT CROSS RANCH - STATION NO. 11AC002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR APR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1908	---	---	---	---	1908
1909	---	---	---	---	1909
1910	---	0.340 ON APR 1	0.042 ON JUL 18 *	3 480	1910
1911	---	---	---	---	1911
1912	---	---	---	---	1912
1913	---	6.71 ON APR 6 *	0.082 ON JUN 17	9 570	1913
1914	---	2.89 B ON APR 7	0.074 ON JUL 23	6 040	1914
1915	---	---	---	---	1915
1916	---	1.05 ON APR 7	0.136 ON JUL 2	5 520	1916
1917	---	---	---	---	1917
1918	---	3.48 ON APR 10	0.051 ON JUN 30	5 940	1918
1919	---	2.83 B ON APR 3	0.059 ON JUL 17	4 830	1919
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		5 900	MEAN

CONJURING CREEK NEAR PREECEVILLE - STATION NO. 05NC004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1965	---	---	---	1.03	0.146	---	---	---	---	---	---	---	---	1965
1966	---	---	---	1.84	0.791	0.080	---	---	---	---	---	---	---	1966
1967	---	---	---	0.544	1.80	---	---	---	---	---	---	---	---	1967
1969	---	---	---	0.448	0	---	---	---	---	---	---	---	---	1969
1970	---	---	---	1.49	1.75	---	---	---	---	---	---	---	---	1970
1971	---	---	---	2.62	---	---	---	---	---	---	---	---	---	1971
1972	---	---	---	---	1.27	---	---	---	---	---	---	---	---	1972
1973	---	---	---	0.925	0.516	---	---	---	---	---	---	---	---	1973
1974	---	---	---	2.60	3.38	0.933	---	---	---	---	---	---	---	1974
1975	---	---	0	3.69	2.22	0.154	0.018	0.008	0.008	0.008	---	---	0.756	1975
1976	---	---	0.007	3.66	0.087	0.377	0.165	0.005	0.004	0.007	---	---	0.529	1976
1977	---	---	0.008	0.626	0.034	0.011	0.005	0.007	0.005	0.006	---	---	0.086	1977
1978	---	---	0.005	0.720	0.053	0.008	0.006	0.003	0.003	0.002	---	---	0.098	1978
1979	---	---	0.007	2.91	4.16	0.093	0.007	0.005	0.004	0.012	---	---	0.899	1979
1980	---	---	0.008	0.834	0.009	0.005	0.003	0.008	0.004	0.008	---	---	0.108	1980
1981	---	---	0.208	0.249	0.013	0.019	0.008	0.007	0.007	0.029	---	---	0.067	1981
1982	---	---	0.006	0.779	0.024	0.006	0.005	0.009	0.010	0.011	---	---	0.104	1982
MEAN	---	---	0.031	1.56	1.02	0.169	0.027	0.007	0.006	0.010	---	---	0.331	MEAN

LOCATION - LAT 51 56 30 N, LONG 102 43 00 W
DRAINAGE AREA, 255 km^2
NATURAL FLOW

CONJURING CREEK NEAR PREECEVILLE - STATION NO. 05NC004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1972	---	---	---	---	1972
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	19.6 AT 11:03 CST ON APR 29 *	18.6 ON APR 29 *	0 B ON MAR 1 *	16 000	1975
1976	14.6 AT 05:44 CST ON APR 13	13.9 ON APR 13	0.003 ON JUL 29	11 200	1976
1977	5.32 AT 20:50 CST ON APR 11	3.91 ON APR 11	0.005E ON JUL 11	1 820	1977
1978	---	3.65 ON APR 19	0.001E ON AUG 20	2 080	1978
1979	19.6 AT 08:51 CST ON APR 28	18.2 ON APR 28	0.002 ON SEP 11	19 000	1979
1980	6.00 AT 18:39 CST ON APR 15	4.30 ON APR 15	0.001E ON JUN 3	2 280	1980
1981	---	1.00B ON APR 4	0.002 ON JUL 26	1 420	1981
1982	6.91B AT 11:25 CST ON APR 15	4.75B ON APR 15	0.001 ON JUL 5	2 210	1982
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		7 080	MEAN

CONNELL CREEK NEAR CONNELL CREEK - STATION NO. 05KC002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	---	1.26	---	---	---	---	---	---	---	---	---	1967
1971	---	---	---	3.43	---	---	---	---	---	---	---	---	---	1971
1972	---	---	---	---	---	---	---	---	---	---	---	---	---	1972
1975	---	---	0	2.24	2.34	2.57	0.602	0.224	0.316	0.818	---	---	1.13	1975
1976	---	---	0.127	2.55	0.605	0.705	0.487	0.105	0.107	0.201	---	---	0.604	1976
1977	---	---	0.053	0.749	0.640	0.400	0.097	0.250	0.427	0.307	---	---	0.363	1977
1978	---	---	0.185	3.66	3.31	0.332	0.159	0.262	0.411	1.12	0.460	0.358	1.18	1978
1979	0.153	0.139	0.121	4.30	6.61	2.94	0.452	0.160	0.135	0.307	---	---	1.87	1979
1980	---	---	0.162	1.19	0.284	0.173	0.175	0.259	0.408	0.667	---	---	0.487	1980
1981	---	---	0.261	0.919	0.674	0.183	0.150	0.134	0.184	0.477	---	---	0.372	1981
1982	---	---	0.075	2.26	1.70	1.47	0.387	0.235	0.180	0.371	---	---	0.829	1982
MEAN	0.153	0.139	0.123	2.26	2.02	1.10	0.314	0.204	0.270	0.534	0.460	0.358	0.844	MEAN

LOCATION - LAT 53 13 03 N LONG 103 25 49 W DRAINAGE AREA, 355 km² NATURAL FLOW

CONNELL CREEK NEAR CONNELL CREEK - STATION NO. 05KC002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1967	---	---	---	---	1967
1971	---	---	---	---	1971
1972	31.1 AT 07:00 CST ON APR 21	---	---	---	1972
1975	---	17.6 ON JUN 26	0 B ON MAR 1 *	24 000	1975
1976	---	4.67 ON APR 17	0.068 ON AUG 26	12 800	1976
1977	---	2.26 ON APR 14	0.051B ON MAR 1	7 690	1977
1978	18.3 AT 02:36 CST ON APR 19	15.7 ON MAY 6	0.091E ON AUG 15	24 900	1978
1979	38.8 AT 00:03 CST ON APR 20 *	26.2 B ON APR 19 *	0.070B ON MAR 5	39 600	1979
1980	2.90 AT 03:46 CST ON APR 18	2.45 ON APR 18	0.047 ON AUG 26	8 620	1980
1981	---	1.38 ON MAY 7	0.038 ON SEP 2	7 880	1981
1982	12.7 AT 11:46 CST ON MAY 31	11.8 ON MAY 31	0.034B ON MAR 1	17 600	1982
				17 900	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

COTTONWOOD CREEK NEAR LUMSDEN - STATION NO. 05JF011

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1973	---	---	---	---	---	---	0	0	0	0	---	---	---	1973
1974	---	---	0	10.8	2.70	0.238	0.003	0.002	0.002	0.002	---	---	1.70	1974
1975	---	---	0	3.39	0.760	1.46	0.985	0.006	0	0	---	---	0.815	1975
1976	---	---	0.098	10.2	0.118	0.935	0.059	0	0	0	---	---	1.40	1976
1977	---	---	0	0	0.020	0	0	0	0	0	---	---	0.003	1977
1978	---	---	0.141	0.220	0.008	0	0	0	0	0	---	---	0.046	1978
1979	---	---	0	1.78	0.403	0.037	0	0	0	0	---	---	0.274	1979
1980	---	---	0.146	0.446	0	0	0	0	0	0	---	---	0.073	1980
1981	---	0	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	9.07	0.476	0.024	0.001	0	0	0	---	---	1.17	1982
MEAN	---	0	0.043	3.99	0.498	0.299	0.105	0.001	0	0	---	---	0.609	MEAN

LOCATION - LAT 50 35 26 N LONG 104 54 31 W DRAINAGE AREA, 613 km² NATURAL FLOW

COTTONWOOD CREEK NEAR LUMSDEN - STATION NO. 05JF011

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1973	---	---	0 ON JUN 8 *	---	1973
1974	58.0 AT 01:04 CST ON APR 21 *	56.6 ON APR 21 *	0B ON MAR 1	36 000	1974
1975	13.9 AT 11:40 CST ON JUN 27	11.9 B ON APR 19	0B ON MAR 1	17 300	1975
1976	60.3 AT 03:43 CST ON APR 5	48.6 ON APR 5	0B ON MAR 1	29 700	1976
1977	3.37A AT 21:14 CST ON MAY 24	0.385A ON MAY 24	0B ON MAR 1	54.2	1977
1978	3.48 AT 13:45 CST ON MAR 31	2.10 ON MAR 31	0B ON MAR 1	970	1978
1979	13.2 AT 00:06 CST ON APR 22	10.6 ON APR 21	0B ON MAR 1	5 800	1979
1980	3.54B AT 14:45 CST ON MAR 31	2.23 B ON MAR 31	0B ON MAR 1	1 550	1980
1981	0 B AT 00:00 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1981
1982	49.7 AT 07:02 CST ON APR 17	47.2 ON APR 17	0B ON MAR 1	24 800	1982
				12 900	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

COULEE, WEST OF BOUNDARY RESERVOIR NEAR ESTEVAN - STATION NO. 05NB019

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1960	---	---	0.014	0.170	0.018	0.020	0.003	0	0	0	---	---	0.028	1960
1961	---	---	0	0	0	0	0	0	0	0	---	---	0	1961
1962	---	---	0	0	0	0	0	0	0	0	---	---	0	1962
1965	---	---	0	0.001	0.003	0.001	0	0	0	0	---	---	0.001	1965
1966	---	---	0.033	0.011	0	0	0	0	0	0	---	---	0.005	1966
1967	---	---	0	0.001	0	0	0	0	0	0	---	---	0	1967
1968	---	---	0.002	0	0	0	0	0	0	0	---	---	0	1968
1969	---	---	0	0.018	0	0	0	0	0	0	---	---	0.002	1969
MEAN	---	---	0.006	0.025	0.003	0.003	0	0	0	0	---	---	0.005	MEAN

LOCATION - LAT 49 05 08 N, LONG 103 04 23 W DRAINAGE AREA, 137 km² NATURAL FLOW

COULEE, WEST OF BOUNDARY RESERVOIR NEAR ESTEVAN - STATION NO. 05NB019

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1960	---	0.686 ON APR 3 *	0B ON MAR 1 *	587	1960
1961	---	0.006 ON MAR 18	0 ON MAR 1	1.04	1961
1962	---	0.006 ON MAR 27	0 ON MAR 1	1.04	1962
1965	---	0.017 ON MAY 26	0B ON MAR 1	12.3	1965
1966	---	0.377 ON MAR 16	0 ON MAR 1	116	1966
1967	---	0.003 ON MAR 30	0 ON MAR 1	2.33	1967
1968	---	0.028 ON MAR 7	0 ON MAR 1	5.18	1968
1969	---	0.218 ON APR 8	0B ON MAR 1	47.7	1969
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		96.6	MEAN

COW CREEK NEAR INTERNATIONAL BOUNDARY - STATION NO. 11AE012

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1975	---	---	---	---	---	0.001	0	0	0	0	---	---	---	1975
MEAN	---	---	---	---	---	0.001	0	0	0	0	---	---	---	MEAN

LOCATION - LAT 49 01 42 N, LONG 105 19 08 W DRAINAGE AREA, 135 km² NATURAL FLOW

COW CREEK NEAR INTERNATIONAL BOUNDARY - STATION NO. 11AE012

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1975	---	---	0 ON JUN 1 *	---	1975
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

CREE RIVER AT OUTLET OF WAPATA LAKE - STATION NO. 07LD002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1972	---	---	---	---	---	---	---	111	102	111	87.0	74.0	---	1972
1973	71.2	69.5	75.7	119	139	111	149	132	114	105	79.0	76.8	106	1973
1974	68.5	---	---	---	---	---	147	141	137	125	99.2	92.9	---	1974
1975	90.2	77.7	76.2	104	186	152	157	139	133	127	101	83.4	119	1975
1976	78.3	75.1	76.2	143	160	135	134	158	170	171	144	106	129	1976
1977	107	116	126	157	192	197	194	181	180	164	127	105	156	1977
1978	94.5	89.7	94.2	128	188	165	142	144	151	155	111	97.1	130	1978
1979	89.4	89.3	99.0	125	191	171	144	132	135	148	128	113	131	1979
1980	104	93.6	93.8	144	137	116	117	123	115	117	91.0	67.5	110	1980
1981	76.7	79.2	93.3	108	178	135	121	109	94.7	88.8	82.6	78.4	104	1981
1982	60.2	48.0	49.3	61.9	149	138	129	138	138	121	92.4	96.1	102	1982
MEAN	86.0	82.0	87.1	121	169	147	143	137	134	130	104	89.8	120	MEAN

LOCATION - LAT 58 51 30 N, LONG 105 49 10 W DRAINAGE AREA, 21 200 km² NATURAL FLOW

CREE RIVER AT OUTLET OF WAPATA LAKE - STATION NO. 07LD002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1972	---	---	---	---	1972
1973	174 AT 18:41 CST ON JUL 18	174 ON JUL 19	64.3 ON FEB 25	3 270 000	1973
1974	---	---	---	---	1974
1975	212 AT 23:01 CST ON MAY 6	212 ON MAY 6	71.4 ON MAR 20	3 760 000	1975
1976	213 AT 01:46 CST ON APR 27	211 ON APR 27	72.8 ON JAN 25	4 090 000	1976
1977	222 AT 15:09 CST ON APR 27	220 ON APR 28	100 ON NOV 26	4 850 000	1977
1978	215 AT 21:47 CST ON MAY 6	211 ON MAY 7	82.1 ON NOV 22	4 110 000	1978
1979	224 AT 15:17 CST ON MAY 19 *	224 ON MAY 19 *	84.8 ON JAN 25	4 120 000	1979
1980	196 AT 19:03 CST ON APR 25	195 ON APR 25	61.6 ON DEC 31	3 480 000	1980
1981	202 AT 22:02 CST ON MAY 8	201 ON MAY 8	74.1 ON JAN 6	3 280 000	1981
1982	166 AT 17:15 CST ON MAY 8	165 ON MAY 7	47.1 ON FEB 2 *	3 220 000	1982
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		3 800 000	MEAN

CREIGHTON TRIBUTARY NEAR TOTNES - STATION NO. 05HF014

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	0.006	0.002	0.002	0.001	0	0	0.001	0.001	---	---	0.002	1968
1969	---	---	0.001	0.180	0.001	0	0.004	0	0.007	0.005	---	---	0.024	1969
1970	---	---	0	0.313	0.002	0.004	0.004	0	0	0.001	---	---	0.040	1970
1971	---	---	0	0.157	0.001	0	0.001	0	0	0.001	---	---	0.020	1971
1972	---	---	0.007	0.011	0.001	0.001	0	0	0.001	0	---	---	0.003	1972
1973	---	---	0.034	0.005	0	0	0.001	0	0	0	---	---	0.005	1973
1974	---	---	0	0.199	0.017	0.021	0.008	0.009	0.001	0.001	---	---	0.031	1974
1975	---	---	0	0.198	0.005	0.002	0	0	0	0.001	---	---	0.025	1975
1976	---	---	0.028	0.047	0.001	0	0.003	0	0	0	---	---	0.010	1976
1977	---	---	0.002	0.004	0.018	0	0	0	0	0	---	---	0.003	1977
1978	---	---	0.022	0.017	0.006	0	0	0	0	0	---	---	0.006	1978
1979	---	---	0.008	0.022	0.001	0	0	0	0	0	---	---	0.004	1979
1980	---	---	0.009	0.004	0.001	0.001	0	0.012	0.001	0.001	---	---	0.004	1980
1981	---	0.003	0.016	0.002	0.001	0.001	0.007	0	0	0	---	---	0.003	1981
1982	---	---	0	0.130	0.005	0.001	0.073	0	0	0.001	---	---	0.026	1982
MEAN	---	0.003	0.009	0.086	0.004	0.002	0.006	0.001	0.001	0.001	---	---	0.014	MEAN

LOCATION - LAT 51 20 08 N DRAINAGE AREA, 13.2 km^2
LONG 108 27 03 W NATURAL FLOW

CREIGHTON TRIBUTARY NEAR TOTNES - STATION NO. 05HF014

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	0.034 ON MAR 5	0 ON JUN 18 *	34.2	1968
1969	4.98 AT 17:00 CST ON APR 11	1.73 B ON APR 11	0 ON JUN 5	517	1969
1970	---	2.42 B ON APR 10 *	0B ON MAR 1	838	1970
1971	2.67 AT 17:42 CST ON APR 9	1.02 ON APR 9	0B ON MAR 1	415	1971
1972	0.340 AT 09:04 CST ON APR 8	0.099B ON APR 1	0B ON MAR 1	55.5	1972
1973	0.266B AT 19:11 CST ON MAR 17	0.125B ON MAR 17	0B ON MAR 1	107	1973
1974	3.06 AT 13:27 CST ON JUN 26	1.22 ON APR 19	0B ON MAR 1	655	1974
1975	2.34 AT 18:48 CST ON APR 19	1.01 ON APR 19	0B ON MAR 1	534	1975
1976	1.15 AT 16:49 CST ON MAR 31	0.487 ON MAR 31	0B ON MAR 1	210	1976
1977	1.06 AT 16:56 CST ON MAY 19	0.258 ON MAY 19	0 ON MAR 1	63.6	1977
1978	0.997 AT 21:53 CST ON MAY 24	0.193 ON MAR 30	0B ON MAR 1	119	1978
1979	1.18 A AT 22:48 CST ON APR 18	0.224 ON APR 19	0B ON MAR 1	84.1	1979
1980	3.78 AT 20:34 CST ON AUG 15	0.194 ON AUG 15	0B ON MAR 1	78.2	1980
1981	0.982 AT 01:27 CST ON JUL 22	0.191 ON JUL 22	0 ON APR 29	70.9	1981
1982	25.6 AT 19:35 CST ON JUL 2 *	1.87 ON JUL 2	0B ON MAR 1	555	1982
				289	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

CROMARTY CREEK NEAR BIRCH HILLS - STATION NO. 05NH002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1963	---	---	0	0.028	---	---	---	---	---	---	---	---	---	1963
1964	---	---	---	0.107	---	---	---	---	---	---	---	---	---	1964
1965	---	---	0	0.489	---	---	---	---	---	---	---	---	---	1965
1966	---	---	0	0.594	---	---	---	---	---	---	---	---	---	1966
1967	---	---	---	---	0.036	---	---	---	---	---	---	---	---	1967
1970	---	---	---	1.13	---	---	---	---	---	---	---	---	---	1970
1971	---	---	---	0.318	---	---	---	---	---	---	---	---	---	1971
1972	---	---	0	0.817	---	---	---	---	-	---	---	---	---	1972
1974	---	---	0	0.754	---	---	---	---	---	---	---	---	---	1974
1975	---	---	0	1.01	0.146	0.083	0	0	0	0	---	---	0.143	1975
1976	---	---	0	0.361	0	0.020	0	0	0	0	---	---	0.047	1976
1977	---	---	0	0.015	0.014	0	0	0	0	0	---	---	0.004	1977
1978	---	---	0.001	1.19	0.006	0	0	0	0	0	---	---	0.167	1978
1979	---	---	0	1.19	0.220	0.025	0	0	0	0	---	---	0.177	1979
1980	---	---	0	0.642	0	0	0	0	0	0	---	---	0.079	1980
1981	---	---	0.022	0.004	0.002	0.001	0.012	0	0	0	---	---	0.005	1981
1982	---	---	0	0.388	0	0	0	0	0	0	---	---	0.048	1982
MEAN	---	---	0.002	0.540	0.047	0.007	0.002	0	0	0	---	---	0.081	MEAN

LOCATION - LAT 52 57 32 N
LONG 105 28 16 W
DRAINAGE AREA, 71.7 km²
NATURAL FLOW

CROMARTY CREEK NEAR BIRCH HILLS - STATION NO. 05NH002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1963	---	---	---	---	
1964	---	0.510 ON APR 7	0E ON MAR 1 *	---	1963
		---	---	---	1964
1965	---	6.71 ON APR 11	0E ON MAR 1	---	
1966	---	3.06 ON APR 3	0E ON MAR 1	---	1965
1967	---	---	---	---	1966
			---	---	1967
1970	---	---	---		
1971	---	---	---	---	1970
1972	---	---	---	---	1971
		3.03 B ON APR 19	0E ON MAR 1	---	1972
1974	---	---	---	---	
			---	---	1974
1975	---	5.07 ON APR 18	0E ON MAR 1	3 030	1975
1976	---	2.28 ON APR 6	0E ON MAR 1	990	1976
1977	0.280 AT 10:44 CST ON MAY 20	0.147 ON MAY 29	0E ON MAR 1	74.2	1977
1978	7.84 AT 22:00 CST ON APR 9	5.44 ON APR 10	0E ON MAR 1	3 110	1978
1979	---	7.00 ON APR 24 *	0E ON MAR 1	3 730	1979
1980	8.14 B AT 00:00 CST ON APR 14 *	6.34 B ON APR 14	0E ON MAR 1	1 660	1980
1981	---	0.150E ON MAR 31	0E ON MAR 1	108	1981
1982	5.83 AT 22:25 CST ON APR 14	3.82 ON APR 14	0E ON MAR 1	1 010	1982
				1 710	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

CROOKED HILL CREEK NEAR CANORA - STATION NO. 05NB006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1956	---	---	---	1.91	6.84	0.093	---	---	---	---	---	---	---	1956
1957	---	---	---	1.58	0.520	---	---	---	---	---	---	---	---	1957
1958	---	---	0.005	0.131	---	---	---	---	---	---	---	---	---	1958
1959	---	---	0.006	0.055	---	---	---	---	---	---	---	---	---	1959
1960	---	---	---	2.10	0.079	---	---	---	---	---	---	---	---	1960
1962	---	---	---	0.308	0.035	---	---	---	---	---	---	---	---	1962
1963	---	---	0.044	0.133	---	---	---	---	---	---	---	---	---	1963
1964	---	---	0	0	0	0	0	0	0	0	---	---	0	1964
1965	---	---	0	0.569	0.044	0.025	0	0	0	---	---	---	0.078	1965
1966	---	---	0	2.69	0.513	0.128	0.026	0.006	0	0	---	---	0.414	1966
1967	---	---	0	0.360	1.50	0.037	0	0	0	0	---	---	0.239	1967
1968	---	---	0.005	0.384	0	0	0	0	0	0	---	---	0.060	1968
1969	---	---	0	1.46	0.036	0	0	0	0	0	---	---	0.183	1969
1970	---	---	0	0.786	0.522	0.034	0.031	0	0	0	---	---	0.169	1970
1971	---	---	0	4.17	0.527	0	0	0	0.003	0.107	---	---	0.592	1971
1972	---	---	0	5.86	1.45	0.014	0	0	0	0	---	---	0.903	1972
1973	---	---	0.029	0.068	0.033	0.006	0.011	0	0	0	---	---	0.010	1973
1974	---	---	0	4.68	3.82	0.660	0	0	0	0	---	---	1.14	1974
1975	---	---	0	4.21	2.99	0.035	0.033	0	0	0	---	---	0.903	1975
1976	---	---	0	9.61	0.148	0.419	0.063	0.006	0	0	---	---	1.25	1976
1977	---	---	0	1.12	0.025	0	0	0	0	0	---	---	0.140	1977
1978	---	---	0.001	0.906	0.049	0	0	0	0	0	---	---	0.117	1978
1979	---	---	0	6.71	4.20	0.723	0	0	0	0	---	---	1.20	1979
1980	---	---	0	3.68	0.057	0.007	0.008	0	0	0	---	---	0.338	1980
1981	---	---	0.009	0.004	0	0	0	0	0	0	---	---	0.013	1981
1982	---	---	0.006	0.145	0.004	0.001	0.198	0.008	0.001	0.001	---	---	0.045	1982
MEAN	---	---	0.009	1.95	1.02	0.109	0.019	0.001	0	0.006	---	---	0.410	MEAN

LOCATION - LAT 51 39 48 N
LONG 102 25 41 W
DRAINAGE AREA, 582 km²
REGULATED

CROOKED HILL CREEK NEAR CANORA - STATION NO. 05MB006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1956	---	---	---	---	1956
1957	---	5.52 ON APR 24	0E ON APR 1 *	---	1957
1958	---	---	0E ON MAR 1	---	1958
1959	---	---	0E ON MAR 1	---	1959
1960	---	8.35 ON APR 17	0E ON APR 1	---	1960
1962	---	2.38 ON APR 25	0E ON APR 1	---	1962
1963	---	0.215 ON APR 7	0E ON MAR 1	---	1963
1964	---	0 ON MAR 1	0 ON MAR 1	0	1964
1965	---	2.16 B ON APR 17	0B ON MAR 1	1 660	1965
1966	---	10.4 ON APR 16	0B ON MAR 1	8 780	1966
1967	---	5.66 B ON MAY 2	0B ON MAR 1	5 050	1967
1968	---	1.18 ON APR 12	0 ON MAR 1	1 010	1968
1969	---	5.78 ON APR 18	0B ON MAR 1	3 860	1969
1970	---	1.70 ON APR 15	0B ON MAR 1	3 580	1970
1971	---	10.7 B ON APR 20	0B ON MAR 1	12 500	1971
1972	17.6 ON APR 24	17.3 ON APR 24	0B ON MAR 1	19 100	1972
1973	---	0.2018 ON MAR 26	0B ON MAR 1	387	1973
1974	---	10.5 ON APR 26	0B ON MAR 1	24 000	1974
1975	---	16.3 ON APR 28	0B ON MAR 1	19 100	1975
1976	31.1 AT 19:41 CST ON APR 17 *	30.6 ON APR 17 *	0B ON MAR 1	26 600	1976
1977	0.47 AT 11:50 CST ON APR 14	3.99 ON APR 16	0B ON MAR 1	2 980	1977
1978	0.53 AT 20:59 CST ON APR 16	3.45 ON APR 16	0B ON MAR 1	2 980	1978
1979	22.1 AT 18:32 CST ON APR 26	21.7 ON APR 27	0B ON MAR 1	25 300	1979
1980	13.6 AT 09:17 CST ON APR 17	12.6 ON APR 17	0B ON MAR 1	7 150	1980
1981	1.13B AT 12:00 CST ON MAR 21	0.908B ON MAR 21	0 ON APR 25	275	1981
1982	2.83A AT 06:00 CST ON JUL 1*	1.84 E ON JUL 17	0B ON MAR 1	960	1982
				9 670	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

CRYSTAL CREEK NEAR IPPLEY - STATION NO. 05BG004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1960	---	---	---	0.839	0.169	---	---	---	---	---	---	---	---	1960
1961	---	---	0.027	0.961	0.188	---	---	---	---	---	---	---	---	1961
1962	---	---	---	0.305	0.042	---	---	---	---	---	---	---	---	1962
1963	---	---	---	0.321	0.037	---	---	---	---	---	---	---	---	1963
1964	---	---	---	---	---	---	---	0.220	0.246	0.218	---	---	---	1964
1965	---	---	---	---	0.172	0.400	0.321	0.099	0.071	0.116	---	---	---	1965
1966	---	---	0.164	1.57	0.223	0.348	0.330	0.175	0.165	0.173	---	---	0.390	1966
1967	---	---	0	0.231	0.344	0.214	0.234	0.234	0.129	0.067	---	---	0.182	1967
1968	---	---	0.639	0.639	0.271	0.174	0.210	0.105	0.194	0.203	---	---	0.314	1968
1969	---	---	0.059	3.46	0.325	0.227	0.222	0.128	0.142	0.199	---	---	0.586	1969
1970	---	---	0.165	3.77	0.412	0.276	0.440	0.169	0.131	0.229	---	---	0.688	1970
1971	---	---	0.110	0.882	0.317	0.251	0.282	0.212	0.139	0.153	---	---	0.292	1971
1972	---	---	0.187	1.02	0.378	0.196	0.171	0.121	0.160	0.159	---	---	0.297	1972
1973	---	---	0.223	1.61	0.456	0.357	0.238	0.218	0.122	0.163	---	---	0.419	1973
1974	---	---	0.284	3.42	0.922	0.370	0.214	0.135	0.132	0.237	---	---	0.707	1974
1975	---	---	0.127	0.576	0.466	0.300	0.135	0.111	0.098	0.115	---	---	0.240	1975
1976	---	---	0.129	0.411	0.219	0.165	0.325	0.179	0.132	0.172	---	---	0.216	1976
1977	---	---	0	0.272	0.504	0.161	0.111	0.069	0.094	0.182	---	---	0.174	1977
1978	---	---	0.108	0.903	0.388	0.301	0.055	0.068	0.092	0.081	---	---	0.247	1978
1979	---	---	0.093	2.49	2.02	0.342	0.207	0.187	0.097	0.029	---	---	0.680	1979
1980	---	---	0.102	0.788	0.265	0.176	0.077	0.070	0.122	0.190	---	---	0.222	1980
1981	---	---	0.223	1.14	0.249	0.066	0.096	0.065	0.032	0.232	---	---	0.255	1981
1982	---	---	0.091	0.994	0.339	0.165	0.251	0.085	0.065	0.102	---	---	0.260	1982
MEAN	---	---	0.150	1.27	0.395	0.248	0.218	0.143	0.124	0.159	---	---	0.363	MEAN

LOCATION - LAT 52 58 47 N LONG 108 09 23 W
DRAINAGE AREA, 502 km^2
NATURAL FLOW

REMARKS - RECORDS PRIOR TO SEP 17 1975 OBTAINED IN SW29-46-15-W3

CRYSTAL CREEK NEAR IFFLEY - STATION NO. 05EG004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1960	---	2.73 ON APR 11	0 E ON APR 1 *	---	1960
1961	---	2.35 ON APR 2	0 E ON MAR 1	---	1961
1962	---	1.57 ON APR 18	0 E ON APR 1	---	1962
1963	---	0.637 ON APR 11	0 E ON APR 1	---	1963
1964	---	---	---	---	1964
1965	---	8.07 B ON APR 15	0 ON MAY 10	---	1965
1966	---	3.40 ON APR 15	0.096 ON AUG 4	8 250	1966
1967	0.671 AT 20:30 CST ON MAY 1	0.552 ON MAY 1	0 B ON MAR 1	3 840	1967
1968	1.88 B AT 21:00 CST ON MAR 27	1.78 B ON MAR 28	0.028B ON MAR 1	6 660	1968
1969	21.5 AT 20:00 CST ON APR 12	20.2 ON APR 12	0.057B ON MAR 1	12 400	1969
1970	11.6 AT 13:23 CST ON APR 16	10.7 ON APR 16	0.113 ON SEP 14	14 600	1970
1971	2.77 B AT 02:21 CST ON APR 16	2.59 B ON APR 16	0.110B ON MAR 1	6 180	1971
1972	3.40 AT 19:54 CST ON APR 22	3.09 ON APR 22	0.096 ON AUG 26	6 280	1972
1973	5.27 AT 18:50 CST ON APR 5	4.50 ON APR 5	0.057 ON SEP 11	8 870	1973
1974	23.3 AT 04:45 CST ON APR 21 *	20.9 ON APR 21 *	0.096 ON SEP 5	15 000	1974
1975	---	1.86 ON APR 25	0.018 ON AUG 24	5 080	1975
1976	2.01 AT 22:00 CST ON JUL 13	1.65 ON JUL 14	0.054 ON JUL 7	4 570	1976
1977	1.97 AT 14:22 CST ON MAY 20	1.77 ON MAY 20	0 B ON MAR 1	3 680	1977
1978	---	2.10 B ON APR 14	0.003E ON JUL 18	5 230	1978
1979	13.9 AT 07:52 CST ON APR 29	13.5 ON APR 29	0.014 ON OCT 17	14 400	1979
1980	3.19 AT 10:50 CST ON APR 19	3.09 ON APR 19	0.007 ON AUG 21	4 700	1980
1981	2.03 B AT 20:28 CST ON APR 7	1.93 B ON APR 8	0.001 ON JUN 19	5 400	1981
1982	2.82 AT 19:31 CST ON APR 25	2.75 ON APR 25	0.018 ON AUG 13	5 500	1982
				7 680	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

CUMBERLAND DITCH NEAR PIAPOT - STATION NO. 05HA034

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	0	0	0.053	0.036	0	0	0	0	---	---	0.011	1915
MEAN	---	---	0	0	0.053	0.036	0	0	0	0	---	---	0.011	MEAN

LOCATION - LAT 49 54 20 N
LONG 109 14 25 W
REGULATED

CUMBERLAND DITCH NEAR PIAPOT - STATION NO. 05HA034

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	0.255 ON JUN 1 *	0 ON MAR 1 *	235	1915
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		235	MEAN

CUTARM CREEK NEAR SPY HILL - STATION NO. 05JM015

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1942	---	---	---	3.68	0.286	0.272	0.128	0.476	0.193	0.165	---	---	---	1942
1943	---	---	---	3.10	0.376	0.551	0.095	0.136	0.129	0.127	---	---	---	1943
1944	---	---	---	0.998	0.367	0.636	0.172	0.133	0.185	0.115	---	---	---	1944
1945	---	---	---	0.640	0.455	0.389	0.290	0.050	0.157	0.168	---	---	---	1945
1946	---	---	---	0.953	0.252	0.113	0.430	0.069	0.130	0.283	---	---	---	1946
1947	---	---	---	---	0.836	1.62	0.320	0.087	0.111	0.123	---	---	---	1947
1948	---	---	---	---	---	1.39	0.140	0.161	0.060	0.027	0.101	---	---	1948
1949	---	---	---	1.21	0.262	0.844	0.170	0.120	0.088	0.119	0.115	---	---	1949
1950	---	---	---	1.55	0.576	0.401	0.342	0.058	0.049	0.223	---	---	---	1950
1951	---	---	---	2.07	0.658	0.382	0.099	0.064	0.202	0.245	---	---	---	1951
1952	---	---	---	2.21	0.283	0.272	0.136	0.065	0.263	0.103	---	---	---	1952
1953	---	---	---	3.28	0.638	1.53	0.763	1.47	0.558	0.627	---	---	---	1953
1954	---	---	---	4.05	1.66	5.03	3.53	0.438	0.821	0.938	0.578	---	---	1954
1955	---	---	---	6.93	5.18	1.19	0.512	0.160	0.307	0.400	---	---	---	1955
1956	---	---	---	7.47	4.72	0.850	0.386	0.799	0.684	0.469	---	---	---	1956
1957	---	---	0.570	2.97	0.739	0.267	0.125	0.151	0.143	0.264	---	---	0.648	1957
1958	---	---	0.457	0.948	0.336	0.237	0.150	0.081	0.093	0.017	---	---	0.288	1958
1959	---	---	0.633	0.963	0.431	0.318	0.110	0.020	0.051	0.309	---	---	0.353	1959
1960	---	---	0.054	2.08	0.596	0.207	0.016	0	0	0.121	---	---	0.380	1960
1961	---	---	0.372	0.562	0.383	0.055	0	0	0	0.087	---	---	0.182	1961
1962	---	---	0.101	1.40	0.401	0.228	0.042	0.063	0.055	0.120	---	---	0.298	1962
1963	---	---	0.533	0.653	0.275	0.440	0.323	0.320	0.280	0.473	---	---	0.411	1963
1964	---	---	0.005	1.87	1.00	0.317	0.040	0.163	0.069	0.197	---	---	0.455	1964
1965	---	---	0.074	2.13	0.575	0.283	0.087	0	0.526	0.303	---	---	0.492	1965
1966	---	---	0.274	0.405	0.907	0.070	0.053	0.074	0.010	0.015	---	---	0.227	1966
1967	---	---	0	1.72	0.390	0.003	0	0	0	0	---	---	0.261	1967
1968	---	---	0.524	0.539	0.186	0.070	0.027	0.068	0.005	0.021	---	---	0.180	1968
1969	---	---	0.011	2.67	0.323	0.058	0.342	0.074	0.088	0.018	---	---	0.442	1969
1970	---	---	0	1.89	0.647	0.197	0.238	0.157	0.171	0.186	---	---	0.431	1970
1971	---	---	0	1.17	0.209	0.234	0.266	0.162	0.171	0.242	---	---	0.304	1971
1972	---	---	0.086	1.57	0.467	0.171	0.127	0.159	0.111	0.094	---	---	0.345	1972
1973	---	---	0.134	0.034	0.117	0.334	0.171	0.048	0.054	0.129	---	---	0.128	1973
1974	---	---	0.089	3.77	1.10	0.214	0.029	0.065	0.067	0.026	---	---	0.661	1974
1975	---	---	0.040	2.88	1.00	0.312	0.052	0.188	0.261	0.199	---	---	0.611	1975
1976	---	---	0.233	7.28	0.324	0.659	0.025	0.020	0.084	0.009	---	---	1.06	1976
1977	---	---	0.055	0.172	0.572	0.058	0.022	0.035	0.049	0.093	---	---	0.133	1977
1978	---	---	0.135	0.919	0.216	0.055	0.044	0.049	0.098	0.015	---	---	0.189	1978
1979	---	---	0.005	3.62	1.01	0.049	0.017	0.028	0.049	0.033	---	---	0.594	1979
1980	---	---	0.072	0.895	0.030	0.001	0.001	0.001	0.001	0.001	---	---	0.123	1980
1981	---	---	0.171	0.145	0.118	0.223	0.014	0.001	0	0.007	---	---	0.084	1981
1982	---	---	0.048	0.901	0.161	0.021	0.019	0.012	0.001	0.016	---	---	0.145	1982
MEAN	---	---	0.180	2.11	0.743	0.471	0.241	0.109	0.155	0.176	0.347	---	0.363	MEAN

LOCATION - LAT 50 35 27 N DRAINAGE AREA, 766 km²
LONG 101 44 34 W REGULATED SINCE 1967

CUTARM CREEK NEAR SPY HILL - STATION NO. 05JN015

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1942	---	---	---	---	1942
1943	---	---	---	---	1943
1944	---	---	---	---	1944
1945	---	---	---	---	1945
1946	---	---	---	---	1946
1947	---	---	---	---	1947
1948	---	16.6 ON APR 24	---	---	1948
1949	---	---	---	---	1949
1950	---	---	---	---	1950
1951	---	---	---	---	1951
1952	---	---	---	---	1952
1953	---	---	---	---	1953
1954	---	---	---	---	1954
1955	---	---	---	---	1955
1956	---	25.6 ON APR 23 *	---	---	1956
1957	---	6.40 B ON APR 11	0.028B ON MAR 1	13 700	1957
1958	---	3.57 B ON APR 2	0 ON AUG 16 *	6 110	1958
1959	---	4.93 B ON MAR 30	0 ON AUG 23	7 480	1959
1960	---	4.42 ON APR 15	0 ON JUL 17	8 040	1960
1961	---	1.03 B ON MAR 25	0 ON JUN 27	3 860	1961
1962	---	6.20 B ON APR 21	0 ON MAY 26	6 310	1962
1963	---	2.55 B ON MAR 26	0 B ON MAR 1	8 710	1963
1964	---	5.86 B ON APR 12	0 B ON MAR 1	9 630	1964
1965	---	11.6 B ON APR 14	0 ON JUL 18	10 400	1965
1966	---	5.41 ON MAY 4	0 B ON MAR 1	4 800	1966
1967	---	5.49 B ON APR 22	0 B ON MAR 1	5 520	1967
1968	---	2.80 B ON MAR 30	0 B ON MAR 1	3 800	1968
1969	---	9.37 B ON APR 14	0 B ON MAR 1	9 360	1969
1970	---	5.38 B ON APR 13	0 B ON MAR 1	9 130	1970
1971	---	4.79 B ON APR 13	0 B ON MAR 1	6 440	1971
1972	---	3.96 ON APR 20	0 B ON MAR 1	7 300	1972
1973	1.23 AT 03:29 CST ON JUN 4	0.932 ON JUN 4	0.002 ON SEP 20	2 700	1973
1974	16.5 AT 15:30 CST ON APR 21	16.3 ON APR 21	0 ON JUL 31	14 000	1974
1975	8.38 AT 21:08 CST ON APR 21	8.27 ON APR 22	0.031A ON SEP 9	12 900	1975
1976	24.9 AT 21:02 CST ON APR 9 *	24.6 ON APR 11	0.001 ON AUG 14	22 500	1976
1977	1.31 AT 03:41 CST ON MAY 10	1.27 ON MAY 10	0.001 ON JUN 9	2 810	1977
1978	2.45B AT 05:08 CST ON APR 2	1.81 B ON APR 2	0 B ON MAR 1	4 010	1978
1979	17.8 B AT 11:16 CST ON APR 23	15.7 ON APR 24	0 ON AUG 29	12 600	1979
1980	4.83B AT 10:52 CST ON APR 10	3.12 B ON APR 10	0 ON JUN 8	2 610	1980
1981	1.22 AT 17:03 CST ON JUN 6	0.717 ON JUN 18	0 ON AUG 15	1 780	1981
1982	4.61B AT 16:21 CST ON APR 16	3.09 B ON APR 16	0 ON SEP 2	3 070	1982
				7 680	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

CUTKNIFE CREEK NEAR CUTKNIFE - STATION NO. 05FF003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	---	---	---	---	---	---	---	---	---	---	---	1968
1969	---	---	0	6.27	---	---	---	---	---	---	---	---	---	1969
1970	---	---	0	6.83	---	---	---	---	---	---	---	---	---	1970
1971	---	---	---	---	---	---	---	---	---	---	---	---	---	1971
1972	---	---	---	---	---	---	---	---	---	---	---	---	---	1972
1974	---	---	0	5.57	---	---	---	---	---	---	---	---	---	1974
1975	---	---	0	1.20	0.209	0.010	0.812	0.005	0.003	0.005	---	---	0.279	1975
1976	---	---	0	5.89	0.032	0.007	0.003	0.003	0.002	0.002	---	---	0.728	1976
1977	---	---	0.003	0.003	0.004	0.003	0.003	0.003	0.003	0.005	---	---	0.004	1977
1978	---	---	0	0.291	0.054	0.005	0.001	0.001	0.002	0.002	---	---	0.044	1978
1979	---	---	0.060	2.06	0.051	0.005	0	0	0	0	---	---	0.267	1979
1980	---	---	0	0.439	0.004	0.001	0.001	0.001	0.001	0.003	---	---	0.055	1980
1981	---	---	0.291	0.513	0.008	0.001	0.001	0.001	0	0.001	---	---	0.101	1981
1982	---	---	0	0.063	0.035	0.018	0.471	0.003	0.001	0.001	---	---	0.075	1982
MEAN	---	---	0.032	2.65	0.050	0.006	0.162	0.002	0.002	0.002	---	---	0.194	MEAN

LOCATION - LAT 52 45 18 N, LONG 108 46 52 W DRAINAGE AREA, 404 km^2, NATURAL FLOW

CUTKNIFE CREEK NEAR CUTKNIFE - STATION NO. 05FF003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	---	0B ON MAR 21 *	---	1968
1969	---	75.6 ON APR 12	0B ON MAR 1	---	1969
1970	---	66.0 B ON APR 12	0B ON MAR 1	---	1970
1971	---	58.9 B ON APR 14	---	---	1971
1972	---	56.1 ON APR 7	---	---	1972
1974	---	85.0 E ON APR 18 *	0B ON MAR 1	---	1974
1975	---	15.6 E ON JUL 4	0B ON MAR 1	5 900	1975
1976	---	53.0 ON APR 7	0B ON MAR 1	15 400	1976
1977	---	0.009 ON MAY 21	0E ON JUN 26	75.6	1977
1978	---	9.600B ON APR 8	0B ON MAR 1	925	1978
1979	20.4 B AT 05:23 CST ON APR 19 *	17.1 B ON APR 19	0B ON MAR 1	5 650	1979
1980	---	1.80 B ON APR 10	0B ON MAR 1	1 170	1980
1981	7.66B AT 14:29 CST ON APR 1	5.21 B ON APR 1	0B ON MAR 1	2 140	1981
1982	11.0 AT 02:37 CST ON JUL 3	5.81 ON JUL 3	0B ON MAR 1	1 580	1982
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		4 110	MEAN

CYPRESS LAKE EAST INFLOW CANAL NEAR VIDORA - STATION NO. 11AC072

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1939	---	---	0.540	0.512	0.274	0.401	0.067	0.019	0.053	0.063	---	---	0.240	1939
1940	---	---	0.020	3.21	1.21	0.443	0.078	0.054	0.037	0.038	---	---	0.628	1940
1941	---	---	1.60	0.919	0.202	0.112	0.027	0.003	0.007	0.002	---	---	0.359	1941
1942	---	---	0.064	2.47	0.234	0.762	0.232	0.026	0.026	0.026	---	---	0.473	1942
1943	---	---	1.28	2.39	0.218	0.054	0.018	0.003	0.004	0.030	---	---	0.495	1943
1944	---	---	0.356	2.56	0.153	0.041	0.025	0.017	0.013	0.032	---	---	0.394	1944
1945	---	---	0.795	0.109	0.052	0.031	0.010	0.002	0.030	0.064	---	---	0.138	1945
MEAN	---	---	0.665	1.74	0.335	0.263	0.065	0.018	0.024	0.036	---	---	0.390	MEAN

LOCATION - LAT 49 30 35 N
LONG 109 22 20 W REGULATED

CYPRESS LAKE EAST INFLOW CANAL NEAR VIDORA - STATION NO. 11AC072

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1939	---	3.96 ON MAR 25	0 ON JUL 19 *	5 090	1939
1940	---	23.5 ON APR 21 *	0 ON AUG 31	13 300	1940
1941	---	6.74 ON MAR 26	0 ON JUL 16	7 600	1941
1942	---	10.7 ON APR 13	0 ON AUG 7	10 000	1942
1943	---	10.8 ON APR 3	0 ON AUG 31	10 500	1943
1944	---	11.7 ON APR 3	0.003 ON JUL 17	8 330	1944
1945	---	5.13 ON MAR 23	0 ON JUL 23	2 920	1945
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		8 250	MEAN

CYPRESS LAKE EAST OUTFLOW CANAL - STATION NO. 11AC060

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1940	---	---	0	0	0	0	0.029	0.035	0.003	0	---	---	0.008	1940
1941	---	---	0	0	0	0	0	0	0	0	---	---	0	1941
1942	---	---	0	0	0	0	0	0	0	0	---	---	0	1942
1943	---	---	0	0	0	0.036	0.265	0.732	0.935	0.143	---	---	0.263	1943
1944	---	---	0	0	0.034	0.102	0.182	0.069	0	0	---	---	0.049	1944
1945	---	---	0	0	0.023	0.119	0.335	0.777	0.095	0	---	---	0.170	1945
1946	---	---	0	0.003	0.006	0.112	0.499	0	0	0.005	---	---	0.079	1946
1947	---	---	0	0	0.140	0.118	0.072	0.155	0.003	0.004	---	---	0.062	1947
1948	---	---	0	0	0.042	0.089	0.136	0	0.004	0.010	---	---	0.035	1948
1949	---	---	0	0.014	0.706	1.35	0.818	0.103	0.084	0.078	---	---	0.393	1949
1950	---	---	0	0	0.204	0.058	0.010	0.001	0.001	0.001	---	---	0.034	1950
1951	---	---	0	0.090	0.058	0.037	0.046	0.024	0.036	0.035	---	---	0.040	1951
1952	---	---	0	2.52	0.600	0.353	0.070	0.009	0.032	0.038	---	---	0.447	1952
1953	---	---	0	0.081	0.392	0.587	0.040	0.004	0	0.023	---	---	0.140	1953
1954	---	---	0.060	0.249	0.181	0.226	0.020	0.136	0.120	0.100	---	---	0.136	1954
1955	---	---	0.071	1.68	1.70	0.215	0.507	0.356	0.053	0.056	---	---	0.580	1955
1956	---	---	0.059	0.522	0.150	0.831	0.052	0.027	0.043	0.068	---	---	0.216	1956
1957	---	---	0.042	0.474	0.226	0.534	0.471	1.03	0.011	0.035	---	---	0.352	1957
1958	---	---	0.046	0.458	0.033	0.578	1.18	0.754	0.003	0.034	---	---	0.380	1958
1959	---	---	0.065	0.304	0.124	0.922	0.169	0.307	0.001	0.014	---	---	0.236	1959
1960	---	---	0.165	0.019	0.086	1.06	0.876	0.245	0.001	0.010	---	---	0.307	1960
1961	---	---	0.127	0.417	1.06	0.759	0.531	0.124	0.043	0.004	---	---	0.382	1961
1962	---	---	0.020	0.141	0.032	0.082	0.029	0.001	0	0.025	---	---	0.042	1962
1963	---	---	0.037	0.036	0.014	0.007	0.004	0	0	0	---	---	0.012	1963
1964	---	---	0.033	0.282	0.322	0.029	0.020	0	0	0	---	---	0.085	1964
1965	---	---	0.012	0.182	0.198	0.321	0.121	0.017	0	0	---	---	0.106	1965
1966	---	---	0.029	0.094	0.129	0.632	0.063	0.010	0.029	0.054	---	---	0.129	1966
1967	---	---	0.045	0.412	0.776	0.124	0.718	0.130	0.010	0.038	---	---	0.283	1967
1968	---	---	0.199	0.268	0.241	0.366	0.108	0.323	0.022	0.052	---	---	0.197	1968
1969	---	---	0.019	0.343	0.304	0.407	0.148	0	0	0.008	---	---	0.152	1969
1970	---	---	0.039	0.285	0.961	0.739	0.125	0	0.001	0.010	---	---	0.269	1970
1971	---	---	0.037	0.684	0.362	0.043	0.258	0.556	0.866	0.097	---	---	0.361	1971
1972	---	---	0.075	3.07	0.116	0.532	0.040	0.109	0.018	0.038	---	---	0.492	1972
1973	---	---	0.151	2.59	1.10	0.049	0.005	0	0	0.042	---	---	0.487	1973
1974	---	---	0.042	0.146	0.216	0.046	0.520	0.100	0.016	0.041	---	---	0.142	1974
1975	---	---	0.037	0.035	0.164	0.313	0.109	0.058	0.057	0.071	---	---	0.105	1975
1976	---	---	0.092	0.251	0.094	0.049	0.067	0.012	0.007	0.037	---	---	0.076	1976
1977	---	---	0.028	3.50	1.54	0.717	1.88	0.258	0.003	0.029	---	---	0.988	1977
1978	---	---	0.020	0.027	0.234	0.076	0.030	0.003	0.028	0.053	---	---	0.059	1978
1979	---	---	0.062	0.040	0.059	0.106	0.124	0.027	0.011	0.028	---	---	0.057	1979
1980	---	---	0.031	0.088	0.563	2.38	0.795	0.026	0.010	0.041	---	---	0.483	1980
1981	---	---	0.038	0.018	0.019	0.087	0.054	0.003	0	0.006	---	---	0.028	1981
1982	---	---	0.014	0.056	0.181	0.087	0.109	0.003	0.006	0.029	---	---	0.061	1982
MEAN	---	---	0.040	0.451	0.311	0.354	0.270	0.152	0.059	0.032	---	---	0.208	MEAN

LOCATION - LAT 49 29 10 N
LONG 109 21 10 W

REGULATED SINCE 1940

INTERNATIONAL GAUGING STATION

CYPRESS LAKE EAST OUTFLOW CANAL - STATION NO. 11AC060

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1940	---	0.091 ON JUL 20	0 ON MAR 1 *	179	1940
1941	---	0 ON MAR 1	0 ON MAR 1	0	1941
1942	---	0 ON MAR 1	0 ON MAR 1	0	1942
1943	---	1.01 ON SEP 22	0 ON MAR 1	5 570	1943
1944	---	0.954 ON JUL 25	0 ON MAR 1	1 030	1944
1945	---	1.34 ON AUG 4	0 ON MAR 1	3 590	1945
1946	---	1.13 ON JUL 6	0 ON MAR 1	1 670	1946
1947	---	0.850E ON MAY 18	0 ON MAR 1	1 300	1947
1948	---	0.320 ON JUL 8	0 ON MAR 1	743	1948
1949	---	1.78 ON MAY 30	0 ON MAR 1	8 330	1949
1950	---	0.765E ON MAY 12	0 ON MAR 1	728	1950
1951	---	0.425B ON APR 29	0 B ON MAR 1	857	1951
1952	---	5.72 B ON APR 19 *	0 B ON MAR 1	9 460	1952
1953	---	2.15 ON JUN 4	0 B ON MAR 1	2 960	1953
1954	---	1.13 ON AUG 6	0 ON MAY 29	2 870	1954
1955	---	4.62 ON MAY 6	0.014 ON JUN 23	12 300	1955
1956	---	4.67 ON JUN 15	0.014 ON AUG 22	4 560	1956
1957	---	5.52 ON JUN 9	0.006 ON JUL 12	7 470	1957
1958	---	4.87 ON JUN 10	0 ON MAY 24	8 060	1958
1959	---	2.69 ON JUN 28	0 ON SEP 14	5 000	1959
1960	---	2.27 ON JUN 14	0 ON APR 15	6 500	1960
1961	---	3.48 ON MAY 1	0 ON JUN 9	8 100	1961
1962	---	0.422 ON JUN 20	0 ON JUL 10	880	1962
1963	---	0.068B ON MAR 22	0 E ON JUN 17	259	1963
1964	---	1.26 ON APR 28	0 B ON MAR 19	1 810	1964
1965	---	0.985 ON JUN 5	0 ON MAY 13	2 240	1965
1966	---	2.19 ON JUN 7	0.006 ON MAY 17	2 720	1966
1967	---	3.65 ON MAY 25	0 ON AUG 8	5 990	1967
1968	---	1.49 ON JUN 11	0 B ON MAR 1	4 170	1968
1969	---	1.70 ON APR 6	0 ON JUL 6	3 230	1969
1970	---	2.40 ON JUN 12	0 B ON APR 10	5 700	1970
1971	---	3.85 ON APR 24	0 B ON APR 11	7 640	1971
1972	---	5.30 ON JUN 9	0.005 ON AUG 13	10 400	1972
1973	---	4.47 ON MAY 6	0 ON JUL 31	10 300	1973
1974	---	2.02 ON JUL 24	0 B ON APR 2	3 000	1974
1975	---	1.59 ON MAY 7	0.003 ON AUG 18	2 230	1975
1976	---	1.06 B ON MAR 18	0 B ON MAR 27	1 610	1976
1977	---	5.58 ON APR 9	0.001 ON AUG 26	20 900	1977
1978	---	0.402 ON MAY 13	0 B ON APR 1	1 250	1978
1979	---	0.387 ON JUL 22	0.008 ON SEP 29	1 210	1979
1980	---	2.95 ON JUN 13	0.002 ON JUN 1	10 200	1980
1981	---	0.461 ON JUL 14	0 ON AUG 19	593	1981
1982	---	0.666 ON MAY 20	0 ON AUG 8	1 290	1982
				4 390	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

CYPRESS LAKE WEST INFLOW CANAL - STATION NO. 11AB078

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1939	---	---	1.34	1.29	0.268	0.121	0.035	0.005	0.003	0.018	---	---	0.383	1939
1940	---	---	0.026	3.37	1.12	0.312	0.081	0.050	0.016	0.004	---	---	0.615	1940
1941	---	---	1.89	0.988	0.005	0.015	0.021	0.035	0.007	0.032	---	---	0.376	1941
1942	---	---	0 034	2.46	0.239	2.18	0.655	0.168	0.063	0.002	---	---	0.716	1942
1943	---	---	2.58	2.75	0.061	0.006	0.003	0.003	0.002	0	---	---	0.673	1943
1944	---	---	0.176	1.06	0.022	0.013	0.031	0.003	0.003	0.009	---	---	0.162	1944
1945	---	---	0.607	0.216	0.021	0.029	0.017	0.005	0.005	0.011	---	---	0.118	1945
1946	---	---	1.30	0.309	0.008	0.106	0.018	0.003	0.006	0.033	---	---	0.224	1946
1947	---	---	0.147	2.14	0.012	0.014	0.012	0.075	0.002	0.003	---	---	0.296	1947
1948	---	---	0.005	4.38	0.708	0.123	0.147	0.055	0.006	0.016	---	---	0.669	1948
1949	---	---	0.056	0.421	0.047	0.040	0.020	0.005	0	0.005	---	---	0.073	1949
1950	---	---	0	2.94	0.183	0.030	0.025	0.072	0.024	0.029	---	---	0.406	1950
1951	---	---	0.006	3.41	1.97	0.262	0.236	0.095	0.105	0.084	---	---	0.765	1951
1952	---	---	0	2.32	1.01	0.452	0.323	0.021	0.008	0.003	---	---	0.512	1952
1953	---	---	0.038	1.12	1.46	0.722	0.027	0.006	0	0.002	---	---	0.419	1953
1954	---	---	0	1.37	0.743	0.017	0.010	0.003	0.004	0.001	---	---	0.267	1954
1955	---	---	0.016	0.168	0.008	0.006	0.006	0.008	0.006	0.003	---	---	0.027	1955
1956	---	---	0.005	1.65	0.209	0.008	0.008	0.008	0.008	0.268	---	---	0.267	1956
1957	---	---	0	3.58	0.469	0.129	0.117	0.099	0	0	---	---	0.540	1957
1958	---	---	0.128	4.27	0.011	0.001	0.005	0	0.001	0	---	---	0.541	1958
1959	---	---	0.413	2.65	0.543	0.365	0.257	0	0	0	---	---	0.523	1959
1960	---	---	2.67	1.82	1.43	0.592	0.163	0	0	0	---	---	0.835	1960
1961	---	---	0.257	0	0	0	0	0	0	0	---	---	0.032	1961
1962	---	---	0.176	0.216	0	0.019	0.002	0	0	0	---	---	0.051	1962
1963	---	---	0.268	0.222	0.010	0.003	0.465	0.003	0	0	---	---	0.122	1963
1964	---	---	0	0.063	0.660	0.003	0.002	0	0	0	---	---	0.092	1964
1965	---	---	0	6.76	1.04	1.77	1.71	0.002	0.626	0.223	---	---	1.50	1965
1966	---	---	2.85	2.59	1.39	0.288	0.246	0.287	0.304	0.003	---	---	0.994	1966
1967	---	---	0	3.06	2.15	0.382	0.480	0.224	0	0	---	---	0.782	1967
1968	---	---	1.20	0.225	0.109	0.538	0.248	0.004	0	0	---	---	0.290	1968
1969	---	---	0	4.60	0.148	0.018	0.152	0.040	0	0	---	---	0.609	1969
1970	---	---	0.058	4.03	0.953	0.518	0.245	0	0.008	0	---	---	0.717	1970
1971	---	---	0	2.57	0.009	0.958	0.004	0	0	0	---	---	0.434	1971
1972	---	---	2.26	0.006	0.041	0.789	0.198	0.099	0.025	0	---	---	0.429	1972
1973	---	---	0.163	0.145	0.174	0.378	0.012	0	0	0	---	---	0.108	1973
1974	---	---	0.024	1.34	1.50	0.237	0.095	0.002	0	0	---	---	0.398	1974
1975	---	---	0.061	1.08	5.75	0.859	0.085	0.217	0.368	0.001	---	---	1.06	1975
1976	---	0.070	1.57	1.85	0.002	0.503	0.095	0	0	0	---	---	0.499	1976
1977	---	---	0.283	0.040	0.050	0.084	0	0	0	0.027	---	---	0.061	1977
1978	---	---	0.162	1.90	0.492	0.001	0.138	0	0.296	0.214	---	---	0.396	1978
1979	---	---	1.89	3.80	1.18	0.018	0.267	0.123	0.008	0	---	---	0.907	1979
1980	---	---	0.108	0.434	0.002	0.145	0	0	0	0	---	---	0.085	1980
1981	---	---	0.016	0	0.242	0.458	0	0	0	0	---	---	0.089	1981
1982	---	---	0	1.27	0.330	1.62	0.153	0	0	0	---	---	0.415	1982
MEAN	---	0.070	0.518	1.84	0.609	0.344	0.155	0.039	0.043	0.023	---	---	0.442	MEAN

LOCATION - LAT 49 28 18 N
LONG 109 37 08 W REGULATED

INTERNATIONAL GAUGING STATION

CYPRESS LAKE WEST INFLOW CANAL - STATION NO. 11AB078

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1939	---	5.58 ON MAR 22	0 E ON MAR 1 •	8 110	1939
1940	---	19.5 ON APR 23	0 B ON MAR 1	13 000	1940
1941	---	5.58 B ON MAR 21	0 B ON MAR 1	7 930	1941
1942	---	19.1 ON JUN 27	0 ON MAR 19	15 100	1942
1943	---	16.6 B ON MAR 31	0 ON MAR 1	14 200	1943
1944	---	3.91 B ON APR 2	0 ON JUL 7	3 440	1944
1945	---	2.89 B ON MAR 29	0.003E ON AUG 17	2 420	1945
1946	---	10.7 B ON MAR 29	0 ON AUG 20	4 740	1946
1947	---	8.83 B ON APR 14	0 B ON MAR 1	6 260	1947
1948	---	16.7 ON APR 25	0 B ON MAR 1	14 100	1948
1949	---	1.70 B ON APR 9	0 ON MAR 1	1 550	1949
1950	---	12.0 B ON APR 22	0 B ON MAR 1	8 590	1950
1951	---	14.2 B ON APR 28	0 B ON MAR 1	16 200	1951
1952	---	9.23 B ON APR 14	0 B ON MAR 1	10 800	1952
1953	---	6.91 ON MAY 9	0 B ON MAR 1	8 870	1953
1954	---	4.05 B ON APR 15	0 B ON MAR 1	5 640	1954
1955	---	1.33 B ON APR 12	0 B ON MAR 1	577	1955
1956	---	4.22 B ON APR 16	0 B ON MAR 1	5 640	1956
1957	---	10.3 ON APR 30	0 B ON MAR 1	11 400	1957
1958	---	11.9 B ON APR 3	0 B ON MAR 1	11 500	1958
1959	---	7.42 ON APR 15	0 B ON MAR 1	11 100	1959
1960	---	11.2 ON MAR 30	0 B ON MAR 1	17 700	1960
1961	---	0.903 ON MAR 19	0 B ON MAR 1	687	1961
1962	---	1.10 B ON MAR 30	0 B ON MAR 1	1 090	1962
1963	---	3.54 ON JUL 4	0 B ON MAR 1	2 580	1963
1964	---	5.15 ON MAY 5	0 B ON MAR 1	1 950	1964
1965	---	25.0 ON APR 27 •	0 B ON MAR 1	31 700	1965
1966	---	19.8 ON MAR 31	0 B ON MAR 1	21 000	1966
1967	---	14.9 ON MAY 9	0 B ON MAR 1	16 600	1967
1968	---	2.13 B ON MAR 27	0 ON AUG 25	6 150	1968
1969	---	14.6 B ON APR 8	0 B ON MAR 1	12 900	1969
1970	---	17.2 ON APR 11	0 B ON MAR 1	15 200	1970
1971	---	9.20 ON APR 24	0 B ON MAR 1	9 170	1971
1972	---	17.9 B ON MAR 19	0 B ON MAR 1	9 070	1972
1973	---	2.77 ON JUN 22	0 B ON MAR 1	2 280	1973
1974	---	5.80 ON MAY 25	0 B ON MAR 1	8 420	1974
1975	---	17.8 ON MAY 7	0 B ON MAR 1	22 400	1975
1976	---	8.64 ON APR 7	0 ON MAY 13	10 600	1976
1977	---	0.841B ON MAR 12	0 B ON MAR 1	1 280	1977
1978	---	6.06 ON APR 29	0 B ON MAR 1	8 390	1978
1979	---	17.9 B ON APR 19	0 B ON MAR 1	19 200	1979
1980	---	3.58 ON APR 15	0 B ON MAR 1	1 790	1980
1981	---	4.29 ON JUN 16	0 ON APR 2	1 880	1981
1982	---	8.32 ON JUN 6	0 B ON MAR 1	8 770	1982
				9 360	MEAN

B - ICE CONDITIONS
E - ESTIMATED
• - EXTREME RECORDED FOR THE PERIOD OF RECORD

CYPRESS LAKE WEST INFLOW CANAL DRAIN - STATION NO. 11AB085

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1955	---	---	0	3.47	1.26	0.129	0.011	0.009	0.005	0.001	---	---	0.603	1955
1956	---	---	0.028	0.026	0.047	0.001	0	0	0	0.263	---	---	0.046	1956
1957	---	---	0	0.039	0.177	0.135	0.115	0.092	0.002	0.011	---	---	0.071	1957
1958	---	---	0.051	0.051	0.010	0.001	0.003	0	0	0	---	---	0.018	1958
1959	---	---	0.031	0.047	0.480	0.364	0.286	0	0	0	---	---	0.151	1959
1960	---	---	0.042	0.010	0.267	0.573	0.150	0	0	0	---	---	0.130	1960
1961	---	---	0.023	0.001	0	0	0	0	0	0	---	---	0.003	1961
1962	---	---	0.008	0.112	0	0.013	0	0	0	0	---	---	0.016	1962
1963	---	---	0.030	0.004	0.001	0.001	0.005	0.001	0.001	0	---	---	0.005	1963
1964	---	---	0	0.037	0	0	0	0	0	0	---	---	0.005	1964
1965	---	---	0	0.011	0.043	0.101	0.003	0.001	0.001	0.006	---	---	0.021	1965
1966	---	---	0.012	0.005	0.175	0.074	0.002	0.206	0.283	0.006	---	---	0.095	1966
1967	---	---	0	0.060	1.93	0.144	0.496	0.039	0.006	0.001	---	---	0.338	1967
1968	---	---	0.007	0.002	0.272	0.001	0.019	0.003	0.001	0	---	---	0.039	1968
1969	---	---	0	0.001	0.399	0.131	0.024	0.041	0	0	---	---	0.075	1969
1970	---	---	0.053	0.030	0.324	0.382	0.182	0.004	0.002	0	---	---	0.122	1970
1971	---	---	0	0.003	0.616	0	0.227	0.001	0	0	---	---	0.107	1971
1972	---	---	0	0	0.001	0.012	0.120	0.094	0.025	0	---	---	0.032	1972
1973	---	---	0.163	0.013	0.004	0.001	0	0	0	0	---	---	0.023	1973
1974	---	---	0.001	0.010	0.004	0.001	0	0.001	0	0	---	---	0.002	1974
1975	---	---	0.061	0.023	0.003	0	0.004	0.021	0.005	0.001	---	---	0.015	1975
1976	---	---	0.185	0.002	0	0	0	0	0	0	---	---	0.024	1976
1977	---	---	0.167	0.006	0.001	0.003	0	0	0	0.001	---	---	0.022	1977
1978	---	---	0.008	0.019	0.001	0.001	0.001	0	0.001	0.001	---	---	0.004	1978
1979	---	---	0.002	0.001	0.001	0.001	0.001	0.002	0.001	0	---	---	0.001	1979
1980	---	---	0.108	0.048	0	0	0	0	0	0	---	---	0.019	1980
1981	---	---	0.015	0	0.001	0.002	0.001	0	0	0	---	---	0.002	1981
1982	---	---	0	0.011	0.001	0.001	0.002	0	0	0	---	---	0.002	1982
MEAN	---	---	0.036	0.148	0.215	0.074	0.059	0.018	0.012	0.010	---	---	0.071	MEAN

LOCATION - LAT 49 28 25 N
LONG 109 36 38 W
REGULATED
INTERNATIONAL GAUGING STATION

CYPRESS LAKE WEST INFLOW CANAL DRAIN - STATION NO. 11AB085

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1955	---	12.7 E ON APR 20 *	0 ON MAR 1 *	12 800	1955
1956	---	0.949 ON OCT 16	0 ON JUN 4	974	1956
1957	---	0.691 ON MAY 8	0B ON MAR 1	1 510	1957
1958	---	1.13 B ON MAR 31	0B ON MAR 1	307	1958
1959	---	0.889 ON JUL 9	0B ON MAR 1	3 200	1959
1960	---	1.36 ON MAY 31	0 ON MAR 1	2 750	1960
1961	---	0.198B ON MAR 14	0B ON MAR 1	64.7	1961
1962	---	0.566 ON APR 20	0B ON MAR 1	347	1962
1963	---	0.266B ON MAR 25	0B ON MAR 1	115	1963
1964	---	0.232 ON APR 4	0B ON MAR 1	96.4	1964
1965	---	0.552 ON JUN 23	0B ON MAR 1	435	1965
1966	---	0.816 ON MAY 25	0E ON MAR 1	2 010	1966
1967	---	5.27 ON MAY 17	0B ON MAR 1	7 150	1967
1968	---	0.850 ON MAY 7	0 ON AUG 9	819	1968
1969	---	1.45 ON MAY 21	0B ON MAR 1	1 580	1969
1970	---	2.45 ON MAY 9	0B ON MAR 1	2 580	1970
1971	---	1.83 ON MAY 17	0B ON MAR 1	2 270	1971
1972	---	0.354 ON AUG 14	0B ON MAR 1	671	1972
1973	---	0.753B ON MAR 18	0B ON MAR 1	481	1973
1974	---	0.059 ON MAY 7	0B ON MAR 1	45.0	1974
1975	---	0.195B ON MAR 19	0B ON MAR 1	315	1975
1976	---	0.357B ON MAR 16	0 ON APR 11	500	1976
1977	---	0.368B ON MAR 5	0B ON MAR 1	473	1977
1978	---	0.088B ON APR 4	0B ON MAR 1	83.1	1978
1979	---	0.030B ON MAR 15	0B ON MAR 1	22.8	1979
1980	---	0.643B ON MAR 28	0B ON MAR 1	404	1980
1981	---	0.057E ON MAR 12	0A ON MAR 22	50.0	1981
1982	---	0.045B ON APR 14	0B ON MAR 1	39.3	1982
				1 508	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

CYPRESS LAKE WEST OUTFLOW CANAL - STATION NO. 11AB077

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1940	---	---	0	0	0	0	0.075	0.010	0	0	---	---	0.011	1940
1941	---	---	0	0.081	0	0	0	0.050	0.095	0	---	---	0.028	1941
1942	---	---	0	0.214	0.001	0	0.036	0.055	0	0	---	---	0.038	1942
1943	---	---	0	0.042	0	0	0.229	0.439	0.198	0.184	---	---	0.137	1943
1944	---	---	0.012	0.036	0.084	0.078	0.071	0.355	0.182	0.016	---	---	0.104	1944
1945	---	---	0.067	0.004	0.088	0.303	0.295	0.228	0	0.032	---	---	0.127	1945
1946	---	---	0.147	0.004	0.086	0.516	0.396	0.331	0	0	---	---	0.185	1946
1947	---	---	0	0.088	0.081	0.330	0.449	0.023	0	0	---	---	0.121	1947
1948	---	---	0	0.111	0.141	0.331	1.21	0.144	0.156	0.083	---	---	0.272	1948
1949	---	---	0	0.158	1.22	1.06	0.694	0.249	0.115	0.143	---	---	0.455	1949
1950	---	---	0	0.033	0.035	0.308	0.669	0.243	0	0.058	---	---	0.169	1950
1951	---	---	0	0	0.485	0.028	0.548	0.663	0	0	---	---	0.218	1951
1952	---	---	0	0.404	0	0.143	0.441	0.325	0.002	0	---	---	0.164	1952
1953	---	---	0	0.033	0.121	0.032	0.800	0.538	0.110	0.007	---	---	0.207	1953
1954	---	---	0	0.022	0.154	0.256	0.740	0.308	0.005	0	---	---	0.187	1954
1955	---	---	0	0.072	0.434	0.142	0.018	0.399	0.143	0.232	---	---	0.181	1955
1956	---	---	0	0.009	0.300	1.40	0.720	0.582	0.276	0.041	---	---	0.415	1956
1957	---	---	0	0.294	0.568	0.464	1.36	0.548	0.209	0	---	---	0.431	1957
1958	---	---	0.003	0.439	0.855	1.05	1.27	0.655	0.356	0.001	---	---	0.578	1958
1959	---	---	0	0.047	1.10	1.25	0.592	0.628	0.228	0	---	---	0.480	1959
1960	---	---	0	0.835	0.095	1.49	1.57	0.511	0.014	0.014	---	---	0.563	1960
1961	---	---	0.003	0.208	1.30	0.973	1.48	0.055	0.021	0.106	---	---	0.520	1961
1962	---	---	0.004	0.043	1.31	0.511	0.153	0	0.006	0.041	---	---	0.260	1962
1963	---	---	0.010	0.408	1.35	0.341	0.059	0.002	0	0	---	---	0.272	1963
1964	---	---	0	0.023	0.412	1.06	0.001	0	0	0	---	---	0.185	1964
1965	---	---	0	0.057	1.90	0.628	0.004	0.887	0.002	0	---	---	0.437	1965
1966	---	---	0	0.576	1.08	0.395	0.830	0.482	0.005	0.001	---	---	0.422	1966
1967	---	---	0	0.169	0.549	0.897	1.47	1.07	0.001	0	---	---	0.521	1967
1968	---	---	0.085	0.095	1.51	0.072	2.21	0.106	0.001	0	---	---	0.515	1968
1969	---	---	0	0.302	1.06	0.358	1.70	0.709	0	0.002	---	---	0.520	1969
1970	---	---	0	0.397	1.49	1.14	1.45	0.051	0.001	0.002	---	---	0.566	1970
1971	---	---	0	0.511	1.23	0.733	1.69	0.573	0.002	0.003	---	---	0.595	1971
1972	---	---	0.159	0.008	2.12	0.092	1.70	0.356	0	0.001	---	---	0.561	1972
1973	---	---	0.011	0.016	2.06	0.019	2.06	0.622	0	0	---	---	0.606	1973
1974	---	---	0	0.278	0.608	2.53	1.65	0.093	0	0	---	---	0.642	1974
1975	---	---	0	0.114	0.321	2.53	1.32	0.315	0.003	0.002	---	---	0.571	1975
1976	---	---	0.080	0.161	2.09	0.119	1.59	0.154	0.001	0.003	---	---	0.529	1976
1977	---	---	0.003	0.002	1.97	0.595	1.88	0.003	0.003	0.001	---	---	0.561	1977
1978	---	---	0	0.002	0.281	2.09	0.043	0.002	0.002	0.002	---	---	0.298	1978
1979	---	---	0.007	0.776	0.518	1.41	1.62	0.004	0.001	0.002	---	---	0.540	1979
1980	---	---	0.002	0.009	2.49	0.019	1.59	0.024	0	0	---	---	0.523	1980
1981	---	---	0.002	0.393	2.14	0.045	0.146	0.003	0.011	0.022	---	---	0.347	1981
1982	---	---	0	0.003	0.013	1.46	0.095	0	0	0	---	---	0.193	1982
MEAN	---	---	0.014	0.174	0.783	0.633	0.859	0.298	0.050	0.023	---	---	0.355	MEAN

LOCATION - LAT 49 28 14 N
LONG 109 35 18 W
REGULATED
INTERNATIONAL GAUGING STATION

CYPRESS LAKE WEST OUTFLOW CANAL - STATION NO. 11AB077

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1940	---	0.102 ON JUL 8	0 ON MAR 1 *	227	1940
1941	---	0.450E ON AUG 29	0 ON MAR 1	591	1941
1942	---	1.59 ON APR 23	0 ON MAR 1	800	1942
1943	---	0.852 ON AUG 16	0 ON MAR 1	2 910	1943
1944	---	0.538 ON JUL 28	0E ON MAR 1	2 210	1944
1945	---	0.838 ON AUG 9	0 ON MAR 1	2 700	1945
1946	---	1.12 ON MAR 27	0 ON MAR 1	3 920	1946
1947	---	0.804 ON JUL 24	0 ON MAR 1	2 560	1947
1948	---	1.50 ON JUL 8	0 ON MAR 1	5 770	1948
1949	---	1.87 ON MAY 23	0 ON MAR 1	9 640	1949
1950	---	1.05 ON JUL 25	0 ON MAR 1	3 580	1950
1951	---	8.61 ON MAY 4 *	0E ON MAR 1	4 610	1951
1952	---	1.42 B ON APR 16	0E ON MAR 1	3 480	1952
1953	---	1.67 ON JUL 25	0E ON MAR 1	4 380	1953
1954	---	1.81 ON JUL 23	0E ON MAR 1	3 950	1954
1955	---	1.93 A ON MAY 3	0E ON MAR 1	3 830	1955
1956	---	2.12 ON JUN 14	0E ON MAR 1	8 780	1956
1957	---	2.38 ON JUL 19	0E ON MAR 1	9 120	1957
1958	---	2.55 ON APR 22	0E ON MAR 1	12 200	1958
1959	---	1.90 ON MAY 26	0E ON MAR 1	10 200	1959
1960	---	2.27 ON JUL 26	0 ON MAR 1	11 900	1960
1961	---	2.21 ON JUL 16	0E ON MAR 1	11 000	1961
1962	---	2.77 ON MAY 18	0E ON MAR 1	5 500	1962
1963	---	2.23 ON MAY 10	0E ON MAR 1	5 760	1963
1964	---	1.97 ON JUN 18	0 ON MAR 1	3 900	1964
1965	---	3.31 A ON MAY 4	0E ON MAR 1	9 270	1965
1966	---	3.14 ON JUL 28	0 ON MAR 1	8 930	1966
1967	---	2.97 ON JUL 22	0E ON MAR 1	11 000	1967
1968	---	3.19 ON JUL 16	0E ON MAR 1	10 000	1968
1969	---	4.62 ON JUL 23	0E ON MAR 1	11 000	1969
1970	---	4.47 ON JUL 20	0E ON MAR 1	12 000	1970
1971	---	4.05 ON JUL 22	0E ON MAR 1	12 600	1971
1972	---	4.98 ON MAY 13	0E ON MAR 1	11 900	1972
1973	---	3.94 ON MAY 12	0 ON JUN 12	12 800	1973
1974	---	5.30 ON JUN 12	0E ON MAR 1	13 600	1974
1975	---	5.04 ON JUN 11	0E ON MAR 1	12 100	1975
1976	---	4.64 ON MAY 18	0E ON MAR 1	11 200	1976
1977	---	4.08 ON MAY 17	0E ON MAR 1	11 900	1977
1978	---	4.08 ON MAY 31	0E ON MAR 1	6 310	1978
1979	---	4.71 ON JUL 20	0E ON MAR 1	11 400	1979
1980	---	5.09 ON MAY 18	0E ON MAR 1	11 100	1980
1981	---	2.91 ON APR 27	0E ON MAR 1	7 360	1981
1982	---	2.64 ON JUN 14	0E ON MAR 1	4 090	1982
MEAN				7 510	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

DAFOE BROOK NEAR DAFOE - STATION NO. 05HA018

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1966	---	---	0.245	0.157	0	0	0	0	0	0	---	---	0.050	1966
1967	---	---	0	0.989	0.051	0	0	0	0	---	---	---	---	1967
1968	---	---	0.111	0.003	0	0	0	0	0	0	---	---	0.014	1968
1969	---	---	0	0.188	0.008	0	0	0	0	0	---	---	0.024	1969
1970	---	---	0.006	0.385	0.009	0	0	0	0	0	---	---	0.049	1970
1971	---	---	0	0.255	0	0	0	0	0	0	---	---	0.031	1971
1972	---	---	0.071	0.149	0.004	0	0	0	0	0	---	---	0.028	1972
1973	---	---	0	0	0	0	0	0	0	0	---	---	0	1973
1974	---	---	---	---	---	---	---	---	---	---	---	---	---	1974
MEAN	---	---	0.054	0.266	0.009	0	0	0	0	0	---	---	0.028	MEAN

LOCATION - LAT 51 45 03 N LONG 104 30 47 W
DRAINAGE AREA, 106 km^2
NATURAL FLOW
DATA CONTRIBUTED BY - SASKATCHEWAN RESEARCH COUNCIL

DAFOE BROOK NEAR DAFOE - STATION NO. 05HA018

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1966	---	3.45 ON MAR 30	0E ON MAR 1 *	1 060	1966
1967	---	5.30 ON APR 10 *	0E ON MAR 1	---	1967
1968	---	0.620 ON MAR 7	0E ON MAR 1	305	1968
1969	---	1.07 ON APR 10	0E ON MAR 1	587	1969
1970	---	2.50 ON APR 6	0E ON MAR 1	1 040	1970
1971	---	2.44 ON APR 10	0E ON MAR 1	660	1971
1972	---	0.569 ON MAR 22	0E ON MAR 1	587	1972
1973	---	0 ON MAR 1	0 ON MAR 1	0	1973
1974	---	2.61 ON APR 19	---	---	1974
MEAN				594	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

DAVIS CREEK AT DRURY'S RANCH - STATION NO. 11AC004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	---	0.548	0.058	0.036	0.017	---	---	---	1909
1911	---	---	---	---	0.365	0.127	---	---	0.146	---	---	---	---	1911
1912	---	---	---	---	0.755	0.208	0.047	0.040	0.021	0.058	---	---	---	1912
1913	---	---	---	2.19	0.226	0.078	0.082	0.044	0.006	0.002	---	---	---	1913
1914	---	---	---	1.23	0.206	---	0.052	---	---	---	---	---	---	1914
1915	---	---	---	1.64	0.192	0.476	0.409	0.071	0.036	0.078	---	---	---	1915
1916	---	---	2.84	0.738	0.949	1.36	---	0.390	0.137	0.380	---	---	---	1916
1917	---	---	---	---	---	0.232	0.027	0.193	0.222	0	---	---	---	1917
1918	---	---	---	2.20	0.280	0.079	0.033	0.010	0.002	0.001	---	---	---	1918
1919	---	---	---	0.839	0.156	0.043	0.030	0.003	0	0	---	---	---	1919
1920	---	---	0.009	2.83	2.25	0.058	0.041	0.012	0.002	0.001	---	---	0.647	1920
1921	---	---	0.191	1.55	0.290	0.062	0.028	0.007	0.002	0.001	---	---	0.262	1921
1922	---	---	0.035	3.42	1.48	0.095	0.063	0.018	0.006	0.001	---	---	0.633	1922
1923	---	---	0.006	1.18	0.219	0.209	0.076	0.032	0.002	0.005	---	---	0.213	1923
1924	---	---	0.004	0.820	0.169	0.305	0.100	0.018	0.003	0	---	---	0.175	1924
1925	---	---	0.017	3.24	0.185	0.210	0.042	0.009	0.001	0	---	---	0.455	1925
1926	---	---	1.80	0.766	0.094	0.062	0.011	0.002	0	0	---	---	0.341	1926
1927	---	---	0.022	3.54	2.03	0.632	0.127	0.037	0.008	0.018	---	---	0.793	1927
1928	---	---	1.01	0.725	0.211	0.219	0.140	0.036	0.004	0.010	---	---	0.294	1928
MEAN	---	---	0.593	1.79	0.592	0.261	0.109	0.058	0.035	0.033	---	---	0.424	MEAN

LOCATION - LAT 49 30 25 N, LONG 109 30 00 W DRAINAGE AREA, 116 km² NATURAL FLOW

DAVIS CREEK AT DRURY'S RANCH - STATION NO. 11AC004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1909	---	---	---	---	1909
1911	---	---	---	---	1911
1912	---	15.0 ON APR 10	---	---	1912
1913	---	7.33 ON APR 6	---	---	1913
1914	---	4.36B ON APR 6	0 ON SEP 21 *	---	1914
1915	---	10.9 ON APR 3	---	---	1915
1916	---	11.1 ON MAR 22	---	---	1916
1917	---	---	---	---	1917
1918	---	8.52 ON APR 10	0 ON JUL 12	---	1918
1919	6.87 AT 03:00 MST ON APR 19	2.75 ON APR 19	0 ON OCT 12 0 ON AUG 23	---	1919
1920	13.5 AT 22:00 MST ON APR 19	11.2 ON APR 28	0 E ON OCT 12	13 700	1920
1921	13.0 AT 23:00 MST ON APR 13	8.27 ON APR 14	0 E ON SEP 20	5 560	1921
1922	21.1 AT 10:00 MST ON APR 23	17.0 ON APR 22	0.001 ON SEP 17	13 400	1922
1923	6.17B AT 16:00 MST ON APR 14	4.59 ON APR 17	0.001 ON SEP 16	4 530	1923
1924	21.1 AT 21:00 MST ON APR 6	7.67 ON APR 7	0 ON SEP 24	3 690	1924
1925	13.6 AT 22:00 MST ON APR 4	11.2 ON APR 5	0 ON SEP 20	9 630	1925
1926	12.9 AT 13:40 MST ON MAR 20	11.1 ON MAR 20	0 ON AUG 28	7 210	1926
1927	27.7 AT 22:00 MST ON APR 25 *	21.8 ON APR 25 *	0.006 ON SEP 13	16 800	1927
1928	12.6 B AT 20:00 MST ON MAR 21	8.21B ON MAR 21	0.003 ON SEP 7	6 230	1928
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		8 970	MEAN

DEAD RIVER NEAR KINISTINO - STATION NO. 05KA004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1919	---	---	---	0.131	0.006	0.090	0.069	0	0	---	---	---	---	1919
MEAN	---	---	---	0.131	0.006	0.090	0.069	0	0	---	---	---	---	MEAN

LOCATION - LAT 52 49 00 N, LONG 105 05 00 W DRAINAGE AREA, 321 km² NATURAL FLOW

DEAD RIVER NEAR KINISTINO - STATION NO. 05KA004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1919	---	1.02E ON JUN 28 *	0 ON MAR 13 *	---	1919
	E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

DENNIEL CREEK NEAR VAL MARIE - STATION NO. 11AC025

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1914	---	---	---	---	---	---	0.001	0	0.006	0.009	---	---	---	1914
1915	---	---	---	0.774	0.014	0.017	0.010	0.005	0.007	0.008	---	---	---	1915
1916	---	---	---	3.03	0.309	0.329	1.24	0.054	0.018	0.019	---	---	---	1916
1917	---	---	---	3.62	0.734	0.055	0.006	0.001	0.012	0.012	---	---	---	1917
1918	---	---	---	0.141	0.020	0.010	0.003	0.003	0.003	0.006	---	---	---	1918
1919	---	---	0.014	0.637	0.004	0.001	0.002	0.001	0.002	0.003	---	---	0.113	1919
1920	---	---	0.943	0.333	0.019	0.003	0.002	0	0.001	0.002	---	---	0.164	1920
1921	---	---	0.411	0.014	0.007	0.004	0.017	0	0.001	0.003	---	---	0.058	1921
1922	---	---	0.004	1.98	0.130	0.009	0.020	0.003	0.001	0.001	---	---	0.264	1922
1923	---	---	0.040	0.609	0.015	2.75	0.775	0.012	0.005	0.006	---	---	0.519	1923
1924	---	---	0.028	0.925	0.041	0.015	0.001	0.002	0.003	0.011	---	---	0.126	1924
1925	---	---	3.81	1.21	0.036	0.104	0.018	0.006	0.013	0.018	---	---	0.658	1925
1926	---	---	2.28	0.020	0.009	0.005	0.001	0	0.001	0.001	---	---	0.283	1926
1927	---	---	0.399	3.46	0.947	0.380	0.027	0.011	0.028	0.041	---	---	0.653	1927
1928	---	---	3.08	0.530	0.030	0.134	0.022	0.009	0.009	0.016	---	---	0.482	1928
1929	---	---	0.060	0.072	0.009	0.005	0.001	0	0.001	0.004	---	---	0.021	1929
1930	---	0.816	2.07	1.28	0.017	0.004	0.003	0.008	0.003	0.009	---	---	0.425	1930
1931	---	---	0.022	0.015	---	---	---	---	---	---	---	---	---	1931
1935	---	---	---	---	---	---	---	---	---	0.006	---	---	---	1935
1936	---	---	0	0.956	0.023	0.010	---	---	---	---	---	---	---	1936
1937	---	---	0.003	0.202	0.002	0	0	0	0	0	---	---	0.025	1937
1963	---	---	---	0.045	0.009	0.172	0.024	0	0	0.005	---	---	---	1963
1964	---	---	---	0.015	0.004	0.002	0	0	0	0	---	---	---	1964
1965	---	---	---	3.30	0.848	0.128	0.053	0.051	0.027	0.013	---	---	---	1965
1966	---	---	---	---	---	0.008	0.004	0.001	0	0.003	---	---	---	1966
1967	---	---	---	3.55	1.93	0.023	0.004	0	0.002	0.010	---	---	---	1967
1968	---	---	---	0.011	0.005	0.003	0	0	0.001	0.003	---	---	---	1968
1969	---	---	---	3.48	0.441	0.005	0.006	0	0	0.001	---	---	---	1969
1970	---	---	---	6.41	1.10	0.140	0.004	0.001	0	0.006	---	---	---	1970
1971	---	---	---	---	0.066	0.007	0	0	0	0	---	---	---	1971
1972	---	---	0.401	0.025	0.005	0.003	0	0	0	0	---	---	0.055	1972
1973	---	---	0.403	0.009	0.003	0.033	0	0	0	0	---	---	0.056	1973
1974	---	---	1.80	2.67	1.11	0.039	0	0.002	0.002	0.002	---	---	0.701	1974
1975	---	---	0.001	1.02	0.691	0.007	0	0	0.001	0.003	---	---	0.218	1975
1976	---	---	3.99	0.470	0.009	0.007	0.003	0	0	0.001	---	---	0.565	1976
1977	---	---	0.006	0.047	0.004	0	0	0	0	0	---	---	0.007	1977
1978	---	---	1.96	0.876	0.021	0.028	0.028	0.003	0	0.001	---	---	0.365	1978
1979	---	---	0.077	2.44	0.196	0.011	0.189	0.001	0	0.003	---	---	0.359	1979
1980	---	---	1.18	0.729	0.002	0.003	0	0	0	0	---	---	0.239	1980
1981	---	0.187	0.015	0.004	0.002	0.004	0	0	0	0	---	---	0.003	1981
1982	---	---	1.76	3.71	0.162	0.419	0.007	0	0	0.004	---	---	0.750	1982
MEAN	---	0.502	0.953	1.27	0.243	0.128	0.065	0.005	0.004	0.006	---	---	0.296	MEAN

LOCATION - LAT 49 18 26 N DRAINAGE AREA, 494 km²
LONG 107 42 12 W NATURAL FLOW

DENNIEL CREEK NEAR VAL MARIE - STATION NO. 11AC035

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1914	---	4.87 ON APR 11	0 ON JUL 15 *	---	1914
1915	---	---	---	---	1915
1916	---	5.89 ON APR 3	---	---	1916
1917	---	8.50 B ON MAR 30	---	---	1917
1918	---	9.66 ON APR 11	0B ON APR 1	---	1918
1919	---	7.62 B ON MAR 22	0 ON AUG 4	---	1919
		4.85 ON APR 3	0 ON MAR 1	2 480	
1920	---	---	---	---	1920
1921	---	5.18 B ON MAR 23	0B ON MAR 1	3 470	1921
1922	---	1.98 B ON MAR 21	0 ON AUG 3	1 220	1922
1923	67.4	6.17 B ON APR 3	0 ON MAR 1	5 590	1923
1924	ON JUN 18 *	47.9 ON JUN 18 *	0B ON MAR 1	11 000	1924
	---	5.95 ON APR 4	0B ON MAR 8	2 670	
1925	---	---	---	---	1925
1926	---	25.3 B ON MAR 26	0B ON MAR 1	13 800	1926
1927	---	21.0 ON MAR 17	0 ON JUL 17	8 210	1927
1928	---	31.1 ON APR 4	0B ON MAR 1	13 800	1928
1929	---	21.1 B ON MAR 22	0B ON MAR 1	10 200	1929
		0.6208 ON MAR 31	0B ON MAR 1	454	
1930	---	---	---	---	1930
1931	---	13.0 B ON MAR 13	0 ON JUL 8	8 990	1931
		---	0B ON MAR 11	---	
1935	---	---	---	---	1935
1936	---	---	---	---	1936
1937	---	7.79 B ON APR 18	0B ON MAR 1	---	1937
		2.53 ON APR 9	0B ON MAR 1	536	
1963	---	---	---	---	1963
1964	---	---	0 ON JUL 23	---	1964
		---	0 ON MAY 22	---	
1965	34.0 AT 02:00 MST ON APR 14	22.3 B ON APR 13	0B ON APR 1	---	1965
1966	---	---	0 ON JUL 12	---	1966
1967	20.6 AT 10:00 MST ON APR 4	16.2 B ON APR 12	0 ON JUL 22	---	1967
1968	---	0.0148 ON APR 1	0 ON JUL 7	---	1968
1969	34.0 B AT 03:00 MST ON APR 7	25.0 B ON APR 7	0 ON JUL 25	---	1969
1970	39.9 AT 04:01 MST ON APR 7	31.4 B ON APR 7	0 ON JUL 4	---	1970
1971	---	---	0 ON JUN 5	---	1971
1972	6.64 B AT 10:50 CST ON MAR 20	3.62 B ON MAR 20	0B ON MAR 1	1 160	1972
1973	2.67 B AT 15:00 CST ON MAR 5	2.09 B ON MAR 5	0 ON MAY 15	1 190	1973
1974	27.3 B AT 09:26 CST ON MAR 31	23.8 B ON MAR 31	0 ON JUN 23	14 800	1974
1975	16.6 AT 22:10 CST ON MAY 6	8.69 ON MAY 7	0B ON MAR 1	6 530	1975
1976	32.6 B AT 04:44 CST ON MAR 20	26.5 B ON MAR 20	0 ON JUL 11	12 000	1976
1977	0.830 AT 00:26 CST ON APR 10	0.524 ON APR 10	0 ON MAR 31	148	1977
1978	15.4 B AT 08:05 CST ON MAR 30	12.3 B ON MAR 29	0B ON MAR 1	7 720	1978
1979	19.4 AT 06:03 CST ON APR 18	16.1 ON APR 18	0B ON MAR 1	7 600	1979
1980	13.3 B AT 17:05 CST ON MAR 29	9.46 B ON MAR 29	0B ON MAR 1	5 060	1980
1981	---	0.0845 ON MAR 1	0 ON APR 20	63.3	1981
1982	23.2 AT 05:00 CST ON APR 13	17.3 ON APR 13	0B ON MAR 1	15 900	1982
				6 270	MEAN

B - ICE CONDITIONS
E - ESTIMATED

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

DESCHARME RIVER BELOW DUPRE LAKE - STATION NO. 07CD007

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1978	---	---	---	---	15.9B	---	---	---	---	10.5 B	10.0 B	8.59B	---	1978
1979	7.98B	7.68B	7.62B	9.55B	19.1B	13.3 B	13.4 B	11.2 B	11.1 B	11.5 B	11.1 B	8.77B	11.0 B	1979
1980	8.63B	7.72B	---	---	---	9.31B	8.80B	10.5 B	11.8 B	12.8 B	10.5 B	8.93B	---	1980
1981	8.26B	7.87B	8.38B	10.6 B	12.3B	8.70B	9.27B	8.62B	7.35B	8.00B	8.57B	8.17B	9.83B	1981
1982	7.51	7.17	7.05	9.06	23.5	10.9	9.75	10.6	8.84	7.92	6.97	6.76	9.69	1982
MEAN	8.05B	7.61B	7.68B	9.74B	17.6B	10.6 B	10.1 B	10.2 B	9.75B	10.9 B	9.43B	8.24B	9.84	MEAN

LOCATION - LAT 57 07 33 N
LONG 109 13 38 W

DRAINAGE AREA, 1 690 km^2
NATURAL FLOW

B - REVISED SINCE JAN 1980

DESCHARME RIVER BELOW DUPRE LAKE - STATION NO. 07CD007

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1978	---	---	---	---	1978
1979	24.6 AT 18:19 CST ON MAY 21 *	23.9B ON MAY 20	7.58BB ON MAR 4	396 000B	1979
1980	14.0 AT 23:53 CST ON OCT 8	13.8B ON OCT 9	---	---	1980
1981	15.7 AT 03:22 CST ON MAY 5	15.3B ON MAY 4	6.86B ON NOV 29	378 000B	1981
1982	---	28.0B ON MAY 12 *	6.3B ON NOV 13 *	306 000	1982
				310 000B	MEAN

B - ICE CONDITIONS
E - ESTIMATED

* - EXTREME RECORDED FOR THE PERIOD OF RECORD
B - REVISED SINCE JAN 1980

DILLON RIVER AT OUTLET OF DILLON LAKE - STATION NO. 06BA002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1972	---	---	---	---	---	---	---	---	---	6.21	6.28	5.68	3.42	---	1972
1973	2.24	1.33	0.656	3.73	7.81	11.8	19.1	14.0	11.2	29.6	16.7	8.78	15.3	1973
1974	8.84	5.72	6.28	20.8	48.5	22.3	27.6	19.6	13.9	12.2	8.94	5.16	16.6	1974
1975	3.45	2.45	1.26	2.00	12.6	12.8	19.0	17.6	21.5	16.9	11.0	6.40	10.6	1975
1976	4.14	2.40	0.795	9.36	16.7	7.65	33.1	21.3	13.6	12.6	8.25	6.88	10.8	1976
1977	3.88	2.32	1.08	5.59	11.0	19.7	8.54	6.32	6.37	5.69	5.16	4.05	6.98	1977
1978	3.62	2.30	1.47	3.06	27.2	21.6	8.75	3.29	6.56	8.89	9.20	3.07	7.77	1978
1979	0.972	---	---	---	26.2	25.9	15.9	12.5	17.1	12.0	7.63	4.33	---	1979
1980	2.55	0.810	0.555	6.70	6.72	3.09	4.13	17.8	18.1	16.7	8.51	3.57	7.65	1980
1981	1.35	1.06	1.35	5.56	8.28	5.70	9.04	7.43	3.66	3.04	4.12	2.82	4.47	1981
1982	1.67	0.774	0.747	3.58	46.9	18.1	7.86	6.62	6.02	6.13	2.56	1.90	8.29	1982
MEAN	3.23	2.13	1.37	6.70	20.4	10.8	15.3	16.6	12.7	11.3	7.52	4.10	9.75	MEAN

LOCATION - LAT 55 42 30 N, LONG 109 24 40 W. DRAINAGE AREA, 2 330 km². NATURAL FLOW

DILLON RIVER AT OUTLET OF DILLON LAKE - STATION NO. 06BA002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1972	---	---	---	---	1972
1973	88.9 AT 13:19 CST ON AUG 17 *	88.3 ON AUG 17	0.680 ON MAR 20	482 000	1973
1974	---	93.2A ON MAY 3 *	3.65 ON MAR 29	522 000	1974
1975	25.3 AT 13:56 CST ON SEP 16	24.7 ON SEP 16	0.515 ON APR 5	335 000	1975
1976	51.5 AT 13:48 CST ON JUL 22	51.0 ON JUL 22	0.606 ON MAR 29	340 000	1976
1977	29.7 AT 02:11 CST ON JUN 10	26.7 ON JUN 9	0.782 ON MAR 26	209 000	1977
1978	35.6 AT 13:56 CST ON MAY 12	32.0 ON MAY 11	0.954 ON MAR 24	245 000	1978
1979	---	33.2 ON MAY 25	---	---	1979
1980	---	23.0B ON AUG 12	0.3938 ON MAR 10 *	430 000	1980
1981	12.8 AT 16:12 CST ON JUL 27	12.1 ON JUL 25	0.9458 ON FEB 11	161 000	1981
1982	65.1 AT 09:55 CST ON MAY 9	64.8A ON MAY 9	0.6428 ON FEB 26	261 000	1982
				101 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX). B - ICE CONDITIONS. E - ESTIMATED. * - EXTREME RECORDED FOR THE PERIOD OF RECORD

DIXON DITCH NEAR MAPLE CREEK - STATION NO. 05HA001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1916	---	---	---	---	---	---	---	---	---	---	---	---	---	1916
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
1924	---	---	---	0.075	0.095	---	---	---	---	---	---	---	---	1924
MEAN	---	---	---	0.075	0.095	---	---	---	---	---	---	---	---	MEAN

LOCATION - LAT 49 59 28 N, LONG 109 30 53 W. REGULATED

DIXON DITCH NEAR MAPLE CREEK - STATION NO. 05HA001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1916	---	---	0 ON AUG 15 *	---	1916
1919	---	---	0 ON MAY 20	---	1919
1924	---	---	0 ON APR 1	---	1924
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

DOGHIDE RIVER BELOW TISDALE - STATION NO. 05KB009

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1965	---	---	0	3.29	0.927	---	---	---	---	---	---	---	---	1965
1966	---	---	---	10.6	3.17	---	---	---	---	---	---	---	---	1966
1967	---	---	---	---	6.64	---	---	---	---	---	---	---	---	1967
1972	---	---	---	---	---	---	---	---	---	---	---	---	---	1972
1973	---	---	---	0.101	---	---	---	---	---	---	---	---	---	1973
1974	---	---	---	10.6	3.23	---	---	---	---	---	---	---	---	1974
1975	---	---	0	7.50	3.96	0.440	0.013	0.001	0.001	0.002	---	---	1.35	1975
1976	---	---	0.007	5.52	0.100	0.075	0.041	0	0	0.001	---	---	0.751	1976
MEAN	---	---	0.002	6.24	3.42	0.458	0.027	0.001	0.001	0.002	---	---	1.05	MEAN

LOCATION - LAT 52 52 22 N, LONG 104 03 17 W. DRAINAGE AREA, 396 km². NATURAL FLOW

DOGHIDE RIVER BELOW TISDALE - STATION NO. 05KB009

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1965	---	15.6 ON APR 18	0E ON MAR 1 *	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1972	86.4B AT 09:00 CST ON APR 23 *	---	---	---	1972
1973	---	---	---	---	1973
1974	72.8 AT 00:30 CST ON APR 20	---	---	---	1974
1975	---	31.7 ON APR 29 *	0B ON MAR 1	28 500	1975
1976	---	25.9 ON APR 9	0B ON MAR 1	15 900	1976
				22 200	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

DOGHIDE RIVER NEAR RUNCIMAN - STATION NO. 05KB011

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1977	---	---	0	1.30	0.965	0.123	0.001	0	0	0	---	---	0.297	1977
1978	---	---	0	8.72	0.539	0	0	0	0	0.003	---	---	1.14	1978
1979	---	---	0	11.7	5.91	1.11	0.281	0	0	0.007	---	---	2.35	1979
1980	---	---	0	5.29	0.189	0.003	0	0	0	0.001	---	---	0.672	1980
1981	---	---	0.299	0.399	0.008	0.001	0.010	0	0	0.017	---	---	0.091	1981
1982	---	---	0	4.59	0.248	0.133	0.006	0	0	0	---	---	0.610	1982
MEAN	---	---	0.050	5.33	1.31	0.228	0.050	0	0	0.005	---	---	0.860	MEAN

LOCATION - LAT 52 58 15 N LONG 104 04 55 W
DRAINAGE AREA, 440 km^2
NATURAL FLOW

DOGHIDE RIVER NEAR RUNCIMAN - STATION NO. 05KB011

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1977	---	5.58 ON APR 11	0B ON MAR 1 *	6 280	1977
1978	31.7 AT 16:52 CST ON APR 19	30.6 ON APR 19	0B ON MAR 1	24 000	1978
1979	58.5 AT 11:34 CST ON APR 25 *	51.3 ON APR 25 *	0B ON MAR 1	49 700	1979
1980	30.3 AT 07:17 CST ON APR 16	27.2 ON APR 16	0B ON MAR 1	14 200	1980
1981	2.70B AT 18:26 CST ON APR 1	1.76B ON APR 1	0B ON MAR 1	1 930	1981
1982	---	24.5 B ON APR 17	0B ON MAR 1	12 900	1982
				18 200	MEAN

B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

DOGHIDE RIVER NEAR TISDALE - STATION NO. 05KB002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1930	---	---	---	---	---	---	---	---	---	0.194	0.105	0.033	---	1930
1931	0.029	0.037	0.116	1.98	---	---	---	---	---	---	---	---	---	1931
MEAN	0.029	0.037	0.116	1.98	---	---	---	---	---	0.194	0.105	0.033	---	MEAN

LOCATION - LAT 52 49 00 N LONG 104 02 00 W
DRAINAGE AREA, 363 km^2
NATURAL FLOW

DOGHIDE RIVER NEAR TISDALE - STATION NO. 05KB002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1930	---	---	---	---	1930
1931	---	6.12 ON APR 9 *	---	---	1931
				---	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

DORE RIVER NEAR THE MOUTH - STATION NO. 06AG002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1971	---	---	---	---	---	8.15	6.68	3.29	2.07	2.19	0.740	0.921	---	1971
1972	0.743	1.01	2.64	3.81	13.9	6.05	5.13	2.45	4.95	6.55	5.20	1.25	4.49	1972
1973	2.51	4.79	5.20	7.31	9.67	8.07	9.32	5.06	7.28	7.57	7.75	5.57	6.68	1973
1974	5.94	5.97	4.56	5.25	16.5	14.6	8.46	5.76	7.31	8.28	8.79	8.80	8.36	1974
1975	8.30	7.11	6.48	7.35	15.9	21.7	12.1	11.7	8.74	8.47	7.66	6.99	10.2	1975
1976	3.96	4.69	6.11	7.71	9.75	8.85	7.34	3.08	2.04	2.29	1.51	1.06	4.86	1976
1977	---	---	---	---	---	---	---	---	---	1.56	---	---	---	1977
1978	0.776	0.838	---	---	---	---	1.99	1.81	2.27	2.49	1.84	1.21	---	1978
1979	1.40	1.44	1.46	4.16	9.37	7.72	4.74	2.24	3.53	3.20	2.54	1.79	3.64	1979
1980	0.976	1.38	1.88	3.91	5.04	2.08	1.49	4.01	11.6	6.29	3.37	2.22	3.68	1980
1981	1.83	1.42	2.22	6.51	8.30	5.54	2.49	1.53	0.975	0.960	0.982	0.850	2.80	1981
1982	0.607	0.570	0.593	2.38	7.98	5.87	2.39	1.94	1.26	2.77	1.85	0.933	2.44	1982
MEAN	2.70	2.92	3.46	5.38	10.7	8.86	5.65	3.90	4.73	4.39	3.84	2.87	5.24	MEAN

LOCATION - LAT 54 55 10 N DRAINAGE AREA, 2 960 km²
LONG 107 44 20 W NATURAL FLOW

DORE RIVER NEAR THE MOUTH - STATION NO. 06AG002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1971	---	---	---	---	1971
1972	19.9 AT 23:38 CST ON APR 29	19.7 ON APR 30	0.227B ON DEC 23 *	142 000	1972
1973	---	18.6 B ON APR 19	1.57 B ON JAN 4	211 000	1973
1974	20.3 AT 20:39 CST ON MAY 29 *	20.2 ON MAY 29	4.25 B ON MAR 27	264 000	1974
1975	---	25.2 E ON JUN 7 *	6.31 B ON MAR 18	322 000	1975
1976	15.0 AT 04:45 CST ON JUL 15	14.7 ON JUL 15	0.595B ON DEC 25	154 000	1976
1977	---	---	---	---	1977
1978	---	---	0.620B ON FEB 4	---	1978
1979	16.5 B AT 03:45 CST ON MAY 2	13.4 B ON MAY 1	1.11 B ON JAN 26	115 000	1979
1980	15.1 AT 02:56 CST ON SEP 18	15.0 ON SEP 18	0.690B ON JAN 11	116 000	1980
1981	9.30 AT 16:28 CST ON MAY 2	9.24 ON MAY 1	0.645B ON DEC 28	88 400	1981
1982	---	8.56 ON MAY 6	0.529B ON FEB 18	77 000	1982
				165 000	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

DOUGLAS RIVER NEAR CLUFF LAKE - STATION NO. 07MA003

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1975	---	---	---	---	---	---	---	---	8.62	10.4	7.02	6.94	---	1975
1976	7.71	8.66	8.85	14.5	11.6	9.37	7.65	9.26	7.15	9.45	7.36	6.68	9.02	1976
1977	5.59	5.57	5.04	12.0	12.5	12.1	13.2	11.8	13.3	10.5	7.11	6.44	9.61	1977
1978	5.70	5.72	5.97	6.25	20.7	11.7	7.99	9.19	17.0	18.9	10.1	7.02	10.6	1978
1979	4.76	3.29	3.00	4.11	16.7	10.4	7.96	7.41	7.10	7.78	5.78	5.20	6.99	1979
1980	4.86	4.61	4.72	7.92	7.02	5.86	5.41	5.96	7.13	7.29	4.95	3.93	5.80	1980
1981	4.33	4.35	5.17	7.28	18.5	11.7	10.4	8.36	6.75	7.06	6.46	5.09	7.98	1981
1982	4.22	3.87	4.15	6.19	23.4	9.85	7.07	8.44	9.64	8.66	6.80	6.54	8.27	1982
MEAN	5.31	5.15	5.27	8.32	15.8	10.1	8.53	8.63	9.59	10.0	6.95	5.98	8.32	MEAN

LOCATION - LAT 58 19 20 N DRAINAGE AREA, 1 690 km²
LONG 109 47 10 W NATURAL FLOW

DOUGLAS RIVER NEAR CLUFF LAKE - STATION NO. 07MA003

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1975	---	---	---	---	1975
1976	22.9R AT 17:00 CST ON APR 19	22.8 ON APR 19	5.83 ON JUL 20	285 000	1976
1977	---	23.3 ON APR 28	4.64B ON MAR 10	303 000	1977
1978	33.4 AT 15:15 CST ON MAY 7 *	33.1 ON MAY 7 *	4.84 ON APR 11	333 000	1978
1979	27.9 AT 19:31 CST ON MAY 19	27.7 ON MAY 19	3.00B ON FEB 26 *	220 000	1979
1980	---	11.8B ON APR 21	3.87B ON DEC 11	183 000	1980
1981	---	23.0E ON MAY 5	3.90B ON FEB 14	252 000	1981
1982	---	30.8E ON MAY 7	3.80B ON FEB 24	261 000	1982
				262 000	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

DOWNIE CREEK BELOW DOWNIE LAKE - STATION NO. 05HA073

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1955	---	---	---	---	---	0.021	0.568	0.706	0.217	0.374	---	---	---	1955
1956	---	---	0.028	0.033	0.104	0.895	0.274	0.005	0.002	0.005	---	---	0.167	1956
1957	---	---	0.042	0.055	0.769	0.236	0.975	0.244	0.009	0.031	---	---	0.297	1957
1958	---	---	0.076	0.025	0.898	0.063	1.00	0.142	0.001	0.003	---	---	0.280	1958
1959	---	---	0.127	0.029	0.599	0.342	0.669	0.696	0.002	0	---	---	0.310	1959
1960	---	---	0.061	0.043	0.812	0.087	1.24	0.078	0	0.067	---	---	0.302	1960
1961	---	---	0.010	0.003	0.600	0.014	0	0.079	0	0	---	---	0.089	1961
1962	---	---	0.037	0.010	0.024	0.359	0.712	0.024	0.179	0.008	---	---	0.169	1962
1963	---	---	0.061	0.017	1.11	0.418	0.056	0	0	0.019	0.184	---	0.211	1963
1964	---	---	0.001	0.049	0.035	0.047	1.37	0.351	0	0.001	---	---	0.234	1964
1965	---	---	0	0.327	0.872	0.691	0.620	0.937	0.013	0.012	---	---	0.435	1965
1966	---	---	0.026	0.412	1.69	0.086	1.08	0.513	0	0.010	---	---	0.480	1966
1967	---	---	0.045	0.452	2.88	0.606	0.709	0.276	0.005	0.006	---	---	0.625	1967
1968	---	---	0.035	0.161	0.999	0.047	0.760	0.092	0.009	0.012	---	---	0.267	1968
1969	---	---	0.094	0.034	1.10	0.041	1.09	0.053	0	0	---	---	0.305	1969
1970	---	---	0.017	0.073	1.16	0.256	0.517	0.297	0	0.020	---	---	0.294	1970
1971	---	0.015	0.029	0.406	0.535	0.059	1.05	0.152	0.058	0.001	---	---	0.287	1971
1972	---	---	0.084	0.283	0.818	0	0.940	0.082	0	0.002	---	---	0.278	1972
1973	---	---	0.015	0.013	0.401	0.132	---	---	---	---	---	---	---	1973
MEAN	---	0.015	0.044	0.135	0.856	0.232	0.757	0.263	0.028	0.032	0.184	---	0.296	MEAN

LOCATION - LAT 49 46 28 N DRAINAGE AREA, 155 km²
LONG 109 39 10 W REGULATED

DOWNIE CREEK BELOW DOWNIE LAKE - STATION NO. 05HA073

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1955	---	---	---	---	1955
1956	---	1.61 ON JUN 3	0B ON MAR 1 *	3 530	1956
1957	---	1.81 ON MAY 24	0B ON MAR 7	6 290	1957
1958	---	1.73 ON MAY 23	0B ON APR 4	5 920	1958
1959	---	2.10 ON JUL 28	0B ON MAR 9	6 560	1959
1960	---	1.98 ON JUL 13	0B ON MAR 1	6 380	1960
1961	---	1.06 ON MAY 11	0B ON MAR 1	1 890	1961
1962	---	9.97 ON JUN 14	0B ON MAR 1	3 580	1962
1963	---	1.82 ON JUN 3	0 ON MAR 19	4 450	1963
1964	---	2.37 ON JUL 11	0 ON MAR 1	4 950	1964
1965	---	6.94 ON JUN 26	0B ON MAR 1	9 210	1965
1966	---	2.78 ON MAY 23	0B ON MAR 1	10 200	1966
1967	---	13.9 ON MAY 9 *	0B ON MAR 6	13 200	1967
1968	---	1.77 ON MAY 2	0 ON AUG 14	5 650	1968
1969	---	1.53 ON MAY 7	0B ON MAR 1	6 460	1969
1970	---	2.82 ON MAY 1	0B ON MAR 1	6 220	1970
1971	---	1.41 ON JUL 16	0B ON MAR 1	6 070	1971
1972	---	1.54 ON JUL 17	0B ON MAR 1	5 890	1972
1973	---	---	0B ON MAR 7	---	1973
				6 260	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

DOWNIE LAKE INFLOW CANAL - STATION NO. 05HA070

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	0.462	0.312	0.008	0	0	0	0	0	---	---	0.098	1944
1945	---	---	0.531	0.041	0.008	0.001	0	0	0	0	---	---	0.073	1945
1946	---	---	1.15	0.223	0.027	0	0	0	0	0	---	---	0.176	1946
1947	---	---	---	1.25	0.050	0.035	0	0	0	0	---	---	---	1947
1948	---	---	1.32	1.97	0.081	0	0	0	0	0	---	---	0.418	1948
1949	---	---	0.111	0.269	0.001	0	0	0	0	0	---	---	0.047	1949
1950	---	---	0.028	1.29	0.089	0	0.051	0.039	0	0	---	---	0.184	1950
1951	---	---	0.193	1.98	0.033	0.046	0.001	0.236	0.044	0.006	---	---	0.313	1951
1952	---	---	0	0	0	0	0	0	0	0	---	---	0	1952
1953	---	---	0.610	0.986	0	0	0	0	0	0	---	---	0.198	1953
1954	---	0.117	0.041	1.28	0.097	0.032	0.001	0.002	0.073	0.003	---	---	0.188	1954
1955	---	---	0.327	1.30	0.058	0.002	0.047	0	0	0	---	---	0.213	1955
1956	---	---	0.195	0.636	0.258	0.001	0	0	0	0	---	---	0.135	1956
1957	---	---	0.135	1.21	0.111	0	0	0	0	0	---	---	0.180	1957
1958	---	---	0.332	1.30	0.024	0	0	0	0	0	---	---	0.204	1958
1959	---	---	1.00	0.809	0.074	0.216	0.013	0	0	0	---	---	0.263	1959
1960	---	---	1.40	0.417	0	0	0	0	0	0	---	---	0.228	1960
1961	---	---	0.076	0.020	0.042	0	0	0	0	0	---	---	0.017	1961
1962	---	---	0.256	0.161	0	0.204	0	0	0	0	---	---	0.077	1962
1963	---	0.604	0.598	0.085	0.013	0.012	0.034	0	0	0	---	---	0.094	1963
1964	---	---	0.041	0.277	0.444	0.326	0	0	0	0	---	---	0.135	1964
1965	---	---	0	2.30	0	0.273	0.070	0	0	0	---	---	0.324	1965
1966	---	---	1.15	0.205	0.044	0.081	0	0	0	0	---	---	0.186	1966
1967	---	---	0.891	0.949	0	0	0	0	0.006	0	---	---	0.230	1967
1968	---	---	0.675	0.128	0.002	0	0	0	0	0	---	---	0.101	1968
1969	---	---	0.993	1.33	0.096	0.001	0	0	0	0	---	---	0.300	1969
1970	---	---	0.085	2.38	0.070	0.209	0	0	0	0	---	---	0.336	1970
1971	---	0.155	0.296	1.45	0.001	0	0	0	0	0	---	---	0.215	1971
1972	---	---	1.02	0.028	0.088	0.002	0	0	0	0	---	---	0.144	1972
1973	---	---	0.260	0.313	0.143	0	0	0	0	0	---	---	0.089	1973
1974	---	---	0.303	0.[illegible]	0.977	0.047	0	0	0	0	---	---	0.225	1974
1975	---	---	0	[illegible]58	0.514	0.143	0	0	0	0	---	---	0.276	1975
1976	0.138	0	0.817	[illegible]232	0.006	0.044	0	0	0	0	---	---	0.138	1976
1977	---	---	0.006	[illegible]799	0.019	0	0	0	0	0	---	---	0.040	1977
1978	---	---	0.636	[illegible]35	0.238	0.056	0	0	0.097	0.002	---	---	0.243	1978
1979	---	---	1.40	[illegible]55	0.141	0.009	0	0	0	0	---	---	0.288	1979
1980	---	---	0.176	0.366	0	0	0	0	0	0	---	---	0.067	1980
1981	---	0.196	0.070	0.055	0.077	0.456	0	0	0	0	---	---	0.081	1981
1982	---	0.033	0.075	1.18	0.247	1.70	0	0	0	0	---	---	0.394	1982
MEAN	0.138	0.184	0.465	0.789	0.105	0.100	0.006	0.007	0.006	0	---	---	0.182	MEAN

LOCATION - LAT 49 46 08 N
LONG 109 39 10 W REGULATED

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1963

DOWNIE LAKE INFLOW CANAL - STATION NO. 05HA070

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	2.69 ON MAR 31	0 ON MAR 1 *	2 070	1944
1945	---	1.30 B ON MAR 12	0 ON MAR 1	1 550	1945
1946	---	2.80 ON MAR 27	0 ON MAY 10	3 730	1946
1947	---	3.34 B ON MAR 21	0 ON MAY 31	---	1947
1948	---	5.24 ON APR 16	0 ON MAR 1	8 870	1948
1949	---	0.827 ON MAR 27	0 ON MAR 1	994	1949
1950	---	5.52 ON APR 15	0B ON MAR 1	3 900	1950
1951	---	5.30 B ON APR 4	0B ON MAR 1	6 630	1951
1952	---	0 ON MAR 1	0 ON MAR 1	0	1952
1953	---	5.61 ON APR 22	0B ON MAR 1	4 190	1953
1954	---	3.40 ON APR 13	0B ON MAR 1	3 980	1954
1955	---	5.15 B ON APR 2	0B ON MAR 1	4 520	1955
1956	---	2.15 B ON APR 14	0B ON MAR 1	2 870	1956
1957	---	3.54 ON APR 17	0B ON MAR 28	3 810	1957
1958	---	6.37 B ON APR 1	0B ON MAR 7	4 320	1958
1959	---	4.36 ON MAR 27	0 ON MAY 17	5 580	1959
1960	---	6.77 ON MAR 20	0B ON MAR 1	4 830	1960
1961	---	0.620 ON MAR 17	0 ON MAR 1	369	1961
1962	---	4.59 ON JUN 14	CB ON MAR 1	1 630	1962
1963	---	2.61 ON MAR 23	0 ON APR 10	1 980	1963
1964	---	4.67 ON MAY 4	0 ON MAR 1	2 860	1964
1965	---	6.80 ON APR 14	0B ON MAR 1	6 870	1965
1966	---	4.45 B ON MAR 31	0B ON MAR 1	3 930	1966
1967	---	7.70 ON APR 11	0B ON MAR 6	4 870	1967
1968	---	1.81 B ON MAR 6	0 ON APR 28	2 150	1968
1969	---	9.17 ON MAR 18	0 ON MAR 1	6 360	1969
1970	---	10.5 ON APR 7 *	0B ON MAR 1	7 120	1970
1971	---	5.86 ON APR 7	0 ON MAY 6	4 540	1971
1972	---	5.61 B ON MAR 17	0B ON MAR 1	3 050	1972
1973	---	2.55 ON APR 28	0 ON APR 6	1 890	1973
1974	6.85 AT 10:49 CST ON MAY 24	5.38 ON MAY 24	0B ON MAR 1	4 770	1974
1975	9.91B AT 10:09 CST ON APR 27 *	8.30 B ON APR 27	0B ON MAR 1	5 850	1975
1976	8.52B AT 08:09 CST ON MAR 19	5.66 B ON MAR 19	0B ON MAR 1	2 920	1976
1977	---	2.28 ON APR 7	0B ON MAR 1	841	1977
1978	---	3.94 ON MAR 31	0B ON MAR 1	5 140	1978
1979	---	7.47 B ON APR 10	0B ON MAR 1	6 110	1979
1980	3.06 AT 12:08 CST ON APR 6	2.42 ON APR 6	0B ON MAR 1	1 420	1980
1981	7.27 AT 22:32 CST ON JUN 14	4.84 ON JUN 15	0 ON JUN 1	1 720	1981
1982	8.24 AT 04:42 CST ON JUN 1	7.92 ON JUN 3	0B ON MAR 28	8 350	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		3 860	MEAN

DOWNIE LAKE OUTFLOW CANAL - STATION NO. 05HA071

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1945	---	---	---	---	---	---	---	---	---	---	---	---	---	1945
1946	---	---	---	---	---	---	---	---	---	---	---	---	---	1946
1947	---	---	---	---	---	---	---	---	---	---	---	---	---	1947
1950	---	---	0.011	0.028	0.010	0.729	0.550	0.055	0.022	0.001	---	---	0.175	1950
1951	---	---	0	0.056	0.124	0.103	0.476	0.519	0.008	0.006	---	---	0.163	1951
1952	---	---	0	0	0	0.168	0.620	0.309	0.024	0	---	---	0.141	1952
1953	---	---	0	0	0	0.075	0.980	0.280	0	0	---	---	0.169	1953
1954	---	---	0	0	0	0	0.944	0.058	0.011	0	---	---	0.128	1954
1955	---	---	---	---	---	---	---	---	---	---	---	---	---	1955
MEAN	---	---	0.002	0.017	0.027	0.215	0.714	0.244	0.013	0.001	---	---	0.155	MEAN

LOCATION - LAT 49 46 58 N
LONG 109 40 47 W REGULATED

DOWNIE LAKE OUTFLOW CANAL - STATION NO. 05HA071

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1945	---	---	0R ON MAR 16 *	---	1945
1946	---	---	0R ON MAR 14	---	1946
1947	---	---	0R ON AUG 4	---	1947
1950	---	1.76 ON JUN 16	0 ON MAR 1	3 700	1950
1951	---	2.80 ON JUL 26 *	0B ON MAR 1	3 440	1951
1952	---	2.35 ON JUN 19	0 ON MAR 1	2 990	1952
1953	---	2.81 ON JUL 17	0 ON MAR 1	3 570	1953
1954	---	1.50 ON JUL 16	0 ON MAR 1	2 710	1954
1955	---	---	0R ON MAR 11	---	1955
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980		3 280	MEAN

DRAGLINE CHANNEL NEAR SQUAW RAPIDS - STATION NO. 05KH011

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1976	0.463	0.525	0.675	0.629	0.121	0.046	0.478	0.945	0.800	0.334	0.232	0.867	0.510	1976
1978	0.293	0.107	0.158	0.331	0.171	0.338	0.477	0.193	0.035	0.002	0	0	0.176	1978
1979	0.038	0.034	0.048	0.059	0.417	0.158	0.216	0.087	0	0	0.023	0.517	0.135	1979
1980	0.399	0.623	0.463	0.287	0.254	12.9	5.39	7.19	5.25	3.73	0.222	1.04	3.14	1980
1981	0.780	0.478	0.572	0.920	0.598	0.812	0.338	11.3	7.83	3.62	1.14	0.437	2.41	1981
1982	0.337	0.365	0.385	0.354	5.21	4.06	8.50	6.98	0.345	0.203	0.263	1.68	2.42	1982
MEAN	0.385	0.355	0.384	0.430	1.13	3.05	2.57	4.45	2.38	1.31	0.313	0.757	1.47	MEAN

LOCATION - LAT 53 50 00 N
LONG 102 56 25 W REGULATED

DRAGLINE CHANNEL NEAR SQUAW RAPIDS - STATION NO. 05KH011

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1976	---	1.28 ON AUG 11	0.002 ON JUN 22	16 100	1976
1978	---	0.623B ON APR 6	0 B ON FEB 18 *	5 550	1978
1979	---	0.844B ON DEC 21	0 A ON AUG 27	4 250	1979
1980	20.7 AT 04:33 CST ON JUN 7	20.3 ON JUN 7	0.002 ON NOV 5	99 200	1980
1981	22.2 AT 03:22 CST ON AUG 27 *	19.3 ON AUG 28	0.048 ON MAY 8	76 200	1981
1982	22.0 AT 01:08 CST ON JUL 25	21.0 ON JUL 24 *	0.035 ON OCT 4	76 300	1982
				46 300	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

DUCK CREEK NEAR KELVINGTON - STATION NO. 05LA003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	---	0.042	1.05	---	---	---	---	---	---	---	---	1967
1968	---	---	0.379	0.139	---	---	---	---	---	---	---	---	---	1968
1969	---	---	---	1.93	---	---	---	---	---	---	---	---	---	1969
1970	---	---	---	1.60	---	---	---	---	---	---	---	---	---	1970
1971	---	---	---	2.19	---	---	---	---	---	---	---	---	---	1971
1972	---	---	---	4.18	---	---	---	---	---	---	---	---	---	1972
1973	---	---	---	0.174	---	---	---	---	---	---	---	---	---	1973
1974	---	---	---	3.93	1.58	---	---	---	---	---	---	---	---	1974
1975	---	---	0	2.73	1.51	0.069	0.007	0	0	0	---	---	0.535	1975
1976	---	---	0	2.74	0.388	0.055	0.020	0	0	0	---	---	0.388	1976
1977	---	---	0	0.565	0.011	0.002	0	0	0	0	---	---	0.071	1977
1978	---	---	0	1.35	0.120	0.022	0.130	0.017	0.006	0.009	---	---	0.203	1978
1979	---	---	0	4.50	2.41	0.071	0	0	0	0	---	---	0.865	1979
1980	---	---	0	1.01	0.001	0	0	0	0	0	---	---	0.123	1980
1981	---	---	0.358	0.668	0.037	0	0.521	0.039	0	0.037	---	---	0.207	1981
1982	---	---	0	0.602	0.033	0.002	0.003	0	0	0	---	---	0.079	1982
MEAN	---	---	0.082	1.77	0.710	0.028	0.085	0.007	0.001	0.006	---	---	0.309	MEAN

LOCATION - LAT 52 08 40 N
LONG 103 37 34 W
DRAINAGE AREA, 209 km^2
NATURAL FLOW

DUCK CREEK NEAR KELVINGTON - STATION NO. 05LA003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1972	---	---	---	---	1972
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	---	8.33 ON APR 25	0B ON MAR 1 *	11 300	1975
1976	---	9.23 ON APR 11	0B ON MAR 1	8 220	1976
1977	---	2.70 ON APR 11	0B ON MAR 1	1 490	1977
1978	5.01 AT 11:47 CST ON APR 12	3.68 ON APR 11	0B ON MAR 1	4 300	1978
1979	19.0 AT 23:20 CST ON APR 24 *	18.2 ON APR 27 *	0B ON MAR 1	18 400	1979
1980	4.82B AT 07:30 CST ON APR 10	3.47 ON APR 13	0B ON MAR 1	2 610	1980
1981	8.17 AT 10:04 CST ON JUL 17	6.30 ON JUL 17	0B ON MAR 1	4 390	1981
1982	3.17 AT 09:36 CST ON APR 15	2.59B ON APR 15	0B ON MAR 1	1 660	1982
				6 550	MEAN

B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

EAGLE CREEK NEAR ANGLIA - STATION NO. 05GC002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1923	---	---	---	---	---	---	---	---	---	---	---	---	---	1923
1924	---	---	0.003	0.462	0.139	0.050	0.011	0.048	0.018	0.028	---	---	---	1924
									0.016	0.051	---	---	0.097	
1925	---	---	2.39	2.36	0.105	0.143	0.060	0.016	0.025	0.036	---	---	0.639	1925
1971	---	---	0.021	9.03	4.46	1.97	0.989	0.324	0.030	0.088	---	---	2.09	1971
1972	---	---	0.521	1.57	0.467	0.088	0.041	0.019	0.021	0.046	---	---	0.384	1972
1973	---	---	0.793	0.320	0.152	0.029	0.014	0.005	0.006	0.013	---	---	0.167	1973
1974	---	---	0	8.10	1.94	0.953	0.912	0.061	0.381	0.055	---	---	1.53	1974
1975	---	---	0	8.65	2.20	0.605	0.106	0.026	0.021	0.015	---	---	1.43	1975
1976	---	---	0.695	3.70	0.198	0.129	0.063	0.010	0.012	0.018	---	---	0.595	1976
1977	---	---	0.037	0.123	0.187	0.012	0.001	0.001	0.004	0.009	---	---	0.047	1977
1978	---	---	0.278	2.73	0.256	0.030	0.006	0.002	0.006	0.011	---	---	0.409	1978
1979	---	---	0.449	1.79	0.157	0.007	0.004	0.002	0	0.005	---	---	0.298	1979
1980	---	---	0.334	0.292	0.009	0.002	0.005	0.006	0.001	0.007	---	---	0.082	1980
1981	---	0.509	0.435	0.084	0.006	0.009	0.004	0.001	0	0.001	---	---	0.068	1981
1982	---	---	0	1.10	0.095	0.106	1.03	0.610	0.023	0.027	---	---	0.374	1982
MEAN	---	0.509	0.425	2.88	0.741	0.295	0.229	0.081	0.038	0.027	---	---	0.584	MEAN

LOCATION - LAT 51 33 43 N DRAINAGE AREA, 5 730 km²
LONG 108 10 58 W REGULATED

EAGLE CREEK NEAR ANGLIA - STATION NO. 05GC002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1923	---	---	---	---	1923
1924	---	2.44 ON APR 8	0 B ON MAR 1 *	2 050	1924
1925	---	18.5 ON MAR 31	0 ON MAR 1	13 500	1925
1971	28.3 AT 03:00 CST ON APR 11	26.8 ON APR 11	0.016B ON MAR 1	44 200	1971
1972	4.47B AT 19:00 CST ON APR 7	3.48 B ON APR 7	0 B ON MAR 1	7 290	1972
1973	---	2.25 B ON MAR 19	0 B ON MAR 1	3 540	1973
1974	50.7 AT 22:44 CST ON APR 19 *	45.3 ON APR 20 *	0 B ON MAR 1	32 400	1974
1975	47.3 AT 19:28 CST ON APR 20	42.8 A ON APR 21	0 B ON MAR 1	30 300	1975
1976	---	15.1 B ON APR 1	0 B ON MAR 1	12 600	1976
1977	1.19B AT 07:37 CST ON APR 10	0.816 ON MAY 21	0 B ON MAR 1	991	1977
1978	15.0 B AT 12:22 CST ON APR 1	14.3 B ON APR 1	0 B ON MAR 1	8 650	1978
1979	10.1 AT 07:07 CST ON APR 20	8.85 ON APR 20	0 B ON MAR 1	6 310	1979
1980	4.04B AT 00:05 CST ON MAR 30	3.28 B ON MAR 30	0 B ON MAR 1	1 730	1980
1981	---	1.14 ON MAR 14	0 ON AUG 21	1 440	1981
1982	6.45B AT 05:18 CST ON APR 16	5.78 B ON APR 16	0 B ON MAR 1	7 910	1982
				12 400	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

EAGLE CREEK NEAR ENVIRON - STATION NO. 05GC006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1962	---	---	---	---	---	---	0.009	0.001	0.015	0.034	---	---	---	1962
1963	---	---	0.235	2.01	0.533	0.192	0.193	0.028	0.019	0.020	---	---	0.399	1963
1964	---	---	0.125	0.914	0.389	0.066	0.013	0.007	0.017	0.028	---	---	0.193	1964
1965	---	---	0	18.9	7.23	0.699	0.375	0.111	0.077	0.063	---	---	3.39	1965
1966	---	---	0.103	9.91	0.717	0.720	0.265	0.115	0.090	0.077	---	---	1.47	1966
1967	---	---	0	0.028	7.21	0.450	0.093	0.043	0.071	0.058	---	---	1.00	1967
1968	---	---	1.46	1.13	0.316	0.289	0.043	0.033	0.114	0.124	---	---	0.437	1968
1969	---	---	0.004	27.8	3.75	0.634	0.259	0.105	0.155	0.271	---	---	4.06	1969
1970	---	---	0.014	33.5	6.95	1.19	3.67	1.91	1.03	0.814	---	---	6.07	1970
1971	---	---	0.046	10.7	5.72	2.66	1.36	0.476	0.140	0.115	---	---	2.63	1971
1972	---	---	0.382	3.10	0.896	0.341	0.068	0.074	0.067	0.046	---	---	0.615	1972
1973	---	---	0.304	1.39	0.673	0.202	0.192	0.035	0.033	0.002	---	---	0.352	1973
1974	---	---	0.085	6.86	7.62	1.54	1.54	0.616	0.438	0.203	---	---	2.36	1974
1975	---	---	0.097	5.37	7.38	1.22	0.484	0.159	0.039	0.091	---	---	1.85	1975
1976	---	---	0.071	8.25	0.853	0.402	0.248	0.078	0.123	0.033	---	---	1.24	1976
1977	---	---	0.101	0.475	0.685	0.209	0.017	0.006	0.010	0.016	---	---	0.189	1977
1978	---	---	0.136	4.09	0.869	0.111	0.008	0.004	0.010	0.012	---	---	0.646	1978
1979	---	---	0.089	6.60	1.19	0.292	0.058	0.056	0.057	0.020	---	---	1.03	1979
1980	---	---	0.063	2.34	0.198	0.026	0.007	0.003	0.005	0.015	---	---	0.327	1980
1981	---	0.011	1.05	0.634	0.057	0.016	0.014	0.010	0.010	0.024	---	---	0.227	1981
1982	---	---	0.069	1.95	0.717	0.326	0.084	0.263	0.159	0.068	---	---	0.451	1982
MEAN	---	0.011	0.222	7.30	2.70	0.579	0.429	0.197	0.128	0.102	---	---	1.45	MEAN

LOCATION - LAT 52 13 50 N DRAINAGE AREA, 11 900 km²
LONG 107 22 40 W REGULATED

EAGLE CREEK NEAR ENVIRON - STATION NO. 05GC006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1962	---	---	0 ON JUL 29 *	---	1962
1963	---	5.38B ON APR 8	0 B ON MAR 1	8 450	1963
1964	---	1.48B ON APR 18	0 B ON MAR 1	4 090	1964
1965	92.6 B ON APR 19	77.0 B ON APR 19	0 B ON MAR 1	71 800	1965
1966	44.2 ON APR 7	37.9 ON APR 7	0 B ON MAR 1	31 200	1966
1967	---	18.5 ON MAY 7	0 B ON MAR 1	21 200	1967
1968	---	4.53B ON MAR 15	0.015A ON JUL 18	9 270	1968
1969	134 AT 20:10 CST ON APR 16	120 ON APR 17	0 B ON MAR 1	85 900	1969
1970	148 AT 14:08 CST ON APR 15 *	136 ON APR 15 *	0.014B ON MAR 1	128 000	1970
1971	71.4 AT 07:20 CST ON APR 16	36.8 ON APR 18	0.028B ON MAR 1	55 600	1971
1972	---	6.60B ON APR 9	0.007B ON MAR 1	13 000	1972
1973	3.68B AT 02:58 CST ON APR 2	2.83B ON APR 2	0 ON AUG 20	7 450	1973
1974	43.9 AT 00:34 CST ON APR 28	42.8 B ON APR 27	0.012 ON SEP 26	49 900	1974
1975	42.2 AT 15:21 CST ON APR 29	41.3 ON APR 29	0.014 ON SEP 11	39 200	1975
1976	31.4 B AT 06:24 CST ON APR 9	27.0 B ON APR 9	0.014 ON AUG 22	26 200	1976
1977	1.51 AT 00:16 CST ON APR 13	1.30 ON MAY 24	0.004 ON JUL 29	4 010	1977
1978	15.1 B AT 08:50 CST ON APR 10	13.9 B ON APR 10	0.001 ON AUG 12	13 700	1978
1979	24.8 B AT 05:54 CST ON APR 23	19.7 B ON APR 23	0.001 ON AUG 27	21 800	1979
1980	8.07B AT 07:55 CST ON APR 4	6.77B ON APR 4	0.001B ON MAR 1	6 920	1980
1981	3.15B AT 13:26 CST ON MAR 21	2.14B ON MAR 18	0.001 ON MAY 12	4 790	1981
1982	7.67 AT 18:16 CST ON APR 25	7.60 ON APR 25	0.012 ON JUL 12	9 540	1982
				30 600	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

EAGLE CREEK NEAR KINLEY - STATION NO. 05GC003

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1921	---	---	0	9.84	1.16	0.423	0.123	0.047	0.201	0.235	---	---	---	1921
1935	---	---	---	---	---	---	---	---	---	0.077	0.009	0.003	---	1935
1936	0.003	0.004	1.45	11.5	1.13	0.222	0.023	0	0	0.005	0.003	0.001	1.18	1936
1937	0	0	0	0.775	0.223	0.037	0	0	0	0	0	0	0.086	1937
1938	0	0.002	0.778	2.05	0.300	0.047	0.014	0	0.015	0.054	0.008	0.003	0.272	1938
1939	0.003	0.003	1.12	7.16	0.315	0.462	3.16	0.099	0 026	0.024	0.001	0	1.03	1939
1940	0	0	0	1.08	0.450	0.089	0.019	0	0	0	0	0	0.135	1940
MEAN	0.001	0.002	0.558	5.40	0.596	0.213	0.557	0.024	0.040	0.056	0.004	0.001	0.541	MEAN

LOCATION - LAT 52 03 22 N, LONG 107 21 30 W
DRAINAGE AREA, 7 230 km^2
REGULATED

REMARKS - STATION LOCATED IN NE13-36-11-W3 DURING 1921

EAGLE CREEK NEAR KINLEY - STATION NO. 05GC003

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1921	---	28.3 E ON APR 17 *	0B ON MAR 1 *	---	1921
1935	---	---	---	---	1935
1936	---	27.2 ON APR 18	0 ON AUG 1	37 300	1936
1937	---	2.61 ON APR 16	0B ON JAN 1	2 710	1937
1938	---	4.22 ON APR 15	0B ON JAN 2	8 580	1938
1939	---	26.3 B ON APR 1	0B ON NOV 8	32 500	1939
1940	---	4.28 ON APR 25	0B ON JAN 1	4 270	1940
				17 100	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

EAGLE CREEK NEAR ROSETOWN - STATION NO. 05GC005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1962	---	---	0	3.03	0.013	0.248	0.264	0.096	0.024	0.031	---	---	0.456	1962
1963	---	---	1.43	0.906	0.133	0.010	0.091	0.015	0.006	0.009	---	---	0.326	1963
1964	---	---	0	0.587	0.118	0.007	0.001	0	0.035	0.045	---	---	0.098	1964
1965	---	---	0	20.2	0.728	0.244	0.125	0.003	0.028	0.027	---	---	2.62	1965
1966	---	---	2.86	4.08	0.070	0.358	0.062	0.018	0.001	0.020	---	---	0.927	1966
1967	---	---	0	4.49	3.53	0.057	0.002	0	0	0	---	---	1.00	1967
1968	---	---	1.23	0.118	0.021	0.097	0	0.009	0.015	0.052	---	---	0.194	1968
1969	---	---	0	20.5	1.01	0.090	0.089	0.018	0	0.027	---	---	2.67	1969
1970	---	---	0	22.8	2.91	2.39	4.15	1.48	0.918	0.324	---	---	4.32	1970
MEAN	---	---	0.613	8.52	0.948	0.389	0.532	0.182	0.114	0.059	---	---	1.40	MEAN

LOCATION - LAT 51 36 40 N, LONG 108 02 40 W
DRAINAGE AREA, 6 130 km^2
REGULATED

EAGLE CREEK NEAR ROSETOWN - STATION NO. 05GC005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1962	---	22.9 ON APR 6	0E ON MAR 1 *	9 650	1962
1963	---	9.28 ON MAR 29	0B ON MAR 1	6 900	1963
1964	---	2.33B ON APR 3	0B ON MAR 1	2 060	1964
1965	---	148 ON APR 14	0B ON MAR 1	55 400	1965
1966	---	32.6 ON MAR 31	0B ON MAR 1	19 700	1966
1967	---	19.9 B ON APR 28	0B ON MAR 1	21 200	1967
1968	---	4.93B ON MAR 2	0 ON JUL 7	4 120	1968
1969	---	180 ON APR 12 *	0 ON MAR 1	56 600	1969
1970	---	127 ON APR 11	0B ON MAR 1	91 400	1970
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		29 700	MEAN

EAGLE CREEK NEAR TESSIER - STATION NO. 05GC004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1962	---	---	0	4.97	0.190	0.106	0.097	0.064	0.066	0.058	---	---	0.681	1962
MEAN	---	---	0	4.97	0.190	0.106	0.097	0.064	0.066	0.058	---	---	0.681	MEAN

LOCATION - LAT 51 52 10 N DRAINAGE AREA, 6 970 km^2
LONG 107 26 40 W REGULATED

EAGLE CREEK NEAR TESSIER - STATION NO. 05GC004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1962	---	53.8B ON APR 9 *	0B ON MAR 1 *	14 400	1962
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		14 400	MEAN

EAST FORK BATTLE CREEK NEAR INTERNATIONAL BOUNDARY - STATION NO. 11AB107

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1927	---	---	0.347	1.22	1.57	0.042	0.022	0.006	0	0	---	---	0.400	1927
1928	---	---	0.433	1.20	0.013	0.029	0.024	0.031	0	0	---	---	0.213	1928
1929	---	---	0.004	0.101	0.093	0.048	0	0	0	0	---	---	0.031	1929
1930	---	0.049	1.63	0.620	0.007	0	0	0	0	0	0	0	0.283	1930
1931	0	0	0	0	0	0.089	0.014	0	0	0	0	0	0.008	1931
1932	0	0	0.187	0.051	0	0.108	0	0	0	0	0	0	0.043	1932
1933	0	0	0.012	0	0	0	0	0	0	0	---	---	0.002	1933
1934	---	---	0.271	0.025	0	0	0	0	0	0	0	0	0.037	1934
1935	0	0	0.231	0.485	0	0	0.134	0	0	0	0	0	0.106	1935
1936	0	0	0	1.31	0.001	0	0	0	0	0	0	0	0.161	1936
1937	0	0	0.105	0.494	0	0	0	0	0	0	---	---	0.074	1937
1938	---	---	0.389	0.305	0	0	0.021	0	0	0	---	---	0.089	1938
1939	---	---	1.79	0.003	0	0.243	0.001	0	0	0	---	---	0.257	1939
1940	---	---	0	1.95	0.061	0.029	0	0	0	0	---	---	0.251	1940
1941	---	---	1.54	0.004	0	0	0	0	0	0	---	---	0.195	1941
1942	---	---	0.494	0.101	0	0.716	0.017	0	0	0	---	---	0.165	1942
1943	---	---	1.29	0.076	0	0	0	0	0	0	---	---	0.173	1943
1944	---	---	0.386	0	0	0.006	0	0	0	0	---	---	0.050	1944
1945	---	---	0.186	0	0	0	0	0	0	0	---	---	0.024	1945
1946	---	---	0.667	0	0	0	0	0	0	0	---	---	0.084	1946
1947	---	---	0.202	0.087	0	0	0	0	0	0	---	---	0.036	1947
1948	---	---	0	0	0	0	0	0	0	0	---	---	0	1948
1949	---	---	0	0	0	0	0	0	0	0	---	---	0	1949
1950	---	---	0	2.08	0.004	0	0	0	0	0	---	---	0.255	1950
1951	---	---	0	0.627	0.082	0	0	0	0	0	---	---	0.087	1951
1952	---	---	0.006	5.78	0.022	0.001	0	0	0	0	---	---	0.712	1952
1953	---	---	0.012	0	0.017	0.040	0.013	0	0	0	0	---	0.010	1953
1954	---	---	0.006	1.72	0.002	0.030	0	0.026	0.003	0.011	---	---	0.220	1954
1955	---	---	0.379	2.78	0.087	0.001	2.12	0.019	0	0	---	---	0.670	1955
1956	---	---	0.047	0.092	0.003	0	0	0	0	0	---	---	0.017	1956
1957	---	---	0.076	0.301	0	0	0.078	0	0	0	---	---	0.056	1957
1958	---	---	0.937	0.208	0	0	0	0	0	0	---	---	0.144	1958
1959	---	---	0.242	0.067	0	0.304	0.011	0	0	0	---	---	0.077	1959
1960	---	---	2.05	0.012	0.024	0	0	0	0	0	---	---	0.264	1960
1961	---	---	0.190	0	0	0	0	0	0	0	---	---	0.024	1961
1962	---	---	0.702	0.027	0	0	0.062	0	0	0	---	---	0.100	1962
1963	---	---	0.120	0	0	0	0	0	0	0	---	---	0.015	1963
1964	---	---	0	0	0	0	0	0	0	0	---	---	0	1964
1965	---	---	0	0.890	0.023	0.006	0	0	0	0	---	---	0.113	1965
1966	---	---	0.906	0.024	0	0	0	0	0	0	---	---	0.118	1966
1967	---	---	0.546	1.20	0.561	0	0	0	0	0	---	---	0.287	1967
1968	---	---	0	0	0	0	0	0	0	0	---	---	0	1968
1969	---	---	0	1.61	0.007	0	0	0	0	0	---	---	0.198	1969
1970	---	---	0	0	0	0	0	0	0	0	---	---	0	1970
1971	---	---	0	0.015	0	0	0	0	0	0	---	---	0.002	1971
1972	---	---	0.107	0	0	0	0	0	0	0	---	---	0.014	1972
1973	---	---	0	0	0	0	0	0	0	0	---	---	0	1973
1974	---	---	0.612	0.194	0.652	0.001	0	0	0	0	---	---	0.184	1974
1975	---	---	0	0.350	0.041	0	0	0.040	0	0	---	---	0.053	1975
1976	---	---	0.871	0	0	0	0	0	0	0	---	---	0.110	1976
MEAN	0	0.007	0.359	0.520	0.065	0.033	0.050	0.002	0	0	0	0	0.128	MEAN

LOCATION - LAT 48 58 00 N DRAINAGE AREA, 182 km² INTERNATIONAL GAUGING STATION
LONG 109 08 00 W NATURAL FLOW

EAST FORK BATTLE CREEK NEAR INTERNATIONAL BOUNDARY - STATION NO. 11AB107

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1927	18.6 AT 07:00 MST ON MAY 23	13.1 ON MAY 23	0 ON MAR 1 *	8 470	1927
1928	12.2 AT 23:30 MST ON APR 1	8.10 ON APR 1	0B ON MAR 1	4 520	1928
1929	2.24 AT 08:00 MST ON APR 15	1.34 ON APR 15	0B ON MAR 1	646	1929
1930	8.33 B AT 23:00 MST ON MAR 29	6.77 B ON MAR 29	0B ON MAR 6	6 000	1930
1931	---	1.87 ON JUN 30	0 ON MAR 1	164	1931
1932	---	2.66 A ON MAR 25	0A ON MAR 1	914	1932
1933	0.093B AT 20:00 MST ON MAR 15	0.065B ON MAR 16	0 ON MAR 1	32.4	1933
1934	---	0.708B ON MAR 1	0B ON MAR 27	791	1934
1935	9.91 AT 22:00 MST ON APR 12	4.64 ON APR 12	0 ON MAR 1	2 240	1935
1936	---	14.4 ON APR 12	0 ON MAR 1	3 400	1936
1937	9.09 AT 03:30 MST ON APR 9	3.96 ON APR 9	0 ON MAR 1	1 560	1937
1938	6.91 AT 20:20 MST ON MAR 24	2.83 ON MAR 25	0 ON MAR 1	1 890	1938
1939	40.2 AT 23:00 MST ON MAR 21	18.3 ON MAR 22	0 ON MAR 1	5 430	1939
1940	21.3 AT 22:00 MST ON APR 20	15.9 ON APR 20	0 ON MAR 1	5 310	1940
1941	26.9 B AT 14:00 MST ON MAR 22	14.8 B ON MAR 22	0B ON MAR 1	4 120	1941
1942	13.5 AT 23:30 MST ON JUN 28	5.21 ON JUN 29	0 ON MAR 1	3 490	1942
1943	30.3 ON MAR 28	16.5 ON MAR 29	0 ON MAR 1	3 660	1943
1944	7.70 AT 13:00 MST ON MAR 18	3.96 ON MAR 18	0 ON MAR 1	1 040	1944
1945	3.00 AT 09:30 ON MAR 16	1.87 ON MAR 16	0 ON MAR 1	498	1945
1946	8.10 AT 12:15 MST ON MAR 12	5.07 ON MAR 11	0 ON MAR 1	1 790	1946
1947	2.38 B AT 01:00 MST ON MAR 27	1.50 ON MAR 28	0 ON MAR 1	767	1947
1948	---	0 ON MAR 1	0 ON MAR 1	0	1948
1949	---	0 ON MAR 1	0 ON MAR 1	0	1949
1950	30.9 AT 21:00 MST ON APR 12	13.7 ON APR 13	0 ON MAR 1	5 400	1950
1951	6.46 B AT 19:30 MST ON APR 5	3.28 B ON APR 6	0 ON MAR 1	1 850	1951
1952	62.3 AT 01:00 MST ON APR 7	39.1 ON APR 6 *	0B ON MAR 1	15 100	1952
1953	1.11 E ON JUN 3	0.566E ON JUN 3	0 ON MAR 1	215	1953
1954	40.8 B AT 02:15 MST ON APR 6	29.7 B ON APR 6	0B ON MAR 1	4 660	1954
1955	65.1 AT 22:30 MST ON JUL 12 *	19.3 ON JUL 12	0B ON MAR 1	14 200	1955
1956	1.42 B AT 08:30 MST ON MAR 27	0.510B ON MAR 27	0E ON MAR 1	370	1956
1957	6.57 AT 11:00 MST ON JUL 22	4.67 B ON APR 1	0B ON MAR 1	1 190	1957
1958	21.5 AT 03:45 MST ON MAR 31	10.6 ON MAR 31	0 ON MAR 1	3 050	1958
1959	30.0 ON JUN 27	5.21 ON JUN 27	0 ON MAR 1	1 640	1959
1960	25.5 AT 03:30 MST ON MAR 21	13.1 ON MAR 21	0 ON MAR 1	5 580	1960
1961	5.64 AT 04:00 MST ON MAR 16	3.06 ON MAR 16	0 ON MAR 1	508	1961
1962	11.8 AT 13:45 MST ON MAR 27	6.57 ON MAR 26	0 ON MAR 1	2 110	1962
1963	---	0.765A ON MAR 3	0 ON MAR 17	322	1963
1964	---	0 ON MAR 1	0 ON MAR 1	0	1964
1965	11.5 AT 21:15 MST ON APR 13	7.19 ON APR 14	0 ON MAR 1	2 390	1965
1966	4.79 B AT 16:15 MST ON MAR 16	3.28 ON MAR 17	0B ON MAR 1	2 490	1966
1967	10.1 AT 05:00 MST ON APR 4	7.70 ON APR 4	0 ON MAR 1	6 060	1967
1968	---	0 ON MAR 1	0 ON MAR 1	0	1968
1969	26.1 AT 00:30 MST ON APR 6	17.5 ON APR 5	0 ON MAR 1	4 200	1969
1970	---	0 ON MAR 1	0 ON MAR 1	0	1970
1971	0.566 AT 22:30 CST ON APR 10	0.195 ON APR 11	0 ON MAR 1	38.4	1971
1972	3.06 AT 01:30 MST ON MAR 18	1.59 ON MAR 18	0 ON MAR 1	287	1972
1973	0 AT 00:00 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1973
1974	18.5 AT 11:00 CST ON MAY 21	13.5 ON MAY 21	0B ON MAR 1	3 900	1974
1975	3.34 AT 13:00 CST ON APR 20	2.18 ON APR 20	0 ON MAR 1	1 120	1975
1976	26.3 AT 04:00 CST ON MAR 18	13.4 ON MAR 18	0 ON MAR 1	2 330	1976
				2 710	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

EAST POPLAR RIVER ABOVE COOKSON RESERVOIR - STATION NO. 11AE014

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1979	---	---	0.885	1.78	0.150	0.001	0	0	0	0	---	---	0.349	1979
1980	---	---	0.252	0.016	0	0	0	0	0	0	---	---	0.034	1980
1981	---	---	0.002	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	3.78	0.413	0.067	0.013	0	0	0	---	---	0.525	1982
MEAN	---	---	0.285	1.39	0.141	0.017	0.003	0	0	0	---	---	0.227	MEAN

LOCATION - LAT 49 13 51 N, LONG 105 32 36 W
DRAINAGE AREA, 143 km^2
NATURAL FLOW

EAST POPLAR RIVER ABOVE COOKSON RESERVOIR - STATION NO. 11AE014

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1979	10.9 E AT 04:06 CST ON APR 17	9.27 E ON APR 17	0B ON MAR 1 *	7 380	1979
1980	2.20 AT 04:21 CST ON MAR 29	1.36 ON MAR 29	0B ON MAR 1	716	1980
1981	---	0.018B ON MAR 1	0 ON MAR 12	5.70	1981
1982	42.7 AT 22:54 CST ON APR 14 *	30.0 ON APR 14 *	0B ON MAR 1	11 100	1982
				4 800	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

EAST POPLAR RIVER AT INTERNATIONAL BOUNDARY - STATION NO. 11AE003

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1931	---	---	0.190	0.242	0.119	0.069	0.057	0.048	0.121	0.120	---	---	---	1931
1932	---	---	1.05	0.475	0.141	0.091	0.079	1.28	0.126	0.184	---	---	---	1932
1933	---	---	0.776	0.367	0.401	0.460	0.234	0.095	0.079	0.057	---	---	---	1933
1934	---	---	0.430	0.317	0.110	0.052	0.020	0.028	0.072	0.099	---	---	---	1934
1935	---	---	1.40	0.204	0.148	0.317	0.173	0.082	0.052	0.042	0.028	0.014	---	1935
1936	0.014	0.014	0.237	1.21	0.228	0.097	0.062	0.068	0.066	0.065	0.042	0.028	0.176	1936
1937	0.028	0.028	0.069	0.273	0.237	0.122	0.155	0.062	0.083	0.105	---	---	---	1937
1938	---	---	3.91	0.275	0.246	0.154	0.158	0.069	0.078	0.097	---	---	---	1938
1939	---	---	6.26	0.196	0.165	0.530	0.079	0.030	0.064	0.064	---	---	---	1939
1940	---	---	0.128	1.76	0.245	0.173	0.128	0.386	0.104	0.134	---	---	---	1940
1941	---	---	2.99	0.306	0.187	0.299	0.191	0.097	0.107	0.124	---	---	---	1941
1942	---	---	2.52	1.13	0.160	0.152	0.190	0.121	0.337	0.214	---	---	---	1942
1943	---	---	8.74	1.65	0.182	0.295	0.170	0.075	0.095	0.124	---	---	---	1943
1944	---	---	---	0.368	0.153	0.218	0.125	0.157	0.076	0.095	---	---	---	1944
1945	---	---	1.19	0.263	0.191	0.151	0.089	0.113	0.145	0.085	---	---	---	1945
1946	---	---	2.62	0.255	0.141	0.141	0.160	0.054	0.047	0.104	---	---	---	1946
1947	---	---	2.51	4.83	0.244	0.428	0.136	0.137	0.132	0.148	---	---	---	1947
1948	---	---	0.223	8.80	0.550	0.149	0.119	0.097	0.078	0.079	---	---	---	1948
1949	---	---	1.72	1.12	0.169	0.115	0.057	0.064	0.087	0.099	---	---	---	1949
1950	---	---	0.057	6.82	0.319	0.221	0.129	0.132	0.121	0.128	---	---	---	1950
1951	---	---	0.068	2.73	0.747	0.157	0.119	0.110	0.175	0.162	---	---	---	1951
1952	---	---	0.073	12.9	0.614	0.132	0.152	0.108	0.116	0.145	---	---	---	1952
1953	---	---	0.556	0.434	0.355	0.978	0.673	0.113	0.128	0.156	---	---	---	1953
1954	---	---	0.892	6.64	1.35	0.311	0.143	0.232	0.334	0.198	0.178	---	---	1954
1955	---	---	2.21	8.93	4.44	0.195	0.154	0.089	0.105	0.132	---	---	---	1955
1956	---	---	1.02	0.799	0.254	0.151	0.085	0.035	0.062	0.108	---	---	---	1956
1957	---	---	0.322	0.391	0.177	0.137	0.096	0.083	0.127	0.203	---	---	---	1957
1958	---	---	2.39	0.806	0.159	0.138	0.118	0.074	0.110	0.121	---	---	---	1958
1959	---	---	0.343	0.235	0.168	0.118	0.093	0.084	0.094	0.144	---	---	---	1959
1960	---	---	6.80	0.291	0.172	0.158	0.191	0.106	0.108	0.117	---	---	---	1960
1961	---	---	0.905	0.193	0.212	0.124	0.078	0.060	0.108	0.096	---	---	---	1961
1962	---	---	3.10	0.822	0.205	0.436	0.328	0.096	0.105	0.139	---	---	---	1962
1963	---	0.557	2.81	0.351	0.245	0.390	0.231	0.116	0.124	0.108	---	---	---	1963
1964	---	---	0.135	1.28	0.183	0.168	0.101	0.070	0.100	0.113	---	---	---	1964
1965	---	---	0.016	2.62	0.552	0.314	0.232	0.081	0.149	0.171	---	---	---	1965
1966	---	---	1.65	0.205	0.237	0.144	0.101	0.093	0.110	0.270	---	---	---	1966
1967	---	---	2.72	5.23	0.407	0.149	0.083	0.056	0.125	0.145	---	---	---	1967
1968	---	---	3.17	0.257	0.144	0.141	0.154	0.150	0.175	0.128	---	---	---	1968
1969	---	---	0.028	8.47	0.299	0.127	0.155	0.116	0.099	0.135	---	---	---	1969
1970	---	---	1.12	3.36	1.42	0.200	0.172	0.087	0.109	0.120	---	---	---	1970
1971	---	---	1.02	3.68	0.193	0.155	0.091	0.078	0.110	0.128	---	---	---	1971
1972	---	---	5.07	0.359	0.489	0.303	0.155	0.131	0.148	0.153	---	---	---	1972
1973	---	---	0.218	0.264	0.246	0.163	0.113	0.066	0.084	0.106	---	---	---	1973
1974	---	---	3.82	6.14	0.295	0.247	0.108	0.088	0.120	0.136	---	---	---	1974
1975	0.094	0.081	0.261	12.1	1.79	1.19	1.29	0.258	0.122	0.022	0.017	0.018	1.43	1975
1976	0.042	0.150	4.06	5.73	0.812	2.86	3.08	0.406	0.087	0.076	0.050	0.048	1.45	1976
1977	0.048	0.065	0.074	0.067	0.484	0.393	0.051	0.056	0.057	0.059	0.062	0.051	0.122	1977
1978	0.047	0.045	0.101	0.077	0.084	0.106	0.076	0.056	0.066	0.067	0.067	0.061	0.071	1978
1979	0.060	0.057	1.68	3.98	1.15	0.658	0.181	0.093	0.116	0.131	0.125	0.124	0.696	1979
1980	0.125	0.115	0.122	0.205	0.372	0.077	0.075	0.079	0.078	0.080	0.086	0.078	0.124	1980
1981	0.076	0.086	0.092	0.129	0.218	0.174	0.064	0.068	0.065	0.075	0.077	0.074	0.100	1981
1982	0.036	0.026	0.285	8.68	0.988	0.566	0.124	0.081	0.082	0.091	0.086	0.086	0.919	1982
MEAN	0.057	0.111	1.64	2.48	0.458	0.304	0.219	0.126	0.111	0.119	0.074	0.058	0.565	MEAN

LOCATION - LAT 49 00 00 N DRAINAGE AREA, 1 400 km² INTERNATIONAL GAUGING STATION
LONG 105 24 32 W REGULATED SINCE 1975

EAST POPLAR RIVER AT INTERNATIONAL BOUNDARY - STATION NO. 11AE003

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1931	1.04 AT 01:00 MST ON SEP 30	---	---	---	1931
1932	57.5 AT 01:00 MST ON AUG 13	22.0 ON AUG 13	0.059 ON JUN 22	---	1932
1933	---	---	---	---	1933
1934	---	0.850B ON MAR 23	---	---	1934
1935	---	9.91 B ON MAR 18	---	---	1935
1936	---	4.81 B ON APR 11	0 B ON MAR 1 *	5 580	1936
1937	0.748 AT 20:00 MST ON JUL 15	0.541B ON APR 14	---	---	1937
1938	26.9 B AT 15:30 MST ON MAR 15	25.5 B ON MAR 15	---	---	1938
1939	78.2 AT 13:00 MST ON MAR 22	68.0 ON MAR 22	0 ON MAR 1	---	1939
1940	27.0 AT 18:00 MST ON APR 15	21.2 B ON APR 15	---	---	1940
1941	21.3 B AT 12:30 MST ON MAR 27	13.9 B ON MAR 27	---	---	1941
1942	15.0 AT 04:30 MST ON APR 2	11.2 ON APR 2	---	---	1942
1943	58.0 AT 17:00 MST ON MAR 29	54.1 ON MAR 29	---	---	1943
1944	---	1.13 B ON APR 6	---	---	1944
1945	---	5.10 B ON MAR 13	---	---	1945
1946	14.8 B AT 06:00 MST ON MAR 14	12.5 B ON MAR 14	0 B ON MAR 1	---	1946
1947	28.1 AT 08:30 MST ON APR 11	24.0 ON APR 11	0 B ON MAR 1	---	1947
1948	65.4 B AT 17:00 MST ON APR 16	56.6 ON APR 17	---	---	1948
1949	---	10.2 B ON MAR 27	---	---	1949
1950	50.7 B ON APR 14	49.3 B ON APR 15	---	---	1950
1951	16.8 B AT 09:00 MST ON APR 30	12.9 B ON APR 30	---	---	1951
1952	53.5 B AT 04:00 MST ON APR 7	46.4 B ON APR 7	---	---	1952
1953	7.08 B AT 02:30 MST ON MAR 30	4.67 B ON MAR 29	---	---	1953
1954	64.3 B AT 11:30 MST ON APR 6	59.5 B ON APR 6	---	---	1954
1955	46.7 B AT 10:00 MST ON APR 1	43.0 B ON APR 1	---	---	1955
1956	7.96 B AT 19:00 MST ON MAR 25	5.24 B ON MAR 25	0 ON FEB 28	---	1956
1957	---	1.27 B ON MAR 23	---	---	1957
1958	---	17.8 B ON MAR 29	---	---	1958
1959	---	1.36 B ON MAR 18	---	---	1959
1960	53.8 B AT 04:00 MST ON MAR 21	48.1 B ON MAR 21	---	---	1960
1961	9.09 AT 17:00 MST ON MAY 30	6.14 B ON MAR 15	---	---	1961
1962	20.7 B AT 11:00 MST ON MAR 27	19.0 B ON MAR 27	---	---	1962
1963	20.4 B AT 05:00 MST ON MAR 23	16.7 B ON MAR 22	---	---	1963
1964	20.1 B AT 14:00 MST ON APR 1	14.7 B ON APR 1	---	---	1964
1965	---	22.7 B ON APR 13	0 B ON MAR 1	---	1965
1966	15.0 B AT 16:00 MST ON MAR 12	11.0 B ON MAR 12	0 B ON MAR 1	---	1966
1967	45.3 B AT 03:00 MST ON APR 9	39.4 B ON APR 9	0 B ON MAR 11	---	1967
1968	---	13.7 B ON MAR 6	---	---	1968
1969	66.3 AT 00:15 MST ON APR 6	58.9 ON APR 6	---	---	1969
1970	36.8 B AT 17:30 MST ON APR 6	34.0 B ON APR 6	---	---	1970
1971	24.1 B AT 16:30 CST ON APR 1	20.4 B ON APR 1	---	---	1971
1972	48.1 B AT 05:30 MST ON MAR 16	44.7 B ON MAR 16	---	---	1972
1973	0.825 AT 21:45 CST ON APR 20	0.396 ON APR 21	---	---	1973
1974	35.4 B AT 13:00 CST ON MAR 30	33.1 B ON MAR 30	---	---	1974
1975	114 AT 08:30 CST ON APR 23 *	96.6 ON APR 23 *	0.009B ON DEC 19	45 000	1975
1976	---	23.4 B ON MAR 24	0.015 ON JAN 9	45 900	1976
1977	2.04 AT 19:00 CST ON MAY 27	1.64 ON MAY 27	0.037E ON JAN 10	3 870	1977
1978	---	0.198E ON JUL 4	0.023E ON JUL 19	2 250	1978
1979	10.1 B AT 19:30 CST ON MAR 23	7.65 ON APR 24	0.051E ON JAN 1	21 900	1979
1980	0.736 AT 08:45 CST ON APR 16	0.680 ON MAY 16	0.065 ON JUL 12	3 930	1980
1981	0.425 AT 16:15 CST ON APR 28	0.340 ON APR 29	0.057B ON DEC 31	3 150	1981
1982	89.2 AT 13:00 CST ON APR 15	83.0 ON APR 15	0.023B ON JAN 16	29 000	1982
				17 800	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

EAST POPLAR RIVER AT MORRISON DAM - STATION NO. 11AE011

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1975	---	---	---	---	---	0.935	1.36	0.302	0.207	0.001R	---	---	---	1975
MEAN	---	---	---	---	---	0.935	1.36	0.302	0.207	0.001R	---	---	---	MEAN

LOCATION - LAT 49 01 42 N
LONG 105 25 54 W
REGULATED SINCE 1975

R - REVISED SINCE JAN 1980

EAST POPLAR RIVER AT MORRISON DAM - STATION NO. 11AE011

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1975	---	---	0 ON SEP 25 *	---	1975
				---	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

EASTEND CANAL - STATION NO. 11AC052

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1937	---	---	0	0.167	0.317	0.190	0.148	0.089	0.012	0	---	---	0.115	1937
1938	---	---	0	0.060	0.039	0.190	0.053	0	0	0	---	---	0.042	1938
1939	---	---	0	0.186	0.178	0	0.365	0.355	0.011	0.087	---	---	0.149	1939
1940	---	---	0	0	0.106	0.349	0.643	0.165	0.008	0	---	---	0.159	1940
1941	---	---	0	0	0.258	0.569	0.714	0.166	0.002	0	---	---	0.214	1941
1942	---	---	0	0	0.374	0.588	0.667	0.535	0.215	0.097	---	---	0.310	1942
1943	---	---	0	0	0.093	0.775	0.756	0.740	0.300	0.223	---	---	0.361	1943
1944	---	---	0	0	0.203	0.629	0.714	0.458	0.099	0.005	---	---	0.264	1944
1945	---	---	0	0	0.234	0.620	0.810	0.484	0.031	0.008	---	---	0.274	1945
1946	---	---	0	0.009	0.601	0.657	0.739	0.305	0	0	---	---	0.290	1946
1947	---	---	0	0	0.498	0.381	0.901	0.356	0	0	---	---	0.269	1947
1948	---	---	0	0	0.233	0.795	0.774	0.389	0.017	0	---	---	0.276	1948
1949	---	---	0	0.084	1.11	0.968	0.390	0.259	0	0	---	---	0.352	1949
1950	---	---	0	0	0.118	0.606	0.693	0.213	0.043	0.024	---	---	0.212	1950
1951	---	---	0	0	0.005	0.452	0.615	0.395	0.004	0	---	---	0.184	1951
1953	---	---	0	0	0	0	0.474	0.206	0.010	0	---	---	0.087	1953
1954	---	---	0	0	0	0.228	0.754	0.083	0	0	---	---	0.134	1954
1955	---	---	0	0	0	0.669	0.007	0.147	0.032	0	---	---	0.105	1955
1956	---	---	0	0	0.246	0.987	0.302	0.459	0.091	0	---	---	0.260	1956
1957	---	---	0	0	0.606	0.791	0.338	0.484	0	0	---	---	0.277	1957
1958	---	---	0	0.035	0.434	1.07	0.526	0.589	0	0	---	---	0.331	1958
1959	---	---	0	0.099	0.523	1.06	0.174	0.966	0.117	0	---	---	0.367	1959
1960	---	---	0	0.059	0.318	1.03	0.932	0.485	0	0	---	---	0.353	1960
1961	---	---	0	0.187	0.791	0.655	0.987	0.156	0	0	---	---	0.348	1961
1962	---	---	0	0.382	0.766	0.300	0.164	0.452	0.002	0	---	---	0.259	1962
1963	---	---	0	0.215	0.605	0.203	0.330	0.746	0.011	0	---	---	0.265	1963
1964	---	---	0	0.002	0.113	0.880	0.546	0.142	0	0	---	---	0.209	1964
1965	---	---	0	0.001	0.368	0.858	0.001	0	0	0	---	---	0.152	1965
1966	---	---	0	0.001	0.163	1.17	0.262	0.493	0	0	---	---	0.259	1966
1967	---	---	0	0	0	1.18	1.05	0.490	0	0	---	---	0.340	1967
1968	---	---	0	0	1.03	0.747	1.00	0.538	0	0	---	---	0.416	1968
1969	---	---	0	0.001	0.356	1.05	0.001	0.764	0.011	0	---	---	0.272	1969
1970	---	---	0	0	0.697	0.594	0.488	0.218	0	0	---	---	0.250	1970
1971	---	---	0	0	0.575	0.815	0.648	0.542	0.001	0	---	---	0.323	1971
1972	---	---	0	0	1.09	0.168	0.868	0.367	0	0	---	---	0.315	1972
1973	---	---	0	0	0.997	0.401	0.649	0.319	0	0	---	---	0.298	1973
1974	---	---	0	0	0.001	0.877	0.567	0.313	0	0	---	---	0.219	1974
1975	---	---	0	0	0	0.765	0.419	0.424	0.002	0	---	---	0.201	1975
1976	---	---	0	0	1.10	0.214	0.394	0.521	0.004	0	---	---	0.281	1976
1977	---	---	0	0	1.32	0.005	1.19	0.001	0	0	---	---	0.318	1977
1978	---	---	0	0	0.458	0.333	0.544	0.284	0	0	---	---	0.203	1978
1979	---	---	0	0	0.175	1.14	0.474	0.606	0	0	---	---	0.299	1979
1980	---	---	0	0	1.11	0.433	0.889	0.368	0	0	---	---	0.353	1980
1981	---	---	0	0	1.26	0	0.693	0.406	0	0	---	---	0.299	1981
1982	---	---	0	0	0.153	0	0.146	0.767	0	0	---	---	0.135	1982
MEAN	---	---	0	0.033	0.436	0.586	0.551	0.383	0.023	0.010	---	---	0.253	MEAN

LOCATION - LAT 49 30 21 N
LONG 108 50 54 W

REGULATED SINCE 1937

INTERNATIONAL GAUGING STATION

EASTEND CANAL - STATION NO. 11AC052

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1937	---	0.597 ON MAY 2	0 ON MAR 1 *	2 440	1937
1938	---	0.309 ON JUN 18	0 ON MAR 1	896	1938
1939	---	0.841 ON AUG 3	0 ON MAR 1	3 150	1939
1940	---	0.889 ON JUL 5	0 ON MAR 1	3 370	1940
1941	---	0.946 ON JUN 27	0 ON MAR 1	4 530	1941
1942	---	0.900 ON JUL 15	0 ON MAR 1	6 560	1942
1943	---	1.05 ON JUN 18	0 ON MAR 1	7 640	1943
1944	---	0.878 ON JUL 22	0 ON MAR 1	5 580	1944
1945	---	1.02 ON JUL 5	0 ON MAR 1	5 800	1945
1946	---	1.02 ON JUN 5	0 ON MAR 1	6 130	1946
1947	---	1.06 ON JUL 11	0 ON MAR 1	5 680	1947
1948	---	0.985 ON JUN 25	0 ON MAR 1	5 840	1948
1949	---	1.76 ON MAY 11	0 ON MAR 1	7 440	1949
1950	---	1.26 ON JUL 26	0 ON MAR 1	4 490	1950
1951	---	1.17 ON AUG 1	0 ON MAR 1	3 900	1951
1953	---	0.940E ON JUL 14	0 ON MAR 1	1 850	1953
1954	---	1.07 ON JUL 21	0 ON MAR 1	2 840	1954
1955	---	1.25 ON JUN 17	0 ON MAR 1	2 230	1955
1956	---	1.36 ON JUN 16	0 ON MAR 1	5 490	1956
1957	---	1.37 ON MAY 30	0 ON MAR 1	5 870	1957
1958	---	1.42 ON MAY 27	0B ON MAR 1	7 010	1958
1959	---	1.44 ON JUN 4	0 ON MAR 1	7 770	1959
1960	---	1.53 ON JUN 6	0 ON MAR 1	7 460	1960
1961	---	1.47 ON JUL 14	0 ON MAR 1	7 360	1961
1962	---	1.09 ON JUN 1	0 ON MAR 1	5 470	1962
1963	---	1.20 ON MAY 29	0 ON MAR 1	5 610	1963
1964	---	1.34 ON JUN 2	0 ON MAR 1	4 430	1964
1965	---	1.33 ON JUN 12	0 ON MAR 1	3 210	1965
1966	---	1.43 ON JUN 5	0 ON MAR 1	5 490	1966
1967	---	1.73 ON JUN 15	0 ON MAR 1	7 190	1967
1968	---	2.01 ON JUL 24	0 ON MAR 1	8 820	1968
1969	---	1.57 ON MAY 30	0 ON MAR 1	5 770	1969
1970	---	1.70 ON MAY 25	0B ON MAR 1	5 310	1970
1971	---	2.02 ON MAY 30	0 ON MAR 1	6 840	1971
1972	---	1.93 ON MAY 25	0 ON MAR 1	6 670	1972
1973	---	2.19 ON MAY 19	0 ON MAR 1	6 300	1973
1974	---	1.95 ON JUN 27	0 ON MAR 1	4 630	1974
1975	---	2.30 ON JUN 13	0 ON MAR 1	4 240	1975
1976	---	2.36 E ON MAY 18 *	0 ON MAR 1	5 960	1976
1977	---	2.07 ON MAY 14	0 ON MAR 1	6 730	1977
1978	---	1.66 ON MAY 27	0 ON MAR 1	4 310	1978
1979	---	1.89 ON JUL 25	0 ON MAR 1	6 320	1979
1980	---	2.01 ON MAY 25	0 ON MAR 1	7 470	1980
1981	---	2.19 ON MAY 7	0 ON MAR 1	6 330	1981
1982	---	1.37 ON AUG 5	0 ON MAR 1	2 860	1982
				5 360	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

EKAPO CREEK NEAR BROADVIEW - STATION NO. 05JM009

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1955	---	---	---	---	---	1.35	0.405	0.032	---	---	---	---	---	1955
1956	---	---	---	---	1.16	0.230	0.160	---	---	---	---	---	---	1956
MEAN	---	---	---	---	1.16	0.790	0.283	0.032	---	---	---	---	---	MEAN

LOCATION - LAT 50 23 17 N, LONG 102 39 40 W
DRAINAGE AREA, 308 km^2
NATURAL FLOW
DATA CONTRIBUTED BY - PRAIRIE FARM REHABILITATION ADMINISTRATION

EKAPO CREEK NEAR HARIEVAL - STATION NO. 05JM010

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1956	---	---	---	---	4.38	0.359	---	---	---	---	---	---	---	1956
1969	---	---	0	4.06	0.171	0.055	0.005	0	0	0	---	---	0.526	1969
1970	---	---	0	2.52	1.74	0.287	0.006	0	0	0	---	---	0.564	1970
1971	---	---	0	2.55	0.086	0	0	0	0	0	---	---	0.323	1971
1972	---	---	1.27	1.07	0.185	0.007	0	0	0	0	---	---	0.316	1972
1973	---	---	0.020	0.005	0.007	0.021	0.001	0.001	0.004	0	---	---	0.007	1973
1974	---	---	0	5.19	1.67	0.178	0.009	0.067	0.003	0.013	---	---	0.881	1974
1975	---	---	0	7.98	4.32	0.133	0.045	0.003	0.001	0.001	---	---	1.55	1975
1976	---	---	0.004	11.7	0.819	0.044	0.003	0.001	0.001	0	---	---	1.54	1976
1977	---	---	0.002	0.010	0.011	0	0	0	0	0	---	---	0.003	1977
1978	---	---	0.031	0.928	0.130	0.003	0.002	0.001	0.001	0.001	---	---	0.135	1978
1979	---	---	0	5.97	2.80	0.125	0.001	0.001	0	0	---	---	1.10	1979
1980	---	---	0	0.845	0.009	0.001	0.001	0.001	0.001	0.001	---	---	0.105	1980
1981	---	0.020	0.011	0.001	0.001	0.001	0.001	0.001	0	0	---	---	0.002	1981
1982	---	---	0.026	1.91	0.039	0.003	0.021	0.002	0.001	0.002	---	---	0.245	1982
MEAN	---	0.020	0.097	3.20	1.09	0.081	0.007	0.006	0.001	0.00[illegible]	---	---	0.521	MEAN

LOCATION - LAT 50 31 47 N, LONG 102 42 37 W
DRAINAGE AREA, 1 100 km^2
NATURAL FLOW

REMARKS - RECORDS PRIOR TO 1973 COLLECTED ABOUT 8.0 km DOWNSTREAM

EKAPO CREEK NEAR MARIEVAL - STATION NO. 05JH010

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1956	---	29.7 ON APR 18	---	---	1956
1969	---	12.4 B ON APR 10	0B ON MAR 1 *	11 100	1969
1970	---	7.79 ON APR 11	0B ON MAR 1	11 900	1970
1971	---	9.17 ON APR 8	0B ON MAR 1	6 830	1971
1972	---	6.31 B ON MAR 23	0B ON MAR 1	6 690	1972
1973	---	0.425E ON JUN 3	0B ON MAR 1	156	1973
1974	28.6 AT 21:30 CST ON APR 18	24.3 ON APR 18	0B ON MAR 1	18 700	1974
1975	28.0 AT 13:26 CST ON APR 29	27.6 ON APR 29	0B ON MAR 1	32 800	1975
1976	57.8 AT 01:49 CST ON APR 9 *	44.7 ON APR 9 *	0 ON JUL 11	32 600	1976
1977	0.065 AT 03:28 CST ON MAY 5	0.040 ON MAY 5	0B ON MAR 1	61.7	1977
1978	3.94 B AT 23:50 CST ON APR 2	3.11 B ON APR 3	0B ON MAR 1	2 860	1978
1979	42.3 AT 23:31 CST ON APR 21	34.0 ON APR 22	0B ON MAR 1	23 300	1979
1980	3.90 B AT 21:05 CST ON APR 5	2.61 B ON APR 5	0B ON MAR 1	2 230	1980
1981	---	0.037B ON MAR 1	0 ON AUG 12	43.2	1981
1982	10.0 B AT 23:00 CST ON APR 14	9.66 B ON APR 15	0B ON MAR 1	5 190	1982
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		11 000	MEAN

ELBOW DIVERSION CANAL AT DROP STRUCTURE - STATION NO. 05JG006

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1959	0	0	0	0	0.489	1.38	1.75	2.49	2.46	0.088	0	0	0.724	1959
1960	0	0	0	0.038	0.076	0.056	0.847	2.47	0.147	0.010	0.003	0	0.308	1960
1961	0	0	0	0.258	2.65	2.54	2.58	2.59	2.59	0.038	0.002	0	1.11	1961
1962	0	0	0	0	0.086	2.54	2.48	2.47	2.40	0.126	0.009	0	0.846	1962
1963	0	0	0	1.12	2.56	2.59	1.50	0.436	2.57	1.85	0.320	0	1.08	1963
1964	0	0	0	0.057	0.057	0.070	0	2.21	2.61	2.67	1.70	0.055	0.787	1964
1965	0	0	0	0	0.224	0.091	0.002	0.002	0	0	0	0	0.027	1965
1966	0	0	0	0	0.011	0.007	0.001	0.007	0.009	0.010	0	0	0.004	1966
1967	0	0	0	0.028	0.020	1.32	4.56	5.77	5.16	5.59	5.92	5.08	2.81	1967
1968	4.68	0	0	0	1.88	4.57	4.46	0.508	0.030	0.028	7.12	4.38	2.31	1968
1969	4.39	1.03	0	0	0.013	0.018	2.68	1.55	4.13	0.467	2.52	2.81	1.64	1969
1970	1.58	1.42	0	0.018	0.021	0.036	0.033	0.033	0.038	0.162	2.79	2.67	0.728	1970
1971	1.61	1.27	0.106	0.024	0.233	0.029	0.041	0.539	0.100	1.44	2.57	1.42	0.779	1971
1972	1.42	1.14	0.170	0.049	4.65	3.66	6.17	3.98	1.09	0.590	3.36	1.42	2.32	1972
1973	1.42	0.096	0.243	5.46	6.37	1.31	5.51	5.97	0.665	2.04	1.69	1.30	2.70	1973
1974	1.24	0.316	0.035	0.047	0.055	0.048	0.199	0.603	0.041	0.041	3.45	1.85	0.660	1974
1975	1.42	1.20	0.034	0.041	0.041	0.404	0.936	1.96	2.24	1.59	1.67	1.59	1.09	1975
1976	1.53	0.373	0.051	0.056	0.120	0.200	0.496	0.785	2.73	1.40	1.75	1.50	0.916	1976
1977	1.07	1.12	1.14	1.24	3.68	3.83	3.06	3.45	3.36	3.30	1.50	1.22	2.34	1977
1978	1.21	0.942	0.065	0.050	0.521	0.889	2.69	3.84	3.76	1.88	1.32	1.32	1.55	1978
1979	1.25	1.18	0.023	0.037	0.109	0.285	1.07	3.29	3.71	1.72	1.40	1.28	1.28	1979
1980	1.27	1.21	0.103	0.100	1.45	6.70	7.10	5.76	3.88	1.74	1.80	1.85	2.75	1980
1981	1.79	1.11	0.787	4.01	9.69	10.5	10.1	8.24	4.76	0.581	1.13	1.26	4.51	1981
1982	1.25	1.28	0.785	0.034	0.033	0.461	0.967	1.62	2.97	1.98	1.75	1.36	1.21	1982
MEAN	1.13	0.570	0.148	0.528	1.46	1.81	2.47	2.52	2.14	1.22	1.82	1.35	1.44	MEAN

LOCATION - LAT 50 58 40 N
LONG 106 23 55 W REGULATED

ELBOW DIVERSION CANAL AT DROP STRUCTURE - STATION NO. 05JG006

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1959	---	2.78 ON SEP 26	0 E ON JAN 1 *	22 800	1959
1960	---	2.55 ON AUG 5	0 E ON JAN 1	9 750	1960
1961	---	2.83 ON MAY 12	0 E ON JAN 1	35 000	1961
1962	---	2.67 ON AUG 7	0 E ON JAN 1	26 700	1962
1963	---	2.79 ON JUN 6	0 E ON JAN 1	34 100	1963
1964	---	2.75 ON SEP 7	0 E ON JAN 1	24 900	1964
1965	---	1.25 ON MAY 24	0 E ON JAN 1	845	1965
1966	---	0.088 ON MAY 25	0 E ON JAN 1	118	1966
1967	---	6.09 ON OCT 21	0 E ON JAN 1	88 600	1967
1968	---	11.3 ON NOV 14	0 E ON FEB 1	72 900	1968
1969	---	7.56 ON SEP 12	0 ON FEB 18	51 600	1969
1970	---	2.92 ON OCT 31	0 B ON MAR 1	22 800	1970
1971	---	3.20 ON OCT 21	0 B ON MAR 6	24 500	1971
1972	---	11.7 ON MAY 21 *	0 B ON MAR 10	73 300	1972
1973	---	8.95 ON MAY 11	0.011B ON FEB 6	85 300	1973
1974	---	4.45 ON NOV 16	0.028B ON APR 1	20 800	1974
1975	---	3.06 ON SEP 16	0.034B ON FEB 25	34 500	1975
1976	---	2.92 ON AUG 31	0.031 ON JUL 1	29 000	1976
1977	---	3.91 ON MAY 25	0.040 ON JUL 19	73 800	1977
1978	---	3.91 ON AUG 28	0.040B ON APR 13	48 800	1978
1979	---	3.79 ON OCT 7	0.012B ON FEB 24	40 300	1979
1980	---	8.72 ON JUL 1	0 B ON MAR 4	87 000	1980
1981	---	11.4 ON JUL 13	0.041 ON OCT 27	142 000	1981
1982	---	3.06 ON SEP 28	0.029 ON MAY 5	38 000	1982
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		45 300	MEAN

ENGLISHMAN RIVER NEAR SPRUCE LAKE - STATION NO. 05EF006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	0	1.35	---	---	---	---	---	---	---	---	---	1970
1971	---	---	0	1.23	---	---	---	---	---	---	---	---	---	1971
1973	---	---	---	---	0.513	0.177	---	---	---	---	---	---	---	1973
1975	---	---	0	1.62	1.18	0.576	1.33	0.180	0.087	0.189	---	---	0.648	1975
1976	---	---	0.004	1.22	0.278	0.271	0.294	0.069	0.197	0.158	---	---	0.308	1976
1977	---	---	0.162	0.608	0.895	0.101	0.164	0.245	0.198	0.083	---	---	0.307	1977
1978	---	---	0.095	1.16	1.38	0.478	0.044	0.082	0.186	0.173	---	---	0.447	1978
1979	---	---	0.101	1.64	2.25	0.421	0.218	0.079	0.055	0.111	---	---	0.609	1979
1980	---	---	0	1.13	0.172	0.149	0.125	0.201	0.290	0.213	---	---	0.282	1980
1981	---	---	0.244	1.79	0.175	0.052	0.091	0.048	0.003	0.070	---	---	0.305	1981
1982	---	---	0	0.574	0.303	0.080	0.263	0.365	0.097	0.180	---	---	0.232	1982
MEAN	---	---	0.061	1.23	0.794	0.256	0.316	0.159	0.139	0.147	---	---	0.392	MEAN

LOCATION - LAT 53 34 32 N, LONG 109 09 25 W. DRAINAGE AREA, 393 km². NATURAL FLOW

ENGLISHMAN RIVER NEAR SPRUCE LAKE - STATION NO. 05EF006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1970	---	3.94B ON APR 20	0 B ON MAR 1 *	---	1970
1971	---	5.21B ON APR 16	0 B ON MAR 1	---	1971
1973	---	---	---	---	1973
1975	---	7.14 ON APR 27	0 B ON MAR 1	13 600	1975
1976	---	2.75B ON APR 7	0 B ON MAR 1	6 520	1976
1977	---	1.83 ON MAY 21	0.003E ON JUN 15	6 510	1977
1978	2.75 AT 07:10 CST ON MAY 2	2.57 ON MAY 2	0.001 ON JUL 25	9 470	1978
1979	10.8 AT 14:39 CST ON MAY 1 *	10.5 ON MAY 1 *	0.023 ON SEP 22	12 900	1979
1980	4.74B AT 05:30 CST ON APR 15	4.41B ON APR 15	0 B ON MAR 1	5 960	1980
1981	5.06B AT 10:23 CST ON APR 7	3.95B ON APR 5	0.001 ON SEP 3	6 470	1981
1982	2.99B AT 06:24 CST ON APR 24	2.71B ON APR 24	0 B ON MAR 1	4 920	1982
				8 290	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

ENRIGHT AND STRONG DITCH NEAR EASTEND - STATION NO. 11AC005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	0.238	0.133	0.180	0.120	0.011	---	---	---	1909
1910	---	---	0	0.002	0.227	0.320	0.053	0.134	0.176	0.275	---	---	0.148	1910
1911	---	---	0	0.013	0.133	0.191	0.154	0.163	0.036	0	---	---	0.086	1911
1912	---	---	0	0	0	0.089	0.664	0.364	0.023	0	---	---	0.144	1912
1913	---	---	0	0	0.078	---	---	---	---	---	---	---	---	1913
1914	---	---	---	---	0.502	0.345	0.113	0	0	0	---	---	---	1914
1915	---	---	0	0.007	0.402	0.372	0.420	0.055	0.005	0	---	---	0.158	1915
1916	---	---	0	0	---	0.226	0.127	0.190	0	0	---	---	---	1916
1917	---	---	0	0	0.052	0.269	0.269	0.053	0	0	---	---	0.080	1917
1918	---	---	0	0	0	0	0	0	0	0	---	---	0	1918
1919	---	---	0	0	0	0	0	0	0	0	---	---	0	1919
1920	---	---	0	0	0	0	0	0	0	0	---	---	0	1920
1921	---	---	0	0	0	0	0	0	0	0	---	---	0	1921
1922	---	---	0	0	0	0	0	0	0	0	---	---	0	1922
1923	---	---	0	0	0	0	0	0	0	0	---	---	0	1923
MEAN	---	---	0	0.002	0.107	0.146	0.138	0.081	0.026	0.020	---	---	0.056	MEAN

LOCATION - LAT 49 30 30 N, LONG 108 50 24 W. REGULATED

ENRIGHT AND STRONG DITCH NEAR EASTEND - STATION NO. 11AC005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1909	---	---	0 ON OCT 18 *	---	1909
1910	---	0.504 ON JUN 1	0 ON MAR 1	3 140	1910
1911	---	0.595 ON JUN 12	0 ON MAR 1	1 830	1911
1912	---	0.702 ON JUL 4	0 ON MAR 1	3 040	1912
1913	---	---	0 ON MAR 1	---	1913
1914	---	---	0 ON JUL 19	---	1914
1915	---	0.765 ON JUL 21 *	0 ON MAR 1	3 350	1915
1916	---	---	0 ON MAR 1	---	1916
1917	---	0.269E ON MAY 26	0 ON MAR 1	1 780	1917
1918	---	0 ON MAR 1	0 ON MAR 1	0	1918
1919	---	0 ON MAR 1	0 ON MAR 1	0	1919
1920	---	0 ON MAR 1	0 ON MAR 1	0	1920
1921	---	0 ON MAR 1	0 ON MAR 1	0	1921
1922	---	0 ON MAR 1	0 ON MAR 1	0	1922
1923	---	0 ON MAR 1	0 ON MAR 1	0	1923
				1 190	MEAN

E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

ETOMAMI RIVER NEAR BERTWELL - STATION NO. 05LB002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1955	---	---	0.137	38.9	89.1	7.25	1.93	0.134	0.172	0.518	---	---	11.7	1955
1956	---	---	0.028	2.89	30.5	8.60	4.02	0.326	0.782	0.556	---	---	5.93	1956
1957	---	---	0.170	27.7	18.5	2.77	0.249	0.720	0.477	0.066	---	---	6.29	1957
1958	---	---	0.155	1.88	1.23	0.779	0.568	0.110	0.083	0.377	---	---	0.645	1958
1959	---	---	0.422	4.30	2.70	2.72	5.43	0.264	2.73	4.30	---	---	2.85	1959
1960	---	---	0.872	24.6	18.2	9.61	1.50	0.316	0.324	0.332	---	---	6.91	1960
1961	---	---	0.187	1.76	1.53	0.270	0.001	0	0	0	---	---	0.466	1961
1962	---	---	0	13.5	3.90	0.267	0.093	0	0.272	0.179	---	---	2.25	1962
1963	---	---	0.011	7.74	0.790	1.13	0.802	0.113	0.382	0.512	---	---	1.41	1963
1964	---	---	0	9.26	26.4	0.722	0.247	0.287	2.70	0.758	---	---	5.05	1964
1965	---	---	0.057	7.14	17.1	40.2	10.3	1.74	1.14	1.75	---	---	9.85	1965
1966	---	---	0.131	23.5	14.7	13.5	6.63	2.09	0.909	2.68	---	---	7.97	1966
1967	---	---	0.297	4.16	30.4	4.29	0.292	0.036	0.023	0.235	---	---	5.00	1967
1968	---	---	1.94	4.35	0.908	1.58	0.684	1.19	0.824	0.180	---	---	1.44	1968
1969	---	---	0.227	19.6	3.13	0.359	0.201	0.062	0.020	1.18	---	---	3.06	1969
1970	---	---	0.073	9.81	26.0	7.23	10.3	1.10	0.273	1.05	---	---	7.00	1970
1971	---	---	0.179	28.4	4.90	1.88	0.530	0.218	0.080	0.452	---	---	4.52	1971
1972	---	---	0.189	31.8	31.2	1.39	0.305	0.057	0.148	0.693	---	---	8.19	1972
1973	---	---	0.048	6.26	5.27	10.8	7.97	0.711	0.083	0.278	---	---	3.90	1973
1974	---	---	0.266	28.3	32.5	8.50	0.448	0.769	1.52	1.37	---	---	9.18	1974
1975	---	---	0.244	16.4	19.1	10.0	1.87	0.459	1.50	1.96	---	---	6.41	1975
1976	---	---	0.198	25.1	4.61	24.2	6.43	0.460	0.091	0.221	---	---	7.56	1976
1977	---	---	0.227	4.53	0.968	0.258	0.083	0.275	0.672	0.741	---	---	0.959	1977
1978	---	---	0.131	15.3	8.38	0.947	0.659	0.229	0.257	0.725	---	---	3.30	1978
1979	---	---	0.084	22.0	30.0	14.2	0.941	0.072	0.051	0.145	---	---	8.39	1979
1980	---	---	0.164	4.42	0.377	0.173	0.208	0.463	0.157	0.258	---	---	0.768	1980
1981	---	---	1.75	2.93	0.709	0.846	0.555	0.335	0.020	2.35	---	---	1.19	1981
1982	---	---	0.093	5.20	2.20	3.86	0.313	0.077	0.005	0.114	---	---	1.46	1982
MEAN	---	---	0.296	13.8	13.8	6.37	2.27	0.450	0.561	0.856	---	---	4.77	MEAN

LOCATION - LAT 52 35 30 N, LONG 102 33 10 W — DRAINAGE AREA, 2 050 km² — NATURAL FLOW

ETOMAMI RIVER NEAR BERTWELL - STATION NO. 05LB002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1955	---	107 ON MAY 7	0.057E ON MAR 1	248 000	1955
1956	---	44.2 ON MAY 15	0.028E ON MAR 1	126 000	1956
1957	---	90.9 ON APR 24	0 ON JUL 1 *	133 000	1957
1958	---	3.31 ON APR 21	0 ON AUG 18	13 700	1958
1959	---	22.3 ON JUN 29	0.028B ON MAR 1	60 300	1959
1960	---	47.3 ON APR 25	0.057B ON OCT 30	146 000	1960
1961	---	6.09B ON APR 20	0 ON JUL 4	9 860	1961
1962	---	56.6 B ON APR 24	0 B ON MAR 1	47 500	1962
1963	---	23.8 B ON APR 15	0 B ON MAR 1	30 000	1963
1964	---	59.5 ON MAY 15	0 B ON MAR 1	107 000	1964
1965	---	148 ON JUN 4 *	0.057E ON MAR 1	208 000	1965
1966	---	97.7 ON APR 15	0.127B ON MAR 1	169 000	1966
1967	---	73.6 B ON MAY 1	0.008 ON AUG 28	106 000	1967
1968	---	14.0 B ON MAR 30	0.085B ON MAR 19	30 600	1968
1969	---	56.6 B ON APR 12	0 ON SEP 9	64 700	1969
1970	62.3 AT 19:00 CST ON MAY 3	61.7 ON MAY 4	0.068B ON MAR 1	148 000	1970
1971	95.4 AT 20:06 CST ON APR 16	87.8 ON APR 17	0 ON SEP 1	95 600	1971
1972	147 AT 19:09 CST ON APR 26 *	140 ON APR 27	0 ON AUG 2	173 000	1972
1973	23.8 AT 00:00 CST ON JUL 5	22.7 ON JUL 5	0 B ON MAR 1	82 600	1973
1974	125 AT 21:00 CST ON APR 22	123 ON APR 22	0.173 ON AUG 10	194 000	1974
1975	---	57.8 ON APR 24	0.244B ON MAR 1	136 000	1975
1976	75.0 AT 19:20 CST ON JUN 25	73.3 ON JUN 25	0.003 ON SEP 14	160 000	1976
1977	---	12.7 B ON APR 12	0.027E ON AUG 29	20 300	1977
1978	---	62.3 B ON APR 20	0.004 ON SEP 12	69 800	1978
1979	---	110 A ON APR 23	0.005 ON SEP 28	178 000	1979
1980	---	17.0 ON APR 14	0 ON SEP 17	16 300	1980
1981	---	6.80B ON MAR 29	0.001 ON SEP 2	25 100	1981
1982	---	17.9 B ON APR 17	0 B ON MAR 1	31 000	1982
				101 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) — B - ICE CONDITIONS — E - ESTIMATED — * - EXTREME RECORDED FOR THE PERIOD OF RECORD

ETOMAMI RIVER NEAR RESERVE - STATION NO. 05LB001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1955	---	---	0.113	20.6	31.0	4.93	0.633	0.230	0.352	0.359	---	---	7.26	1955
1956	---	---	0.028	1.70	23.6	7.99	1.90	0.363	0.305	0.489	---	---	4.56	1956
1957	---	---	0.144	6.10	16.3	1.81	0.199	0.575	0.387	0.037	---	---	3.19	1957
1958	---	---	0.104	1.21	0.729	0.374	0.307	0.051	0.034	0.102	---	---	0.362	1958
1959	---	---	0.283	2.32	2.32	1.80	2.61	0.267	2.03	3.25	---	---	1.86	1959
1960	---	---	0.667	10.4	13.5	6.37	1.23	0.283	0.067	0.220	---	---	4.07	1960
1961	---	---	0.183	0.576	1.24	0.117	0.004	0.003	0.003	0.005	---	---	0.266	1961
1962	---	---	0.014	3.07	2.22	0.207	0.107	0.053	0.198	0.083	---	---	0.740	1962
1963	---	---	0.011	5.34	0.789	0.785	0.274	0.110	0.288	0.392	---	---	0.985	1963
1964	---	---	0	3.32	7.08	0.346	0.213	0.190	0.699	0.465	---	---	1.58	1964
1965	---	---	0.057	5.26	13.6	29.5	6.42	0.504	1.49	1.21	---	---	7.21	1965
MEAN	---	---	0.146	5.45	10.2	4.93	1.26	0.235	0.532	0.601	---	---	2.91	MEAN

LOCATION - LAT 52 28 50 N, LONG 102 38 42 W — DRAINAGE AREA, 1 100 km²

ETOMAMI RIVER NEAR RESERVE - STATION NO. 05LB001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1955	---	70.8 ON MAY 8 *	0.028 ON JUL 30	154 000	1955
1956	---	41.6 ON MAY 17	0 ON AUG 6 *	96 400	1956
1957	---	46.7 ON MAY 1	0 E ON JUL 1	67 700	1957
1958	---	2.80B ON APR 22	0 E ON AUG 19	7 660	1958
1959	---	12.7 ON JUN 28	0.028 ON AUG 29	39 400	1959
1960	---	25.8 ON APR 21	0.008 ON SEP 21	86 100	1960
1961	---	2.41 ON MAY 14	0.003 ON JUL 8	5 630	1961
1962	---	15.6 B ON APR 24	0 ON OCT 27	15 700	1962
1963	---	14.3 B ON APR 16	0 B ON MAR 1	20 800	1963
1964	---	13.9 ON MAY 9	0 B ON MAR 1	32 700	1964
1965	---	68.0 E ON JUN 4	0.031 ON SEP 7	153 000	1965
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		61 700	MEAN

EYEHILL CREEK NEAR MACKLIN - STATION NO. 05GA007

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1966	---	---	---	---	---	---	---	---	---	0.003	---	---	---	1966
1967	---	---	0	0.156	0.520	0.156	0.037	0.001	0	0	---	---	0.109	1967
1968	---	---	0.302	0.050	0.008	0.004	0.001	0.001	0.083	0.127	---	---	0.072	1968
1969	---	---	0	2.38	0.163	0.057	0	0	0	0.004	---	---	0.319	1969
1970	---	---	0	0.641	0.047	0.066	0.021	0.268	0.028	0	---	---	0.133	1970
1971	---	---	0	1.77	0.036	0.084	0.006	0.340	0.019	0.030	---	---	0.281	1971
1972	---	---	0.133	0.196	0.025	0.014	0	0	0.203	0.044	---	---	0.076	1972
1973	---	---	0	0.002	0.001	0.190	0.420	0.001	0.060	0.010	---	---	0.086	1973
1974	---	---	0	1.51	0.112	0.117	0	0.041	0.008	0	---	---	0.220	1974
1975	---	---	0	0.002	0.726	0.286	0.051	0.026	0.005	0.001	---	---	0.138	1975
1976	---	---	0	0.495	0.091	0.140	0.076	0	0.026	0.040	---	---	0.107	1976
1977	---	---	0	0.003	0.002	0.002	0.006	0.004	0	0	---	---	0.002	1977
1978	---	---	0	0.002	0.001	0	0.018	0	0.001	0	---	---	0.003	1978
1979	---	---	0	0.506	0.237	0.001	0	0	0	0	---	---	0.092	1979
1980	---	---	0.003	0.313	0.138	0	0	0	0	0	---	---	0.056	1980
1981	---	---	0.016	0.372	0.112	0.001	0.011	0.449	0.152	0.001	---	---	0.139	1981
1982	---	---	0	0.010	0.212	0.116	0.001	0	0	0.003	---	---	0.043	1982
MEAN	---	---	0.028	0.526	0.152	0.077	0.041	0.071	0.037	0.015	---	---	0.117	MEAN

LOCATION - LAT 52 19 08 N DRAINAGE AREA, 10 100 km^2
LONG 109 55 41 W REGULATED

EYEHILL CREEK NEAR MACKLIN - STATION NO. 05GA007

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1966	---	---	0E ON OCT 29 *	---	1966
1967	---	1.38 ON APR 30	0B ON MAR 1	2 300	1967
1968	---	0.889B ON MAR 1	0 ON JUN 24	1 530	1968
1969	13.8 B AT 11:30 CST ON APR 12 *	13.6 ON APR 13 *	0B ON MAR 1	6 750	1969
1970	3.14 B AT 08:40 CST ON APR 11	2.68 B ON APR 12	0B ON MAR 1	2 810	1970
1971	12.4 AT 07:53 CST ON APR 18	10.3 ON APR 18	0B ON MAR 1	5 960	1971
1972	1.64 AT 09:08 CST ON APR 6	0.864 ON APR 6	0B ON MAR 1	1 610	1972
1973	1.07 AT 19:30 CST ON JUL 10	1.04 ON JUL 10	0B ON MAR 1	1 820	1973
1974	9.68 AT 18:04 CST ON APR 21	8.27 ON APR 21	0B ON MAR 1	4 650	1974
1975	1.12 AT 23:03 CST ON MAY 4	1.11 ON MAY 5	0B ON MAR 1	2 910	1975
1976	1.03 AT 13:39 CST ON APR 7	0.951 ON APR 7	0B ON MAR 1	2 270	1976
1977	---	0.122 ON JUL 1	0B ON MAR 1	45.6	1977
1978	0.102 ON JUL 9	0.102 ON JUL 9	0B ON MAR 1	60.3	1978
1979	0.838B AT 19:19 CST ON APR 15	0.824B ON APR 11	0B ON MAR 1	1 950	1979
1980	0.688 AT 10:06 CST ON APR 18	0.683 ON APR 18	0B ON MAR 1	1 190	1980
1981	1.43 AT 13:00 CST ON APR 17	1.19 ON APR 18	0B ON MAR 1	2 940	1981
1982	---	0.469E ON MAY 22	0B ON MAR 1	907	1982
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		2 480	MEAN

EYEHILL CREEK NEAR YONKER - STATION NO. 05GA001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
1920	---	---	---	---	1.02	0.518	0.312	0.180	0.249	0.304	---	---	---	1920
1921	---	---	---	3.66	1.16	0.411	0.277	0.164	0.233	0.194	---	---	---	1921
1922	---	---	---	0.930	0.645	0.257	0.155	0.130	0.123	0.142	---	---	---	1922
1923	---	---	---	0.270	0.369	0.319	0.381	0.365	0.172	0.196	---	---	---	1923
1924	---	---	---	0.122	1.15	0.868	0.258	0.136	0.127	0.141	---	---	---	1924
1925	---	---	0.058	1.31	0.355	0.329	0.144	0.094	0.100	---	---	---	---	1925
1926	---	---	0.072	0.708	0.328	0.267	0.085	0.104	0.109	0.108	---	---	0.220	1926
1927	---	---	0	1.01	0.643	0.601	0.507	0.257	0.257	0.609	---	---	0.484	1927
1928	---	---	0.186	1.79	0.869	0.489	0.318	0.128	0.115	0.145	---	---	0.502	1928
1929	---	---	0	0.321	0.613	0.242	0.133	0.068	0.092	0.151	---	---	0.202	1929
1930	---	---	---	0.445	0.260	0.424	0.753	0.154	0.146	0.233	---	---	---	1930
1936	---	---	0.038	1.10	0.430	0.159	---	---	---	---	---	---	---	1936
MEAN	---	---	0.059	1.06	0.654	0.407	0.302	0.162	0.157	0.222	---	---	0.352	MEAN

LOCATION - LAT 52 38 02 N DRAINAGE AREA, 10 700 km²
LONG 109 39 34 W NATURAL FLOW

EYEHILL CREEK NEAR YONKER - STATION NO. 05GA001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1919	---	---	0.147 ON OCT 25	---	1919
1920	---	---	---	---	1920
1921	---	16.7 ON APR 17 *	0 B ON APR 1 *	---	1921
1922	---	1.93 B ON APR 9	0 B ON APR 1	---	1922
1923	---	0.708B ON APR 22	0 B ON APR 1	---	1923
1924	---	1.36 ON MAY 4	0 B ON APR 1	---	1924
1925	---	2.94 ON APR 13	0 ON MAR 1	---	1925
1926	---	3.03 B ON APR 18	0 B ON APR 1	4 660	1926
1927	---	2.32 ON APR 28	0 B ON MAR 1	10 300	1927
1928	---	5.24 ON APR 25	0 B ON MAR 1	10 600	1928
1929	---	1.38 B ON MAY 1	0 B ON MAR 1	4 280	1929
1930	---	1.24 ON JUL 2	---	---	1930
1936	---	4.70 B ON APR 20	---	---	1936
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		7 460	MEAN

FAHLMAN CREEK NEAR DAVIN - STATION NO. 05JF008

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1951	---	---	---	0.113	0.004	---	---	---	---	---	---	---	---	1951
1952	---	---	0.065	0.076	0	0	0	0	0.003	0	---	---	0.018	1952
1953	---	---	0.137	0.018	0	0.028	0.009	0.004	0	0	0	---	0.025	1953
1954	---	0.003	0.002	0.101	0.001	0.006	0.001	0	0.001	0	0	---	0.014	1954
1955	0	0	0.066	0.139	0.008	0	0.248	0	0	0	0	0	0.058	1955
1956	0	0	0	0.374	0.011	0.011	0	0	0	0	0	0	0.049	1956
1957	0	0	0.160	0.014	0	0	0.001	0	0	0	0	0	0.022	1957
1958	0	0	0.095	0.007	0	0	0	0	0	0	0	0	0.013	1958
1959	---	---	0.002	0	0	0.028	0	0	0	0	---	---	0.004	1959
1960	---	---	0.015	0.167	0	0	0	0.004	0	0	---	---	0.023	1960
1961	---	---	0.011	0.004	0.001	0	0	0	0	0	---	---	0.002	1961
1962	---	---	0.002	0.131	0	0	0	0	0	0	---	---	0.016	1962
1963	---	---	0.020	0	0	0	0	0	0	0	---	---	0.003	1963
1964	---	---	0.021	0.017	0	0	0	0	0	0	---	---	0.005	1964
1965	---	---	0	0.118	0	0	0	0	0	0	---	---	0.014	1965
1966	---	---	0.154	0.021	0	0	0	0	0	0	---	---	0.022	1966
1967	---	---	0	0.174	0	0	0	0	0	0	---	---	0.021	1967
1968	---	---	0.031	0	0	0	0	0	0	0	---	---	0.004	1968
1969	---	---	0	0.254	0	0	0	0	0	0	---	---	0.031	1969
1970	---	---	0.007	0.165	0.027	0	0	0	0	0	---	---	0.024	1970
1971	---	---	0	0.369	0	0	0	0	0	0	---	---	0.045	1971
1972	---	---	0.143	0.030	0.001	0	0	0	0	0	---	---	0.022	1972
1973	---	---	0.002	0.001	0.001	0.064	0.157	0	0	0	---	---	0.028	1973
1974	---	---	0	0.495	0.036	0.002	0.003	0.001	0	0.001	---	---	0.066	1974
1975	---	---	0.001	0.285	0.003	0.001	0	0	0	0	---	---	0.036	1975
1976	---	---	0.035	0.294	0.001	0.006	0	0	0	0	---	---	0.041	1976
1977	---	---	0.003	0.001	0.001	0.001	0.004	0	0	0	---	---	0.001	1977
1978	---	---	0.064	0.022	0.006	0.001	0	0	0	0	---	---	0.012	1978
1979	---	---	0	0.270	0.006	0.001	0	0	0	0.001	---	---	0.034	1979
1980	---	---	0.021	0.040	0.002	0	0	0.001	0.001	0.001	---	---	0.008	1980
1981	---	---	0.001	0.001	0	0.001	0	0	0	0.001	---	---	0.001	1981
1982	---	---	0	0.201	0.001	0	0.001	0	0	0.001	---	---	0.025	1982
MEAN	0	0.001	0.034	0.122	0.003	0.005	0.014	0	0	0	0	0	0.022	MEAN

LOCATION - LAT 50 22 10 N DRAINAGE AREA, 15.3 km²
LONG 104 11 30 W REGULATED

FAHLMAN CREEK NEAR DAVIN - STATION NO. 05JF008

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1951	---	0.685 ON APR 26	0 ON APR 3 *	---	1951
1952	---	1.30 ON MAR 31	0 ON MAR 1	382	1952
1953	---	1.39 ON MAR 29	0 ON MAR 1	523	1953
1954	---	0.886 ON APR 6	0 ON MAR 1	291	1954
1955	27.9 AT 03:00 CST ON JUL 12	6.80 ON JUL 12 *	0 ON MAR 1	1 220	1955
1956	---	2.81 ON APR 13	0 ON MAR 1	1 030	1956
1957	---	1.93 ON MAR 21	0 ON MAR 1	467	1957
1958	---	0.985 ON MAR 26	0 ON MAR 1	272	1958
1959	---	0.521 ON JUN 26	0 ON MAR 1	78.8	1959
1960	3.17 AT 19:00 CST ON APR 3	1.57 ON APR 3	0 ON MAR 1	486	1960
1961	0.326 AT 18:00 CST ON MAR 22	0.096 ON MAR 22	0 ON MAR 1	43.5	1961
1962	---	0.852 ON APR 5	0 ON MAR 1	345	1962
1963	---	0.286 ON MAR 21	0 ON MAR 1	53.3	1963
1964	1.13 ON MAR 15	0.289 ON APR 1	0 ON MAR 1	101	1964
1965	2.27 ON APR 8	1.51 ON APR 8	0 ON MAR 1	307	1965
1966	---	1.82 ON MAR 28	0 ON MAR 1	467	1966
1967	---	1.13 ON APR 12	0 ON MAR 1	451	1967
1968	---	0.348 ON MAR 8	0 ON MAR 1	83.5	1968
1969	---	2.22 ON APR 10	0 ON MAR 1	658	1969
1970	2.56 ON APR 6	1.90 ON APR 6	0 ON MAR 1	517	1970
1971	---	2.65 ON APR 9	0B ON MAR 1	957	1971
1972	2.23 AT 01:46 CST ON MAR 23	1.12 ON MAR 22	0B ON MAR 1	463	1972
1973	31.7 AT 22:00 CST ON JUN 30 *	3.62 ON JUL 1	0B ON MAR 1	599	1973
1974	6.40 AT 18:45 CST ON APR 18	3.68 ON APR 18	0B ON MAR 1	1 390	1974
1975	2.27 AT 18:07 CST ON APR 15	1.27 B ON APR 15	0B ON MAR 1	755	1975
1976	2.36 AT 18:45 CST ON APR 4	1.46 ON APR 5	0B ON MAR 1	872	1976
1977	0.292 AT 01:43 CST ON JUL 11	0.058B ON MAR 20	0B ON MAR 1	28.7	1977
1978	---	0.501B ON MAR 27	0B ON MAR 1	249	1978
1979	2.53 AT 16:44 CST ON APR 20	2.09 ON APR 20	0B ON MAR 1	723	1979
1980	---	0.230B ON APR 1	0B ON MAR 1	171	1980
1981	0.012B AT 18:00 CST ON MAR 10	0.005B ON MAR 19	0B ON MAR 1	10.9	1981
1982	---	2.13 A ON APR 15	0B ON MAR 1	525	1982
				468	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

FAIRWELL CREEK AT DRURY'S RANCH - STATION NO. 11AC003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	---	1.25	0.207	0.130	0.099	---	---	---	1909
1910	---	---	---	---	0.370	0.140	0.078	0.075	0.045	0.027	---	---	---	1910
1911	---	---	---	3.66	---	0.308	0.239	0.105	0.083	0.244	---	---	---	1911
1912	---	---	---	---	---	---	---	0.139	0.121	0.110	---	---	---	1912
1913	---	---	---	3.77	0.408	0.205	0.161	0.109	0.083	0.030	---	---	---	1913
1914	---	---	0.753	2.90	0.402	0.188	0.073	0.034	0.035	0.030	---	---	0.546	1914
1915	---	---	---	1.85	0.417	0.874	0.450	0.252	0.128	0.096	---	---	---	1915
1916	---	---	---	2.77	1.40	1.36	0.721	0.351	0.164	0.459	---	---	---	1916
1917	---	---	---	12.3	5.64	0.505	0.145	---	---	---	---	---	---	1917
1918	---	---	---	4.71	0.627	0.373	0.156	0.077	0.024	0.010	---	---	---	1918
1919	---	---	---	1.93	0.470	0.131	0.066	0.020	0.007	0.003	---	---	---	1919
1920	---	---	0.028	3.58	2.64	0.160	0.106	0.063	0.023	0.007	---	---	0.815	1920
1921	---	---	0.560	2.23	0.364	0.100	0.052	0.032	0.024	0.009	---	---	0.417	1921
1922	---	---	---	5.86	2.44	0.131	0.094	0.025	0.010	0.002	---	---	---	1922
1923	---	---	0.042	3.11	0.534	0.705	0.284	0.107	0.048	0.027	---	---	0.599	1923
1924	---	---	0.026	1.72	0.381	0.284	0.156	0.073	0.014	0.009	---	---	0.328	1924
1925	---	---	0.059	8.25	0.356	0.292	0.122	0.070	0.023	0.023	---	---	1.13	1925
1926	---	---	4.17	1.77	0.178	0.087	0.056	0.031	0.007	0.008	---	---	0.790	1926
1927	---	---	0.018	8.60	2.95	0.817	0.421	0.125	0.094	0.088	---	---	1.62	1927
1928	---	---	3.61	1.31	0.387	0.511	0.367	0.117	0.070	0.049	---	---	0.805	1928
1929	---	---	0.089	3.39	0.892	0.494	0.199	0.082	0.023	0.010	---	---	0.639	1929
1930	---	---	0.846	5.01	0.373	0.220	0.220	0.078	0.033	0.010	---	---	0.838	1930
1931	---	---	0.179	0.412	---	---	---	---	---	---	---	---	---	1931
MEAN	---	---	0.865	3.95	1.12	0.394	0.258	0.103	0.057	0.064	---	---	0.775	MEAN

LOCATION - LAT 49 30 25 N, LONG 109 13 31 W DRAINAGE AREA, 342 km^2, NATURAL FLOW

FAIRWELL CREEK AT DRURY'S RANCH - STATION NO. 11AC003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1909	---	---	---	---	1909
1910	---	---	---	---	1910
1911	---	14.5 ON APR 10	---	---	1911
1912	---	---	---	---	1912
1913	---	10.0 ON APR 7	---	---	1913
1914	---	8.72 ON APR 12	0.014E ON MAR 1	11 600	1914
1915	---	8.33 ON APR 3	---	---	1915
1916	---	---	---	---	1916
1917	---	41.6 ON APR 21 *	---	---	1917
1918	---	16.7 ON MAR 27	---	---	1918
1919	---	6.68 ON APR 2	---	---	1919
1920	---	12.5 ON APR 28	0.001 ON SEP 30	17 300	1920
1921	---	13.8 ON APR 14	0.005 ON OCT 19	8 820	1921
1922	---	21.8 ON APR 21	0 ON SEP 21 *	---	1922
1923	---	12.2 ON APR 16	0.025 ON OCT 5	12 700	1923
1924	---	16.3 ON APR 7	0.006 ON SEP 29	6 950	1924
1925	---	27.4 B ON APR 5	0.020 ON SEP 9	23 900	1925
1926	---	20.7 ON MAR 18	0.006 ON SEP 3	16 800	1926
1927	---	23.1 ON APR 24	0 B ON MAR 1	34 300	1927
1928	---	28.3 ON MAR 21	0.045 ON OCT 8	17 000	1928
1929	---	14.8 ON APR 21	0.006B ON MAR 1	13 500	1929
1930	---	25.6 ON APR 4	0.006B ON OCT 17	17 700	1930
1931	---	---	---	---	1931
				16 400	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

FAUQUIERS DITCH NEAR MAPLE CREEK - STATION NO. 05HA018

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	---	0.008	0.003	---	---	---	---	---	---	---	---	1915
1916	---	---	---	0.013	---	---	---	---	---	---	---	---	---	1916
1917	---	---	---	---	---	---	---	---	---	---	---	---	---	1917
1918	---	---	---	---	---	---	---	---	---	---	---	---	---	1918
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
1921	---	---	---	---	---	---	---	---	---	---	---	---	---	1921
MEAN	---	---	---	0.009	0.003	---	---	---	---	---	---	---	---	MEAN

LOCATION - LAT 49 50 46 N
LONG 109 22 10 W
REGULATED

FAUQUIERS DITCH NEAR MAPLE CREEK - STATION NO. 05HA018

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	---	0 ON APR 1 *	---	1915
1916	---	---	0 ON APR 1	---	1916
1917	---	---	0R ON JUL 19	---	1917
1918	---	---	0R ON JUL 17	---	1918
1919	---	---	0R ON JUN 9	---	1919
1921	---	---	0R ON MAR 8	---	1921
				---	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

FEARON AND MOORHEAD BRIDGE CREEK DITCH NEAR SKULL CREEK - STATION NO. 05HA014

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1912	---	---	---	0.008	0.010	0.001	---	---	---	---	---	---	---	1912
MEAN	---	---	---	0.008	0.010	0.001	---	---	---	---	---	---	---	MEAN

LOCATION - LAT 49 52 04 N
LONG 108 55 13 W
REGULATED

FEARON AND MOORHEAD BRIDGE CREEK DITCH NEAR SKULL CREEK - STATION NO. 05HA014

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1912	---	---	0 ON APR 1 *	---	1912
				---	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

FEARON AND MOORHEAD MAIN DITCH NEAR SKULL CREEK - STATION NO. 05HA024

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	---	---	---	---	---	---	---	---	---	1911
1912	---	---	0	0.042	0.083	0.004	---	---	---	---	---	---	---	1912
MEAN	---	---	0	0.042	0.083	0.004	---	---	---	---	---	---	---	MEAN

LOCATION - LAT 49 52 04 N
LONG 108 55 31 W REGULATED

FEARON AND MOORHEAD MAIN DITCH NEAR SKULL CREEK - STATION NO. 05HA024

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	---	0R ON AUG 22 *	---	1911
1912	---	---	0 ON MAR 1	---	1912
				---	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

FEARON AND MOORHEAD SKULL CREEK DITCH - STATION NO. 05HA023

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1912	---	---	---	0.038	0.079	0.005	---	---	---	---	---	---	---	1912
MEAN	---	---	---	0.038	0.079	0.005	---	---	---	---	---	---	---	MEAN

LOCATION - LAT 49 51 29 N
LONG 108 56 31 W REGULATED

FEARON AND MOORHEAD SKULL CREEK DITCH - STATION NO. 05HA023

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1912	---	---	0 ON APR 1 *	---	1912
				---	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

FIR RIVER NEAR HUDSON BAY - STATION NO. 05LB003

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1959	---	---	0.082	6.13	5.86	0.501	---	---	---	---	---	---	---	1959
1960	---	---	---	5.06	9.24	2.76	0.005	---	---	---	---	---	---	1960
1961	---	---	---	0	---	---	---	---	---	---	---	---	---	1961
1962	---	---	---	2.97	8.52	0.749	---	---	---	---	---	---	---	1962
1963	---	---	---	2.27	0.941	---	---	---	---	---	---	---	---	1963
1964	---	---	---	1.49	3.38	0.411	0.440	0.798	1.85	2.75	---	---	---	1964
1965	---	---	0	2.79	6.22	8.55	6.50	2.35	2.10	1.91	---	---	---	1965
1968	---	---	0.759	1.67	4.11	5.00	8.61	1.69	2.50	1.53	---	---	---	1968
1969	---	---	0.227	3.41	1.45	0.804	1.48	0.655	0.262	2.99	---	---	---	1969
1970	---	---	0.109	1.74	7.27	5.04	7.57	1.02	0.811	1.70	---	---	---	1970
MEAN	---	---	0.235	2.75	5.22	2.98	4.10	1.30	1.50	2.18	---	---	---	MEAN

LOCATION - LAT 52 51 25 N DRAINAGE AREA, 500 km^2
LONG 102 25 12 W NATURAL FLOW

FIR RIVER NEAR HUDSON BAY - STATION NO. 05LB003

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1959	---	10.1 ON MAY 4	0 ON MAR 1 *	---	1959
1960	---	17.0 ON MAY 14	0 ON APR 1	---	1960
1961	---	---	0 ON APR 1	---	1961
1962	---	21.1 ON MAY 4	0 ON APR 1	---	1962
1963	---	5.66 ON APR 17	0 B ON APR 1	---	1963
1964	---	6.74 ON MAY 9	0 B ON APR 1	---	1964
1965	---	23.4 ON JUN 4	0 B ON MAR 1	---	1965
1968	---	40.5 ON JUL 3 *	0.108B ON MAR 22	---	1968
1969	---	8.92 ON APR 15	0.122 ON AUG 28	---	1969
1970	---	17.8 E ON JUL 5	0.096B ON MAR 1	---	1970
				---	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

FIR RIVER NEAR HUDSON BAY - STATION NO. 05LB007

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	---	---	---	---	7.72	0.992	0.755	1.49	---	---	---	1970
1971	---	---	0.028	5.43	2.35	1.17	1.59	0.926	0.861	5.15	---	---	---	1971
1972	---	---	0.185	5.86	11.9	3.35	1.14	0.446	0.702	1.25	---	---	---	1972
1973	---	---	0.169	2.55	3.72	9.67	5.98	0.855	0.814	1.00	---	---	---	1973
1974	---	---	0.217	6.48	10.2	4.73	1.64	1.58	2.61	3.03	---	---	---	1974
1975	---	---	0.295	3.59	6.70	4.13	1.73	1.27	1.51	1.07	0.387	0.138	---	1975
1976	0.092	0.466	0.466	3.10	1.15	5.43	3.09	1.16	0.497	0.333	0.174	0.084	1.33	1976
1977	0.054	0.034	0.050	2.29	2.59	0.872	0.593	2.21	2.46	1.63	1.51	0.279	1.22	1977
1978	0.146	0.111	0.087	2.87	4.80	2.37	1.10	5.45	3.29	5.40	2.31	0.564	2.39	1978
1979	0.276	0.117	0.148	3.53	14.3	6.37	1.42	0.359	0.423	0.900	1.01	0.378	2.46	1979
1980	0.148	0.110	0.117	2.35	1.03	0.481	2.14	1.67	2.09	2.77	1.05	0.606	1.22	1980
1981	0.174	0.108	0.428	1.33	1.98	0.739	1.41	1.11	0.548	3.45	2.57	0.369	1.19	1981
1982	0.051	0.001	0.015	1.63	3.79	4.36	1.17	0.890	0.867	1.28	0.209	0.100	1.20	1982
MEAN	0.134	0.135	0.184	3.41	5.38	3.64	2.36	1.46	1.34	2.21	1.15	0.315	1.57	MEAN

LOCATION - LAT 52 49 59 N, LONG 102 23 44 W DRAINAGE AREA, 507 km² NATURAL FLOW

FIR RIVER NEAR HUDSON BAY - STATION NO. 05LB007

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1970	---	---	---	---	1970
1971	15.0 B AT 20:46 CST ON APR 16	12.5 ON APR 23	---	---	1971
1972	38.5 AT 12:47 CST ON MAY 1	37.1 ON MAY 1	---	---	1972
1973	19.3 AT 18:10 CST ON JUN 5	18.3 ON JUL 6	---	---	1973
1974	31.4 AT 02:34 CST ON APR 21	22.9 ON APR 21	---	---	1974
1975	15.3 B AT 05:34 CST ON APR 22	13.3 ON APR 29	---	---	1975
1976	13.5 AT 00:53 CST ON JUN 27	13.3 ON JUN 26	0 B ON JAN 21 *	42 100	1976
1977	---	5.13 ON APR 20	0.031B ON JAN 21	38 400	1977
1978	14.8 AT 17:30 CST ON AUG 22	14.7 ON AUG 22	0.079B ON MAR 5	75 300	1978
1979	38.8 AT 09:10 CST ON MAY 19 *	37.3 ON MAY 19 *	0.025B ON FEB 1	77 400	1979
1980	6.32 AT 19:51 CST ON APR 21	6.17 ON APR 22	0.017B ON MAR 10	38 400	1980
1981	6.61 AT 20:04 CST ON OCT 19	6.57 ON OCT 19	0.007B ON FEB 23	37 600	1981
1982	---	11.9 E ON MAY 31	0 B ON JAN 22	37 900	1982
				49 600	MEAN

B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

FLOWING WELL WEST INFLOW NEAR FLOWING WELL - STATION NO. 05JC007

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	0.231	0.502	---	---	---	---	---	---	---	---	---	1967
1970	---	---	1.20	---	---	---	---	---	---	---	---	---	---	1970
1971	---	---	0.020	0.403	---	---	---	---	---	---	---	---	---	1971
1974	---	---	---	0.598	0.006	---	---	---	---	---	---	---	---	1974
1975	---	---	0.038	0.701	0.034	0	0	0	0	0	---	---	0.095	1975
1976	---	---	1.35	0.062	0	0	0	0	0	0	---	---	0.178	1976
1977	---	---	0	0	0.053	0	0	0	0	0	---	---	0.007	1977
1978	---	---	0.922	0.051	0.017	0.002	0	0	0	0	---	---	0.125	1978
1979	---	---	0.283	0.110	0.004	0	0	0	0	0	---	---	0.050	1979
1980	---	---	0.430	0.070	0	0	0	0	0	0	---	---	0.063	1980
1981	---	---	0	0	0	0	0.001	0	0	0	---	---	0	1981
1982	---	0	0.250	1.23	0.057	0.022	0.060	0.010	0	0	---	---	0.201	1982
MEAN	---	0	0.429	0.339	0.019	0.003	0.008	0.001	0	0	---	---	0.090	MEAN

LOCATION - LAT 50 15 04 N, LONG 106 56 46 W DRAINAGE AREA, 87.0 km² NATURAL FLOW

FLOWING WELL WEST INFLOW NEAR FLOWING WELL - STATION NO. 05JC007

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1967	---	---	---	---	1967
1970	---	---	---	---	1970
1971	---	2.61 ON APR 3	0B ON MAR 1 *	---	1971
1974	---	---	---	---	1974
1975	---	3.40 B ON APR 20	0B ON MAR 1	2 010	1975
1976	---	8.50 B ON MAR 18	0B ON MAR 1	3 770	1976
1977	---	0.425 ON MAY 21	0B ON MAR 1	141	1977
1978	---	5.89 B ON MAR 22	0B ON MAR 1	2 650	1978
1979	---	1.95 B ON MAR 17	0B ON MAR 1	1 050	1979
1980	6.51 AT 21:15 CST ON MAR 28	3.31 ON MAR 29	0B ON MAR 1	1 330	1980
1981	---	0.044 ON JUL 13	0 ON MAR 1	3.97	1981
1982	13.0 AT 17:54 CST ON APR 13 *	10.5 B ON APR 13 *	0B ON MAR 1	4 260	1982
				1 900	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

POND DU LAC RIVER AT OUTLET OF BLACK LAKE - STATION NO. 07LE002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1963	246	227	207	176	315	398	365	337	333	398	384	320	309	1963
1964	260	223	198	188	357	433	351	373	395	419	390	318	326	1964
1965	265	229	205	203	311	336	364	326	272	253	239	228	270	1965
1966	210	187	176	186	276	506	536	460	393	319	272	249	315	1966
1967	233	214	195	189	240	471	485	433	367	322	292	266	309	1967
1968	230	203	195	207	291	415	413	370	355	538	495	380	341	1968
1969	297	241	239	267	358	332	304	266	226	208	187	174	259	1969
1970	162	148	148	156	240	287	252	232	272	304	309	272	232	1970
1971	240	207	195	208	296	275	264	254	248	250	255	249	245	1971
1972	221	190	172	176	302	413	376	330	301	304	287	255	278	1972
1973	226	208	192	177	201	315	351	335	281	245	219	201	246	1973
1974	182	165	159	173	269	303	311	319	328	316	288	263	257	1974
1975	253	222	209	208	381	412	405	363	322	288	269	240	298	1975
1976	222	207	197	233	412	460	391	348	339	370	377	332	324	1976
1977	303	287	283	287	466	598	630	607	584	510	432	355	446	1977
1978	311	273	244	248	368	450	419	397	382	393	356	305	346	1978
1979	271	238	220	225	287	435	403	324	279	276	276	249	291	1979
1980	228	203	191	216	298	292	285	279	268	272	262	228	252	1980
1981	198	187	182	199	319	391	340	298	250	217	199	192	248	1981
1982	163	133	125	128	274	407	376	332	331	322	269	234	259	1982
MEAN	236	210	197	203	313	396	381	349	326	326	303	266	293	MEAN

LOCATION - LAT 59 08 50 N, LONG 105 32 20 W DRAINAGE AREA, 49 200 km² NATURAL FLOW

POND DU LAC RIVER AT OUTLET OF BLACK LAKE - STATION NO. 07LE002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1963	---	411 ON OCT 28	161 ON APR 3	9 760 000	1963
1964	---	459 ON JUN 6	178 ON APR 6	10 300 000	1964
1965	377 AT 16:30 CST ON JUL 11	371 ON JUL 12	193 ON APR 11	8 510 000	1965
1966	575 AT 05:00 CST ON JUL 5	566 ON JUL 5	172 ON APR 3	9 930 000	1966
1967	513A AT 22:30 CST ON JUN 14	507A ON JUN 16	185 ON APR 2	9 760 000	1967
1968	---	564 ON OCT 24	189 ON MAR 10	10 800 000	1968
1969	377 AT 01:00 CST ON MAY 26	368 ON MAY 17	168 ON DEC 27	8 150 000	1969
1970	320 AT 17:00 CST ON NOV 5	320 ON NOV 5	144 ON FEB 24	7 330 000	1970
1971	309 AT 15:43 CST ON MAY 14	306 ON MAY 13	190 ON MAR 22	7 730 000	1971
1972	430 AT 11:49 CST ON JUN 13	430 ON JUN 12	167 ON MAR 23	8 780 000	1972
1973	382 AT 20:13 CST ON JUL 30	377 ON JUL 26	159E ON MAY 5	7 770 000	1973
1974	340 AT 23:52 CST ON SEP 24	334 ON SEP 25	158 ON MAR 15	8 100 000	1974
1975	433 AT 11:28 CST ON JUN 27	428 ON MAY 24	196 ON APR 14	9 400 000	1975
1976	479 AT 22:24 CST ON JUN 2	476 ON JUN 2	193 ON APR 1	10 300 000	1976
1977	646 AT 20:26 CST ON JUL 3 *	637 ON JUN 29 *	280E ON APR 17	14 100 000	1977
1978	464 AT 19:42 CST ON JUN 15	459 ON JUN 13	237E ON MAR 30	10 900 000	1978
1979	464 AT 21:13 CST ON JUN 19	461 ON JUN 19	218 ON MAR 16	9 170 000	1979
1980	310 AT 10:19 CST ON MAY 24	306 ON MAY 24	187 ON MAR 23	7 970 000	1980
1981	409 AT 05:09 CST ON JUN 7	406 ON JUN 5	178 ON MAR 11	7 820 000	1981
1982	423 AT 19:13 CST ON JUN 21	421 ON JUN 21	122 ON MAR 22 *	8 150 000	1982
				9 240 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

POND DU LAC RIVER AT STONY RAPIDS - STATION NO. 07LE001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1946	---	---	---	---	---	---	---	---	238	216	211	199	---	1946
1947	193	187	184	183	288	461	422	355	370	455	514	400	335	1947
1948	367	336	277	259	360	428	430	347	362	441	485	361	368	1948
1949	277	235	219	213	330	520	537	497	440	408	387	342	368	1949
1950	264	217	198	199	337	483	422	369	323	302	296	266	307	1950
1951	231	191	179	251	363	451	357	322	294	249	206	174	273	1951
1952	147	142	172	207	279	276	240	222	232	267	280	247	226	1952
1953	180	145	162	173	226	266	257	215	208	255	288	257	220	1953
1954	209	178	179	182	246	402	347	330	270	235	217	207	251	1954
1955	176	156	169	193	272	531	415	302	247	209	209	202	257	1955
1956	183	164	164	181	213	328	303	320	263	202	195	171	224	1956
1957	145	132	138	174	195	255	320	279	237	232	223	193	211	1957
1958	164	155	155	188	332	476	385	348	385	399	360	275	303	1958
1959	216	194	175	187	306	569	528	400	399	408	359	315	339	1959
1960	268	240	214	217	354	650	760	553	476	437	389	319	407	1960
1961	269	259	245	238	386	681	505	445	429	391	340	285	373	1961
1962	250	212	195	219	398	531	500	391	345	318	298	264	327	1962
1963	240	217	185	177	329	406	375	351	346	---	---	---	---	1963
MEAN	222	198	189	202	307	454	418	356	326	319	307	263	299	MEAN

LOCATION - LAT 59 16 00 N, LONG 105 48 00 W DRAINAGE AREA, 50 000 km² NATURAL FLOW

FOND DU LAC RIVER AT STONY RAPIDS - STATION NO. 07LE001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1946	---	---	---	---	1946
1947	---	558 ON NOV 7	181E ON APR 2	10 600 000	1947
1948	---	479E ON OCT 25	251B ON APR 11	11 600 000	1948
1949	---	555 ON JUL 8	204 ON APR 11	11 600 000	1949
1950	---	498 ON JUN 18	178B ON APR 4	9 670 000	1950
1951	---	481 ON MAY 31	160B ON DEC 31	8 610 000	1951
1952	---	297 ON MAY 27	136B ON FEB 22	7 150 000	1952
1953	---	337 ON NOV 20	137B ON FEB 18	6 930 000	1953
1954	---	416 ON JUN 11	171B ON MAR 17	7 900 000	1954
1955	---	555 ON JUN 16	153B ON FEB 17	8 120 000	1955
1956	---	340E ON AUG 28	154B ON DEC 31	7 090 000	1956
1957	---	326 ON JUL 3	115B ON FEB 28 *	6 650 000	1957
1958	---	498 ON JUN 8	148B ON MAR 14	9 540 000	1958
1959	---	612 ON JUN 21	167B ON MAR 11	10 700 000	1959
1960	---	821 ON JUL 4 *	202A ON APR 15	12 900 000	1960
1961	---	748 ON JUN 8	238B ON APR 7	11 800 000	1961
1962	---	552 ON JUN 16	193B ON APR 2	10 300 000	1962
1963	---	---	---	---	1963
				9 450 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

FOSTER RIVER ABOVE CHURCHILL RIVER - STATION NO. 06CE001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1972	---	---	---	---	---	---	---	14.6	11.4	29.0	20.4	13.5	---	1972
1973	10.6	9.68	9.15	10.6	27.5	36.1	49.4	29.7	23.7	20.5	22.9	18.0	22.4	1973
1974	14.1	11.9	10.7	26.7	70.4	41.1	55.9	39.0	29.3	25.1	22.6	18.9	30.6	1974
1975	16.0	13.1	11.0	10.5	43.3	25.5	38.3	32.2	24.9	19.0	14.9	11.3	21.8	1975
1976	10.1	9.06	8.14	9.04	10.1	13.2	166	70.6	37.9	29.2	23.7	16.7	33.9	1976
1977	13.7	11.9	10.7	20.9	39.4	55.3	33.2	22.7	16.5	20.5	16.2	12.1	22.8	1977
1978	10.6	9.40	8.22	8.34	66.7	66.6	41.2	29.3	34.1	40.2	29.9	21.5	30.6	1978
1979	15.9	13.3	11.9	11.6	42.6	48.9	40.1	34.3	40.4	38.4	34.2	22.8	29.6	1979
1980	16.8	13.4	11.3	18.0	21.3	11.8	13.0	16.5	14.5	24.0	18.0	11.9	15.9	1980
1981	10.3	9.40	8.76	9.58	44.8	28.1	20.4	13.9	9.88	8.62	8.19	7.60	15.0	1981
1982	6.51	5.52	5.13	5.30	46.3	45.8	26.5	33.0	20.9	14.2	11.2	9.43	19.2	1982
MEAN	12.5	10.7	9.50	13.1	41.2	37.2	48.4	30.5	24.0	24.4	20.2	14.9	24.2	MEAN

LOCATION - LAT 55 49 30 N, LONG 105 45 20 W
DRAINAGE AREA, 4 540 km^2
NATURAL FLOW

FOSTER RIVER ABOVE CHURCHILL RIVER - STATION NO. 06CE001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1972	---	---	---	---	1972
1973	66.3 AT 19:17 CST ON JUL 12	65.4 ON JUL 12	8.81 ON MAR 28	707 000	1973
1974	142 AT 03:22 CST ON MAY 2	141 ON MAY 2	9.88 ON APR 5	966 000	1974
1975	52.4 AT 22:56 CST ON MAY 8	52.1 ON MAY 8	9.49 ON APR 19	686 000	1975
1976	303 AT 16:15 CST ON JUL 19 *	300 ON JUL 19 *	7.70 ON APR 3	1 070 000	1976
1977	77.0 AT 01:07 CST ON JUN 3	76.7 ON JUN 3	9.97 ON APR 3	718 000	1977
1978	96.3 AT 17:12 CST ON MAY 29	95.4 ON MAY 27	7.87 ON APR 7	967 000	1978
1979	---	72.8E ON MAY 27	10.9 ON APR 16	935 000	1979
1980	37.5 AT 21:30 CST ON APR 28	37.2 ON APR 29	10.5 ON JUN 23	502 000	1980
1981	63.9 AT 04:19 CST ON MAY 14	63.6 ON MAY 14	7.31A ON DEC 31	474 000	1981
1982	69.3 AT 21:42 CST ON MAY 10	68.7 ON MAY 11	4.89A ON APR 4 *	607 000	1982
				763 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

FRENCHMAN RIVER ABOVE EASTEND RESERVOIR - STATION NO. 11AC018

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1912	---	---	---	---	---	---	0.621	0.480	0.509	0.622	---	---	---	1912
1913	---	---	---	15.6	1.56	1.02	0.667	0.388	0.377	0.488	---	---	---	1913
1914	---	---	1.42	6.69	1.21	0.782	0.202	0.133	0.381	0.623	---	---	1.42	1914
1915	---	---	0.978	9.68	1.39	2.06	1.69	0.752	0.618	0.671	---	---	2.21	1915
1916	---	---	13.1	5.70	3.58	4.48	2.51	1.29	1.08	2.01	---	---	4.22	1916
1917	---	---	0.623	32.9	22.5	3.37	0.999	0.473	0.526	0.522	---	---	7.69	1917
1937	---	---	0.151	3.96	0.713	0.225	0.179	0.051	0.096	0.203	---	---	0.688	1937
1938	---	---	0.656	4.11	1.58	1.02	0.459	0.134	0.130	0.216	---	---	1.02	1938
1939	---	---	5.48	3.29	1.55	2.10	0.702	0.254	0.185	0.298	---	---	1.73	1939
1940	---	---	0.512	10.9	2.13	1.27	0.478	0.211	0.151	0.288	---	---	1.97	1940
1941	---	---	8.04	2.73	0.843	0.528	0.492	0.222	0.240	0.310	---	---	1.68	1941
1942	---	---	0.610	5.59	1.05	3.01	1.07	0.480	0.496	0.476	---	---	1.58	1942
1943	---	---	11.3	6.08	1.14	1.27	0.609	0.955	1.14	0.498	---	---	2.88	1943
1944	---	---	0.819	10.1	0.987	0.676	0.953	1.64	0.438	0.425	---	---	1.99	1944
1945	---	---	6.48	1.45	1.06	0.843	0.571	0.933	0.365	0.312	---	---	1.51	1945
1946	---	---	6.82	2.55	0.974	0.411	0.692	0.138	0.206	0.338	---	---	1.52	1946
1947	---	---	0.417	9.66	1.44	0.773	0.374	0.543	0.215	0.275	---	---	1.69	1947
1948	---	---	0.379	7.08	2.33	0.806	0.631	0.158	0.111	0.208	---	---	1.45	1948
1949	---	---	0.425	2.58	1.11	1.41	1.01	0.240	0.203	0.313	---	---	0.904	1949
1950	---	---	0.273	7.43	1.48	0.579	0.318	0.373	0.223	0.358	---	---	1.36	1950
1951	---	---	0.314	14.9	6.70	1.05	0.654	0.644	0.554	0.434	---	---	3.13	1951
1952	---	---	0.616	39.8	3.02	1.23	0.750	0.440	0.461	0.445	---	---	5.75	1952
1953	---	---	0.749	5.88	4.92	3.74	0.828	0.316	0.209	0.319	---	---	2.11	1953
1954	---	---	0.590	6.50	2.42	2.36	0.702	1.18	1.11	1.35	---	---	2.01	1954
1955	---	---	0.685	24.6	9.71	1.95	2.64	0.949	0.564	0.651	---	---	5.17	1955
1956	---	---	0.729	6.85	2.71	1.65	0.815	0.563	0.412	0.505	---	---	1.76	1956
1957	---	---	0.760	8.22	1.34	1.07	0.617	1.19	0.271	0.422	---	---	1.72	1957
1958	---	---	0.803	12.0	0.895	0.810	1.13	0.837	0.140	0.310	---	---	2.09	1958
1959	---	---	1.72	4.85	1.18	1.40	0.709	0.645	0.238	0.485	---	---	1.39	1959
1960	---	---	10.4	2.86	1.53	1.63	1.01	0.556	0.116	0.261	---	---	2.30	1960
1961	---	---	1.25	1.29	2.00	0.959	0.718	0.170	0.204	0.230	0.294	---	0.853	1961
1962	---	---	2.14	3.85	0.671	0.626	0.447	0.177	0.176	0.312	---	---	1.04	1962
1963	---	---	4.73	2.42	0.687	0.636	0.553	0.199	0.155	0.203	---	---	1.20	1963
1964	---	---	0.540	4.61	2.23	0.811	0.409	0.179	0.274	0.283	---	---	1.16	1964
1965	---	---	0.322	21.3	3.85	1.68	1.36	0.573	0.710	0.564	---	---	3.74	1965
1966	---	---	7.21	4.84	1.76	1.69	0.754	0.413	0.279	0.394	---	---	2.14	1966
MEAN	---	---	2.71	8.93	2.69	1.43	0.815	0.528	0.376	0.461	0.294	---	2.21	MEAN

LOCATION - LAT 49 29 25 N LONG 109 00 00 W DRAINAGE AREA, 1 500 km² REGULATED INTERNATIONAL GAUGING STATION

FRENCHMAN RIVER ABOVE EASTEND RESERVOIR - STATION NO. 11AC018

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1912	---	---	---	---	1912
1913	---	---	---	---	1913
1914	23.8 ON APR 12	20.9 ON APR 13	0.042 ON AUG 6	29 900	1914
1915	85.2 B ON APP 4	75.6 B ON APR 4	0.283B ON MAR 22	46 700	1915
1916	---	25.3 ON MAR 27	0.736 ON SEP 23	89 300	1916
1917	118 ON APR 21	114 ON APR 22	0.357 ON AUG 23	163 000	1917
1937	24.9 B ON APR 11	24.9 B ON APR 11	0.011 ON AUG 26 *	14 600	1937
1938	19.1 AT 09:00 MST ON APR 12	18.6 ON APR 12	0.051 ON SEP 4	21 600	1938
1939	28.6 ON MAR 25	26.0 ON MAR 25	0.147 ON AUG 27	36 600	1939
1940	61.7 AT 13:00 MST ON APR 22	58.6 ON APR 22	0.068 ON SEP 4	41 700	1940
1941	43.0 B AT 17:00 MST ON MAR 27	41.3 B ON MAR 27	0.096 ON AUG 23	35 600	1941
1942	20.5 AT 06:00 MST ON JUN 30	17.8 B ON APR 13	0.198B ON MAR 1	33 500	1942
1943	---	102 ON MAR 29	0.085 ON AUG 11	61 000	1943
1944	75.9 AT 17:00 MST ON APR 15	60.6 ON APR 5	0.227B ON MAR 1	42 100	1944
1945	42.5 B AT 15:30 MST ON MAR 23	37.9 B ON MAR 23	0.133 ON AUG 29	32 800	1945
1946	35.4 AT 11:30 MST ON MAR 28	32.8 ON MAR 28	0.057 ON AUG 6	32 200	1946
1947	36.8 AT 12:30 MST ON APR 11	32.8 ON APR 11	0.028B ON MAR 5	35 700	1947
1948	29.7 AT 01:00 MST ON APR 19	24.0 ON APR 19	0.065 ON AUG 27	30 600	1948
1949	12.9 B AT 12:00 MST ON APR 9	6.12B ON APR 9	0.023 ON AUG 16	19 100	1949
1950	67.7 B AT 10:30 MST ON APR 17	45.6 B ON APR 18	0.110 ON SEP 7	28 800	1950
1951	88.6 AT 12:00 MST ON APR 28	79.6 ON APR 28	0.142B ON MAR 1	66 200	1951
1952	357 A AT 05:00 MST ON APR 16 *	269 ON APR 15 *	0.283B ON MAR 22	122 000	1952
1953	26.6 AT 07:30 MST ON APR 24	24.8 ON APR 24	0.136 ON SEP 16	44 700	1953
1954	51.0 AT 05:45 MST ON APR 14	32.3 ON APR 14	0.357 ON JUL 28	42 500	1954
1955	64.3 AT 15:30 MST ON APR 10	53.0 ON APR 20	0.368B ON MAR 1	110 000	1955
1956	35.7 AT 07:00 MST ON APR 15	32.3 ON APR 15	0.345 ON SEP 19	37 400	1956
1957	24.6 AT 05:00 MST ON APR 18	23.2 ON APR 18	0.136 ON AUG 25	36 400	1957
1958	79.6 AT 23:00 MST ON APR 4	68.0 B ON APR 4	0.058 ON AUG 17	44 300	1958
1959	30.6 B AT 19:00 MST ON APR 2	17.4 B ON APR 2	0.159 ON SEP 7	29 500	1959
1960	58.3 AT 16:00 MST ON MAR 27	47.3 B ON MAR 27	0.079 ON SEP 7	48 600	1960
1961	5.92B AT 07:30 MST ON MAR 26	4.59 ON MAY 3	0.017 ON AUG 19	18 100	1961
1962	17.8 B AT 03:00 MST ON APR 6	13.6 B ON APR 6	0.110 ON AUG 19	22 100	1962
1963	30.3 B AT 21:00 MST ON MAR 28	28.9 B ON MAR 28	0.116 ON SEP 8	25 400	1963
1964	18.3 B AT 07:30 MST ON APR 3	14.7 B ON APR 3	0.116 ON AUG 19	24 500	1964
1965	81.6 AT 15:00 MST ON APR 25	68.5 ON APR 25	0.378B ON MAR 26	79 200	1965
1966	74.2 AT 21:00 MST ON MAR 30	70.5 ON MAR 30	0.238 ON SEP 6	45 300	1966
				46 800	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

FRENCHMAN RIVER AT 50-MILE - STATION NO. 11AC023

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1914	---	---	---	11.0	1.34	0.662	0.096	0.009	0.140	0.411	---	---	---	1914
1915	---	---	---	11.7	1.63	2.66	1.82	0.775	0.807	0.880	---	---	---	1915
1916	---	---	---	11.6	4.22	5.77	7.21	2.07	0.995	2.01	---	---	---	1916
1917	---	---	---	40.5	25.4	3.86	1.17	0.430	0.588	0.658	---	---	---	1917
1918	---	---	---	21.8	4.88	1.72	0.677	0.479	0.242	0.544	---	---	---	1918
1919	---	---	0.198	5.49	1.76	0.508	0.056	0.018	0.159	0.346	---	---	1.06	1919
1920	---	---	2.22	13.7	9.44	2.11	1.19	0.294	0.223	0.348	---	---	3.67	1920
1921	---	---	---	---	2.72	0.819	0.500	0.137	0.275	0.402	---	---	---	1921
1922	---	---	0.074	22.7	10.2	1.70	1.53	0.726	0.385	0.393	---	---	4.67	1922
1923	---	---	0.550	6.94	1.99	3.25	0.973	0.580	0.218	0.331	---	---	1.83	1923
1924	---	---	0.164	6.05	1.74	1.36	0.641	0.495	0.136	0.390	---	---	1.36	1924
1925	---	---	2.39	17.9	2.83	1.83	0.746	0.247	0.300	0.666	---	---	3.32	1925
1926	---	---	10.7	5.39	1.19	0.614	0.397	0.021	0.145	0.311	---	---	2.35	1926
1927	---	---	0.986	28.8	14.9	6.94	3.07	1.33	0.795	0.856	---	---	7.15	1927
1928	---	---	15.0	9.55	3.42	2.46	3.02	0.978	0.700	0.774	---	---	4.49	1928
1929	---	---	1.13	8.17	3.66	2.28	0.844	0.142	0.168	0.405	---	---	2.08	1929
1930	---	1.68	4.33	11.4	2.47	1.09	0.783	0.237	0.294	0.582	---	---	2.63	1930
1931	---	---	1.17	1.69	0.771	---	---	---	---	---	---	---	---	1931
1935	---	---	---	---	---	---	---	---	0	0.001	---	---	---	1935
1936	---	---	0.041	10.8	1.89	0.509	0.071	0	0	0	---	---	1.64	1936
1937	---	---	0.057	3.32	0.344	0.091	0	0	0	0	---	---	0.468	1937
1938	---	---	0.825	4.04	1.62	1.00	1.28	0.024	0	0.074	---	---	1.10	1938
1939	---	---	10.6	3.02	1.72	3.08	0.766	0.102	0	0.070	---	---	2.42	1939
1940	---	---	0.384	12.8	2.98	2.09	0.504	0.119	0.007	0.178	---	---	2.35	1940
1941	---	---	8.77	5.11	0.731	0.357	0.153	0.021	0.010	0.181	---	---	1.92	1941
1942	---	---	1.35	4.88	1.06	1.76	1.56	0.201	0.348	0.569	---	---	1.45	1942
1943	---	---	12.4	14.6	1.32	1.04	0.559	0.462	0.294	0.447	---	---	3.87	1943
1944	---	---	2.83	9.98	1.10	0.550	0.323	0.543	0.629	0.592	---	---	2.05	1944
1945	---	---	10.3	1.70	1.10	0.586	0.212	0.319	0.146	0.224	---	---	1.84	1945
1946	---	---	6.52	2.52	0.748	0.279	0.064	0	0	0.120	---	---	1.29	1946
1947	---	---	1.20	9.69	1.61	0.754	0.219	0.270	0.109	0.102	---	---	1.72	1947
1948	---	---	1.50	7.07	2.74	0.710	0.294	0.159	0	0	---	---	1.55	1948
1949	---	---	0.374	2.40	0.483	0.845	0.574	0.066	0	0.060	---	---	0.594	1949
1950	---	---	8	8.48	2.06	0.475	0.159	0.104	0.011	0	---	---	1.39	1950
1951	---	---	0.384	14.2	11.8	1.19	0.782	0.566	1.05	0.573	---	---	3.79	1951
1952	---	---	---	---	---	2.19	1.68	---	---	---	---	---	---	1952
1953	---	---	---	---	5.57	5.38	---	---	0.162	0.103	---	---	---	1953
1954	---	---	---	---	2.37	2.66	0.595	2.26	---	---	---	---	---	1954
1955	---	---	---	---	10.6	1.91	4.03	---	---	---	---	---	---	1955
1964	---	---	---	---	---	---	---	0.005	0.151	0.210	---	---	---	1964
1965	---	---	---	---	---	1.28	1.91	0.957	1.46	0.738	---	---	---	1965
1966	---	---	---	---	1.90	0.841	0.831	0.471	0.207	0.209	---	---	---	1966
1967	---	---	---	---	---	---	0.378	0.290	0.184	0.355	---	---	---	1967
1968	---	---	---	---	1.32	0.414	0.298	0.275	0.551	0.468	---	---	---	1968
1969	---	---	---	---	2.38	0.546	1.13	0.250	0.163	0.766	---	---	---	1969
MEAN	---	1.68	3.44	10.6	3.79	1.71	1.05	0.411	0.294	0.399	---	---	2.37	MEAN

LOCATION - LAT 49 24 37 N DRAINAGE AREA, 3 080 km²
LONG 108 00 45 W REGULATED SINCE 1937

FRENCHMAN RIVER AT 50-MILE - STATION NO. 11AC023

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1914	---	26.9 B ON APR 6	0 ON AUG 18 *	---	1914
1915	86.4 B ON APR 7	64.8 B ON APR 7	---	---	1915
1916	121 ON JUL 3	82.1 ON JUL 3	---	---	1916
1917	112 ON APR 25	109 ON APR 25 *	---	---	1917
1918	---	---	---	---	1918
1919	---	17.0 B ON APR 7	0 ON JUL 30	22 300	1919
1920	71.9 AT 07:00 MST ON APR 23	65.7 ON APR 23	0 B ON MAR 1	77 600	1920
1921	---	---	---	---	1921
1922	77.0 ON APR 26	70.8 ON APR 25	0 B ON MAR 1	98 900	1922
1923	37.9 AT 15:45 MST ON APR 18	27.0 ON APR 18	0.153B ON MAR 14	38 800	1923
1924	30.6 AT 11:45 MST ON APR 11	28.9 ON APR 11	0 B ON MAR 1	28 800	1924
1925	65.4 AT 13:45 MST ON APR 8	62.0 ON APR 8	0 B ON MAR 1	70 300	1925
1926	53.0 AT 18:00 MST ON MAR 21	49.0 ON MAR 21	0.001 ON AUG 11	49 800	1926
1927	85.8 AT 10:40 MST ON APR 30	83.8 ON APR 30	0 B ON MAR 1	151 000	1927
1928	92.9 B AT 08:00 MST ON MAR 23	70.8 B ON MAR 23	0.504B ON MAR 1	94 900	1928
1929	24.5 AT 16:00 MST ON APR 24	24.3 ON APR 24	0.025 ON SEP 5	44 100	1929
1930	53.5 AT 18:30 MST ON APR 7	48.1 ON APR 7	0.082 ON SEP 10	55 700	1930
1931	---	6.14 ON APR 4	0.532B ON MAR 12	---	1931
1935	---	---	0 ON SEP 1	---	1935
1936	30.6 ON APR 17	29.4 ON APR 18	0 B ON MAR 1	34 800	1936
1937	25.8 ON APR 14	24.6 ON APR 14	0 B ON MAR 1	9 910	1937
1938	31.7 A AT 08:00 MST ON APR 14	24.7 A ON APR 14	0 B ON MAR 1	23 300	1938
1939	59.7 B AT 08:00 MST ON MAR 23	54.9 A ON MAR 24	0 B ON MAR 1	51 200	1939
1940	51.5 AT 14:00 MST ON APR 25	49.8 ON APR 25	0.006 ON SEP 6	49 700	1940
1941	43.9 AT 09:00 MST ON MAR 31	41.1 ON MAR 31	0 ON AUG 17	40 600	1941
1942	16.1 AT 12:30 MST ON APR 16	15.7 ON APR 16	0.119 ON AUG 6	30 700	1942
1943	85.2 AT 01:00 MST ON APR 4	80.1 ON APR 3	0.119 ON OCT 1	81 900	1943
1944	55.5 AT 21:40 MST ON APR 8	53.8 ON APR 8	0.161 ON JUL 28	43 400	1944
1945	38.2 AT 07:15 MST ON MAR 26	36.2 ON MAR 26	0 E ON AUG 3	38 900	1945
1946	27.4 AT 01:00 MST ON MAR 31	25.6 ON MAR 30	0 ON AUG 2	27 200	1946
1947	30.9 AT 22:30 MST ON APR 13	29.2 ON APR 13	0.028B ON MAR 1	36 800	1947
1948	24.2 AT 16:00 MST ON APR 21	22.8 ON APR 21	0 ON SEP 2	32 700	1948
1949	6.65 AT 04:30 MST ON APR 12	5.92 ON APR 12	0 B ON MAR 1	12 600	1949
1950	46.4 A ON APR 20	45.9 A ON APR 20	0 B ON MAR 1	29 500	1950
1951	61.4 A AT 07:00 ON MAY 3	58.3 ON MAY 2	0.198A ON MAR 1	80 300	1951
1952	396 ON APR 17 *	---	---	---	1952
1953	---	---	---	---	1953
1954	---	---	---	---	1954
1955	---	---	---	---	1955
1964	---	---	0 ON AUG 6	---	1964
1965	9.15 AT 17:00 MST ON JUN 29	---	---	---	1965
1966	4.56 AT 23:00 MST ON MAY 8	---	---	---	1966
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1969	5.27 AT 07:27 MST ON MAY 1	---	---	---	1969
				50 200	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

FRENCHMAN RIVER AT BUZZARD'S RANCH - STATION NO. 11AC027

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1914	---	---	---	14.4	1.44	1.38	0.182	0.102	0.157	0.842	---	---	---	1914
1915	---	---	---	14.1	4.67	1.96	1.79	0.936	0.626	0.741	---	---	---	1915
MEAN	---	---	---	14.3	3.06	1.67	0.986	0.519	0.392	0.792	---	---	---	MEAN

LOCATION - LAT 49 06 00 N, LONG 107 24 00 W
DRAINAGE AREA, 5 180 km^2
NATURAL FLOW

FRENCHMAN RIVER AT BUZZARD'S RANCH - STATION NO. 11AC027

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1914	---	33.1B ON APR 7	0 ON AUG 9 *	---	1914
1915	---	44.7 ON APR 10 *	---	---	1915
				---	MEAN

B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

FRENCHMAN RIVER AT DRURY'S RANCH - STATION NO. 11AC040

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1918	---	---	---	3.98	1.06	0.518	0.182	0.101	0.079	0.097	---	---	---	1918
1919	---	---	---	0.718	0.148	0.060	0.018	0.020	0.064	0.059	---	---	---	1919
1920	---	---	0.113	3.53	5.22	0.437	0.223	0.062	0.077	0.095	---	---	1.22	1920
1921	---	---	0.202	2.07	0.718	0.163	0.096	0.054	0.071	0.091	---	---	0.429	1921
1922	---	---	0.027	4.35	3.05	0.411	0.209	0.129	0.101	0.113	---	---	1.04	1922
1923	---	---	0.036	0.841	0.250	0.329	0.145	0.083	0.065	0.099	---	---	0.229	1923
1924	---	---	0.052	0.731	0.132	0.158	0.067	0.041	0.015	0.054	---	---	0.155	1924
1925	---	---	0.080	3.01	0.517	0.259	0.095	0.085	0.106	0.094	---	---	0.523	1925
1926	---	---	0.925	0.394	0.083	0.018	0.005	0.002	0.010	0.040	---	---	0.185	1926
1927	---	---	0.063	3.47	4.97	2.01	0.704	0.355	0.294	0.274	---	---	1.51	1927
1928	---	---	2.79	1.96	0.994	0.572	0.464	0.172	0.127	0.136	---	---	0.902	1928
MEAN	---	---	0.476	2.28	1.56	0.448	0.201	0.100	0.092	0.105	---	---	0.688	MEAN

LOCATION - LAT 49 29 52 N DRAINAGE AREA, 565 km²
LONG 109 19 18 W NATURAL FLOW

FRENCHMAN RIVER AT DRURY'S RANCH - STATION NO. 11AC040

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1918	---	---	---	---	1918
1919	---	---	---	---	1919
1920	---	14.8 ON APR 29	0.085 ON AUG 27	25 800	1920
1921	---	11.5 ON APR 14	0.005 ON SEP 1	9 080	1921
1922	---	33.7 ON APR 23 *	0 B ON MAR 1 *	22 100	1922
1923	---	3.20 ON APR 17	0.023B ON MAR 1	4 850	1923
1924	---	8.27B ON APR 7	0.003 ON AUG 29	3 280	1924
1925	---	10.6 B ON APR 5	0.028B ON MAR 1	11 100	1925
1926	---	3.31B ON MAR 18	0 ON JUL 17	3 920	1926
1927	---	16.3 ON APR 26	0.057B ON MAR 1	32 000	1927
1928	---	14.3 ON MAR 21	0.071B ON MAR 1	19 100	1928
				14 600	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

FRENCHMAN RIVER AT HIGHWAY NO. 37 - STATION NO. 11AC067

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1963	---	---	---	---	---	1.45	0.521	0.188	0.130	0.183	---	---	---	1963
1964	---	---	---	---	---	0.288	0.500	0.096	0.251	0.304	---	---	---	1964
1965	---	---	---	---	---	---	---	1.02	1.35	0.728	---	---	---	1965
1966	---	---	---	---	---	0.780	0.829	0.651	0.269	0.212	---	---	---	1966
1967	---	---	---	---	---	1.14	0.365	0.395	0.210	0.373	---	---	---	1967
1968	---	---	---	---	1.00	0.269	0.387	0.401	0.516	0.442	---	---	---	1968
1969	---	---	---	---	1.79	0.440	0.969	0.211	0.166	0.759	---	---	---	1969
MEAN	---	---	---	---	1.40	0.728	0.595	0.417	0.413	0.422	---	---	---	MEAN

LOCATION - LAT 49 20 05 N DRAINAGE AREA, 2 350 km²
LONG 108 24 56 W REGULATED SINCE 1908

FRENCHMAN RIVER AT HIGHWAY NO. 37 - STATION NO. 11AC067

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1963	---	---	---	---	1963
1964	---	---	---	---	1964
1965	---	---	---	---	1965
1966	1.85 AT 08:00 MST ON JUL 3	---	---	---	1966
1967	---	---	---	---	1967
1968	2.34 AT 21:00 MST ON JUN 30	---	---	---	1968
1969	8.22E ON MAY 4 *	---	---	---	1969
				---	MEAN

E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

FRENCHMAN RIVER AT HUFF'S RANCH - STATION NO. 11AC010

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1910	---	---	---	---	---	0.209	0.056	0	0	0	---	---	---	1910
MEAN	---	---	---	---	---	0.209	0.056	0	0	0	---	---	---	MEAN

LOCATION - LAT 49 21 47 N
LONG 107 51 30 W NATURAL FLOW

FRENCHMAN RIVER AT HUFF'S RANCH - STATION NO. 11AC010

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1910	---	---	0 ON JUL 25 *	---	1910
	* - EXTREME RECORDED FOR THE PERIOD OF RECORD			---	MEAN

FRENCHMAN RIVER AT INTERNATIONAL BOUNDARY - STATION NO. 11AC041

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1917	---	---	---	44.8	28.2	4.49	1.36	0.511	0.749	0.784	0.957	---	---	1917
1918	---	---	---	24.1	4.67	1.96	0.951	0.681	0.329	0.650	0.655	---	---	1918
1919	---	---	0.329	9.85	2.15	0.904	0.146	0.100	0	0.155	---	---	1.68	1919
1920	---	---	6.86	14.0	12.2	2.40	1.24	0.328	0.157	0.240	---	---	4.68	1920
1921	---	---	5.22	9.56	3.09	1.76	2.07	0.154	0.237	0.372	---	---	2.79	1921
1922	---	---	---	31.6	15.1	2.97	2.02	0.826	0.300	0.302	---	---	---	1922
1923	---	---	0.602	8.56	3.06	25.1	4.96	1.18	0.227	0.369	---	---	5.43	1923
1924	---	---	0.223	7.72	2.28	2.49	0.656	0.538	0.080	1.39	---	---	1.90	1924
1925	---	---	17.8	34.6	3.69	3.70	0.954	0.248	0.420	0.688	---	---	7.69	1925
1926	---	---	17.4	5.18	1.41	0.804	0.462	0.018	0.261	0.319	---	---	3.24	1926
1927	---	---	2.97	41.3	29.8	13.5	3.28	1.16	0.835	1.01	---	---	11.6	1927
1928	---	---	22.4	13.9	4.00	3.51	3.58	1.21	0.795	0.713	---	---	6.26	1928
1929	---	---	1.22	6.84	4.40	2.43	0.801	0.110	0.010	0.299	---	---	2.00	1929
1930	---	---	11.7	18.4	2.81	0.955	0.727	0.152	0.303	0.444	---	---	4.42	1930
1931	---	---	0.852	1.91	0.828	0.559	1.19	0.055	0.001	0	---	---	0.672	1931
1932	---	---	4.86	7.74	1.74	4.57	0.523	0.627	0.181	0.166	---	---	2.53	1932
1933	---	---	5.51	5.49	2.53	0.852	0.416	0.495	0.053	0.166	---	---	1.94	1933
1934	---	---	2.74	5.06	0.817	0.718	0.122	0	0	0	---	---	1.17	1934
1935	---	---	2.70	10.5	2.14	0.883	1.81	0.274	0	0	---	---	2.27	1935
1936	---	---	0.068	15.7	2.78	0.598	0.027	0	0	0	---	---	2.36	1936
1937	---	---	0.008	1.15	0.072	0.011	1.16	0	0	0.001	---	---	0.299	1937
1938	---	---	2.86	4.42	0.960	1.52	4.23	0.008	0.046	0	---	---	1.75	1938
1939	---	---	18.4	5.00	7.35	16.5	1.64	0.362	0.040	0.024	---	---	6.15	1939
1940	---	---	0.042	20.4	5.08	5.40	0.624	0.182	0.011	0.535	---	---	3.97	1940
1941	---	---	9.80	9.43	0.770	0.806	0.501	0.205	0.162	0.162	---	---	2.72	1941
1942	---	---	4.84	4.69	0.856	4.49	4.09	0.330	0.195	0.295	---	---	2.47	1942
1943	---	---	24.3	25.4	2.23	2.46	1.11	0.124	0.031	0.150	---	---	6.95	1943
1944	---	---	2.75	12.4	1.27	0.549	0.359	0.387	0.281	1.35	---	---	2.39	1944
1945	---	---	6.57	1.70	1.06	0.620	0.475	0.241	0.019	0.005	---	---	1.34	1945
1946	---	---	4.99	3.50	0.588	0.357	0.355	0.017	0	0.206	---	---	1.25	1946
1947	---	---	2.59	10.3	1.56	0.412	0.282	0.246	0.371	0.695	---	---	2.04	1947
1948	---	---	1.48	6.25	2.32	0.542	0.436	0.708	0.062	0	---	---	1.46	1948
1949	---	---	0.672	1.03	0.454	0.207	0.661	0	0	0	---	---	0.378	1949
1950	---	0.019	0.059	23.3	2.58	1.20	0.212	0.487	0.017	0.395	---	---	3.48	1950
1951	---	---	0.155	19.8	16.1	1.28	1.29	0.966	1.87	0.737	---	---	5.24	1951
1952	---	---	0.744	150	4.80	1.84	5.23	1.41	1.53	0.834	---	---	20.5	1952
1953	---	---	1.26	2.03	10.7	11.4	1.49	0.317	0.022	0.074	---	---	3.40	1953
1954	---	---	0.573	20.8	2.58	4.66	1.20	2.82	0.649	2.10	---	---	4.37	1954
1955	---	---	1.19	39.6	16.5	3.05	17.0	1.22	0.685	0.695	---	---	9.94	1955
1956	---	---	2.65	7.18	2.64	1.78	0.714	0.500	0.323	0.177	---	---	1.98	1956
1957	---	---	2.32	7.25	1.66	0.955	0.154	0.040	0.037	0.052	---	---	1.55	1957
1958	---	---	2.00	20.6	1.08	0.694	0.209	0.094	0.039	0.003	---	---	3.04	1958
1959	---	---	8.19	3.64	1.14	1.64	0.607	0.306	0.001	0.042	---	---	1.95	1959
1960	---	---	15.8	8.94	2.30	0.889	0.259	0.218	0.006	0.110	---	---	3.56	1960
1961	---	---	2.97	0.538	0.448	0.299	0.023	0.033	0	0	---	---	0.543	1961
1962	---	---	2.19	4.00	1.22	1.12	8.73	0.475	0.087	0.358	---	---	2.28	1962
1963	---	---	5.38	4.46	0.911	3.00	1.29	0.618	0.168	0.019	---	---	1.97	1963
1964	---	---	0.319	1.29	2.10	0.708	0.506	0.006	0.106	0	---	---	0.628	1964
1965	---	---	0.073	14.4	13.5	3.20	1.70	0.633	0.266	2.20	---	---	4.49	1965
1966	---	---	10.3	9.87	2.43	0.921	0.613	0.552	0.457	0.076	---	---	3.14	1966
1967	---	---	1.43	17.2	17.5	3.32	0.633	0.312	0.335	0.289	---	---	5.11	1967
1968	---	---	4.17	3.07	1.47	0.694	0.333	0.306	0.101	0.074	---	---	1.28	1968
1969	---	---	0.254	19.1	4.66	1.31	0.812	0.714	0.193	0.293	---	---	3.38	1969
1970	---	---	0.754	23.7	10.1	2.49	0.774	0.997	0.162	0.125	---	---	4.84	1970
1971	---	---	0.219	7.29	5.29	0.930	0.579	0.407	0.160	0.096	---	---	1.86	1971
1972	---	---	2.46	4.08	0.780	1.16	0.699	0.233	0.005	0.077	---	---	1.18	1972
1973	---	---	1.62	1.26	0.869	0.507	1.13	0.172	0.004	0	---	---	0.695	1973
1974	---	---	2.79	12.1	9.06	3.24	0.540	0.807	0	0.238	---	---	3.57	1974
1975	---	---	0.309	6.97	11.3	1.59	1.05	0.915	0.194	0.608	---	---	2.87	1975
1976	---	---	16.4	8.27	0.744	1.03	0.864	0.504	0.007	0.067	---	---	3.49	1976
1977	---	---	0.313	0.647	1.23	0.268	0.271	0.322	0.022	0.045	---	---	0.391	1977
1978	---	---	2.92	8.34	2.47	0.656	0.551	0.526	0.025	0.228	---	---	1.95	1978
1979	---	---	1.56	21.3	3.59	0.865	1.70	0.382	0.146	0.001	---	---	3.65	1979
1980	---	---	1.31	2.49	1.82	0.129	0.300	0.485	0.098	0.092	---	---	0.840	1980
1981	---	---	0.332	0.390	0.864	0.944	0.566	0.049	0	0	---	---	0.392	1981
1982	---	---	4.04	16.0	3.93	4.59	1.93	0.673	0.060	0.277	---	---	3.90	1982
MEAN	---	0.019	4.44	13.8	4.71	2.60	1.47	0.454	0.211	0.331	0.806	---	3.29	MEAN

LOCATION - LAT 49 00 00 N DRAINAGE AREA, 5 510 km^2 INTERNATIONAL GAUGING STATION
LONG 107 18 10 W REGULATED SINCE 1937

FRENCHMAN RIVER AT INTERNATIONAL BOUNDARY - STATION NO. 11AC041

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1917	78.7 ON APR 30	77.0 ON APR 24	---	---	1917
1918	63.4 ON APR 6	60.6 ON APR 6	---	---	1918
1919	30.0 ON APR 5	27.6 ON APR 5	0 ON JUL 28 *	35 500	1919
1920	47.0 AT 16:00 MST ON MAY 10	32.8 ON APR 27	0 B ON MAR 1	99 100	1920
1921	25.0 AT 19:00 MST ON APR 19	24.1 ON APR 19	0 ON AUG 30	59 200	1921
1922	70.2 B AT 13:00 MST ON APR 6	69.4 B ON APR 6	--- ---	---	1922
1923	82.7 AT 11:00 MST ON JUN 23	79.3 ON JUN 23	0.113 ON SEP 21	115 000	1923
1924	21.1 AT 24:00 MST ON APR 14	20.0 ON APR 14	0 B ON MAR 1	40 300	1924
1925	154 AT 14:00 MST ON MAR 29	136 ON MAR 29	0.028B ON MAR 1	163 000	1925
1926	40.8 AT 08:30 MST ON MAR 19	38.8 ON MAR 19	0 ON SEP 1	68 600	1926
1927	95.4 AT 11.00 MST ON APR 10	92.3 ON APR 10	0 B ON MAR 1	246 000	1927
1928	140 AT 05:00 MST ON MAR 25	123 ON MAR 25	0.561B ON MAR 1	133 000	1928
1929	18.0 AT 06:30 MST ON APR 29	17.8 ON APR 28	0 ON SEP 3	42 300	1929
1930	37.9 AT 01:00 MST ON APR 6	36.2 ON APR 5	0.020 ON SEP 20	93 500	1930
1931	15.2 AT 23:30 MST ON JUN 29	11.8 ON JUL 1	0 ON AUG 15	14 200	1931
1932	35.7 AT 20:00 MST ON AUG 11	22.1 ON JUN 12	0 ON AUG 16	53 700	1932
1933	21.0 B AT 03:00 MST ON MAR 30	20.0 B ON MAR 30	0 A ON JUL 24	41 000	1933
1934	12.9 AT 12:30 MST ON APR 12	12.8 ON APR 12	0 A ON JUL 21	24 800	1934
1935	23.7 AT 21:00 MST ON APR 24	23.1 ON APP 24	0 B ON MAR 1	48 000	1935
1936	37.1 AT 02:00 MST ON APR 16	36.2 ON APR 15	0 ON MAR 1	50 100	1936
1937	9.83 AT 23:00 MST ON JUL 14	4.64 ON JUL 13	0 A ON MAR 1	6 330	1937
1938	50.7 AT 13:00 MST ON JUL 5	20.9 ON JUL 6	0 B ON MAR 1	37 100	1938
1939	84.7 A AT 08:00 MST ON MAR 27	81.8 A ON MAR 27	0 ON MAR 1	130 000	1939
1940	54.7 AT 20:30 MST ON APR 26	54.4 ON APR 26	0 ON SEP 14	84 100	1940
1941	49.0 AT 13:30 MST ON MAR 25	43.9 ON MAR 25	0.003 ON SEP 8	57 500	1941
1942	45.0 AT 18:00 MST ON JUN 28	27.0 ON JUN 28	0.014 ON SEP 14	52 300	1942
1943	188 AT 09:20 MST ON MAR 30	188 ON MAR 30	0.003 ON OCT 8	147 000	1943
1944	29.4 B AT 17:15 MST ON APR 3	28.3 A ON APR 14	0.093A ON OCT 26	50 500	1944
1945	17.7 AT 08:15 MST ON APR 1	17.3 ON APR 1	0 ON SEP 14	28 400	1945
1946	20.8 B AT 15:30 MST ON MAR 16	19.3 B ON MAR 16	0 ON AUG 18	26 500	1946
1947	21.1 B AT 14:30 MST ON APR 4	17.6 ON APR 15	0 ON AUG 31	43 200	1947
1948	46.2 AT 16:00 MST ON AUG 6	18.8 ON APR 27	0 E ON OCT 1	31 000	1948
1949	5.44B AT 07:30 MST ON APR 5	4.30B ON APR 5	0 B ON MAR 1	8 010	1949
1950	81.3 AT 05:00 MST ON APR 17	66.3 ON APR 17	0 B ON MAR 8	73 600	1950
1951	55.2 AT 03:00 MST ON MAY 7	55.2 ON MAY 7	0.085B ON MAR 1	111 000	1951
1952	643 AT 15:00 MST ON APR 15 *	544 ON APR 15 *	0.170 ON OCT 29	434 000	1952
1953	37.1 E AT 11:00 ON MAY 30	34.8 E ON MAY 30	0.006 ON OCT 5	72 000	1953
1954	94.3 AT 12:00 ON APR 8	82.7 ON APR 8	0.246 ON SEP 24	92 500	1954
1955	55.2 ON APR 20	54.4 ON APR 20	0.283B ON MAR 19	211 000	1955
1956	22.3 AT 05:00 ON APR 23	21.0 ON APR 22	0.034 ON OCT 23	41 900	1956
1957	15.8 AT 15:00 ON APR 13	15.4 ON APR 13	0 ON AUG 24	32 700	1957
1958	50.4 AT 01:00 ON APR 10	49.8 ON APR 10	0 ON SEP 1	64 300	1958
1959	52.1 B AT 10:00 ON MAR 28	46.7 B ON MAR 28	0 ON SEP 7	41 200	1959
1960	73.6 B AT 05:00 ON MAR 28	67.7 B ON MAR 28	0 ON SEP 19	75 400	1960
1961	---	16.7 B ON MAR 19	0 ON JUL 18	11 500	1961
1962	79.3 E ON JUL 15	50.1 E ON JUL 15	0 B ON MAR 1	48 300	1962
1963	26.4 AT 18:00 ON JUN 8	20.3 ON APR 3	0 ON OCT 8	41 800	1963
1964	5.27 AT 17:00 ON APR 30	5.21 ON APR 30	0 ON JUL 27	13 300	1964
1965	46.4 AT 09:00 ON MAY 4	45.9 ON MAY 4	0.057B ON MAR 1	95 000	1965
1966	45.3 AT 10:00 ON APR 7	44.5 ON APR 7	0.006 ON SEP 8	66 500	1966
1967	44.7 AT 05:00 ON APR 17	44.2 ON APR 17	0.011 ON OCT 22	108 000	1967
1968	18.1 AT 15:00 MST ON APR 3	17.9 ON APR 3	0.003 ON SEP 13	27 100	1968
1969	56.6 AT 06:00 MST ON APR 8	52.4 ON APR 8	0.045 ON OCT 1	71 500	1969
1970	46.4 AT 13:30 MST ON APR 8	43.6 ON APR 8	0.014 ON SEP 29	102 000	1970
1971	26.6 AT 05:25 CST ON MAY 4	24.1 ON MAY 3	0.018 ON AUG 23	39 400	1971
1972	12.4 B AT 14:10 CST ON MAR 21	11.1 B ON MAR 20	0 ON SEP 8	25 000	1972
1973	7.11B AT 11:00 CST ON MAR 6	6.26 ON APR 29	0 ON AUG 20	14 700	1973
1974	36.2 B AT 10:28 CST ON APR 5	33.7 B ON APR 3	0 ON SEP 6	75 700	1974
1975	51.0 AT 11:33 CST ON MAY 6	34.8 ON MAY 8	0.059 ON OCT 1	60 700	1975
1976	48.1 B AT 00:30 CST ON MAR 29	46.2 B ON MAR 29	0 ON SEP 13	73 900	1976
1977	2.47 AT 01:00 CST ON APR 9	2.02 ON MAY 20	0 ON SEP 13	8 270	1977
1978	36.0 B AT 02:48 CST ON MAR 31	32.6 B ON MAR 31	0 ON SEP 8	41 300	1978
1979	46.2 AT 10:00 CST ON APR 27	45.5 ON APR 27	0 ON AUG 22	77 300	1979
1980	11.3 B AT 18:00 MST ON APR 9	8.79B ON MAR 31	0 ON JUL 16	17 800	1980
1981	3.19 AT 17:00 CST ON JUN 1	2.10 ON JUN 1	0 ON JUL 7	8 310	1981
1982	36.1 AT 10:00 CST ON APR 15	35.0 ON APR 15	0 ON OCT 16	82 500	1982
				69 700	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

FRENCHMAN RIVER AT RAVENSCRAG - STATION NO. 11AC017

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1913	---	---	---	---	---	0.524	0.462	0.282	0.148	0.209	---	---	---	1913
1929	---	---	0.270	6.64	2.44	1.35	0.386	0.039	0.057	0.117	---	---	---	1929
1930	---	---	1.18	12.1	1.20	0.612	0.372	0.120	0.131	0.179	---	---	---	1930
1931	---	---	0.522	0.641	0.497	---	---	---	---	---	---	---	---	1931
1935	---	---	---	---	---	---	---	---	0.004	0.044	---	---	---	1935
1936	---	---	0.059	7.57	1.17	0.252	---	---	---	---	---	---	---	1936
MEAN	---	---	0.508	6.74	1.33	0.685	0.407	0.147	0.085	0.137	---	---	---	MEAN

LOCATION - LAT 49 29 30 N
LONG 109 05 16 W
DRAINAGE AREA, 1 180 km^2
REGULATED

FRENCHMAN RIVER AT RAVENSCRAG - STATION NO. 11AC017

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1913	---	---	---	---	1913
1929	---	28.0 ON APR 22	---	---	1929
1930	---	49.0B ON APR 4 *	---	---	1930
1931	---	---	---	---	1931
1935	---	---	0 ON SEP 17 *	---	1935
1936	---	19.3E ON APR 14	---	---	1936
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

FRENCHMAN RIVER AT WALKER'S - STATION NO. 11AC029

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1916	---	---	---	38.0	6.04	9.00	14.5	2.52	1.23	1.88	---	---	---	1916
1965	---	---	---	---	---	---	---	0.648	0.361	2.27	---	---	---	1965
1966	---	---	---	---	2.27	0.895	---	0.528	0.490	0.090	---	---	---	1966
1967	---	---	---	---	---	---	0.695	0.359	0.243	0.192	---	---	---	1967
1968	---	---	---	---	1.49	0.632	0.388	0.354	0.078	0.100	---	---	---	1968
1969	---	---	---	---	---	1.26	0.675	0.745	0.210	0.302	---	---	---	1969
MEAN	---	---	---	38.0	3.27	2.95	4.06	0.859	0.435	0.806	---	---	---	MEAN

LOCATION - LAT 49 03 05 N
LONG 107 21 14 W
DRAINAGE AREA, 5 390 km^2
REGULATED

FRENCHMAN RIVER AT WALKER'S - STATION NO. 11AC029

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1916	---	148B ON MAR 30 *	---	---	1916
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	0 ON SEP 28 *	---	1967
1968	---	---	0 ON SEP 18	---	1968
1969	7.73 AT 01:24 MST ON JUL 3 *	---	---	---	1969
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

FRENCHMAN RIVER BELOW EASTEND IRRIGATION PROJECT - STATION NO. 11AC057

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1937	---	---	---	---	---	0.145	0.116	0.058	0.081	0.143	---	---	---	1937
1938	---	---	---	---	1.57	0.634	1.09	0.131	0.053	0.319	---	---	---	1938
1939	---	---	8.25	2.81	1.41	1.73	0.370	0.185	0.047	0.375	---	---	1.90	1939
1940	---	---	0.455	12.3	1.88	1.05	0.402	0.152	0.063	0.308	---	---	2.05	1940
1941	---	---	7.71	2.98	0.516	0.309	0.240	0.047	0.155	0.285	---	---	1.53	1941
1942	---	---	0.778	5.04	1.12	2.14	1.80	0.348	0.591	0.860	---	---	1.57	1942
1943	---	---	11.6	9.58	0.916	1.01	0.820	0.567	0.400	0.656	---	---	3.19	1943
1944	---	---	1.05	9.59	0.777	0.337	0.472	0.891	1.26	0.600	---	---	1.85	1944
1945	---	---	8.05	1.41	0.872	0.550	0.352	0.441	0.150	0.272	---	---	1.52	1945
1946	---	---	6.91	2.18	0.435	0.203	0.061	0.116	0.147	0.326	---	---	1.30	1946
1947	---	---	0.600	9.69	1.02	0.417	0.218	0.235	0.225	0.186	---	---	1.55	1947
1948	---	---	0.694	6.55	2.34	0.398	0.142	0.178	0.045	0.124	---	---	1.30	1948
1949	---	---	0.377	1.76	0.545	0.924	0.699	0.117	0.046	0.236	---	---	0.584	1949
1950	---	---	0.264	7.87	1.50	0.274	0.139	0.093	0.043	0.049	---	---	1.26	1950
1951	---	---	0.135	12.8	8.00	0.733	0.621	0.755	0.916	0.640	---	---	3.06	1951
1952	---	---	---	---	3.35	1.62	0.956	0.476	0.610	0.425	---	---	---	1952
1953	---	---	---	---	4.06	4.25	0.775	0.415	0.644	0.241	---	---	---	1953
1954	---	---	---	---	1.91	2.41	0.336	1.59	1.35	1.32	---	---	---	1954
1955	---	---	---	---	10.1	1.43	3.90	1.49	0.464	---	---	---	---	1955
1962	---	---	---	---	---	---	0.461	0.200	0.482	---	---	---	---	1962
1963	---	---	---	---	---	0.839	0.639	0.229	0.176	0.205	---	---	---	1963
1964	---	---	---	---	---	0.327	0.552	0.127	0.257	0.284	---	---	---	1964
1965	---	---	---	---	---	1.27	1.62	0.921	1.29	0.647	---	---	---	1965
1966	---	---	---	---	1.69	0.763	0.745	0.592	0.187	0.141	---	---	---	1966
1967	---	---	---	---	---	1.00	0.397	0.434	0.242	0.398	---	---	---	1967
1968	---	---	---	---	0.996	0.339	0.405	0.391	0.594	0.513	---	---	---	1968
1969	---	---	---	---	1.61	0.447	0.943	0.243	0.348	0.811	---	---	---	1969
1970	---	---	---	---	7.93	1.38	0.856	0.630	0.372	0.458	---	---	---	1970
1971	---	---	---	---	2.39	0.362	0.232	0.351	0.369	1.07	---	---	---	1971
1972	---	---	---	---	0.722	1.18	0.678	0.162	0.218	---	---	---	---	1972
1973	---	---	---	3.53	2.52	1.48	0.334	0.150	0.177	0.309	---	---	---	1973
1974	---	---	---	---	3.14	0.846	0.323	0.729	0.334	0.423	---	---	---	1974
1975	---	---	---	---	---	1.32	0.405	0.387	1.00	0.758	---	---	---	1975
MEAN	---	---	3.61	6.29	2.44	1.00	0.670	0.419	0.404	0.446	---	---	1.74	MEAN

LOCATION - LAT 49 24 34 N
LONG 108 36 05 W
DRAINAGE AREA, 2 140 km^2
REGULATED SINCE 1937
INTERNATIONAL GAUGING STATION

FRENCHMAN RIVER BELOW EASTEND IRRIGATION PROJECT - STATION NO. 11AC057

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1937	---	---	0 ON AUG 25 *	---	1937
1938	---	---	0 ON SEP 25	---	1938
1939	---	61.7 ON MAR 22	0.011 ON SEP 9	40 200	1939
1940	---	65.4 ON APR 23	0.006 ON SEP 30	43 200	1940
1941	---	37.7 B ON MAR 28	0.023 ON AUG 23	32 400	1941
1942	19.1 AT 18:00 ON JUL 1	18.3 ON APR 14	0.204 ON JUL 23	33 300	1942
1943	98.0 B ON MAR 31	91.5 B ON MAR 31 *	0.176 ON AUG 16	67 500	1943
1944	65.7 B AT 19:30 ON APR 6	64.0 B ON APR 6	0.218 ON JUN 7	39 200	1944
1945	50.4 AT 10:30 ON MAR 24	45.9 ON MAR 24	0 ON JUL 30	32 300	1945
1946	34.5 AT 08:00 ON MAR 29	31.4 ON MAR 29	0 A ON JUL 25	27 600	1946
1947	44.5 B AT 09:20 ON APR 11	30.3 B ON APR 12	0.028B ON MAR 1	32 800	1947
1948	27.4 AT 21:00 ON APR 19	23.5 ON APR 19	0.017 ON SEP 13	27 500	1948
1949	8.04A AT 06:00 ON APR 10	6.29A ON APR 10	0.028B ON MAR 1	12 400	1949
1950	60.6 AT 01:00 ON APR 19	43.0 B ON APR 18	0.028A ON AUG 2	26 700	1950
1951	68.2 AT 05:30 ON APR 30	67.7 ON APR 30	0.011 ON SEP 19	64 700	1951
1952	340 ON APR 16 *	---	---	---	1952
1953	---	13.3 ON JUN 6	---	---	1953
1954	---	---	---	---	1954
1955	---	---	---	---	1955
1962	---	---	---	---	1962
1963	---	---	---	---	1963
1964	---	---	---	---	1964
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1972	---	---	0 ON AUG 28	---	1972
1973	9.91 AT 01:50 CST ON JUN 16	7.31 ON APR 28	---	---	1973
1974	11.6 AT 17:30 CST ON MAY 25	11.2 ON MAY 26	0.164 ON JUL 21	---	1974
1975	---	---	---	---	1975
				36 900	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

FRENCHMAN RIVER BELOW EASTEND RESERVOIR - STATION NO. 11AC001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	7.15	6.71	3.92	0.751	0.479	1.16	---	---	---	1909
1910	---	---	---	---	0.869	0.284	0.131	0.009	0.020	0.021	---	---	---	1910
1911	---	---	---	11.3	2.21	1.32	0.881	0.465	0.569	0.900	---	---	---	1911
1912	---	---	---	30.0	4.91	1.58	0.291	0.218	0.795	0.521	---	---	---	1912
1913	---	---	---	14.9	2.19	1.06	0.600	0.378	---	---	---	---	---	1913
1914	---	---	1.50	7.27	0.733	0.453	0.092	0.061	0.255	0.512	---	---	1.34	1914
1915	---	---	1.03	9.97	1.22	2.20	1.65	0.878	0.874	0.723	---	---	2.29	1915
1916	---	---	---	5.56	3.69	4.25	2.32	1.23	0.964	1.93	---	---	---	1916
1918	---	---	11.8	17.2	3.60	1.42	0.631	0.479	0.354	0.483	---	---	4.47	1918
1919	---	---	0.269	5.05	1.45	0.422	0.117	0.027	0.349	0.336	---	---	0.992	1919
1920	---	---	0.815	15.7	8.35	1.41	0.723	0.253	0.292	0.332	---	---	3.45	1920
1921	---	---	1.69	9.37	2.40	0.644	0.266	0.218	0.354	0.398	---	---	1.90	1921
1922	---	---	0.306	22.3	8.98	1.16	0.963	0.459	0.258	0.455	---	---	4.32	1922
1923	---	---	0.313	5.79	1.55	1.61	0.610	0.439	0.333	0.474	---	---	1.38	1923
1924	---	---	0.412	4.08	1.39	1.22	0.396	0.326	0.183	0.376	---	---	1.04	1924
1925	---	---	1.64	19.3	2.03	1.36	0.395	0.303	0.307	0.573	---	---	3.19	1925
1926	---	---	5.31	3.90	0.741	0.475	0.158	0.190	0.410	0.515	---	---	1.46	1926
1927	---	---	0.272	21.6	13.8	5.28	2.48	1.16	0.877	0.838	---	---	5.75	1927
1928	---	---	11.1	5.75	2.63	2.03	1.78	0.697	0.505	0.544	---	---	3.14	1928
1929	---	---	0.491	8.17	3.49	2.00	0.636	0.252	0.340	0.508	---	---	1.97	1929
1930	---	---	1.18	12.0	1.75	0.872	0.655	0.300	0.406	0.490	---	---	2.18	1930
1931	---	---	0.902	1.07	1.05	---	---	---	---	---	---	---	---	1931
1935	---	---	---	---	---	---	---	---	---	0.255	---	---	---	1935
1936	---	---	0.210	8.65	1.72	0.463	0.074	0	0	0	---	---	1.37	1936
1939	---	---	---	2.68	1.75	2.08	0.294	0.103	0.036	0.334	---	---	---	1939
1940	---	---	0.542	11.0	1.72	0.768	0.226	0.073	0.041	0.314	---	---	1.80	1940
1941	---	---	7.80	1.93	0.259	0.135	0.107	0.025	0.156	0.268	---	---	1.34	1941
1942	---	---	0.648	4.79	0.860	1.55	1.01	0.227	0.482	0.736	---	---	1.28	1942
1943	---	---	12.0	5.81	0.736	0.574	0.513	0.401	0.352	0.439	---	---	2.60	1943
1944	---	---	0.767	9.49	0.642	0.067	0.221	0.729	0.929	0.642	---	---	1.66	1944
1945	---	---	7.32	1.53	0.642	0.285	0.134	0.306	0.148	0.299	---	---	1.34	1945
1946	---	---	6.89	2.23	0.293	0.049	0.018	0.052	0.151	0.308	---	---	1.25	1946
1947	---	---	0.615	9.00	0.847	0.333	0.095	0.126	0.200	0.284	---	---	1.42	1947
1948	---	---	0.599	6.18	2.01	0.186	0.072	0.116	0.040	0.123	---	---	1.15	1948
1949	---	---	0.292	1.78	0.446	0.911	0.572	0.046	0.086	0.302	---	---	0.546	1949
1950	---	---	0.298	6.59	1.33	0.098	0.070	0.042	0.038	0.079	---	---	1.05	1950
1951	---	---	0.271	13.3	6.38	0.562	0.514	0.635	0.778	0.588	---	---	2.86	1951
1952	---	---	0.714	41.1	3.12	1.73	1.05	0.469	0.533	0.400	---	---	6.03	1952
1953	---	---	0.716	6.19	4.40	3.64	0.640	0.249	0.187	0.311	---	---	2.02	1953
1954	---	---	0.607	5.67	2.19	2.31	0.269	1.43	1.05	1.30	---	---	1.84	1954
1955	---	---	0.690	25.6	9.26	1.06	2.65	1.23	0.480	0.634	---	---	5.15	1955
1956	---	---	0.763	6.27	2.23	0.705	0.776	0.240	0.614	0.569	---	---	1.51	1956
1957	---	---	0.644	7.76	0.897	0.227	0.420	0.968	0.247	0.411	---	---	1.43	1957
1958	---	---	0.860	11.7	0.665	0.168	0.545	0.489	0.128	0.278	---	---	1.82	1958
1959	---	---	2.33	4.22	0.849	0.371	0.613	0.040	0.101	0.589	---	---	1.13	1959
1960	---	---	9.66	2.12	1.18	0.988	0.140	0.120	0.146	0.209	---	---	1.83	1960
1961	---	---	1.00	0.995	0.990	0.173	0.118	0.081	0.070	0.198	---	---	0.454	1961
1962	---	---	1.69	3.33	0.089	0.343	0.226	0.108	0.502	0.350	---	---	0.823	1962
1963	---	---	4.23	1.79	0.207	0.258	0.487	0.096	0.152	0.177	---	---	0.927	1963
1964	---	---	0.512	3.39	1.53	0.105	0.453	0.119	0.291	0.315	---	---	0.835	1964
1965	---	---	0.321	19.3	2.90	0.728	1.21	0.856	1.09	0.678	---	---	3.34	1965
1966	---	---	6.71	3.95	1.49	0.410	0.600	0.306	0.216	0.200	---	---	1.74	1966
1967	---	---	0.599	4.71	15.3	0.631	0.152	0.286	0.186	0.434	---	---	2.80	1967
1968	---	---	5.30	2.51	0.740	0.155	0.348	0.352	0.560	0.465	---	---	1.31	1968
1969	---	---	0.464	7.68	1.33	0.087	0.386	0.100	0.148	0.765	---	---	1.35	1969
1970	---	---	0.556	14.4	6.89	0.908	0.575	0.540	0.340	0.428	---	---	3.05	1970
1971	---	---	0.555	6.16	2.26	0.252	0.174	0.138	0.501	0.801	---	---	1.34	1971
1972	---	---	6.99	3.24	0.445	0.861	0.288	0.136	0.182	0.448	---	---	1.58	1972
1973	---	---	0.779	3.50	2.09	0.707	0.271	0.104	0.255	0.352	---	---	1.00	1973
1974	---	---	0.793	4.22	3.49	0.790	0.184	0.544	0.267	0.374	---	---	1.33	1974
1975	---	---	0.267	4.17	5.91	1.03	0.358	0.131	0.976	0.797	---	---	1.70	1975
1976	---	---	4.96	4.25	0.283	0.099	0.176	0.171	0.217	0.485	---	---	1.33	1976
1977	---	---	0.605	4.56	0.719	0.278	1.23	0.628	0.111	0.319	---	---	1.05	1977
1978	---	---	0.620	3.96	1.47	0.145	0.298	0.109	0.584	0.942	---	---	1.01	1978
1979	---	---	3.81	11.3	1.30	0.200	0.176	0.111	0.152	0.365	---	---	2.15	1979
1980	---	---	0.481	2.21	0.328	1.50	0.307	0.178	0.174	0.353	---	---	0.683	1980
1981	---	---	0.575	0.239	0.119	0.301	0.323	0.105	0.047	0.218	---	---	0.241	1981
1982	---	---	0.338	3.83	1.78	2.79	1.31	0.346	0.390	0.334	---	---	1.38	1982
MEAN	---	---	2.27	8.30	2.57	1.06	0.612	0.345	0.358	0.478	---	---	1.91	MEAN

LOCATION - LAT 49 30 54 N DRAINAGE AREA, 1 600 km² INTERNATIONAL GAUGING STATION
LONG 108 50 16 W REGULATED SINCE 1937

FRENCHMAN RIVER BELOW EASTEND RESERVOIR - STATION NO. 11AC001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1909	---	---	---	---	1909
1910	---	---	---	---	1910
1911	54.1 ON APR 11	53.0 ON APR 11	---	---	1911
1912	198 B ON APR 10	170 B ON APR 11	---	---	1912
1913	66.8 B ON APR 8	66.3 B ON APR 8	---	---	1913
1914	28.6 ON APR 13	24.1 ON APR 13	0.023E ON JUL 12	28 400	1914
1915	86.1 ON APR 4	75.6 ON APR 4	0.377 ON MAY 7	48 500	1915
1916	---	---	---	---	1916
1918	---	58.9 ON APR 10	0.269E ON SEP 8	94 600	1918
1919	18.7 ON APR 3	17.0 ON APR 3	0 ON AUG 5 *	21 000	1919
1920	65.1 AT 13:45 ON APR 21	59.5 ON APR 21	0.108 ON AUG 27	73 100	1920
1921	47.3 AT 13:50 ON APR 14	47.3 ON APR 14	0.018B ON MAR 14	40 200	1921
1922	103 ON APR 23	91.7 ON APR 23	0.085B ON MAR 1	91 400	1922
1923	28.3 B ON APR 15	24.7 B ON APR 16	0.125B ON MAR 4	29 100	1923
1924	27.1 B AT 17:30 ON APR 8	26.1 B ON APR 8	0.142 ON AUG 29	22 000	1924
1925	81.8 B AT 09:20 ON APR 6	72.2 B ON APR 6	0.142 ON SEP 10	67 400	1925
1926	40.2 B ON MAR 19	32.3 B ON MAR 18	0.040 ON JUL 31	30 900	1926
1927	124 AT 24:00 ON APR 26	116 ON APR 27	0.085B ON MAR 1	122 000	1927
1928	95.7 B AT 12:30 ON MAR 22	88.3 B ON MAR 22	0.272 ON OCT 28	66 400	1928
1929	32.3 AT 13:30 ON APR 22	31.4 ON APR 22	0.167 ON AUG 24	41 700	1929
1930	58.3 B AT 15:30 ON APR 5	57.5 B ON APR 5	0.210 ON AUG 11	46 100	1930
1931	---	3.34B ON MAR 25	0.402B ON MAR 11	---	1931
1935	---	---	---	---	1935
1936	---	21.9 E ON APR 15	0 B ON MAR 1	29 000	1936
1939	---	---	---	---	1939
1940	---	72.5 ON APR 22	0.014 ON SEP 24	38 200	1940
1941	---	35.4 B ON MAR 27	0.020 ON AUG 11	28 400	1941
1942	18.7 AT 23:00 ON APR 13	15.6 ON APR 13	0.102 ON JUL 19	27 000	1942
1943	105 B ON MAR 30	102 E ON MAR 31	0 ON AUG 14	55 100	1943
1944	74.2 AT 01:30 ON APR 5	68.2 ON APR 5	0.028 ON JUN 3	35 200	1944
1945	48.1 AT 23:00 ON MAR 23	37.4 ON MAR 24	0 ON JUL 31	28 400	1945
1946	34.8 AT 18:05 ON MAR 28	32.8 ON MAR 28	0.003 ON JUL 28	26 600	1946
1947	35.1 AT 23:00 ON APR 11	28.3 ON APR 11	0.011 ON AUG 4	30 000	1947
1948	29.2 AT 02:00 ON APR 19	27.0 ON APR 19	0.003 ON OCT 14	24 400	1948
1949	8.78B AT 20:00 ON APR 9	6.34 ON APR 10	0.008 ON AUG 16	11 500	1949
1950	63.1 B AT 05:00 ON APR 18	52.1 B ON APR 18	0.014 ON OCT 10	22 300	1950
1951	75.0 AT 02:00 ON APR 29	69.9 ON APR 28	0.031 ON SEP 18	60 600	1951
1952	326 A AT 07:00 ON APR 16 *	272 A ON APR 16 *	0.028 ON OCT 25	127 000	1952
1953	27.9 AT 13:00 ON APR 24	26.1 ON APR 24	0.014 ON SEP 30	42 800	1953
1954	41.3 AT 19:00 ON APR 14	36.8 ON APR 14	0.088 ON JUL 31	38 900	1954
1955	56.9 AT 14:00 ON APR 20	55.2 ON APR 20	0.164 ON JUL 1	109 000	1955
1956	34.0 AT 14:00 ON APR 15	32.0 ON APR 15	0.099 ON AUG 20	32 000	1956
1957	22.6 AT 16:00 ON APR 18	20.9 ON APR 18	0.082 ON AUG 26	30 300	1957
1958	79.6 AT 09:00 ON APR 5	74.8 ON APR 5	0.048 ON AUG 18	38 700	1958
1959	26.1 AT 06:00 ON APR 3	21.9 ON APR 3	0.028 ON SEP 7	24 000	1959
1960	49.0 B AT 23:00 ON MAR 27	47.9 B ON MAR 28	0.093 ON JUN 10	38 800	1960
1961	4.30 AT 21:30 ON MAR 25	3.62 ON MAR 25	0.008 ON AUG 31	9 600	1961
1962	20.8 ON APR 6	15.9 ON APR 6	0 ON SEP 19	17 400	1962
1963	32.3 AT 22:00 ON MAR 28	28.9 ON MAR 29	0.023 ON SEP 7	19 600	1963
1964	18.6 B AT 17:00 ON APR 3	14.2 B ON APR 3	0.014 ON AUG 4	17 700	1964
1965	70.5 AT 08:00 ON APR 26	68.2 ON APR 26	0 ON SEP 30	70 800	1965
1966	67.4 B AT 13:30 ON MAR 30	66.3 B ON MAR 31	0.156 ON JUN 19	36 800	1966
1967	57.8 AT 04:00 ON MAY 10	47.9 ON MAY 10	0.059 ON SEP 5	59 400	1967
1968	18.5 B AT 19:00 MST ON MAR 7	16.8 B ON MAR 7	0.099 ON JUN 3	27 700	1968
1969	71.4 B AT 21:20 MST ON APR 7	63.4 B ON APR 7	0.013 ON SEP 25	28 700	1969
1970	68.5 B AT 20:10 MST ON APR 11	63.4 B ON APR 11	0.082 ON JUL 24	64 700	1970
1971	25.1 AT 20:53 CST ON APR 16	20.6 ON APR 17	0.102 ON AUG 28	28 500	1971
1972	59.5 B AT 22:00 CST ON MAR 18	48.1 B ON MAR 19	0.108 ON AUG 9	33 300	1972
1973	7.33 AT 12:50 CST ON APR 27	6.94 ON APR 28	0.091 ON AUG 13	21 200	1973
1974	11.8 AT 21:03 CST ON MAY 25	11.4 ON MAY 25	0.139 ON AUG 6	28 100	1974
1975	55.5 AT 21:36 CST ON MAY 7	42.2 ON MAY 7	0.059B ON MAR 14	36 000	1975
1976	39.1 AT 23:56 CST ON APR 1	28.1 ON APR 2	0.065 ON MAY 28	28 100	1976
1977	13.9 AT 19:00 CST ON APR 9	12.5 B ON APR 9	0.028 ON AUG 21	22 200	1977
1978	16.2 B AT 04:14 CST ON APR 1	13.0 B ON APR 1	0.088 ON SEP 27	21 400	1978
1979	96.3 AT 02:12 CST ON APR 19	78.6 ON APR 19	0.075B ON MAR 6	45 600	1979
1980	9.93 AT 00:28 CST ON APR 8	9.66 ON APR 8	0.107 ON AUG 27	14 500	1980
1981	---	2.68B ON MAR 1	0 ON SEP 19	5 110	1981
1982	20.1 AT 01:38 CST ON APR 25	16.5 ON APR 25	0.132B ON APR 17	29 200	1982
				40 500	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

FRENCHMAN RIVER BELOW MULE CREEK - STATION NO. 11AC071

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1964	---	---	---	---	---	---	---	0.025	0.210	0.260	---	---	---	1964
1965	---	---	---	---	---	1.28	1.82	0.923	1.37	0.655	---	---	---	1965
1966	---	---	---	---	2.04	0.945	0.872	0.608	0.244	0.201	---	---	---	1966
1967	---	---	---	---	---	---	0.356	0.336	0.187	0.343	---	---	---	1967
1968	---	---	---	---	1.22	0.351	0.295	0.323	0.559	0.494	---	---	---	1968
1969	---	---	---	---	2.14	0.484	1.04	0.205	0.153	0.775	---	---	---	1969
MEAN	---	---	---	---	1.80	0.765	0.877	0.403	0.458	0.455	---	---	---	MEAN

LOCATION - LAT 49 24 55 N, LONG 108 12 21 W
DRAINAGE AREA, 2 870 km^2
REGULATED

FRENCHMAN RIVER BELOW MULE CREEK - STATION NO. 11AC071

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1964	---	---	---	---	1964
1965	9.15 AT 00:00 MST ON JUN 29 *	---	---	---	1965
1966	4.28 AT 10:00 MST ON MAY 7	---	---	---	1966
1967	---	---	---	---	1967
1968	2.82 AT 16:00 MST ON MAY 4	---	---	---	1968
1969	4.79 AT 16:46 MST ON MAY 3	---	---	---	1969
	* - EXTREME RECORDED FOR THE PERIOD OF RECORD			---	MEAN

FRENCHMAN RIVER BELOW NEWTON LAKE - STATION NO. 11AC062

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1939	---	---	---	---	---	6.55	0.781	0.014	0.014	0.014	---	---	---	1939
1965	---	---	---	---	---	---	1.18	0.209	0.828	1.86	---	---	---	1965
1966	---	---	---	---	1.96	0.152	0.173	0.136	0.710	0.223	---	---	---	1966
1967	---	---	---	---	---	0.811	0.147	0.125	0.087	0.061	---	---	---	1967
1968	---	---	---	---	1.06	0.158	0.132	0.102	0.080	0.166	---	---	---	1968
1969	---	---	---	---	2.44	0.496	0.460	0.326	0.162	0.257	---	---	---	1969
1970	---	---	---	---	---	0.279	0.371	0.260	0.159	0.316	---	---	---	1970
1971	---	---	---	---	---	0.267	0.229	0.283	0.296	0.161	---	---	---	1971
1972	---	---	---	---	0.446	0.243	0.260	0.188	0.090	0.151	---	---	---	1972
1973	---	---	---	1.45	0.634	0.296	1.14	0.099	0.143	0.157	---	---	---	1973
1974	---	---	---	---	6.71	2.03	0.115	0.068	0.117	0.332	---	---	---	1974
1975	---	---	---	---	9.52	0.357	0.868	0.309	0.278	0.625	---	---	---	1975
1976	---	---	---	---	0.361	0.269	0.509	0.223	0.091	0.201	---	---	---	1976
1977	---	---	0.254	0.671	0.704	0.269	0.302	0.202	0.198	0.146	---	---	0.342	1977
1978	---	---	0.082	2.47	1.93	0.059	0.213	0.034	0.075	0.462	---	---	0.662	1978
1979	---	---	1.89	14.2	2.07	0.052	0.076	0.059	0.370	0.119	---	---	2.32	1979
1980	---	---	0.336	0.300	1.28	0.075	0.056	0.539	0.011	0.254	---	---	0.359	1980
1981	---	---	0.267	0.545	0.332	0.689	0.828	0.189	0.064	0.240	---	---	0.394	1981
1982	---	---	0.065	7.35	0.894	3.66	1.93	0.298	0.163	0.426	---	---	1.82	1982
MEAN	---	---	0.482	3.86	2.17	0.928	0.514	0.193	0.207	0.325	---	---	0.983	MEAN

LOCATION - LAT 49 18 07 N DRAINAGE AREA, 3 490 km^2 INTERNATIONAL GAUGING STATION
LONG 107 48 20 W REGULATED SINCE 1937

FRENCHMAN RIVER BELOW NEWTON LAKE - STATION NO. 11AC062

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1939	---	---	---	---	1939
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1972	---	---	---	---	1972
1973	7.65 AT 08:45 CST ON APR 26	7.62 ON APR 26	---	---	1973
1974	47.6 AT 15:01 CST ON MAY 24	36.0 ON MAY 24	0.040 ON JUL 27	---	1974
1975	45.6 AT 23:02 CST ON MAY 10	45.3 ON MAY 11	0.170A ON APR 25	---	1975
1976	---	---	0.071 ON SEP 24	---	1976
1977	1.64 AT 21:34 CST ON MAY 5	1.62 ON MAY 5	0.136 ON OCT 28	7 250	1977
1978	4.79 AT 11:23 CST ON APR 18	4.70 ON APR 22	0.020 ON AUG 26	14 000	1978
1979	66.6 AT 14:39 CST ON APR 19 *	51.3 ON APR 20 *	0.035 ON AUG 15	49 100	1979
1980	1.67 AT 11:00 CST ON MAY 2	1.64 ON MAY 3	0.002 ON AUG 21	7 590	1980
1981	1.83 AT 11:30 CST ON MAR 4	1.57 ON APR 21	0 ON JUN 30 *	8 340	1981
1982	42.7 AT 18:09 CST ON APR 16	41.8 ON APR 17	0.010B ON MAR 1	38 600	1982
				20 800	MEAN

A - MANUAL GAUGE B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD
(SEE REFERENCE INDEX)

FRENCHMAN RIVER BELOW VAL MARIE - STATION NO. 11AC051

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1937	---	---	0.004	0.615	0.014	0.437	1.09	0.006	0	0	---	---	0.270	1937
1938	---	---	0.261	2.97	0.877	0.220	1.73	0.080	0.045	0.026	---	---	0.773	1938
1939	---	---	12.4	3.17	2.84	7.31	1.25	0.366	0.079	0.101	---	---	3.44	1939
1940	---	---	0.028	15.2	1.42	4.12	0.664	0.221	0.168	0.694	---	---	2.77	1940
1941	---	---	5.75	7.21	0.739	0.664	0.410	0.207	0.360	0.211	---	---	1.94	1941
1942	---	---	2.43	4.17	0.827	1.80	3.24	0.302	0.275	0.365	---	---	1.67	1942
1943	---	---	18.0	20.4	1.95	1.77	0.805	0.197	0.096	0.278	---	---	5.41	1943
1944	---	---	1.90	9.58	0.848	0.306	0.306	0.665	0.351	1.30	---	---	1.89	1944
1945	---	---	6.38	0.841	0.896	0.393	0.532	0.292	0.032	0.003	---	---	1.18	1945
1946	---	---	3.83	2.85	0.399	0.334	0.416	0.046	0.151	0.283	---	---	1.04	1946
1947	---	---	0.496	6.90	0.984	0.315	0.397	0.240	0.567	0.608	---	---	1.30	1947
1948	---	---	0.886	4.74	1.93	0.560	0.588	0.713	0.240	0.041	---	---	1.20	1948
1949	---	---	0.103	0.330	0.560	0.440	0.674	0.001	0	0	---	---	0.264	1949
1950	---	---	0.014	12.3	1.89	0.651	0.286	0.372	0.104	0.472	---	---	1.99	1950
1951	---	---	0.159	14.9	14.9	0.745	1.35	0.798	1.77	0.840	---	---	4.41	1951
1952	---	---	---	---	---	1.69	4.17	1.28	1.60	0.714	---	---	---	1952
1953	---	---	---	---	8.41	10.4	1.50	0.292	0.070	0.135	---	---	---	1953
1954	---	---	---	---	2.14	3.72	1.26	2.08	0.529	2.10	---	---	---	1954
1955	---	---	---	---	14.5	2.72	---	1.44	0.825	0.655	---	---	---	1955
1956	---	---	---	---	2.30	1.26	0.764	0.518	0.456	0.206	---	---	---	1956
1957	---	---	---	---	1.66	0.848	0.195	0.160	0.124	0.074	---	---	---	1957
1958	---	---	---	---	0.801	0.544	0.288	0.177	0.161	0.052	---	---	---	1958
1959	---	---	---	---	1.33	1.06	0.854	0.291	0.040	0.078	---	---	---	1959
1960	---	---	---	---	1.76	0.819	0.312	0.278	0.061	0.283	---	---	---	1960
1961	---	---	---	0.635	0.398	0.328	0.080	0.040	0	0.228	---	---	---	1961
1962	---	---	---	3.06	1.20	0.319	4.29	0.336	0.111	0.412	---	---	---	1962
1963	---	---	---	4.38	0.894	1.69	0.832	0.502	0.118	0.119	---	---	---	1963
1964	---	---	---	1.60	1.93	0.473	0.408	0.154	0.080	0.039	---	---	---	1964
1965	---	---	---	15.2	7.74	1.55	1.41	0.565	0.688	1.99	---	---	---	1965
1966	---	---	---	10.4	2.18	0.691	0.521	0.518	0.579	0.114	---	---	---	1966
1967	---	---	---	14.6	16.6	2.62	0.661	0.334	0.094	0.060	---	---	---	1967
1968	---	---	---	2.51	1.55	0.644	0.500	0.325	0.096	0.123	---	---	---	1968
1969	---	---	---	12.8	3.52	1.19	0.522	0.826	0.268	0.321	---	---	---	1969
1970	---	---	---	20.6	8.23	1.41	0.660	0.991	0.164	0.280	---	---	---	1970
1971	---	---	---	---	4.01	0.655	0.679	0.445	0.166	0.200	---	---	---	1971
1972	---	---	---	---	0.617	0.997	0.817	0.252	0.084	0.193	---	---	---	1972
1973	---	---	---	1.27	1.02	0.537	1.53	0.228	0.093	0.132	---	---	---	1973
1974	---	---	---	---	7.36	3.08	0.542	0.396	0.073	0.321	---	---	---	1974
1975	---	---	---	---	---	1.15	1.33	0.540	0.292	0.639	---	---	---	1975
MEAN	---	---	3.51	7.43	3.28	1.55	0.995	0.448	0.282	0.377	---	---	1.97	MEAN

LOCATION - LAT 49 11 50 N DRAINAGE AREA, 4 470 km² INTERNATIONAL GAUGING STATION
LONG 107 41 17 W REGULATED SINCE 1937

FRENCHMAN RIVER BELOW VAL MARIE - STATION NO. 11AC051

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1937	7.59 ON JUL 17	4.56 ON JUL 17	0 ON MAR 1 *	5 720	1937
1938	12.0 AT 18:00 ON APR 16	11.9 ON APR 16	0 B ON MAR 1	16 400	1938
1939	84.4 AT 17:00 ON MAR 24	82.1 ON MAR 24	0.028B ON MAR 1	72 900	1939
1940	53.0 ON APR 24	53.0 ON APR 24	0.028B ON MAR 1	58 700	1940
1941	41.9 B AT 15:00 ON MAR 21	26.4 ON APR 3	0.074 ON JUL 25	41 000	1941
1942	13.9 AT 21:30 ON JUN 30	13.6 B ON MAR 12	0.028 ON OCT 9	35 400	1942
1943	130 B ON MAR 25	98.0 A ON MAR 31 *	0.023 ON OCT 1	118 000	1943
1944	39.6 AT 10:00 ON APR 11	32.6 ON APR 11	0.057 ON SEP 19	39 900	1944
1945	21.2 AT 16:00 ON MAR 29	20.2 ON MAR 29	0 A ON SEP 28	25 000	1945
1946	22.5 A AT 11:40 ON APR 2	22.5 A ON APR 2	0.006 ON AUG 24	21 900	1946
1947	15.6 AT 08:30 ON APR 19	14.9 ON APR 19	0.028B ON MAR 1	27 500	1947
1948	25.7 ON APR 25	23.1 E ON APR 24	0.011 ON OCT 30	25 400	1948
1949	2.12 AT 07:00 ON APR 6	1.59 ON JUL 9	0 ON JUL 28	5 590	1949
1950	45.0 AT 13:00 ON APR 23	44.7 ON APR 23	0.014B ON MAR 1	42 100	1950
1951	71.6 A ON MAY 5	66.3 A ON MAY 4	0.142B ON MAR 1	93 400	1951
1952	501 ON APR 14 *	---	---	---	1952
1953	---	---	---	---	1953
1954	---	---	---	---	1954
1955	---	---	---	---	1955
1956	---	---	---	---	1956
1957	---	---	---	---	1957
1958	---	---	---	---	1958
1959	---	---	---	---	1959
1960	---	---	0 ON SEP 17	---	1960
1961	---	---	---	---	1961
1962	---	---	---	---	1962
1963	50.7 AT 06:00 MST ON APR 1	33.4 ON APR 1	---	---	1963
1964	6.17 AT 24:00 MST ON APR 28	6.06 ON APR 29	---	---	1964
1965	56.9 AT 03:00 MST ON APR 29	56.6 ON APR 29	---	---	1965
1966	66.0 AT 22:00 MST ON APR 1	61.4 ON APR 2	---	---	1966
1967	79.0 AT 04:00 MST ON APR 13	68.8 ON APR 13	---	---	1967
1968	---	---	---	---	1968
1969	71.1 B AT 18:55 MST ON APR 7	69.4 ON APR 11	---	---	1969
1970	85.5 AT 18:55 MST ON APR 7	50.4 ON APR 12	---	---	1970
1971	55.2 AT 02:13 CST ON MAY 1	37.1 ON MAY 1	---	---	1971
1972	---	---	---	---	1972
1973	7.50 AT 00:30 CST ON APR 28	7.16 ON APR 27	---	---	1973
1974	51.0 AT 20:40 CST ON MAY 25	28.1 ON MAY 26	0.045 ON SEP 24	---	1974
1975	51.0 AT 03:06 CST ON MAY 12	49.0 ON MAY 12	---	---	1975
				41 700	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

FRENCHMAN RIVER NEAR BELANGER - STATION NO. 11AC022

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1916	---	---	---	---	---	---	0.364	0.187	0.119	0.175	---	---	---	1916
1917	---	---	---	---	---	0.813	0.295	0.184	0.150	0.147	---	---	---	1917
MEAN	---	---	---	---	---	0.813	0.330	0.186	0.135	0.161	---	---	---	MEAN

LOCATION - LAT 49 29 00 N
LONG 109 21 00 W
DRAINAGE AREA, 554 km²
REGULATED

FRENCHMAN RIVER NEAR ROSEFIELD - STATION NO. 11AC070

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1965	---	---	---	---	---	---	1.46	0.628	0.528	2.34	---	---	---	1965
1966	---	---	---	---	2.47	0.852	0.451	0.449	0.667	0.098	---	---	---	1966
1967	---	---	---	---	---	---	0.641	0.339	0.245	0.135	---	---	---	1967
1968	---	---	---	---	1.49	0.672	0.816	0.331	0.104	0.153	---	---	---	1968
1969	---	---	---	---	---	1.15	0.587	0.779	0.247	0.284	---	---	---	1969
MEAN	---	---	---	---	1.98	0.891	0.711	0.505	0.358	0.602	---	---	---	MEAN

LOCATION - LAT 49 09 10 N
LONG 107 31 50 W
DRAINAGE AREA, 6 660 km²
REGULATED

FRENCHMAN RIVER NEAR ROSEFIELD - STATION NO. 11AC070

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1968	2.33 AT 06:00 MST ON MAY 20	---	---	---	1968
1969	2.40 AT 01:20 MST ON JUL 18 *	---	---	---	1969
	* - EXTREME RECORDED FOR THE PERIOD OF RECORD			---	MEAN

GAFF DITCH FROM BATTLE CREEK - STATION NO. 11AB019

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1912	---	---	0	0	0	0.330	0.074	0	0	0	---	---	0.050	1912
1913	---	---	0	0	0.011	0.174	0	0	0	0	---	---	0.023	1913
1914	---	---	0	0	0.191	0.368	0.021	0	0	0	---	---	0.072	1914
1915	---	---	0	0	0.213	0.027	0	0	0	0	---	---	0.030	1915
1916	---	---	0	0	0	0	0	0	0	0	---	---	0	1916
1917	---	---	0	0	0	0.056	0.100	0.124	0	0	---	---	0.035	1917
1918	---	---	0	0	0	0.162	0.027	0.040	0.059	0.113	---	---	0.050	1918
1919	---	---	0	0.030	0.101	0.046	0	0	0	0	---	---	0.022	1919
1920	---	---	0	0	0.027	0.100	0	0	0	0	---	---	0.016	1920
1921	---	---	0	0	0	0.099	---	---	---	---	---	---	---	1921
1922	---	---	0	0	0	0.021	0.039	0	0	0	---	---	0.007	1922
1923	---	---	0	0	0.009	0.026	0	0	0	0	---	---	0.004	1923
1924	---	---	0	0	0.083	0.023	0.010	0	0	0	---	---	0.005	1924
1925	---	---	0	0	0	0	0.045	0	0	0	---	---	0.006	1925
1926	---	---	0	0	0	0	0	0	0	0	---	---	0	1926
1927	---	---	0	0	0	0	0	0	0	0	---	---	0	1927
1928	---	---	0	0	0	0	0	0	0	0	---	---	0	1928
1929	---	---	0	0	0	0	0	0	0	0	---	---	0	1929
1930	---	---	0	0	0	0	0	0	0	0	---	---	0	1930
1931	---	---	0	0	0	0.014	0.007	0.005	0	0	---	---	0.003	1931
MEAN	---	---	0	0.002	0.028	0.072	0.017	0.009	0.003	0.006	---	---	0.017	MEAN

LOCATION - LAT 49 24 40 N
LONG 109 47 35 W
REGULATED

GAFF DITCH FROM BATTLE CREEK - STATION NO. 11AB019

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1912	---	0.606 ON JUN 15 *	0 ON MAR 1 *	1 050	1912
1913	---	0.481 ON JUN 2	0 ON MAR 1	481	1913
1914	---	0.473 ON MAY 21	0 ON MAR 1	1 520	1914
1915	---	0.456 ON MAY 14	0 ON MAR 1	640	1915
1916	---	0 ON MAR 1	0 ON MAR 1	0	1916
1917	---	0.357 ON AUG 9	0 ON MAR 1	744	1917
1918	---	0.297E ON JUN 8	0 ON MAR 1	1 050	1918
1919	---	0.139 ON MAY 19	0 ON MAR 1	465	1919
1920	---	0.280 ON JUN 15	0 ON MAR 1	333	1920
1921	---	---	0 ON MAR 1	---	1921
1922	---	0.147 ON JUN 27	0 ON MAR 1	157	1922
1923	---	0.091 ON JUN 2	0 ON MAR 1	92.0	1923
1924	---	0.105 ON JUN 7	0 ON MAR 1	95.7	1924
1925	---	0.229 ON JUL 23	0 ON MAR 1	120	1925
1926	---	0 ON MAR 1	0 ON MAR 1	0	1926
1927	---	0 ON MAR 1	0 ON MAR 1	0	1927
1928	---	0 ON MAR 1	0 ON MAR 1	0	1928
1929	---	0 ON MAR 1	0 ON MAR 1	0	1929
1930	---	0 ON MAR 1	0 ON MAR 1	0	1930
1931	---	0.014E ON JUN 1	0 ON MAR 1	68.4	1931
				359	MEAN

E - ESTIMATED

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

GAFF DITCH NEAR MERRYFLAT - STATION NO. 11AB102

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1964	---	---	0	0.393	0.083	0.125	0.001	0.015	0.024	0	---	---	0.079	1964
1965	---	---	0	0.017	0.222	0.197	0.004	0.012	0.003	0.001	---	---	0.057	1965
1966	---	---	0.020	0.007	0.211	0.187	0.038	0.033	0.015	0.009	---	---	0.065	1966
1967	---	---	0	0	0.103	0.347	0.184	0.049	0.002	0.011	---	---	0.087	1967
1968	---	---	0.003	0.147	0.427	0.006	0.027	0.096	0.010	0.001	---	---	0.090	1968
1969	---	---	0	0.061	0.388	0.237	0.092	0.003	0	0	---	---	0.098	1969
1970	---	---	0	0.075	---	0.480	0.001	0	0	0	---	---	---	1970
1971	---	---	0	0.256	0.495	0.449	0.003	0.002	0.015	0.002	---	---	0.152	1971
1972	---	---	0.070	0.282	0.471	0.190	0	0	0.089	0	---	---	0.137	1972
1973	---	---	0.001	0.012	0.469	0.191	0.005	0	0.062	0.025	---	---	0.096	1973
1974	---	---	0	0.151	0.102	0.462	0.005	0.006	0.008	0.005	---	---	0.091	1974
1975	---	---	0	0	0.291	0.076	0.130	0.040	0.001	0.001	---	---	0.068	1975
1976	---	---	0.003	0.481	0.264	0.335	0.059	0.003	0.003	0.003	---	---	0.142	1976
1977	---	---	0.036	0.355	0.275	0.005	0	0	0	0	---	---	0.083	1977
1978	---	---	0	0.039	0.459	0.098	0.001	0.001	0.012	0.001	---	---	0.077	1978
1979	---	---	0	0	0.286	0.505	0.058	0.008	0.003	0.004	---	---	0.107	1979
1980	---	---	0	0.209	0.237	0.056	0.012	0.004	0.020	0.001	---	---	0.067	1980
1981	---	---	0.001	0.320	0.172	0.012	0.033	0.003	0.026	0.010	---	---	0.071	1981
1982	---	---	0	0.057	0.390	0.241	0.002	0.018	0.003	0.002	---	---	0.089	1982
MEAN	---	---	0.007	0.151	0.297	0.221	0.034	0.015	0.016	0.004	---	---	0.092	MEAN

LOCATION - LAT 49 26 05 N
LONG 109 50 07 W
REGULATED

INTERNATIONAL GAUGING STATION

GAFF DITCH NEAR MERRYFLAT - STATION NO. 11AB102

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1964	---	0.518 ON APR 10	0 ON MAR 1 *	1 670	1964
1965	---	0.671 ON JUN 5	0 B ON MAR 1	1 200	1965
1966	---	0.530 ON JUN 4	0 B ON MAR 1	1 370	1966
1967	---	0.464 ON JUL 2	0 B ON MAR 1	1 830	1967
1968	---	0.663 ON APR 28	0.001 ON OCT 14	1 910	1968
1969	---	0.680 ON MAY 16	0 ON MAR 1	2 070	1969
1970	---	---	---	---	1970
1971	---	1.18 ON APR 22 *	0 B ON MAR 1	3 280	1971
1972	---	0.657 ON MAY 27	0 B ON MAR 1	2 980	1972
1973	---	0.680 ON JUN 17	0 B ON MAR 1	2 030	1973
1974	---	0.694 ON MAY 28	0 ON MAR 1	1 920	1974
1975	---	0.657 ON MAY 21	0 B ON MAR 1	1 440	1975
1976	---	0.680 ON APR 6	0 B ON MAR 1	3 010	1976
1977	---	0.532 ON APR 27	0 B ON MAR 1	1 770	1977
1978	---	0.612 ON MAY 25	0 B ON MAR 1	1 620	1978
1979	---	0.671 ON JUN 8	0 B ON MAR 1	2 270	1979
1980	---	0.496 ON APR 29	0 B ON MAR 1	1 420	1980
1981	---	0.516 ON APR 18	0 ON MAR 1	1 510	1981
1982	---	0.689 ON MAY 20	0 B ON MAR 1	1 890	1982
				1 950	MEAN

B - ICE CONDITIONS

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

GAINSBOROUGH CREEK NEAR STORTHOAKS - STATION NO. 05HF013

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1973	---	---	0	0	0	0	0	0	0	0	---	---	0	1973
1974	---	---	0	6.27	0.952	0.183	0.004	0	0	0	---	---	0.911	1974
1975	---	---	0	4.94	2.13	1.39	0.063	0	1.74	0.841	---	---	1.37	1975
1976	---	---	0.002	22.4	0.567	0.083	0.010	0	0	0	---	---	2.82	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0.005	0.011	0	0	0	0	0	0	---	---	0.002	1978
1979	---	---	0	2.05	0.571	0.014	0	0	0	0	---	---	0.325	1979
1980	---	---	0	0.009	0	0	0	0	0	0	---	---	0.001	1980
1981	---	0.073	0.023	0	0	0	0	0	0	0	---	---	0.003	1981
1982	---	---	0	1.28	0.063	0	0	0	0	0	---	---	0.164	1982
MEAN	---	0.073	0.003	3.70	0.428	0.167	0.008	0	0.174	0.084	---	---	0.560	MEAN

LOCATION - LAT 49 24 51 N DRAINAGE AREA, 7.2 km²
LONG 101 31 36 W NATURAL FLOW

GAINSBOROUGH CREEK NEAR STORTHOAKS - STATION NO. 05HF013

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1973	---	0 ON MAR 1	0 ON MAR 1 *	0	1973
1974	29.4 AT 09:06 CST ON APR 20	27.5 ON APR 20	0B ON MAR 1	19 200	1974
1975	20.0 AT 18:09 CST ON APR 28	17.4 ON APR 29	0B ON MAR 1	29 000	1975
1976	89.2 B AT 19:05 CST ON APR 10 *	75.9 B ON APR 10 *	0E ON JUL 27	59 800	1976
1977	---	0 B ON MAR 1	0B ON MAR 1	0	1977
1978	0.110B AT 05:20 CST ON APR 7	0.099B ON MAR 30	0B ON MAR 1	41.6	1978
1979	11.8 B AT 08:00 CST ON APR 25	8.64 B ON APR 26	0B ON MAR 1	6 890	1979
1980	0.112 AT 11:27 CST ON APR 14	0.064 ON APR 14	0B ON MAR 1	24.8	1980
1981	---	0.075B ON MAR 1	0 ON APR 2	61.8	1981
1982	9.02 B AT 13:37 CST ON APR 17	7.52 B ON APR 17	0B ON MAR 1	3 480	1982
				11 800	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

GAP CREEK ABOVE JUNCTION RESERVOIR - STATION NO. 05HA072

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	0.938	0.081	0.011	0.008	0	0.008	0	0	---	---	0.132	1944
1945	---	---	0.099	0.005	0.220	0.037	0.001	0	0	0	---	---	0.046	1945
1946	---	---	0.276	0.043	0.039	0.058	0.109	0.003	0.001	0.003	---	---	0.067	1946
1947	---	---	0.547	0.251	0.060	0.048	0.007	0.001	0	0	---	---	0.114	1947
1948	---	---	0.314	0.573	0.055	0.061	0.013	0.001	0	0	---	---	0.126	1948
1949	---	---	0.021	0.092	0.024	0.023	0.008	0	0	0	---	---	0.021	1949
1950	---	---	0.080	0.131	0.004	0.011	0.063	0.083	0	0.036	---	---	0.052	1950
1951	---	---	0.143	3.16	1.25	0.313	0.073	0.223	0.162	0.062	---	---	0.667	1951
1952	---	---	3.92	8.52	0.506	0.176	0.520	0.251	0.019	0.054	---	---	1.73	1952
1953	---	---	0.156	0.610	1.92	4.75	0.216	0.046	0.067	0.017	---	---	0.962	1953
1954	---	0.083	0.011	0.528	0.522	1.06	0.190	0.079	0.083	0.143	---	---	0.324	1954
1955	---	---	0.929	15.9	2.65	0.221	0.924	0.203	0.095	0.068	---	---	2.59	1955
1956	---	---	0.231	0.133	0.134	0.161	0.079	0.026	0.013	0.009	---	---	0.098	1956
1957	---	---	0.068	0.291	0.190	0.102	0.055	0.051	0.013	0.018	---	---	0.098	1957
1958	---	---	0.251	0.285	0.035	0.014	0.005	0.018	0.008	0.006	---	---	0.077	1958
1959	---	---	0.310	0.115	0.035	0.267	0.025	0.024	0.016	0.017	---	---	0.101	1959
1960	---	---	0.947	0.100	0.564	0.028	0.009	0.081	0.012	0.022	---	---	0.223	1960
1961	---	---	0.060	0.010	0.009	0.003	0	0	0	0.001	---	---	0.010	1961
1962	---	---	0.141	0.052	0.015	0.552	0.034	0.019	0.111	0.027	---	---	0.117	1962
1963	---	---	0.093	0.041	0.034	0.026	0.030	0	0	0.003	---	---	0.028	1963
1964	---	---	0	0.031	0.169	0.052	0.043	0.201	0.003	0.005	---	---	0.063	1964
1965	---	---	0.156	2.77	0.474	1.06	0.603	0.085	0.022	0.016	---	---	0.641	1965
1966	---	---	0.780	1.13	0.618	0.046	0.022	0.110	0.002	0.006	---	---	0.338	1966
1967	---	---	0.736	1.51	8.88	0.158	0.045	0.026	0.118	0.017	---	---	1.35	1967
1968	---	---	0.006	0.032	0.026	0.016	0.001	0.013	0.024	0.015	---	---	0.017	1968
1969	---	---	1.11	0.333	0.159	0.021	0.108	0.010	0.007	0.003	---	---	0.220	1969
1970	---	---	0.090	1.24	1.19	0.237	0.116	0.046	0.001	0.050	---	---	0.370	1970
1971	---	0.020	0.364	0.712	0.094	0.428	0.159	0.032	0.017	0.020	---	---	0.226	1971
1972	---	---	0.453	0.074	0.051	0.214	0.008	0.017	0.002	0.008	---	---	0.103	1972
1973	---	---	0.071	0.157	0.058	0.069	0.009	0.002	0.001	0	---	---	0.045	1973
MEAN	---	0.052	0.443	1.30	0.640	0.341	0.116	0.055	0.027	0.021	---	---	0.365	MEAN

LOCATION - LAT 49 54 08 N DRAINAGE AREA, 562 km²
LONG 109 34 41 W REGULATED

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1963

GAP CREEK ABOVE JUNCTION RESERVOIR - STATION NO. 05HA072

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	5.66 B ON MAR 16	0 B ON MAR 1 *	2 790	1944
1945	---	0.396 ON MAY 17	0 B ON MAR 1	967	1945
1946	1.81 AT 09:30 MST ON MAR 12	1.44 ON MAR 12	0 B ON MAR 1	1 420	1946
1947	3.51B AT 10:00 MST ON MAR 20	2.69 B ON MAR 20	0 B ON MAR 1	2 420	1947
1948	---	2.89 ON APR 17	0 B ON MAR 1	2 670	1948
1949	---	0.351 ON APR 12	0 B ON MAR 1	438	1949
1950	3.45 AT 15:00 MST ON JUL 31	1.95 ON JUL 31	0 B ON MAR 1	1 110	1950
1951	---	13.0 ON APR 27	0 B ON MAR 1	14 100	1951
1952	---	52.4 ON APR 7	0 B ON MAR 1	36 700	1952
1953	---	33.1 E ON JUN 4	0 B ON MAR 1	20 300	1953
1954	9.26 AT 18:30 MST ON JUN 12	7.08 ON JUN 13	0 B ON MAR 1	6 880	1954
1955	89.8 AT 10:00 MST ON APR 10 *	73.9 ON APR 10 *	0 B ON MAR 1	54 800	1955
1956	---	1.08 B ON MAR 23	0 B ON MAR 1	2 080	1956
1957	---	1.64 ON MAY 1	0 B ON MAR 6	2 070	1957
1958	2.49B AT 09:00 MST ON MAR 31	2.38 B ON MAR 31	0 ON MAY 14	1 640	1958
1959	8.61 AT 08:20 MST ON JUN 28	6.00 ON JUN 28	0 B ON MAR 1	2 130	1959
1960	---	7.59 B ON MAR 21	0 B ON MAR 1	4 710	1960
1961	---	0.142B ON MAR 17	0 ON JUN 24	222	1961
1962	28.1 AT 13:00 MST ON JUN 14	9.26 ON JUN 14	0 B ON MAR 1	2 480	1962
1963	---	0.306 ON MAY 13	0 ON JUL 26	603	1963
1964	---	1.80 ON AUG 10	0 B ON MAR 1	1 360	1964
1965	---	19.8 B ON APR 10	0.006 ON OCT 16	13 600	1965
1966	---	3.26 ON APR 12	0 B ON MAR 1	7 170	1966
1967	---	36.5 ON MAY 9	0 ON AUG 12	28 500	1967
1968	---	0.187 ON SEP 25	0 B ON MAR 1	352	1968
1969	---	8.52 B ON MAR 18	0.003B ON MAR 1	4 660	1969
1970	---	4.30 ON MAY 2	0 B ON MAR 1	7 830	1970
1971	---	5.78 ON JUN 7	0 ON OCT 29	4 790	1971
1972	---	3.71 ON JUN 9	0 B ON MAR 1	2 190	1972
1973	---	0.966 ON APR 25	0 B ON MAR 1	962	1973
				7 730	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

GAP CREEK AT SMALL'S RANCH - STATION NO. 05HA009

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	1.47	1.86	0.202	0.020	0	0.001	---	---	---	1909
1910	---	---	---	0.015	0.004	0	0	0	0	0	---	---	---	1910
1911	---	---	---	1.09	0.349	0.124	0.192	0.022	1.28	0.124	---	---	---	1911
1912	---	---	---	---	0.434	0.082	W	0.003	0	0.002	---	---	---	1912
1913	---	---	---	---	0.097	0.020	0.017	0	0	0	---	---	---	1913
1914	---	---	---	1.20	0.104	0.001	0	0	0.047	0.603	---	---	---	1914
1915	---	---	---	2.01	0.252	2.05	0.564	0.141	0.002	0.039	---	---	---	1915
1916	---	---	---	0.381	1.42	2.05	0.494	0.081	0.010	0.137	---	---	---	1916
MEAN	---	---	---	0.939	0.516	0.773	0.184	0.033	0.167	0.113	---	---	---	MEAN

LOCATION - LAT 49 47 28 N DRAINAGE AREA, 404 km^2
LONG 109 35 36 W REGULATED

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1910 AND 1914

GAP CREEK AT SMALL'S RANCH - STATION NO. 05HA009

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1909	---	---	0 ON AUG 28 *	---	1909
1910	---	---	---	---	1910
1911	---	---	---	---	1911
1912	---	---	0 ON JUN 25	---	1912
1913	---	---	0 ON JUN 24	---	1913
1914	---	---	---	---	1914
1915	---	---	---	---	1915
1916	---	---	---	---	1916
				---	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

GAP CREEK BELOW DOWNIE LAKE DIVERSION - STATION NO. 05HA069

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	0.941	0	0	0	0	0	0	0	---	---	0.119	1944
1945	---	---	0	0	0	0	0	0	0	0	---	---	0	1945
1946	---	---	0	0	0	0	0	0	0	0	---	---	0	1946
1947	---	---	0.067	0	0	0	0	0	0	0	---	---	0.008	1947
1948	---	---	0	0	0	0	0	0	0	0	---	---	0	1948
1949	---	---	0	0	0	0	0	0	0	0	---	---	0	1949
1950	---	---	0	0.021	0.001	0.001	0	0	0	0	---	---	0.003	1950
1951	---	---	0.302	1.99	0.522	0.372	0.029	0.340	0.459	0.028	---	---	0.500	1951
1952	---	---	1.46	5.85	0.272	0.001	0	0	0	0	---	---	0.936	1952
1953	---	---	0.002	0.596	1.27	1.67	0.017	0.001	0	0	---	---	0.441	1953
1954	---	---	0	0.058	0.342	0.353	0.006	0.017	0.283	0.141	---	---	0.149	1954
1955	---	---	0.231	6.99	1.86	0.065	0.410	0.002	0.001	0.011	---	---	1.18	1955
1956	---	---	0.018	0.050	0.051	0.027	0.027	0	0	0.004	---	---	0.022	1956
1957	---	---	0.031	0.037	0.058	0.028	0	0	0	0	---	---	0.019	1957
1958	---	---	0.031	0.029	0.031	0.002	0	0	0	0	---	---	0.012	1958
1959	---	---	0.036	0.012	0.031	0.094	0.014	0	0	0	---	---	0.023	1959
1960	---	---	0.079	0.066	0.492	0.020	0	0	0	0	---	---	0.083	1960
1961	---	---	0.015	0	0	0	0	0	0	0	---	---	0.002	1961
1962	---	---	0.022	0.015	0.014	0.097	0	0	0	0	---	---	0.018	1962
1963	---	---	0.017	0.052	0.007	0.010	0.005	0	0	0	---	---	0.011	1963
1964	---	---	0.013	0.033	0.018	0.015	0.001	0	0	0	---	---	0.010	1964
1965	---	---	0.021	1.14	0.289	0.203	0.080	0	0.045	0.020	---	---	0.222	1965
1966	---	---	0.290	0.730	0.476	0.038	0.003	0.010	0	0	---	---	0.192	1966
1967	---	---	0.189	0.902	4.03	0.102	0.004	0	0	0	---	---	0.658	1967
1968	---	---	0.042	0.017	0.068	0.056	0.008	0	0.003	0.013	---	---	0.026	1968
1969	---	---	0.168	0.085	0.042	0.014	0.076	0	0	0	---	---	0.048	1969
1970	---	---	0.016	0.660	0.808	0.322	0.071	0.001	0	0	---	---	0.234	1970
1971	---	0.248	0.038	0.604	0.205	0.460	0.007	0	0	0	---	---	0.162	1971
1972	---	---	0.127	0.033	0.018	0	0	0	0	0	---	---	0.022	1972
1973	---	---	0.005	0.101	0.143	0.033	0	0	0	0	---	---	0.035	1973
1974	---	---	0.012	0.017	0.213	0.158	0	0	0	0	---	---	0.050	1974
1975	---	---	0.001	0.199	2.46	0.411	0.008	0	0	0.003	---	---	0.387	1975
1976	---	---	0.049	0.034	0.012	0.134	0.006	0	0	0	---	---	0.029	1976
1977	---	0.007	0.007	0.005	0.010	0	0	0	0	0	---	---	0.003	1977
1978	---	---	0.015	0.087	0.004	0.006	0	0	0.017	0.001	---	---	0.016	1978
1979	---	---	0.142	0.727	0.826	0.009	0.001	0	0	0	---	---	0.213	1979
1980	---	---	0.001	0.008	0.002	0	0	0	0	0	---	---	0.001	1980
1981	---	0.002R	0.003R	0.006R	0.005R	0.086R	0 R	0 R	0 R	0 R	---	---	0.012R	1981
1982	---	---	0 002	0.033	0.130	0.731	0.001	0	0	0	---	---	0.110	1982
MEAN	---	0.086R	0.113R	0.543R	0.377R	0.141R	0.020R	0.010R	0.021R	0.006R	---	---	0.153	MEAN

LOCATION - LAT 49 46 13 N DRAINAGE AREA, 234 km²
LONG 109 38 15 W REGULATED

R - REVISED SINCE JAN 1980

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1963

GAP CREEK BELOW DOWNIE LAKE DIVERSION - STATION NO. 05HA069

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	16.2 ON MAR 17	0 ON MAR 1 *	2 520	1944
1945	---	0 ON MAR 1	0 ON MAR 1	0	1945
1946	---	0 ON MAR 1	0 ON MAR 1	0	1946
1947	---	2.07 E ON MAR 22	0 ON MAR 1	179	1947
1948	---	0 ON MAR 1	0 ON MAR 1	0	1948
1949	---	0 ON MAR 1	0 ON MAR 1	0	1949
1950	---	0.501E ON APR 15	0B ON MAR 1	61.2	1950
1951	---	7.65 ON APR 28	0B ON MAR 1	10 600	1951
1952	45.0 AT 21:00 MST ON APR 6	33.4 ON APR 6	0B ON MAR 1	19 900	1952
1953	14.0 AT 14:30 MST ON JUN 3	12.3 ON JUN 3	0B ON MAR 1	9 330	1953
1954	5.64 AT 09:00 MST ON JUN 11	5.07 ON JUN 11	0B ON MAR 1	3 150	1954
1955	53.0 E ON APR 9 *	45.3 E ON APR 9 *	0B ON MAR 1	25 000	1955
1956	0.176 AT 12:00 MST ON JUL 4	0.170B ON MAR 30	0B ON MAR 1	470	1956
1957	0.224 AT 07:00 MST ON JUN 15	0.198 ON APR 30	0 ON MAY 17	410	1957
1958	0.340B AT 02:30 MST ON APR 4	0.099 ON MAY 14	0 ON MAY 29	247	1958
1959	7.99 AT 20:00 MST ON JUN 27	2.14 ON JUN 27	0B ON MAR 4	491	1959
1960	4.76 AT 22:00 MST ON MAY 1	3.23 ON MAY 2	0B ON MAR 1	1 750	1960
1961	0.283B AT 09:00 ON MAR 15	0.113B ON MAR 14	0B ON MAR 2	39.2	1961
1962	11.5 AT 10:05 ON JUN 14	2.49 ON JUN 14	0 ON MAR 1	386	1962
1963	---	0.144 ON APR 10	0 ON JUN 1	241	1963
1964	0.323 AT 10:00 MST ON JUN 14	0.153A ON MAR 23	0 ON MAR 1	210	1964
1965	15.2 AT 01:00 MST ON APR 14	5.18 ON APR 13	0B ON MAR 12	4 690	1965
1966	3.79 AT 07:00 MST ON MAY 3	2.81 ON MAY 4	0B ON MAR 1	4 060	1966
1967	19.9 AT 23:45 ON MAY 7	17.8 ON MAY 7	0B ON MAR 7	13 900	1967
1968	0.294 AT 02:47 ON JUN 1	0.252 ON JUN 1	0 ON JUL 28	548	1968
1969	0.875 AT 19:43 MST ON JUL 4	0.612 ON JUL 8	0B ON MAR 1	1 020	1969
1970	17.7 AT 22:13 MST ON APR 6	7.79 ON APR 7	0 ON AUG 11	4 940	1970
1971	6.43 AT 04:51 CST ON JUN 7	4.84 ON JUN 7	0 ON MAY 30	3 430	1971
1972	5.66 AT 04:54 CST ON MAR 17	1.22 ON MAR 17	0B ON MAR 1	475	1972
1973	0.275 AT 08:59 CST ON APR 28	0.261 ON MAY 11	0 ON JUN 10	743	1973
1974	0.623 AT 15:12 CST ON MAY 21	0.547 ON MAY 22	0B ON MAR 1	1 060	1974
1975	28.3 AT 20:55 CST ON MAY 6	19.7 ON MAY 7	0B ON MAR 1	8 210	1975
1976	1.88 B AT 09:36 CST ON MAR 18	0.830B ON MAR 18	0B ON MAR 1	616	1976
1977	0.119 AT 03:35 CST ON MAY 20	0.093 ON MAY 20	0 ON MAR 17	56.0	1977
1978	0.436 AT 13:39 CST ON APR 6	0.422 ON APR 6	0B ON MAR 1	336	1978
1979	11.1 AT 02:26 CST ON APR 18	5.68 ON APR 18	0B ON MAR 1	4 500	1979
1980	0.017 AT 05:13 CST ON APR 20	0.016 ON APR 19	0B ON MAR 1	27.4	1980
1981	---	---	0R ON JUN 6	---	1981
1982	11.0 AT 01:06 CST ON JUN 4	7.09 ON JUN 3	0B ON MAR 1	2 330	1982
				3 310	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

GAP CREEK NEAR MAPLE CREEK - STATION NO. 05HA012

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1910	---	---	---	---	---	0	0	---	---	---	---	---	---	1910
1911	---	---	---	---	---	---	---	---	---	---	---	---	---	1911
1912	---	---	---	2.96	0.401	0.140	0.849	0	---	---	---	---	---	1912
1913	---	---	---	---	0.443	0.154	0.005	0.004	0	0	---	---	---	1913
1914	---	---	---	2.31	0.146	0.006	0.004	0	0	0	---	---	---	1914
1915	---	---	---	1.51	0.116	0.001	0	0	0.036	0.120	---	---	---	1915
MEAN	---	---	---	8.35	---	---	---	---	---	---	---	---	---	MEAN
	---	---	---	3.78	0.277	0.060	0.172	0.001	0.012	0.040	---	---	---	

LOCATION - LAT 49 56 29 N, LONG 109 31 49 W
DRAINAGE AREA, 712 km^2
NATURAL FLOW

GAP CREEK NEAR MAPLE CREEK - STATION NO. 05HA012

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1910	---	---	0 ON JUN 1 *	---	1910
1911	---	---	0 ON JUN 18	---	1911
1912	---	---	0 ON JUN 27	---	1912
1913	---	---	0 ON AUG 3	---	1913
1914	---	---	0E ON MAY 24	---	1914
1915	---	33.1 ON APR 3 *	---	---	1915
				---	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD
E - ESTIMATED

GARDEN RIVER NEAR HENRIBOURG - STATION NO. 05GG010

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1966	---	---	---	---	---	---	0.546	0.172	0.009	0.003	---	---	---	1966
1967	---	---	0.006	0.206	0.555	0.025	0.004	0.009	0	0	---	---	0.101	1967
1968	---	---	0.427	0.797	0.152	0.091	0	0	0.527	0.371	---	---	0.294	1968
1969	---	---	0	4.54	0.188	0.002	0	0	0	0.409	---	---	0.631	1969
1970	---	---	0	7.55	1.78	0.077	3.20	0.240	0.004	0.020	---	---	1.60	1970
1971	---	---	0	3.35	0.270	0.008	0.737	0.171	0	0	---	---	0.560	1971
1972	---	---	0	8.12	3.84	0.663	0.099	0.071	0.001	0	---	---	1.58	1972
1973	---	---	0.001	1.80	1.21	7.05	6.45	0.684	0.213	0.252	---	---	2.20	1973
1974	---	---	0.015	10.9	7.43	4.33	5.14	1.74	0.726	0.563	---	---	3.84	1974
1975	---	---	0	4.94	5.55	2.69	0.828	0.002	0.009	0.008	---	---	1.74	1975
1976	---	---	0	0.365	0.003	0	0	0	0	0	---	---	0.045	1976
1977	---	---	0	0.006	0.014	0.018	0.001	0	0	0.011	---	---	0.006	1977
1978	---	---	0	2.75	0.591	0.472	0.046	0	0.039	0.149	---	---	0.498	1978
1979	---	---	0	9.56	4.28	0.990	0.119	0.001	0.096	0.101	---	---	1.87	1979
1980	---	---	0	2.24	0.027	0	0	0	0.025	0.228	---	---	0.310	1980
1981	---	---	0.087	1.17	0.314	0.041	0	0	0	0	---	---	0.199	1981
1982	---	---	0	1.45	0.216	0	0	0	0.014	0.091	---	---	0.218	1982
MEAN	---	---	0.034	3.73	1.65	1.03	1.01	0.182	0.098	0.130	---	---	0.981	MEAN

LOCATION - LAT 53 23 38 N LONG 105 36 39 W DRAINAGE AREA, 903 km² NATURAL FLOW

GARDEN RIVER NEAR HENRIBOURG - STATION NO. 05GG010

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1966	---	---	0 ON SEP 14 *	---	1966
1967	3.23B AT 09:00 CST ON APR 30	2.07 B ON APR 30	0 ON JUN 5	2 140	1967
1968	4.05B AT 10:00 CST ON MAR 30	3.45 B ON MAR 31	0 B ON MAR 14	6 220	1968
1969	21.1 B AT 01:00 CST ON APR 13	19.8 B ON APR 13	0 B ON MAR 1	13 400	1969
1970	20.2 AT 04:00 CST ON APR 19	19.9 ON APR 19	0 B ON MAR 1	33 800	1970
1971	15.3 AT 08:24 CST ON APR 17	15.1 ON APR 17	0 B ON MAR 1	11 900	1971
1972	39.9 AT 21:08 CST ON APR 24	36.8 ON APR 24	0 B ON MAR 1	33 500	1972
1973	20.8 AT 15:40 CST ON JUL 6	18.9 ON JUL 6	0 B ON MAR 1	46 600	1973
1974	52.7 AT 13:41 CST ON APR 21 *	51.0 ON APR 21 *	0.014B ON MAR 1	81 400	1974
1975	16.4 AT 02:50 CST ON MAY 2	16.1 ON MAY 1	0 B ON MAR 1	36 900	1975
1976	3.03 AT 07:31 CST ON APR 11	1.53 ON APR 7	0 B ON MAR 1	955	1976
1977	---	0.156 ON JUN 1	0 B ON MAR 1	133	1977
1978	8.67 AT 19:09 CST ON APR 22	7.96 ON APR 22	0 B ON MAR 1	10 500	1978
1979	45.0 AT 21:30 CST ON APR 23	40.9 B ON APR 23	0 B ON MAR 1	39 700	1979
1980	11.4 AT 15:57 CST ON APR 16	11.0 ON APR 16	0 B ON MAR 1	6 550	1980
1981	2.07B AT 10:54 CST ON APR 7	1.83 B ON APR 6	0 B ON MAR 1	4 210	1981
1982	6.03 AT 14:01 CST ON APR 23	5.95 ON APR 23	0 B ON MAR 1	4 620	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		20 800	MEAN

GEIKIE RIVER BELOW WHEELER RIVER - STATION NO. 06DA004

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1966	---	---	---	---	---	---	---	44.1	36.8	31.0	28.0	25.3	---	1966
1967	23.6	22.5	21.7	31.7	107	75.1	66.8	56.3	39.3	32.6	31.3	27.6	44.8	1967
1968	19.2	17.5	17.2	23.7	52.7	44.8	42.2	27.8	29.5	51.9	44.1	32.9	33.7	1968
1969	29.9	28.8	26.9	46.4	60.2	44.0	32.8	27.4	23.7	32.1	31.0	27.2	34.2	1969
1970	25.0	23.7	22.6	22.7	50.7	42.4	41.3	40.5	44.9	43.0	41.1	31.0	35.8	1970
1971	26.6	25.3	23.9	36.1	53.9	40.1	60.7	50.0	52.7	60.2	48.2	42.5	43.5	1971
1972	38.9	37.9	37.1	35.2	82.2	54.5	48.4	39.1	34.0	46.3	40.9	32.4	44.0	1972
1973	35.1	32.5	31.0	37.2	54.3	63.9	77.2	59.2	43.7	38.2	36.8	35.1	45.5	1973
1974	33.8	32.8	32.3	43.8	57.2	48.0	61.2	64.2	63.5	55.7	49.9	47.3	49.3	1974
1975	42.7	38.7	36.2	42.7	80.3	70.5	101	79.6	59.1	55.0	48.3	38.7	58.0	1975
1976	36.6	38.8	42.5	54.6	52.8	43.1	88.5	117	120	97.8	76.8	55.0	68.7	1976
1977	41.4	49.0	47.7	89.1	98.6	119	109	85.6	79.9	69.2	55.7	44.0	74.2	1977
1978	36.5	42.2	41.9	37.3	104	92.8	68.3	78.3	90.2	93.1	71.1	56.5	67.8	1978
1979	52.8	54.4	53.7	45.5	98.4	91.1	72.3	68.5	64.5	69.8	63.2	47.9	65.3	1979
1980	44.3	44.6	44.8	60.6	55.9	36.9	34.3	40.0	41.6	55.2	46.3	33.4	44.8	1980
1981	30.0	30.2	32.8	35.4	92.3	58.2	38.0	24.7	19.5	19.3	20.9	19.3	35.1	1981
1982	10.3	5.56	5.52	11.8	74.9	77.7	60.9	65.3	54.4	43.1	33.5	32.5	39.8	1982
MEAN	32.9	32.8	32.4	40.9	73.5	62.6	62.7	56.9	52.8	52.6	45.1	37.0	49.0	MEAN

LOCATION - LAT 57 35 20 N LONG 104 12 10 W DRAINAGE AREA, 7 730 km² NATURAL FLOW

GRIKIE RIVER BELOW WHEELER RIVER - STATION NO. 06DA004

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1966	---	---	---	---	1966
1967	---	119 E ON MAY 10	21.0 B ON APR 7	1 410 000	1967
1968	74.8 AT 22:00 CST ON APR 24	57.5 ON MAY 11	16.8 B ON MAR 13	1 060 000	1968
1969	---	74.8 ON APR 25	22.1 E ON OCT 6	1 080 000	1969
1970	---	58.0E ON MAY 16	21.5 B ON APR 19	1 130 000	1970
1971	73.3 AT 18:42 CST ON JUL 13	72.8 ON JUL 13	22.7 B ON APR 15	1 370 000	1971
1972	108 AT 19:07 CST ON MAY 4	107 ON MAY 4	28.6 ON DEC 8	1 390 000	1972
1973	90.6 AT 16:11 CST ON JUL 14	89.8 ON JUL 15	30.3 ON MAR 29	1 430 000	1973
1974	76.2 AT 00:44 CST ON APR 30	76.2 ON APR 30	31.7 B ON APR 2	1 550 000	1974
1975	123 AT 06:48 CST ON JUL 4	122 ON JUL 3	35.1 B ON APR 5	1 830 000	1975
1976	157 AT 23:48 CST ON JUL 31 *	157 ON JUL 31	34.8 ON APR 2	2 170 000	1976
1977	128 AT 23:05 CST ON JUN 9	128 ON JUN 11	37.9 B ON JAN 11	2 340 000	1977
1978	---	127 A ON MAY 8	33.7 B ON JAN 9	2 140 000	1978
1979	---	159 E ON MAY 28 *	38.9 ON APR 18	2 060 000	1979
1980	91.3 AT 12:48 CST ON APR 24	90.8 ON APR 24	29.5 ON JUL 11	1 420 000	1980
1981	112 AT 11:30 CST ON MAY 12	112 ON MAY 13	16.4 B ON DEC 31	1 110 000	1981
1982	89.4 AT 23:21 CST ON JUN 12	88.9 ON JUN 12	4.94B ON MAR 3 *	1 260 000	1982
				1 550 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

GIBSON CREEK NEAR RADVILLE - STATION NO. 05NA005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1959	---	---	0	0	0	0.124	0.017	0	0	0	---	---	0.017	1959
1960	---	---	1.25	0.191	0.001	0	0	0	0	0	---	---	0.182	1960
1961	---	---	0.004	0	0	0	0	0	0	0	---	---	0	1961
1962	---	---	0.586	0.126	0.001	0.002	0	0	0	0	---	---	0.090	1962
1963	---	---	0.204	0.053	0.004	0.045	0.024	0	0	0	---	---	0.041	1963
1964	---	---	0	0.277	0.013	0	0	0	0	0	---	---	0.036	1964
1965	---	---	0	1.55	0.778	0.357	0.004	0	0.033	0.001	---	---	0.336	1965
1966	---	---	0.333	0.028	0.029	0	0	0.007	0	0	---	---	0.050	1966
1967	---	---	0.578	1.31	0.492	0.013	0	0	0	0	---	---	0.298	1967
1968	---	---	0.071	0	0	0	0	0.257	0.007	0	---	---	0.042	1968
1969	---	---	0	4.05	0.161	0.002	0.007	0.001	0	0	---	---	0.517	1969
1970	---	---	0.009	1.16	1.72	0.096	0	0	0	0	---	---	0.373	1970
1971	---	---	0.362	1.44	0.010	0.329	0.167	0	0	0	---	---	0.285	1971
1972	---	---	2.00	0.202	0.017	0.337	0.001	0	0	0	---	---	0.321	1972
1973	---	---	0	0	0	0	0	0	0	0	---	---	0	1973
1974	---	---	0	3.83	0.523	0.052	0	0	0	0	---	---	0.541	1974
1975	---	---	0	4.24	0.491	0.082	0.098	0	0	0	---	---	0.599	1975
1976	---	---	4.12	2.62	0.043	1.72	0.030	0.002	0	0	---	---	1.06	1976
1977	---	---	0	0.002	0.011	0	0.004	0.012	0.002	0.001	---	---	0.004	1977
1978	---	---	2.53	0.355	0.022	0.440	5.24	0.022	0.322	0.031	---	---	1.13	1978
1979	---	---	0.545	5.16	1.96	0.435	0.012	0	0	0	---	---	1.00	1979
1980	---	---	0.031	0.050	0	0	0	0	0	0	---	---	0.010	1980
1981	---	0.058	0.011	0	0	0.015	0	0	0	0	---	---	0.003	1981
1982	---	---	0	4.05	0.059	0.017	0.486	0.001	0	0	---	---	0.568	1982
MEAN	---	0.058	0.526	1.28	0.264	0.168	0.254	0.013	0.015	0.001	---	---	0.313	MEAN

LOCATION - LAT 49 29 02 N
LONG 104 20 11 W
DRAINAGE AREA, 528 km^2
REGULATED

GIBSON CREEK NEAR RADVILLE - STATION NO. 05NA005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1959	---	2.61 ON JUN 28	0 ON MAR 1 *	369	1959
1960	---	15.2 ON MAR 27	0B ON MAR 1	3 850	1960
1961	---	0.031B ON MAR 15	0B ON MAR 1	10.0	1961
1962	6.85 AT 07:30 CST ON MAR 27	5.78 ON MAR 26	0B ON MAR 1	1 900	1962
1963	1.71 B AT 15:30 CST ON MAR 22	1.49 B ON MAR 23	0B ON MAR 1	875	1963
1964	1.72 A AT 13:15 CST ON APR 4	1.40 A ON APR 4	0 ON MAR 1	753	1964
1965	19.1 AT 14:30 CST ON APR 13	16.2 ON APR 13	0B ON MAR 1	7 120	1965
1966	2.22 A AT 18:00 CST ON MAR 16	2.10 A ON MAR 16	0B ON MAR 1	1 060	1966
1967	13.6 B AT 19:30 CST ON APR 8	6.26 B ON APR 6	0B ON MAR 1	6 310	1967
1968	5.44 AT 01:00 CST ON AUG 22	2.34 ON AUG 22	0B ON MAR 29	898	1968
1969	---	26.7 B ON APR 6	0B ON MAR 1	11 000	1969
1970	20.8 AT 08:12 CST ON MAY 3	16.5 ON MAY 3	0B ON MAR 1	7 880	1970
1971	10.1 B AT 02:06 CST ON APR 1	7.96 B ON APR 1	0B ON MAR 1	6 040	1971
1972	15.4 AT 12:14 CST ON MAR 16	13.7 ON MAR 17	0B ON MAR 1	6 790	1972
1973	0 B AT 00:00 CST ON MAR 1	0 B ON MAR 1	0B ON MAR 1	0	1973
1974	24.4 AT 14:36 CST ON APR 14	18.8 ON APR 14	0B ON MAR 1	11 500	1974
1975	30.6 B AT 13:00 CST ON APR 22	26.4 B ON APR 22	0B ON MAR 1	12 700	1975
1976	29.4 AT 09:54 CST ON APR 1	25.7 ON APR 1	0B ON MAR 1	22 500	1976
1977	0.326 AT 20:11 CST ON JUL 29	0.099 ON MAY 19	0B ON MAR 1	86.3	1977
1978	80.7 AT 18:28 CST ON JUL 8 *	56.4 ON JUL 8 *	0B ON MAR 1	23 900	1978
1979	40.1 B AT 17:08 CST ON APR 18	28.7 B ON APR 18	0B ON MAR 1	21 300	1979
1980	0.613B AT 01:38 CST ON MAR 31	0.439B ON MAR 31	0B ON MAR 1	210	1980
1981	1.01 AT 14:40 CST ON JUN 15	0.306 ON JUN 15	0 ON MAR 16	67.0	1981
1982	26.4 B AT 03:29 CST ON APR 15	19.7 B ON APR 15	0B ON MAR 1	12 000	1982
				6 630	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

GILCHRIST BROS. DAVIS CREEK DITCH NEAR VIDORA - STATION NO. 11AC050

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1927	---	---	0	0	0	0.001	0	0	0	0	---	---	0	1927
1928	---	---	---	---	---	---	---	---	---	---	---	---	---	1928
MEAN	---	---	0	0	0	0.001	0	0	0	0	---	---	0	MEAN

LOCATION - LAT 49 30 20 N
LONG 109 20 12 W REGULATED

GILCHRIST BROS. DAVIS CREEK DITCH NEAR VIDORA - STATION NO. 11AC050

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1927	---	0.011E ON JUN 25 *	0 ON MAR 1 *	3.80	1927
1928	---	---	0 ON MAR 30	---	1928
				3.80	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

E - ESTIMATED

GILCHRIST BROS. DITCH NEAR CONSUL - STATION NO. 11AB025

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1914	---	---	0	0	0.012	0.029	0	0	0.026	0.010	---	---	0.009	1914
1915	---	---	0	0	0	0	0	0	0	0	---	---	0	1915
1916	---	---	0	0	0	0	0	0	0	0	---	---	0	1916
1917	---	---	0	0	0	0	0	0	0	0	---	---	0	1917
1918	---	---	0	0	0	0	0	0	0	0	---	---	0	1918
1919	---	---	0	0	0	0	0	0	0	0	---	---	0	1919
1920	---	---	0	0	0	0	0	0	0	0	---	---	0	1920
1921	---	---	0	0	0	0	0	0	0	0	---	---	0	1921
1922	---	---	0	0	0	0	0	0	0	0	---	---	0	1922
1923	---	---	0	0	0	0	0	0	0	0	---	---	0	1923
1924	---	---	0	0	0	0	0	0	0	0	---	---	0	1924
1925	---	---	0	0	0	0	0	0	0	0	---	---	0	1925
1926	---	---	0	0	0	0	0	0	0	0	---	---	0	1926
1927	---	---	0	0	0	0	0	0	0	0	---	---	0	1927
1928	---	---	0	0	0	0	0	0	0	0	---	---	0	1928
1929	---	---	0	0	0	0	0	0	0	0	---	---	0	1929
MEAN	---	---	0	0	0.001	0.002	0	0	0.002	0.001	---	---	0.001	MEAN

LOCATION - LAT 49 21 50 N
LONG 109 32 35 W REGULATED

GILCHRIST BROS. DITCH NEAR CONSUL - STATION NO. 11AB025

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1914	---	0.142 ON JUN 18 *	0 ON MAR 1 *	200	1914
1915	---	0 ON MAR 1	0 ON MAR 1	0	1915
1916	---	0 ON MAR 1	0 ON MAR 1	0	1916
1917	---	0 ON MAR 1	0 ON MAR 1	0	1917
1918	---	0 ON MAR 1	0 ON MAR 1	0	1918
1919	---	0 ON MAR 1	0 ON MAR 1	0	1919
1920	---	0 ON MAR 1	0 ON MAR 1	0	1920
1921	---	0 ON MAR 1	0 ON MAR 1	0	1921
1922	---	0 ON MAR 1	0 ON MAR 1	0	1922
1923	---	0 ON MAR 1	0 ON MAR 1	0	1923
1924	---	0 ON MAR 1	0 ON MAR 1	0	1924
1925	---	0 ON MAR 1	0 ON MAR 1	0	1925
1926	---	0 ON MAR 1	0 ON MAR 1	0	1926
1927	---	0 ON MAR 1	0 ON MAR 1	0	1927
1928	---	0 ON MAR 1	0 ON MAR 1	0	1928
1929	---	0 ON MAR 1	0 ON MAR 1	0	1929
				12	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

GIRARD CREEK NEAR CORONACH - STATION NO. 11AE015

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1980	---	---	0.216	0.125	0.084	0.080	0.078	0.087	0.084	0.097	---	---	0.106	1980
1981	---	---	0.150	0.117	0.120	0.144	0.161	0.092	0.109	0.112	---	---	0.126	1981
1982	---	---	0.136	4.74	0.231	0.171	---	---	0.088	0.144	---	---	---	1982
MEAN	---	---	0.167	1.66	0.145	0.132	0.120	0.090	0.094	0.118	---	---	0.116	MEAN

LOCATION - LAT 49 06 45 N DRAINAGE AREA, 880 km^2
LONG 105 33 52 W REGULATED

GIRARD CREEK NEAR CORONACH - STATION NO. 11AE015

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1980	1.30 AT 04:49 CST ON MAR 30	0.940 ON MAR 30	0.0608 ON MAR 1 *	2 250	1980
1981	---	0.268 ON JUL 14	0.064 ON AUG 24	2 660	1981
1982	49.0 B AT 01:05 CST ON APR 14 *	42.4 B ON APR 14 *	---	---	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		2 460	MEAN

GOOSEHUNTING CREEK NEAR BEATTY - STATION NO. 05KA009

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1958	---	---	---	2.17	0.076	---	---	---	---	---	---	---	---	1958
1960	---	---	---	6.11	0.400	---	---	---	---	---	---	---	---	1960
1962	---	---	---	2.38	1.17	0.323	---	---	---	---	---	---	---	1962
1965	---	---	0	3.98	0.125	0.083	0.131	0.075	0	0	---	---	0.540	1965
1966	---	---	0	5.29	0.214	0.129	0.108	0.017	0.018	0	---	---	0.708	1966
1967	---	---	0	1.11	4.06	0.042	0	0	0	0	---	---	0.655	1967
1968	---	---	1.00	0.778	0.035	0.002	0	0	0	0	---	---	0.227	1968
1969	---	---	0	4.27	0.066	0	0.001	0	0	0	---	---	0.531	1969
1970	---	---	0	6.91	0.981	0.008	0.071	0.002	0	0	---	---	0.975	1970
1971	---	---	0	4.80	0.237	0	0.008	0.015	0	0	---	---	0.621	1971
1972	---	---	0	10.3	1.10	0.037	0	0	0	0	---	---	1.40	1972
1973	---	---	0	0.048	0.014	1.84	0.229	0	0	0	---	---	0.262	1973
1974	---	---	0	16.6	6.04	0.594	0.006	0	0	0	---	---	2.88	1974
1975	---	---	0	5.12	7.28	0.494	0.096	0	0	0	---	---	1.62	1975
1976	---	---	0	2.01	0.040	0	0	0	0	0	---	---	0.252	1976
1977	---	---	0	0.301	0.141	0.120	0.001	0	0	0	---	---	0.070	1977
1978	---	---	0	6.45	0.351	0.012	0.057	0.009	0	0	---	---	0.844	1978
1979	---	---	0	10.6	5.01	1.05	0.469	0.001	0	0	---	---	2.12	1979
1980	---	---	0	5.62	0.146	0	0	0	0	0	---	---	0.707	1980
1981	---	---	0.001	0.018	0.009	0	0	0	0	0	---	---	0.003	1981
1982	---	---	0	2.64	0.178	0.166	0	0	0	0	---	---	0.366	1982
MEAN	---	---	0.056	4.64	1.32	0.258	0.065	0.007	0.001	0	---	---	0.821	MEAN

LOCATION - LAT 52 55 45 N, LONG 104 51 07 W; DRAINAGE AREA, 515 km^2; NATURAL FLOW

GOOSEHUNTING CREEK NEAR BEATTY - STATION NO. 05KA009

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1958	---	---	---	---	1958
1960	---	---	---	---	1960
1962	---	---	---	---	1962
1965	---	24.8 B ON APR 13	0B ON MAR 1 *	11 400	1965
1966	---	14.8 ON APR 14	0B ON MAR 1	15 000	1966
1967	---	15.4 B ON APR 30	0B ON MAR 1	13 900	1967
1968	---	8.75 B ON MAR 27	0B ON MAR 1	4 800	1968
1969	37.1 B AT 11:00 CST ON APR 12	29.4 ON APR 13	0B ON MAR 1	11 300	1969
1970	---	21.7 B ON APR 12	0B ON MAR 1	20 600	1970
1971	25.7 AT 07:14 CST ON APR 14	22.2 ON APR 14	0B ON MAR 1	13 100	1971
1972	---	42.8 ON APR 22	0B ON MAR 1	29 700	1972
1973	8.16 AT 03:31 CST ON JUN 7	7.93 ON JUN 7	0B ON MAR 1	5 540	1973
1974	---	107 ON APR 20 *	0B ON MAR 1	60 900	1974
1975	32.0 AT 06:06 CST ON APR 30	29.2 ON APR 30	0B ON MAR 1	34 300	1975
1976	---	8.44 ON APR 8	0B ON MAR 1	5 330	1976
1977	---	1.33 ON APR 13	0B ON MAR 1	1 470	1977
1978	---	33.1 B ON APR 11	0B ON MAR 1	17 800	1978
1979	53.0 AT 06:00 CST ON APR 26 *	50.0 ON APR 26	0B ON MAR 1	44 900	1979
1980	35.7 B AT 01:12 CST ON APR 16	32.4 B ON APR 16	0B ON MAR 1	15 000	1980
1981	0.071 AT 21:49 CST ON APR 11	0.061 ON APR 11	0B ON MAR 1	71.5	1981
1982	15.1 AT 13:09 CST ON APR 17	14.0 ON APR 17	0B ON MAR 1	7 750	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		17 400	MEAN

GREASE RIVER BELOW FONTAINE LAKE - STATION NO. 07LE003

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1973	---	---	---	---	---	---	---	---	---	13.4	12.9	13.0	---	1973
1974	13.0	13.0	---	---	---	---	38.2	45.4	36.6	30.5	---	---	---	1974
1976	---	---	---	---	---	53.7	39.7	30.1	26.3	24.4	23.7	22.7	---	1976
1977	21.0	19.8	18.7	18.7	26.1	52.9	62.7	56.8	62.6	58.3	49.2	40.3	40.7	1977
1978	---	---	---	---	27.7	40.9	39.0	32.9	27.9	25.7	24.3	23.5	---	1978
1979	21.9	21.5	19.2	16.8	18.5	31.2	30.2	22.0	17.6	16.9	17.1	16.5 R	20.8R	1979
1980	15.5	14.6	13.4	13.1	15.3	19.5	20.0	15.7	11.8	9.56	8.53	8.48	13.8	1980
1981	8.32	8.25	8.25	8.84	10.6	17.8	18.4	15.9	13.3	11.3	10.7	11.3	11.9	1981
1982	10.9	10.7	10.4	10.6	14.5	36.8	41.6	31.6	27.3	27.0	24.4	23.3	22.5	1982
MEAN	15.1	14.6	14.0	13.6	18.8	36.1	36.2	31.3	27.9	24.1	21.4	19.9 R	21.9	MEAN

LOCATION - LAT 59 32 50 N, LONG 106 24 40 W DRAINAGE AREA, 4 840 km² NATURAL FLOW

R - REVISED SINCE JAN 1980

GREASE RIVER BELOW FONTAINE LAKE - STATION NO. 07LE003

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1976	---	---	---	---	1976
1977	---	67.7 ON JUL 1 *	18.3 ON APR 3	1 280 000	1977
1978	43.6 AT 12:22 CST ON JUN 17 *	43.6 ON JUN 16	---	---	1978
1979	34.0 AT 15:16 CST ON JUN 25	33.8 ON JUN 26	16.0 R ON DEC 29	655 000R	1979
1980	21.6 AT 17:04 CST ON JUL 1	21.4 ON JUL 1	8.31 ON NOV 20	436 000	1980
1981	---	20.0E ON JUN 30	8.20E ON FEB 28 *	376 000	1981
1982	---	45.0 ON JUL 5	10.4 B ON MAR 16	709 000	1982
				691 000R	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD
E - ESTIMATED R - REVISED SINCE JAN 1980

GREENWATER CREEK NEAR CHELAN - STATION NO. 05LB009

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1956	---	---	---	0.022	1.35	---	---	---	---	---	---	---	---	1956
1957	---	---	---	1.03	1.26	---	---	---	---	---	---	---	---	1957
1958	---	---	---	0.217	---	---	---	---	---	---	---	---	---	1958
1959	---	---	0.119	---	---	---	---	---	---	---	---	---	---	1959
1961	---	---	---	0.838	---	---	---	---	---	---	---	---	---	1961
1962	---	---	---	0.568	---	---	---	---	---	---	---	---	---	1962
1963	---	---	---	0.191	---	---	---	---	---	---	---	---	---	1963
1964	---	---	---	0.488	---	---	---	---	---	---	---	---	---	1964
1965	---	---	---	0.263	0.454	---	---	---	---	---	---	---	---	1965
1966	---	---	---	---	1.52	---	---	---	---	---	---	---	---	1966
1967	---	---	---	0.263	1.13	1.09	---	---	---	---	---	---	---	1967
1968	---	---	0.018	---	---	---	---	---	---	---	---	---	---	1968
1972	---	---	---	---	1.27	---	---	---	---	---	---	---	---	1972
1973	---	---	---	---	0.525	---	---	---	---	---	---	---	---	1973
1974	---	---	---	1.03	2.90	1.18	---	---	---	---	---	---	---	1974
1975	---	---	0	0.647	2.15	1.03	0.247	0.034	0.057	0.142	---	---	0.537	1975
1976	---	---	0.030	0.549	0.221	0.460	0.456	0.041	0.250	0.339	---	---	0.292	1976
1977	---	---	0.024	0.158	0.074	0.013	0.001	0.001	0.053	0.034	---	---	0.044	1977
1978	---	---	0	0.335	0.135	0.054	0.004	0	0	0	---	---	0.065	1978
1979	---	---	0	0.211	3.03	1.52	0.092	0	0	0	---	---	0.607	1979
MEAN	---	---	0.027	0.454	1.23	0.764	0.160	0.015	0.072	0.103	---	---	0.309	MEAN

LOCATION - LAT 52 36 30 N, LONG 103 23 10 W DRAINAGE AREA, 219 km² NATURAL FLOW

GREENWATER CREEK NEAR CHELAN - STATION NO. 05LB009

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1956	---	---	---	---	1956
1957	---	---	---	---	1957
1958	---	---	---	---	1958
1959	---	---	---	---	1959
1961	---	---	---	---	1961
1962	---	---	---	---	1962
1963	---	---	---	---	1963
1964	---	---	---	---	1964
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1972	---	---	---	---	1972
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	---	4.70 ON APR 30	0 B ON MAR 1 *	11 400	1975
1976	---	2.08 ON JUN 26	0.003 ON JUL 30	6 170	1976
1977	---	0.767 ON APR 14	0 ON JUN 22	938	1977
1978	---	1.99 ON APR 21	0 B ON MAR 1	1 380	1978
1979	---	5.61 ON MAY 13 *	0 B ON MAR 1	12 900	1979
				6 560	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

HAMMOND DITCH NEAR GOVENLOCK - STATION NO. 11AB034

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1921	---	---	0	0.015	0.033	0	0	0	0	0	---	---	0.006	1921
1922	---	---	0	0	0.038	0	0	0	0	0	---	---	0.005	1922
MEAN	---	---	0	0.008	0.036	0	0	0	0	0	---	---	0.006	MEAN

LOCATION - LAT 49 05 55 N
LONG 109 50 20 W REGULATED

HAMMOND DITCH NEAR GOVENLOCK - STATION NO. 11AB034

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1921	---	0.045 ON APR 21	0 ON MAR 1 *	129	1921
1922	---	0.071 ON MAY 20 *	0 ON MAR 1	101	1922
				115	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

HAPPYLAND CREEK NEAR FOX VALLEY - STATION NO. 05HB002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0	0	0	0	0	0	0	0	---	---	0	1978
1979	---	---	0.003	0.013	0	0	0	0	0	0	---	---	0.002	1979
1980	---	---	0	0	0	0	0	0	0	0	---	---	0	1980
1981	---	---	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	0	0.001	0.019	0	0	0	0	0	0	---	---	0.003	1982
MEAN	---	0	0.001	0.005	0	0	0	0	0	0	---	---	0.001	MEAN

LOCATION - LAT 50 43 57 N DRAINAGE AREA, 54.6 km^2
LONG 109 32 27 W REGULATED

HAPPYLAND CREEK NEAR FOX VALLEY - STATION NO. 05HB002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1977	0 B AT 00:01 CST ON MAR 1	0 B ON MAR 1	0B ON MAR 1 *	0	1977
1978	---	0.001B ON APR 5	0B ON MAR 1	0.09	1978
1979	0.087 AT 07:58 CST ON APR 1	0.069 ON APR 1	0B ON MAR 1	41.8	1979
1980	---	0 B ON MAR 1	0B ON MAR 1	0	1980
1981	0 B AT 00:00 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1981
1982	0.172B AT 09:06 CST ON APR 9 *	0.082B ON APR 9 *	0B ON MAR 1	53.9	1982
				16.0	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

HAULTAIN RIVER ABOVE NORBERT RIVER - STATION NO. 06BD001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	---	---	---	49.4	64.8	34.6	15.7	12.2	---	---	---	1967
1968	---	---	---	---	---	18.5	16.4	9.80	10.8	16.4	13.0	11.0	---	1968
1969	9.42	7.94	7.04	17.1	20.1	14.8	9.67	9.60	12.9	22.3	15.0	7.08	12.8	1969
1970	7.59	7.81	7.03	12.2	19.7	18.7	---	---	---	---	---	---	---	1970
1972	6.06	6.08	6.06	8.08	38.0	17.7	21.2	14.8	12.4	29.6	15.1	7.89	15.3	1972
1973	7.26	7.02	7.00	11.9	33.4	24.1	77.7	39.2	22.5	22.0	17.0	13.3	23.7	1973
1974	10.3	9.48	9.32	23.7	33.7	28.2	39.1	27.2	25.1	23.8	20.8	15.4	22.3	1974
1975	11.2	10.1	8.90	12.2	32.9	23.1	37.9	26.5	27.3	23.2	15.2	10.2	20.0	1975
1976	8.30	8.87	7.82	8.55	15.0	19.0	74.6	50.2	33.1	35.4	23.5	13.3	24.9	1976
1977	12.1	12.3	10.3	21.0	39.6	43.2	36.3	26.4	22.8	29.1	17.8	9.47	23.4	1977
1978	9.90	8.09	7.37	10.2	60.1	49.3	26.9	32.4	44.5	43.9	24.0	12.6	27.6	1978
1979	9.89	8.44	7.51	6.88	44.4	38.0	24.8	25.4	28.1	31.1	26.6	14.4	22.2	1979
1980	11.2	8.82	7.81	19.4	18.0	10.6	13.2	17.2	16.9	24.7	12.6	7.16	14.0	1980
1981	8.38	6.26	6.26	7.65	32.2	18.1	12.8	8.21	6.46	7.24	6.78	6.50	10.6	1981
1982	4.67	3.58	3.33	6.06	45.0	31.7	21.0	29.6	19.9	14.2	10.6	10.0	16.7	1982
MEAN	8.94	8.06	7.37	12.7	33.2	27.0	34.0	25.1	21.3	23.9	16.8	10.6	19.5	MEAN

LOCATION - LAT 56 14 40 N DRAINAGE AREA, 3 680 km²
LONG 106 33 40 W NATURAL FLOW

HAULTAIN RIVER ABOVE NORBERT RIVER - STATION NO. 06BD001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1969	27.3B AT 08:00 CST ON APR 20	26.4 ON APR 23	6.40B ON DEC 23	403 000	1969
1970	---	---	---	---	1970
1972	---	46.4E ON MAY 11	5.97B ON APR 11	485 000	1972
1973	98.3 AT 21:45 CST ON JUL 19	97.4 ON JUL 20	6.60B ON FEB 22	749 000	1973
1974	56.9 AT 04:35 CST ON JUL 18	56.9 ON JUL 18	9.06B ON MAR 7	702 000	1974
1975	---	42.5E ON JUL 17	8.41B ON APR 8	630 000	1975
1976	111 AT 10:32 CST ON JUL 17 *	110 ON JUL 17 *	7.65B ON APR 4	788 000	1976
1977	---	53.8 ON APR 25	7.02B ON APR 13	739 000	1977
1978	81.8 AT 08:57 CST ON MAY 22	81.6 ON MAY 21	6.82B ON MAR 16	869 000	1978
1979	75.8 AT 07:43 CST ON MAY 26	75.7 ON MAY 26	5.66B ON APR 6	700 000	1979
1980	---	34.2E ON APR 25	6.30B ON DEC 4	443 000	1980
1981	38.5 AT 02:35 CST ON MAY 12	38.2 ON MAY 10	5.14B ON APR 19	335 000	1981
1982	53.6B AT 21:46 CST ON MAY 2	49.4 ON MAY 10	2.44B ON APR 5 *	527 000	1982
				614 000	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

HAY CREEK AT FAQUIER'S RANCH - STATION NO. 05HA007

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	0.202	0.041	0.027	0	0	0	---	---	---	1909
1910	---	---	---	0	0	0	0	0	0	0	---	---	---	1910
1911	---	---	---	0.032	0.009	0.004	0.005	0.001	0.004	0.004	0.002	---	---	1911
1912	---	---	---	0.341	0.155	0.081	0.003	0.003	0	0.007	---	---	---	1912
1913	---	---	---	0.246	0.020	0	0	---	---	---	---	---	---	1913
1914	---	---	---	0.094	0	0	0	0	0	0.051	---	---	---	1914
MEAN	---	---	---	0.143	0.064	0.021	0.006	0.001	0.001	0.012	0.002	---	---	MEAN

LOCATION - LAT 49 51 10 N DRAINAGE AREA, 54.6 km²
LONG 109 22 26 W REGULATED

HAY CREEK AT FAQUIER'S RANCH - STATION NO. 05HA007

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1909	---	---	0 ON JUN 5 *	---	1909
1910	---	0.005 ON APR 1	0 ON APR 4	---	1910
1911	---	0.156 ON MAR 24	0 ON APR 2	---	1911
1912	---	1.08 ON MAY 28 *	0 ON JUN 11	---	1912
1913	---	0.623 ON APR 1	0 ON MAY 21	---	1913
1914	---	0.547 ON OCT 9	0 ON MAY 2	---	1914
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

HAY CREEK AT HAY CREEK SCHOOL - STATION NO. 05HA021

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1910	---	---	---	---	---	---	---	---	---	---	---	---	---	1910
1911	---	---	---	---	---	---	---	---	---	---	---	---	---	1911
1912	---	---	---	0.171	0.031	0.011	---	---	0.017	0.017	---	---	---	1912
1913	---	---	---	---	0.195	0.042	---	0.006	0.004	0.006	---	---	---	1913
1914	---	---	---	0.217	0.009	0.003	0.001	0	0	0	---	---	---	1914
1915	---	---	---	0.089	0.047	0.002	0	0	0	0.062	---	---	---	1915
1916	---	---	---	0.083	0.031	0.014	0.033	0.004	0.005	0.003	---	---	---	1916
1917	---	---	---	0.091	0.158	0.243	0.057	0.016	0.002	0.011	---	---	0.103	1917
1918	---	---	0.242	0.798	0.475	0.076	0.006	0	0.002	0.002	---	---	---	1918
1919	---	---	---	0.216	0.030	0.006	0.001	0	0	0	---	---	---	1919
1920	---	---	---	0.095	0.009	0.001	0	0	0	0	---	---	0.013	1920
1921	---	---	0.004	---	---	---	---	---	---	---	---	---	---	1921
MEAN	---	---	0.183	0.419	0.222	0.010	0.014	0.001	0	0	---	---	0.106	MEAN
			0.149	0.307	0.153	0.005	0.003	0	0	0.001	---	---	0.077	
			0.145	0.249	0.124	0.038	0.013	0.003	0.003	0.009	---	---	0.075	

LOCATION - LAT 49 50 38 N
LONG 109 22 00 W

DRAINAGE AREA, 52.1 km²
REGULATED

HAY CREEK AT HAY CREEK SCHOOL - STATION NO. 05HA021

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1910	---	---	0 R ON MAY 28 *	---	1910
1911	---	---	---	---	1911
1912	---	---	---	---	1912
1913	---	---	0 ON JUN 30	---	1913
1914	---	---	0 ON JUN 8	---	1914
1915	---	---	---	---	1915
1916	---	0.549 ON APR 3	---	2 170	1916
1917	---	0.963 ON JUN 11	0.001 ON AUG 15	---	1917
1918	---	2.10 ON APR 13	0 B ON APR 1	---	1918
1919	---	3.40 B ON MAR 17 *	0 ON JUL 5	286	1919
1920	---	0.249 ON APR 1	0 B ON MAR 1	2 240	1920
1921	---	1.56 ON APR 23	0 B ON MAR 1	1 630	1921
MEAN	---	1.39 ON APR 13	0 B ON MAR 3	1 580	MEAN

B - ICE CONDITIONS

* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

HAY MEADOW CREEK NEAR LISIEUX - STATION NO. 11AE010

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	0.550	0.065	0.050	0.018	0.013	0.019	0.040	0.061	---	---	0.103	1968
1969	---	---	0.485	2.01	0.118	0.014	0.051	0.030	0.006	0.026	---	---	0.338	1969
1970	---	---	0.262	0.998	0.408	0.045	0.017	0.015	0.019	0.019	---	---	0.221	1970
1971	---	---	0.422	0.450	0.070	0.042	0.028	0.004	0.004	0.026	---	---	0.130	1971
1972	---	---	0.656	0.084	0.237	0.077	0.030	0.038	0.022	0.033	---	---	0.148	1972
1973	---	---	0.180	0.147	0.115	0.108	0.013	0.013	0.010	0.015	---	---	0.075	1973
1974	---	---	0.652	1.32	0.288	0.056	0.022	0.091	0.016	0.092	---	---	0.316	1974
1975	---	---	0.283	3.12	0.239	0.093	0.042	0.064	0.050	0.071	---	---	0.487	1975
1976	---	---	2.41	0.293	0.035	0.125	0.101	0.010	0.017	0.028	---	---	0.380	1976
1977	---	---	0.077	0.113	0.155	0.056	0.074	0.024	0.053	0.058	---	---	0.076	1977
1978	---	---	1.37	0.338	0.233	0.081	0.063	0.026	0.050	0.040	---	---	0.276	1978
1979	---	---	0.370	1.14	0.329	0.049	0.030	0.019	0.026	0.043	---	---	0.249	1979
1980	---	---	0.321	0.248	0.051	0.021	0.028	0.041	0.040	0.045	---	---	0.099	1980
1981	---	---	0.101	0.069	0.046	0.124	0.013	0.024	0.017	0.032	---	---	0.053	1981
1982	---	---	0.797	1.50	0.466	0.136	0.051	0.020	0.022	0.046	---	---	0.378	1982
MEAN	---	---	0.596	0.793	0.189	0.070	0.038	0.029	0.026	0.042	---	---	0.222	MEAN

LOCATION - LAT 49 16 13 N
LONG 105 58 22 W

DRAINAGE AREA, 186 km²
NATURAL FLOW

HAY MEADOW CREEK NEAR LISIEUX - STATION NO. 11AE010

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1968	---	2.35 B ON MAR 2	0.003 ON AUG 14	2 170	1968
1969	---	10.4 B ON APR 4	0.003 ON SEP 18	7 160	1969
1970	---	5.64 B ON APR 7	0 B ON MAR 1 *	4 690	1970
1971	---	4.93 B ON MAR 30	0 B ON MAR 1	2 760	1971
1972	5.95 AT 09:27 CST ON MAR 30	4.08 B ON MAR 15	0.008 ON SEP 2	3 140	1972
1973	---	0.510 ON JUN 4	0.005 ON JUL 5	1 590	1973
1974	10.3 B AT 01:00 CST ON APR 10	6.20 B ON MAR 30	0.003 ON AUG 4	6 690	1974
1975	21.5 B AT 09:15 CST ON APR 22 *	20.2 B ON APR 22 *	0.025 ON AUG 6	10 300	1975
1976	---	17.6 B ON MAR 19	0.008 ON AUG 7	8 050	1976
1977	1.58 AT 15:56 CST ON MAY 28	0.855 ON MAY 28	0.010 ON JUL 8	1 610	1977
1978	10.4 AT 01:10 CST ON MAR 27	6.40 ON MAR 27	0 B ON MAR 1	5 840	1978
1979	10.8 AT 07:41 CST ON APR 18	9.50 ON APR 18	0.014 ON AUG 20	5 270	1979
1980	---	1.75 B ON MAR 30	0.009 ON JUL 31	2 100	1980
1981	---	0.261 ON JUN 23	0.001 ON JUL 9	1 120	1581
1982	10.7 B AT 22:20 CST ON APR 13	8.95 B ON APR 12	0.012 ON SEP 26	8 020	1982
				4 700	MEAN

B - ICE CONDITIONS

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

HORSE CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AE006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1914	---	---	---	---	0.009	0.012	0.002	0	0	0	---	---	---	1914
1915	---	---	---	0.564	0.119	0.021	0.005	0	0.003	0.002	---	---	---	1915
1916	---	---	0.457	4.23	0.194	0.067	0.066	0.010	0.002	0.002	---	---	0.619	1916
1917	---	---	0	2.16	0.105	0.001	0	0	0.001	0.001	---	---	0.278	1917
1918	---	---	---	0.503	0.054	0.003	0	0.010	0	0	---	---	---	1918
1919	---	---	0	1.75	0.032	0.001	0	0	0	0	---	---	0.218	1919
1920	---	---	0.167	0.448	0.035	0	0	0	0	0	---	---	0.080	1920
1921	---	---	---	0.279	0.188	0.139	0.397	0.003	0.001	0	---	---	---	1921
1922	---	---	0	1.87	0.138	0.025	0.003	0.001	0	0	---	---	0.250	1922
1923	---	---	0	0.802	0.022	0.859	0.132	0.003	0	0.003	---	---	0.224	1923
1924	---	---	0.060	0.468	0.046	0.007	0	0	0	0.155	---	---	0.091	1924
1925	---	---	1.70	1.53	0.030	0.044	0.005	0	0.002	0.008	---	---	0.418	1925
1926	---	---	1.26	0.026	0.153	0.218	0.004	0	0	0	---	---	0.209	1926
1927	---	---	0.042	4.16	0.431	0.100	0.013	0.005	0.021	0.010	---	---	0.587	1927
1928	---	---	1.97	0.159	0.028	0.262	0.066	0.007	0.003	0.002	---	---	0.316	1928
1929	---	---	0.110	0.053	0.009	0.002	0	0	0	0	---	---	0.022	1929
1930	---	---	0.819	0.967	0.030	0.002	0.001	0.001	0	0.001	---	---	0.227	1930
1931	---	---	0.052	0.010	0.004	0.001	0	0	0	0	---	---	0.008	1931
1932	---	---	0.238	0.091	0	0.002	0	0	0	0	---	---	0.041	1932
1933	---	---	0.288	0.005	0	0	0	0.191	0	0	---	---	0.061	1933
1934	---	---	1.06	0.241	0	0	0	0	0	0	---	---	0.164	1934
1935	---	---	0	0.467	0.027	0.004	0.014	0	0	0	---	---	0.063	1935
1936	---	---	0	0.908	0.092	0.002	0	0	0	0	---	---	0.123	1936
1937	0	0	0	0.175	0	0	0	0	0	0	---	---	0.021	1937
1938	---	---	1.13	0.392	0.010	0.194	0.088	0	0	0	---	---	0.228	1938
1939	---	---	2.91	0.064	0.584	1.08	0.009	0.001	0	0	---	---	0.584	1939
1940	---	---	0	0.677	0.020	0.121	0	0	0.003	0	---	---	0.101	1940
1941	---	---	1.12	0.019	0	0.009	0.008	0	0	0	---	---	0.106	1941
1942	---	---	0.588	0.271	0.005	0.110	0.019	0.006	0.001	0	---	---	0.125	1942
1943	---	---	3.14	0.606	0.004	0.155	0.005	0	0	0	---	---	0.491	1943
1944	---	---	0.218	0.461	0.015	0.005	0	0.001	0	0	---	---	0.087	1944
1945	---	---	0.907	0.002	0	0	0	0	0	0	---	---	0.115	1945
1946	---	---	0.609	0.014	0	0	0	0	0	0	---	---	0.079	1946
1947	---	---	0.332	1.64	0.012	0.056	0.026	0.020	0	0	---	---	0.257	1947
1948	---	---	0.088	0.988	0.019	0.002	0	0	0	0	---	---	0.135	1948
1949	---	---	0.094	0.248	0	0	0	0	0	0	---	---	0.042	1949
1950	---	---	0	2.35	0.071	0.079	0.002	0	0	0	---	---	0.307	1950
1951	---	---	0	1.69	0.186	0.003	0	0.001	0.010	0	---	---	0.232	1951
1952	---	---	0	5.27	0.025	0.003	0.175	0.001	0	0	---	---	0.671	1952
1953	---	---	0.016	0.265	0.337	0.613	0.030	0	0	0	---	---	0.156	1953
1954	---	---	0.120	1.77	0.026	0.222	0.012	0.142	0.012	0.004	0.003	---	0.284	1954
1955	---	---	0.002	2.10	0.418	0.010	0	0	0	0	---	---	0.311	1955
1956	---	---	0.208	0.276	0.024	0.006	0.003	0	0	0	---	---	0.064	1956
1957	---	---	0.133	0.017	0	0	0	0	0	0	---	---	0.019	1957
1958	---	---	0.703	0.219	0	0	0	0	0	0	---	---	0.116	1958
1959	---	---	0.522	0.085	0	0.083	0.006	0	0	0	---	---	0.087	1959
1960	---	---	2.18	0.065	0	0	0.006	0.024	0	0	---	---	0.288	1960
1961	---	---	0.022	0	0	0.001	0	0	0	0	---	---	0.003	1961
MEAN	0	0	0.529	0.880	0.073	0.094	0.023	0.009	0.001	0.004	0.003	---	0.203	MEAN

LOCATION - LAT 48 59 20 N DRAINAGE AREA, 196 km² INTERNATIONAL GAUGING STATION
LONG 106 50 10 W NATURAL FLOW

HORSE CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AE006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1914	---	---	0 ON JUL 15 *	---	1914
1915	---	2.61 ON APR 8	0 ON MAY 1	---	1915
1916	---	10.3 E ON APR 10	0B ON MAR 1	13 100	1916
1917	---	15.9 ON APR 15	0B ON MAR 1	5 890	1917
1918	---	---	0 ON MAY 8	---	1918
1919	12.1 B ON APR 3	8.27 B ON APR 3	0B ON MAR 1	4 620	1919
1920	---	1.67 B ON APR 13	0B ON MAR 1	1 700	1920
1921	---	8.64 ON JUL 13	0 ON JUN 1	---	1921
1922	---	12.7 B ON APR 5	0B ON MAR 1	5 300	1922
1923	---	18.4 ON JUN 1	0B ON MAR 1	4 740	1923
1924	---	2.49 B ON APR 3	0 ON MAR 7	1 930	1924
1925	29.4 B ON MAR 30	23.2 B ON MAR 30	0B ON MAR 1	8 760	1925
1926	---	7.76 ON MAR 17	0 ON JUL 18	4 420	1926
1927	---	19.6 ON APR 9	0B ON MAR 1	12 500	1927
1928	26.6 B AT 09:00 MST ON MAR 22	15.9 B ON MAR 22	0B ON MAR 1	6 660	1928
1929	0.898 AT 11:15 MST ON MAR 29	0.804 ON MAR 29	0B ON MAR 1	459	1929
1930	---	6.91 B ON APR 4	0B ON MAR 1	4 800	1930
1931	---	0.195B ON MAR 21	0 ON JUN 8	178	1931
1932	1.59 AT 18:00 MST ON MAR 24	1.01 ON MAR 24	0B ON MAR 4	878	1932
1933	8.81 AT 01:00 MST ON AUG 22	3.79 ON AUG 22	0B ON MAR 1	1 300	1933
1934	---	2.29 ON APR 2	0 ON MAY 1	3 480	1934
1935	6.40 B ON APR 14	2.69 B ON APR 14	0 ON MAR 1	1 330	1935
1936	---	8.18 B ON APR 12	0 ON MAR 1	2 600	1936
1937	1.23 AT 15:15 MST ON APR 10	1.18 ON APR 10	0 ON MAR 1	454	1937
1938	8.16 AT 22:00 MST ON MAR 17	5.61 ON MAR 18	0 ON MAR 1	4 830	1938
1939	36.5 AT 02:00 MST ON MAR 24	28.3 ON MAR 24	0 ON MAR 1	12 400	1939
1940	7.16 AT 08:00 MST ON APR 19	5.52 ON APR 19	0 ON MAR 1	2 130	1940
1941	8.35 B AT 11:00 MST ON MAR 22	5.95 B ON MAR 22	0B ON MAR 1	3 090	1941
1942	3.65 AT 09:30 MST ON MAR 14	2.80 ON MAR 14	0 ON MAR 1	2 650	1942
1943	45.0 ON MAR 29	30.6 ON MAR 29	0 ON MAR 1	10 400	1943
1944	13.6 AT 13:30 MST ON APR 1	4.45 ON APR 1	0 ON MAR 1	1 830	1944
1945	8.86 AT 11:00 MST ON MAR 13	7.11 ON MAR 13	0 ON MAR 1	2 440	1945
1946	3.37 AT 06:30 MST ON MAR 20	2.49 ON MAR 20	0 ON MAR 1	1 670	1946
1947	8.52 AT 06:00 MST ON APR 3	7.31 ON APR 3	0 ON MAR 1	5 430	1947
1948	6.37 AT 06:00 MST ON APR 16	4.39 ON APR 16	0 ON MAR 1	2 850	1948
1949	2.21 B AT 23:00 MST ON MAR 30	1.70 B ON MAR 31	0B ON MAR 1	895	1949
1950	27.5 AT 23:00 MST ON APR 16	16.9 ON APR 16	0E ON MAR 1	6 500	1950
1951	7.59 AT 04:00 MST ON APR 26	6.23 ON APR 26	0B ON MAR 1	4 910	1951
1952	51.0 AT 04:00 MST ON APR 15 *	36.0 ON APR 14 *	0 ON MAR 1	14 200	1952
1953	28.6 AT 23:50 MST ON JUN 2	7.36 ON JUN 3	0B ON MAR 1	3 300	1953
1954	43.3 B AT 23:00 MST ON APR 5	22.4 B ON APR 6	0B ON MAR 1	6 010	1954
1955	15.5 B AT 20:00 MST ON APR 1	13.0 B ON APR 2	CB ON MAR 1	6 580	1955
1956	---	2.55 E ON MAR 27	0B ON MAR 1	1 360	1956
1957	---	1.13 E ON MAR 24	0 ON MAR 1	403	1957
1958	14.6 AT 05:00 MST ON MAR 31	8.67 ON MAR 31	0 ON MAR 12	2 450	1958
1959	3.96 AT 16:00 MST ON MAR 27	3.71 ON MAR 27	0 ON MAR 1	1 850	1959
1960	18.6 AT 00:30 MST ON MAR 27	11.7 ON MAR 27	0 ON MAR 1	6 100	1960
1961	0.286 AT 04:00 MST ON MAR 22	0.178 ON MAR 22	0 ON MAR 1	63.5	1961
				4 310	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

HORSEHEAD CREEK NEAR MAKWA - STATION NO. 06AD004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAY TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1933	---	---	---	---	3.66	4.24	1.26	0.508	0.777	---	---	---	---	1933
1934	---	---	---	---	1.52	1.07	0.868	0.106	0.077	0.099	---	---	0.624	1934
1935	---	---	---	---	1.78	0.387	0.147	0.091	0.087	0.102	---	---	0.429	1935
1936	---	---	---	---	0.573	0.275	0.095	0.083	0.113	0.139	---	---	0.213	1936
1937	---	---	---	---	1.03	0.271	0.170	0.085	0.017	0.081	---	---	0.276	1937
1938	---	---	---	---	0.335	0.111	0.042	0.027	0.013	0.027	---	---	0.093	1938
1939	---	---	---	---	0.719	0.336	0.255	0.015	0	0.018	---	---	0.225	1939
1940	---	---	---	---	0.215	0.138	0.077	0.010	0	0	---	---	0.073	1940
MEAN	---	---	---	---	1.23	0.854	0.368	0.128	0.131	0.067	---	---	0.276	MEAN

LOCATION - LAT 54 02 10 N
LONG 108 49 30 W
DRAINAGE AREA, 627 km^2
NATURAL FLOW

HORSEHEAD CREEK NEAR MAKWA - STATION NO. 06AD004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAY TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1933	---	8.41 ON MAY 31 *	0.411 ON AUG 31	---	1933
1934	---	4.08 ON JUN 25	0.040 ON SEP 3	9 910	1934
1935	---	4.08 ON MAY 5	0.028B ON OCT 31	6 810	1935
1936	---	1.31 ON MAY 1	0.031 ON AUG 11	3 390	1936
1937	---	1.95 ON MAY 1	0.006 ON SEP 18	4 390	1937
1938	---	0.612 ON MAY 7	0.006 ON AUG 4	1 480	1938
1939	---	1.10 ON MAY 12	0 ON AUG 22 *	3 570	1939
1940	---	0.385 ON MAY 1	0 ON AUG 17	1 170	1940
				4 390	MEAN

B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

HUFF LAKE GRAVITY CANAL - STATION NO. 11AC065

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1946	---	---	0	0	0	0.053	0.068	0	0	0	---	---	0.015	1946
1947	---	---	0	0	0.014	0.134	0.018	0.066	0	0	---	---	0.029	1947
1948	---	---	0	0	0.015	0.176	0.062	0.043	0	0	---	---	0.037	1948
1949	---	---	0	0.001	0.229	0.194	0	0	0	0	---	---	0.053	1949
1950	---	---	0	0	0.001	0.192	0.152	0.106	0	0	---	---	0.058	1950
1951	---	---	0	0	0.014	0.149	0.150	0.092	0	0	---	---	0.051	1951
1952	---	---	0	0	0	0.298	0.186	0.001	0	0	---	---	0.060	1952
1953	---	---	0	0	0	0	0.116	0.099	0.069	0.011	---	---	0.037	1953
1954	---	---	0	0	0	0.089	0.173	0.131	0	0	---	---	0.049	1954
1955	---	---	0	0	0.009	0.229	0	0.234	0.064	0	---	---	0.067	1955
1956	---	---	0	0	0.187	0.371	0.238	0.370	0.202	0.002	---	---	0.171	1956
1957	---	---	0	0	0.303	0.114	0.167	0.277	0.054	0	---	---	0.115	1957
1958	---	---	0	0	0.375	0.118	0.159	0.270	0.007	0	---	---	0.117	1958
1959	---	---	0	0	0.440	0.182	0.008	0	0	0	---	---	0.079	1959
1960	---	---	0	0	0	0.471	0.162	0.146	0	0	---	---	0.097	1960
1961	---	---	0	0	0.307	0.279	0.441	0.002	0	0	---	---	0.129	1961
1962	---	---	0	0	0.271	0.091	0.027	0	0.420	0.048	---	---	0.106	1962
1963	---	---	0	0	0.190	0.234	0.171	0.361	0	0	---	---	0.120	1963
1964	---	---	0	0	0.208	0.349	0.048	0.125	0.002	0	---	---	0.091	1964
1965	---	---	0	0	0	0.540	0	0.427	0.189	0	---	---	0.143	1965
1966	---	---	0	0	0.143	0.238	0.124	0.467	0	0	---	---	0.122	1966
1967	---	---	0	0	0	0.316	0.362	0.220	0	0	---	---	0.112	1967
1968	---	---	0	0	0.521	0.034	0.455	0.090	0	0	---	---	0.139	1968
1969	---	---	0	0	0.065	0.420	0	0.564	0	0	---	---	0.131	1969
1970	---	---	0	0	0.055	0.350	0.219	0.292	0	0	---	---	0.114	1970
1971	---	---	0	0	0.303	0.119	0.435	0.067	0	0	---	---	0.116	1971
1972	---	---	0	0	0.310	0.052	0.535	0	0	0	---	---	0.113	1972
1973	---	---	0	0	0.425	0.050	0.580	0.027	0	0	---	---	0.137	1973
1974	---	---	0	0	0	0.439	0.392	0.057	0	0	---	---	0.111	1974
1975	---	---	0	0	0.019	0.380	0.415	0.195	0	0	---	---	0.126	1975
1976	---	---	0	0	0.392	0.105	0.286	0.143	0.001	0	---	---	0.117	1976
1977	---	---	0	0	0.438	0.121	0.501	0.018	0	0	---	---	0.135	1977
1978	---	---	0	0	0.354	0.101	0.177	0.276	0	0	---	---	0.115	1978
1979	---	---	0	0	0.287	0.197	0.454	0.205	0	0	---	---	0.144	1979
1980	---	---	0	0	0.746	0	0.483	0.078	0	0	---	---	0.165	1980
1981	---	---	0	0.005	0.713	0	0	0	0	0	---	---	0.091	1981
1982	---	---	0	0	0.335	0.159	0.152	0.355	0	0	---	---	0.126	1982
MEAN	---	---	0	0	0.207	0.198	0.214	0.157	0.027	0.002	---	---	0.101	MEAN

LOCATION - LAT 49 22 10 N
LONG 107 53 06 W
REGULATED

INTERNATIONAL GAUGING STATION

HUFF LAKE GRAVITY CANAL - STATION NO. 11AC065

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1946	---	0.195 ON JUL 21	0 ON MAR 1 *	320	1946
1947	---	0.227E ON JUN 3	0 ON MAR 1	610	1947
1948	---	0.212 ON JUN 15	0 ON MAR 1	779	1948
1949	---	0.368 ON MAY 13	0 ON MAR 1	1 120	1949
1950	---	0.300 ON JUN 23	0 ON MAR 1	1 220	1950
1951	---	0.323 ON JUN 11	0 ON MAR 1	1 070	1951
1952	---	0.818 ON JUN 21	0 ON MAR 1	1 270	1952
1953	---	0.490 ON JUL 23	0 ON MAR 1	783	1953
1954	---	0.365 ON JUL 1	0 ON MAR 1	1 050	1954
1955	---	0.643 ON AUG 18	0 ON MAR 1	1 410	1955
1956	---	0.736 ON JUN 1	0 ON MAR 1	3 620	1956
1957	---	0.589 ON JUL 26	0 ON MAR 1	2 440	1957
1958	---	1.47 ON MAY 22	0 ON MAR 1	2 470	1958
1959	---	1.11 ON MAY 13	0 ON MAR 1	1 670	1959
1960	---	0.821 ON JUN 29	0 ON MAR 1	2 040	1960
1961	---	0.903 ON JUL 20	0 ON MAR 1	2 730	1961
1962	---	0.756 ON SEP 21	0 ON MAR 1	2 250	1962
1963	---	1.21 ON MAY 28	0 ON MAR 1	2 540	1963
1964	---	1.39 ON MAY 29	0 ON MAR 1	1 930	1964
1965	---	1.14 ON JUN 5	0 ON MAR 1	3 030	1965
1966	---	1.04 ON AUG 1	0 ON MAR 1	2 580	1966
1967	---	0.937 ON JUL 27	0 ON MAR 1	2 380	1967
1968	---	1.14 ON JUL 18	0 ON MAR 1	2 950	1968
1969	---	1.36 ON AUG 9	0 ON MAR 1	2 780	1969
1970	---	1.37 ON JUL 28	0 ON MAR 1	2 420	1970
1971	---	1.48 ON MAY 27	0 ON MAR 1	2 460	1971
1972	---	1.55 ON JUL 14 *	0 ON MAR 1	2 400	1972
1973	---	1.33 ON JUL 19	0 ON MAR 1	2 890	1973
1974	---	0.943 ON JUN 16	0 ON MAR 1	2 340	1974
1975	---	1.17 ON JUL 29	0 ON MAR 1	2 670	1975
1976	---	1.23 ON JUL 29	0 ON MAR 1	2 470	1976
1977	---	1.20 ON JUL 15	0 ON MAR 1	2 860	1977
1978	---	0.980 ON MAY 18	0 ON MAR 1	2 430	1978
1979	---	1.35 ON JUL 23	0 ON MAR 1	3 040	1979
1980	---	1.45 ON MAY 10	0 ON MAR 1	3 500	1980
1981	---	0.991 ON MAY 17	0 ON MAR 1	1 920	1981
1982	---	1.14 ON MAY 22	0 ON MAR 1	2 670	1982
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		2 140	MEAN

E - ESTIMATED

HUFF LAKE PUMPING CANAL - STATION NO. 11AC066

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1950	---	---	0	0	0	0	0.224	0.067	0	0	---	---	0.037	1950
1951	---	---	0	0	0	0.066	0.242	0.119	0	0	---	---	0.054	1951
1952	---	---	0	0	0	0.153	0.162	0.021	0	0.019	---	---	0.044	1952
1953	---	---	0	0	0	0	0.191	0.352	0.176	0	---	---	0.099	1953
1954	---	---	0	0.018	0.050	0	0.242	0.187	0.125	0	---	---	0.069	1954
1955	---	---	0	0	0.023	0.371	0.005	0.295	0.094	0	---	---	0.098	1955
1956	---	---	0	0	0.158	0.220	0.216	0.111	0	0	---	---	0.088	1956
1957	---	---	0	0	0.270	0.208	0.284	0.223	0	0	---	---	0.123	1957
1958	---	---	0	0	0.335	0.178	0.438	0.094	0.005	0	---	---	0.132	1958
1959	---	---	0	0	0.274	0.366	0.117	0	0	0	---	---	0.094	1959
1960	---	---	0	0	0.117	0.475	0.0 9	0.426	0.001	0.055	---	---	0.145	1960
1961	---	---	0	0	0.318	0.334	0.3 2	0.137	0	0	---	---	0.144	1961
1962	---	---	0	0	0.313	0.180	0	0.138	0.412	0.110	---	---	0.139	1962
1963	---	---	0	0	0.098	0.118	0.19	0.519	0.035	0	---	---	0.122	1963
1964	---	---	0	0	0.104	0.541	0.006	0.123	0.009	0	---	---	0.097	1964
1965	---	---	0	0	0	0.426	0	0.626	0.119	0	---	---	0.121	1965
1966	---	---	0	0	0.166	0.257	0.074	0.631	0	0	---	---	0.117	1966
1967	---	---	0	0	0	0.380	0.259	0.263	0	0	---	---	0.113	1967
1968	---	---	0	0	0.395	0.089	0.290	0.288	0	0.007	---	---	0.134	1968
1969	---	---	0	0	0.048	0.521	0	0.562	0.043	0.003	---	---	0.147	1969
1970	---	---	0	0	0.110	0.280	0.100	0.384	0	0.003	---	---	0.110	1970
1971	---	---	0	0	0.126	0.386	0.209	0.365	0	0.018	---	---	0.138	1971
1972	---	---	0	0	0.298	0.139	0.356	0.211	0.009	0	---	---	0.127	1972
1973	---	---	0	0	0.500	0	0.506	0.191	0.002	0	---	---	0.152	1973
1974	---	---	0	0	0	0.500	0.345	0.248	0	0.004	---	---	0.137	1974
1975	---	---	0	0	0.077	0.339	0.288	0.214	0	0.008	---	---	0.116	1975
1976	---	---	0	0	0.431	0.053	0.220	0.272	0	0.010	---	---	0.124	1976
1977	---	---	0	0	0.431	0.056	0.425	0	0	0.005	---	---	0.116	1977
1978	---	---	0	0	0.283	0.024	0.201	0.276	0	0	---	---	0.099	1978
1979	---	---	0	0	0.167	0.228	0.339	0.146	0	0	---	---	0.111	1979
1980	---	---	0	0	0.510	0.004	0.494	0.031	0	0	---	---	0.131	1980
1981	---	---	0	0	0.529	0	0	0	0	0	---	---	0.067	1981
1982	---	---	0	0	0.179	0.226	0.115	0.376	0	0	---	---	0.112	1982
MEAN	---	---	0	0.001	0.191	0.232	0.210	0.225	0.027	0.007	---	---	0.111	MEAN

LOCATION - LAT 49 22 20 N
LONG 107 53 00 W
REGULATED
INTERNATIONAL GAUGING STATION

HUFF LAKE PUMPING CANAL - STATION NO. 11AC066

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1950	---	0.348 ON JUL 25	0 ON MAR 1 *	780	1950
1951	---	0.524 ON JUL 28	0 ON MAR 1	1 140	1951
1952	---	0.462 ON JUN 26	0 ON MAR 1	936	1952
1953	---	0.600 ON JUL 30	0 ON MAR 1	2 090	1953
1954	---	0.552 ON JUN 20	0 ON MAR 1	1 460	1954
1955	---	0.555 ON JUN 3	0 ON MAR 1	2 070	1955
1956	---	0.617 ON JUL 21	0 ON MAR 1	1 870	1956
1957	---	0.614 ON JUL 23	0 ON MAR 1	2 610	1957
1958	---	0.668 ON JUL 8	0 ON MAR 1	2 790	1958
1959	---	0.592 ON JUN 20	0 ON MAR 1	1 998	1959
1960	---	0.637 ON MAY 31	0 ON MAR 1	3 070	1960
1961	---	0.634 ON MAY 17	0 ON MAR 1	3 050	1961
1962	---	0.631 ON MAY 17	0 ON MAR 1	2 940	1962
1963	---	0.695 ON JUL 23	0 ON MAR 1	2 580	1963
1964	---	0.759 ON MAY 28	0 ON MAR 1	2 050	1964
1965	---	0.702 ON JUN 3	0 ON MAR 1	2 550	1965
1966	---	0.722 ON MAY 25	0 ON MAR 1	2 480	1966
1967	---	0.634 ON JUN 4	0 ON MAR 1	2 380	1967
1968	---	0.688 ON MAY 19	0 ON MAR 1	2 850	1968
1969	---	0.722 ON MAY 30	0 ON MAR 1	3 100	1969
1970	---	0.617 ON MAY 27	0 ON MAR 1	2 320	1970
1971	---	0.580 ON JUL 21	0 ON MAR 1	2 930	1971
1972	---	0.572 ON JUL 29	0 ON MAR 1	2 700	1972
1973	---	0.852 ON JUL 12	0 ON MAR 1	3 210	1973
1974	---	0.821 ON JUN 18	0 ON MAR 1	2 900	1974
1975	---	0.878 ON MAY 30	0 ON MAR 1	2 450	1975
1976	---	0.844 ON MAY 28	0 ON MAR 1	2 630	1976
1977	---	0.881 ON MAY 5 *	0 ON MAR 1	2 450	1977
1978	---	0.838 ON JUL 26	0 ON MAR 1	2 100	1978
1979	---	0.804 ON JUL 30	0 ON MAR 1	3 340	1979
1980	---	0.812 ON MAY 7	0 ON MAR 1	2 770	1980
1981	---	0.807 ON MAY 19	0 ON MAR 1	1 820	1981
1982	---	0.735 ON AUG 4	0 ON MAR 1	2 390	1982
				2 350	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

HUNTER CREEK NEAR RICHARDSON - STATION NO. 05JF014

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1978	---	---	0.128R	0.101R	---	---	---	---	---	---	---	---	---	1978
1979	---	---	0	1.46	0.097	0.006	0	0	0	0	---	---	0.192	1979
1980	---	---	0.283	0.268	0	0	0	0	0	0	---	---	0.059	1980
1981	---	---	0	0	0	0	0.339	0	0	0	---	---	0.043	1981
1982	---	---	0	0.900	0.047	0.013	0	0	0	0	---	---	0.118	1982
MEAN	---	---	0.066R	0.546R	0.036	0.005	0.085	0	0	0	---	---	0.103	MEAN

LOCATION - LAT 50 23 16 N, LONG 104 27 39 W DRAINAGE AREA, 135 km² NATURAL FLOW R - REVISED SINCE JAN 1980

HUNTER CREEK NEAR RICHARDSON - STATION NO. 05JF014

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1978	---	---	---	---	1978
1979	14.0 AT 22:32 CST ON APR 20 *	11.6 ON APR 21 *	0B ON MAR 1 *	4 060	1979
1980	9.61B AT 18:53 CST ON MAR 30	4.01B ON MAR 31	0B ON MAR 1	1 240	1980
1981	12.9 AT 09:45 CST ON JUL 14	5.66 ON JUL 14	0 ON MAR 1	908	1981
1982	10.1 AT 02:53 CST ON APR 17	9.25 ON APR 17	0B ON MAR 1	2 490	1982
				2 170	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

INDIANHEAD CREEK NEAR INDIAN HEAD - STATION NO. 05JL002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1941	---	---	0.348	0.120	0	0	0.018	0	0	0	---	---	0.061	1941
1942	---	---	0.287	0.460	0	0	0	0	0	0	---	---	0.093	1942
1943	---	---	0.416	1.40	0	0	0	0	0	0	---	---	0.224	1943
1944	---	---	0	0.012	0	0	0	0	0	0	---	---	0.001	1944
1945	---	---	0	0	0	0	0	0	0	0	---	---	0	1945
1946	---	---	0.393	0.003	0	0	0	0	0	0	---	---	0.050	1946
1947	---	---	0	2.55	0.038	0.758	0.018	0	0	0	---	---	0.411	1947
1948	---	---	0	1.35	0.087	0	0	0	0	0	---	---	0.177	1948
1949	---	---	0.074	0.475	0.019	0.002	0	0	0	0	---	---	0.070	1949
1950	---	---	0.009	0.907	0	0	0	0	0	0	---	---	0.112	1950
1951	---	---	0	0.779	0.011	0	0	0	0	0	---	---	0.097	1951
1952	---	---	0.264	0.406	0	0	0	0	0	0	---	---	0.083	1952
1953	---	---	0.854	0.574	0	0.340	0.016	0	0	0	---	---	0.222	1953
1954	---	---	0	0.713	0.008	0.575	1.24	0.008	0.099	0.037	---	---	0.333	1954
1955	---	---	0.199	1.94	1.42	0.021	0.624	0	0	0	---	---	0.524	1955
1956	---	---	0	4.86	0.810	0.063	0	0.005	0	0	---	---	0.707	1956
1957	---	---	0.531	0.363	0.154	0.005	0	0.050	0	0	---	---	0.138	1957
1958	---	---	0.309	0.050	0	0	0	0	0	0	---	---	0.045	1958
1959	---	---	0.021	0	0	0.008	0	0	0	0	---	---	0.004	1959
1960	---	---	0.005	1.21	0	0	0	0	0	0	---	---	0.149	1960
1961	---	---	0	0	0	0	0	0	0	0	---	---	0	1961
1962	---	---	0	1.12	0	0.357	0	0	0	0	---	---	0.180	1962
1963	---	---	0.050	0	0	0	0.070	0	0	0	---	---	0.015	1963
1964	---	---	0	0.301	0	0	0	0	0	0	---	---	0.037	1964
1965	---	---	0	0.312	0.046	0.058	0	0	0	0	---	---	0.051	1965
1966	---	---	1.12	0.173	0.001	0	0	0	0	0	---	---	0.163	1966
1967	---	---	0	2.07	0.013	0	0	0	0	0	---	---	0.255	1967
1968	---	---	0.605	0	0	0	0	0.001	0	0	---	---	0.077	1968
1969	---	---	0	3.41	0.011	0	0	0	0	0	---	---	0.419	1969
1970	---	---	0	1.35	0.440	0.016	0	0	0	0	---	---	0.222	1970
1971	---	---	0.001	2.09	0	0	0	0	0	0	---	---	0.255	1971
1972	---	---	0.290	0.130	0	0	0	0	0	0	---	---	0.053	1972
1973	---	---	0.005	0	0	0	0.454	0	0	0	---	---	0.058	1973
1974	---	---	0	3.29	0.587	0.016	0	0	0	0	---	---	0.479	1974
1975	---	---	0	4.52	0.298	0	0	0	0	0	---	---	0.591	1975
1976	---	---	0	4.93	0.001	0.450	0.006	0	0	0	---	---	0.659	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0.832	0.149	0	0	0	0	0	0	---	---	0.123	1978
1979	---	---	0	3.20	0.062	0	0	0	0	0	---	---	0.400	1979
1980	---	---	0.377	0.915	0	0	0	0	0	0	---	---	0.160	1980
1981	---	---	0	0	0	0	0.014	0	0	0	---	---	0.002	1981
1982	---	---	0	2.97	0	0	0.149	0	0	0	---	---	0.382	1982
MEAN	---	---	0.166	1.17	0.095	0.064	0.062	0.002	0.002	0.001	---	---	0.192	MEAN

LOCATION - LAT 50 38 42 N, LONG 103 36 14 W DRAINAGE AREA, 327 km² NATURAL FLOW

REMARKS - PRIOR TO JUNE 25 1955, RECORDS WERE OBTAINED ABOUT 0.8 km UPSTREAM

INDIANHEAD CREEK NEAR INDIAN HEAD - STATION NO. 05JL002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1941	---	5.75 ON MAR 30	0 ON MAR 1 *	1 290	1941
1942	---	6.29 ON APR 1	0B ON MAR 1	1 960	1942
1943	---	11.3 ON APR 3	0 ON MAR 1	4 740	1943
1944	---	0.255 ON APR 7	0 ON MAR 1	30.6	1944
1945	---	0 ON MAR 1	0 ON MAR 1	0	1945
1946	---	2.32 B ON MAR 25	0B ON MAR 1	1 060	1946
1947	---	12.5 ON APR 13	0B ON MAR 1	8 690	1947
1948	---	10.1 B ON APR 20	0B ON MAR 1	3 730	1948
1949	---	4.67 ON APR 2	0B ON MAR 1	1 480	1949
1950	---	5.55 B ON APR 15	0B ON MAR 1	2 370	1950
1951	---	2.41 ON APR 13	0B ON MAR 1	2 050	1951
1952	---	5.47 ON MAR 31	0B ON MAR 1	1 760	1952
1953	---	10.4 B ON MAR 31	0B ON MAR 1	4 700	1953
1954	---	8.21 ON JUN 8	0B ON MAR 1	7 060	1954
1955	---	10.7 ON MAY 3	0B ON MAR 1	11 100	1955
1956	33.4 AT 23:00 CST ON APR 13	28.0 ON APR 14	0B ON MAR 1	14 900	1956
1957	7.79 B AT 21:00 CST ON MAR 21	4.70 B ON MAR 21	0B ON MAR 1	2 920	1957
1958	6.91 B AT 21:00 CST ON MAR 27	2.97 B ON MAR 28	0B ON MAR 1	958	1958
1959	0.589 AT 20:30 CST ON JUN 27	0.184 ON MAR 25	0 ON MAR 1	77.0	1959
1960	---	12.5 ON APR 4	0B ON MAR 1	3 140	1960
1961	---	0 ON MAR 1	0 ON MAR 1	0	1961
1962	19.6 AT 22:00 CST ON JUN 12	8.21 ON APR 6	0B ON MAR 1	3 820	1962
1963	2.59 AT 22:00 CST ON JUL 9	0.711 ON JUL 10	0B ON MAR 1	319	1963
1964	3.65 B AT 21:40 CST ON APR 2	2.27 B ON APR 3	0B ON MAR 1	779	1964
1965	8.33 AT 20:00 CST ON APR 11	3.31 B ON APR 11	0B ON MAR 1	1 080	1965
1966	13.5 AT 22:00 CST ON MAR 29	7.53 ON MAR 30	0B ON MAR 1	3 440	1966
1967	19.8 AT 00:05 CST ON APR 12	12.8 B ON APR 11	0B ON MAR 1	5 410	1967
1968	7.16 B AT 03:30 CST ON MAR 8	5.95 B ON MAR 8	0B ON MAR 1	1 620	1968
1969	25.3 AT 19:20 CST ON APR 10	22.3 ON APR 10	0 ON MAR 1	8 880	1969
1970	20.9 AT 21:30 CST ON APR 7	16.7 ON APR 7	0B ON MAR 1	4 710	1970
1971	24.9 B AT 20:30 CST ON APR 7	19.2 B ON APR 7	0B ON MAR 1	5 400	1971
1972	3.43 B AT 19:30 CST ON MAR 22	2.75 B ON MAR 22	0B ON MAR 1	1 110	1972
1973	12.0 AT 18:39 CST ON JUL 1	8.41 ON JUL 1	0B ON MAR 1	1 230	1973
1974	32.6 AT 21:04 CST ON APR 17	28.1 ON APR 18	0B ON MAR 1	10 100	1974
1975	27.5 AT 21:34 CST ON APR 28	21.0 ON APR 28	0B ON MAR 1	12 500	1975
1976	41.6 AT 17:54 CST ON APR 8	31.7 ON APR 8	0B ON MAR 1	14 000	1976
1977	0 AT 00:00 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1977
1978	13.7 AT 22:35 CST ON MAR 29	8.47 ON MAR 29	0 ON MAR 1	2 620	1978
1979	40.1 AT 21:21 CST ON APR 20	25.9 B ON APR 20	0B ON MAR 1	8 480	1979
1980	13.3 B AT 19:33 CST ON MAR 30	6.62 ON APR 1	0B ON MAR 1	3 380	1980
1981	1.01 AT 17:13 CST ON JUL 14	0.320A ON JUL 14	0 ON MAR 1	37.7	1981
1982	44.2 AT 00:14 CST ON APR 14 *	34.7 A ON APR 14 *	0B ON MAR 1	8 090	1982
				4 070	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

INVERNESS CREEK NEAR BRODERICK - STATION NO. 05HG021

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1980	---	---	0.067	0.033	0	0	0	0	0	0	---	---	0.013	1980
1981	---	0	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0.050	0.231	0	0	0	0.003	0	0	---	---	0.035	1982
MEAN	---	0	0.039	0.088	0	0	0	0.001	0	0	---	---	0.016	MEAN

LOCATION - LAT 51 30 16 N LONG 106 49 18 W DRAINAGE AREA, 61.4 km^2 NATURAL FLOW

INVERNESS CREEK NEAR BRODERICK - STATION NO. 05HG021

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1980	0.955B AT 13:01 CST ON MAR 29	0.475 ON MAR 30	0B ON MAR 1 *	265	1980
1981	0.014 AT 14:10 CST ON JUN 14	0.002 ON JUN 14	0B ON MAR 5	0.60	1981
1982	2.25 AT 01:18 CST ON MAR 31 *	0.937B ON MAR 31 *	0B ON MAR 1	740	1982
				335	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

IRONSPRING CREEK NEAR WATSON - STATION NO. 05MA012

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1926	---	---	---	---	0.176	0.308	0.061	0.020	0.002	0.085	---	---	---	1926
1963	---	---	0.066	0.227	0.086	0.060	0.028	0.002	0	0.001	---	---	0.058	1963
1964	---	---	0	1.01	0.124	0.002	0.011	0.004	0.015	0.016	---	---	0.145	1964
1965	---	---	0	2.32	0.089	0.482	0.270	0.013	0.028	0.014	---	---	0.396	1965
1966	---	---	0	2.86	0.210	0.274	0.042	0.564	0.021	0.019	---	---	0.492	1966
1967	---	---	0	1.21	3.69	0.106	0.007	0	0.002	0.004	---	---	0.629	1967
1968	---	---	0.589	0.279	0.065	0.004	0.002	0.016	0.018	0.045	---	---	0.127	1968
1969	---	---	0	2.70	0.630	0.062	0.008	0.001	0.002	0.162	---	---	0.439	1969
1970	---	---	0.053	3.54	1.43	0.342	0.053	0.006	0.004	0.005	---	---	0.671	1970
1971	---	---	0	1.14	0.740	0.238	0.343	0.030	0.005	0.016	---	---	0.312	1971
1972	---	---	0	5.99	2.62	0.166	0.003	0.001	0.004	0.009	---	---	1.09	1972
1973	---	---	0.041	0.100	0.064	1.11	0.201	0.020	0.006	0.010	---	---	0.191	1973
1974	---	---	0	3.66	3.06	0.190	0.010	0.051	0.087	0.050	---	---	0.883	1974
1975	---	---	0	1.84	4.02	0.363	0.027	0.040	0.018	0.015	---	---	0.790	1975
1976	---	---	0.018	2.60	0.309	1.30	0.475	0.109	0.002	0.010	---	---	0.598	1976
1977	---	---	0	0.150	0.287	0.459	0	0	0	0	---	---	0.111	1977
1978	---	---	0.368	2.67	0.812	0.050	0.114	0	0	0	---	---	0.497	1978
1979	---	---	0	7.50	4.95	0.350	0.003	0	0	0	---	---	1.59	1979
1980	---	---	0	3.32	0.269	0	0	0	0	0	---	---	0.440	1980
1981	---	0	0.005	0.014	0.035	0.001	0	0	0	0	---	---	0.007	1981
1982	---	---	0.020	0.299	0.202	0.630	0.120	0.079	0.003	0.007	---	---	0.168	1982
MEAN	---	0	0.058	2.17	1.14	0.309	0.085	0.046	0.010	0.022	---	---	0.482	MEAN

LOCATION - LAT 52 03 25 N DRAINAGE AREA, 587 km²
LONG 104 29 56 W REGULATED

REMARKS - RECORDS PRIOR TO 1977 COLLECTED IN NE20-36-18-W2

IRONSPRING CREEK NEAR WATSON - STATION NO. 05MA012

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1926	---	---	0 ON AUG 29 *	---	1926
1963	---	0.399B ON MAR 28	0B ON MAR 1	1 230	1963
1964	---	6.05 B ON APR 12	0B ON MAR 1	3 070	1964
1965	8.27 B AT 22:00 CST ON APR 12	7.87 B ON APR 13	0B ON MAR 1	8 370	1965
1966	6.88 AT 20:00 CST ON APR 6	5.80 ON APR 7	0B ON MAR 1	10 400	1966
1967	14.1 AT 15:00 CST ON MAY 2	12.6 ON MAY 1	0B ON MAR 1	13 300	1967
1968	4.11 B AT 20:00 CST ON MAR 29	3.60 B ON MAR 30	0B ON MAR 1	2 700	1968
1969	11.7 AT 02:00 CST ON APR 13	11.6 ON APR 13	0B ON MAR 1	9 300	1969
1970	7.90 AT 16:08 CST ON APR 30	7.59 ON APR 22	0B ON MAR 1	14 200	1970
1971	2.94 AT 03:20 CST ON APR 15	2.89 ON JUL 25	0B ON MAR 1	6 600	1971
1972	15.6 AT 15:09 CST ON APR 22	14.9 ON APR 22	0B ON MAR 1	23 000	1972
1973	3.45 AT 12:37 CST ON JUN 4	2.94 ON JUN 4	0B ON MAR 1	4 040	1973
1974	11.6 AT 15:15 CST ON APR 21	10.9 ON APR 22	0B ON MAR 1	18 700	1974
1975	11.9 AT 16:02 CST ON MAY 2	11.4 ON MAY 2	0B ON MAR 1	16 800	1975
1976	7.93 AT 17:29 CST ON APR 12	7.70 ON APR 12	0B ON MAR 1	12 600	1976
1977	2.00 AT 04:45 CST ON MAY 29	1.94 ON MAY 29	0B ON MAR 1	2 350	1977
1978	9.77 AT 04:12 CST ON APR 9	8.72 ON APR 10	0B ON MAR 1	10 500	1978
1979	29.6 AT 20:10 CST ON APR 23 *	27.2 ON APR 23 *	0B ON MAR 1	33 600	1979
1980	9.30 AT 09:41 CST ON APR 16	9.18 ON APR 16	0B ON MAR 1	9 320	1980
1981	0.270 AT 09:11 CST ON MAY 20	0.147 ON MAY 20	0B ON MAR 1	146	1981
1982	2.49 B AT 09:05 CST ON APR 14	2.37 ON JUN 3	0B ON MAR 1	3 560	1982
				10 200	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

ISKWAO CREEK NEAR CRAIK - STATION NO. 05JG014

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1972	---	---	0.024	0.001	0	0	0	0	0	0	---	---	0.003	1972
1973	---	---	0.050	0.001	0.001	0.005	0	0	0	0	---	---	0.007	1973
1974	---	---	0	3.82	0.147	0.016	0	0	0	0	---	---	0.488	1974
1975	---	---	0	0.305	0.022	0	0	0	0	0	---	---	0.040	1975
1976	---	---	0.106	0.775	0.015	0.003	0.016	0	0	0	---	---	0.113	1976
1977	---	---	0	0	0.021	0.009	0.073	0.001	0	0	---	---	0.013	1977
1978	---	---	0.199	0.175	0.006	0	0	0	0	0	---	---	0.048	1978
1979	---	---	0.091	1.60	0.074	0	0	0	0	0	---	---	0.217	1979
1980	---	---	0.303	0.133	0	0	0	0	0	0	---	---	0.055	1980
1981	---	0	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	1.10	0.007	0.012	0.037	0.001	0	0	---	---	0.142	1982
MEAN	---	0	0.070	0.719	0.027	0.004	0.011	0	0	0	---	---	0.102	MEAN

LOCATION - LAT 50 58 44 N DRAINAGE AREA, 360 km²
LONG 105 57 34 W REGULATED

ISKWAO CREEK NEAR CRAIK - STATION NO. 05JG014

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1972	0.796B AT 01:40 CST ON MAR 22	0.487B ON MAR 22	0B ON MAR 1 *	66.6	1972
1973	0.263 AT 02:10 CST ON MAR 17	0.218 ON MAR 18	0B ON MAR 1	151	1973
1974	24.5 AT 06:51 CST ON APR 20 *	21.1 ON APR 20 *	0B ON MAR 1	10 300	1974
1975	1.76 AT 14:32 CST ON APR 22	1.29 ON APR 22	0B ON MAR 1	851	1975
1976	3.37 AT 18:50 CST ON APR 1	2.73 ON APR 1	0B ON MAR 1	2 390	1976
1977	0.830 AT 15:40 CST ON JUL 16	0.609 ON JUL 17	0B ON MAR 1	276	1977
1978	1.71 AT 13:05 CST ON APR 1	1.43 ON APR 1	0B ON MAR 1	1 010	1978
1979	8.18 AT 23:40 CST ON APR 18	7.79 ON APR 19	0B ON MAR 1	4 600	1979
1980	3.23 B AT 22:08 CST ON MAR 30	2.62 B ON MAR 30	0B ON MAR 1	1 160	1980
1981	0 B AT 00:00 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1981
1982	10.1 B AT 16:45 CST ON APR 14	8.57 B ON APR 14	0B ON MAR 1	3 010	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		2 160	MEAN

JACKFISH RIVER NEAR PRINCE - STATION NO. 05EG002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
1920	---	---	---	---	0.867	1.79	0.803	0.277	0.222	0.249	---	---	---	1920
1921	---	---	---	---	20.5	6.90	2.60	1.35	1.82	1.50	---	---	---	1921
MEAN	---	---	---	---	10.7	4.35	1.70	0.814	0.821	0.875	---	---	---	MEAN

LOCATION - LAT 52 55 45 N, LONG 108 24 39 W. DRAINAGE AREA, 3 460 km^2. NATURAL FLOW

JACKFISH RIVER NEAR PRINCE - STATION NO. 05EG002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1919	---	---	0R ON AUG 23 *	---	1919
1920	---	---	---	---	1920
1921	---	27.0 ON MAY 7 *	---	---	1921
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980		---	MEAN

JACKFISH RIVER NEAR PRINCE - STATION NO. 05EG007

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	---	0.341	6.90	3.34	6.21	---	---	---	---	---	---	1970
1971	---	---	0	0.010	---	---	---	---	---	---	---	---	---	1971
1973	---	---	---	---	---	1.26	---	---	---	---	---	---	---	1973
1974	---	---	0	0.912	10.1	8.36	---	---	---	---	---	---	---	1974
1975	---	---	0	0.092	1.33	0.599	3.03	0.105	0.022	0	---	---	0.652	1975
1976	---	---	0	0.088	0.005	0.001	0.018	0	0	0	---	---	0.014	1976
1977	---	---	0	0.001	0.009	0	0	0	0	0	---	---	0.001	1977
1978	---	---	0.001	0.001	0	0	0	0	0	0.077	---	---	0.010	1978
1979	---	---	0 R	0 R	2.77 R	4.84 R	0.374R	0.070R	0 R	0 R	---	---	0.999R	1979
1980	---	---	0	0	0	0.026	0.001	0	0	0	---	---	0.003	1980
1981	---	---	0	0	0.233	0	0	0	0	0.208	---	---	0.056	1981
1982	---	---	0	0	0	0	0	0	0	0.244	---	---	0.031	1982
MEAN	---	---	0 R	0.131R	2.13 R	1.68 R	1.07 R	0.022R	0.003R	0.066R	---	---	0.221	MEAN

LOCATION - LAT 53 01 14 N, LONG 108 21 55 W. DRAINAGE AREA, 3 320 km^2. REGULATED

R - REVISED SINCE JAN 1980

REMARKS - RECORDS WERE COLLECTED IN NW15-86-17-W3 FROM 1970-71 AND 1973-78

JACKFISH RIVER NEAR PRINCE - STATION NO. 05EG007

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1970	---	---	0B ON APR 1 *	---	1970
1971	---	---	0B ON MAR 1	---	1971
1973	---	---	0E ON JUN 1	---	1973
1974	---	10.6 ON MAY 9 *	0B ON MAR 1	---	1974
1975	---	6.06 ON MAY 13	0B ON MAR 1	13 800	1975
1976	---	0.597 ON APR 17	0B ON MAR 1	293	1976
1977	---	0.048E ON MAY 16	0B ON MAR 1	27.4	1977
1978	---	0.493 ON OCT 4	0B ON MAR 1	212	1978
1979	6.74 R AT 16:10 CST ON JUN 6 *	6.55 R ON JUN 6	0RB ON MAR 1	21 200 R	1979
1980	0.337 AT 13:20 CST ON JUN 20	0.275 ON JUN 19	0B ON MAR 1	73.5	1980
1981	---	2.96 A ON MAY 14	0B ON MAR 1	1 180	1981
1982	2.47 AT 11:00 CST ON OCT 19	2.4[illegible] ON OCT 20	0B ON MAR 1	654	1982
				4 680 R	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980

JEWEL CREEK NEAR GOODWATER - STATION NO. 05NB014

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1959	---	---	0	0	0	0.010	0.004	0	0	0	---	---	0.002	1959
1960	---	---	1.27	1.27	0.011	0	0	0	0	0	---	---	0.318	1960
1961	---	---	0	0	0	0	0	0	0	0	---	---	0	1961
1962	---	---	0	0.191	0	0	0	0	0	0	---	---	0.023	1962
1963	---	---	0.094	0.035	0	0.434	0.006	0	0	0	---	---	0.070	1963
1964	---	---	0	0.555	0.030	0.002	0	0	0	0	---	---	0.072	1964
1965	---	---	0	0.982	1.34	0.481	0.245	0.002	0.049	0.015	---	---	0.387	1965
1966	---	---	0.495	0.061	0.015	0.001	0	0	0	0	---	---	0.072	1966
1967	---	---	0.003	0.532	0.583	0.007	0	0	0	0	---	---	0.140	1967
1968	---	---	0	0	0	0	0	0.234	0.051	0.002	---	---	0.036	1968
1969	---	---	0	4.13	0.129	0.002	0.004	0	0	0	---	---	0.522	1969
1970	---	---	0	1.69	2.39	0.078	0.003	0.001	0	0	---	---	0.520	1970
1971	---	---	3.032	1.27	0.013	0	0	0	0	0	---	---	0.161	1971
1972	---	---	1.93	0.112	0.011	0.118	0.002	0	0	0	---	---	0.274	1972
1973	---	---	0	0	0.001	0	0	0	0	0	---	---	0	1973
1974	---	---	0	4.18	0.122	0.044	0.022	0.003	0	0	---	---	0.536	1974
1975	---	---	0.001	3.78	0.613	0.002	0.001	0	0	0	---	---	0.541	1975
1976	---	---	0.988	4.86	0.014	1.15	0.021	0.010	0	0	---	---	0.866	1976
1977	---	---	0	0.001	0.002	0	0	0	0	0	---	---	0	1977
1978	---	---	1.70	0.231	0.003	0.291	1.93	0.004	0.141	0.036	---	---	0.546	1978
1979	---	---	0.018	6.05	1.16	0.028	0	0	0.002	0	---	---	0.893	1979
1980	---	---	0.077	0.027	0	0	0	0	0	0	---	---	0.013	1980
1981	---	0.009	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	3.36	0.078	0.004	0	0	0	0	---	---	0.422	1982
MEAN	---	0.009	0.275	1.39	0.271	0.111	0.093	0.011	0.010	0.002	---	---	0.267	MEAN

LOCATION - LAT 49 23 10 N LONG 103 42 42 W DRAINAGE AREA, 209 km^2 REGULATED

JEWEL CREEK NEAR GOODWATER - STATION NO. 05NB014

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1959	---	0.133 ON JUN 29	0 ON MAR 1 *	38.5	1959
1960	---	13.8 ON MAR 29	0B ON MAR 1	6 720	1960
1961	---	0 ON MAR 1	0 ON MAR 1	0	1961
1962	---	1.17 ON APR 5	0 ON MAR 1	495	1962
1963	---	2.82 ON JUN 9	0B ON MAR 1	1 480	1963
1964	---	2.00 ON APR 7	0 ON MAR 1	1 530	1964
1965	---	8.86 ON MAY 8	0B ON MAR 1	8 210	1965
1966	---	1.73 ON MAR 20	0B ON MAR 1	1 530	1966
1967	---	3.68 ON MAY 2	0B ON MAR 1	2 970	1967
1968	---	1.80 ON AUG 27	0 ON MAR 1	764	1968
1969	---	43.3 ON APR 10 *	0B ON MAR 1	11 100	1969
1970	---	17.2 ON MAY 4	0B ON MAR 1	11 000	1970
1971	---	13.8 B ON APR 8	0B ON MAR 1	3 400	1971
1972	10.8 B AT 16:00 CST ON MAR 20	9.49 B ON MAR 20	0B ON MAR 1	5 790	1972
1973	---	0.001 ON APR 20	0B ON MAR 1	2.33	1973
1974	41.6 AT 20:57 CST ON APR 17	30.9 ON APR 17	0B ON MAR 1	11 300	1974
1975	27.6 B AT 17:51 CST ON APR 21	22.5 B ON APR 21	0B ON MAR 1	11 500	1975
1976	31.1 AT 00:19 CST ON APR 4	26.9 ON APR 4	0B ON MAR 1	18 300	1976
1977	0.009 AT 22:46 CST ON MAY 20	0.008 ON MAY 20	0B ON MAR 1	6.48	1977
1978	19.6 B AT 12:01 CST ON MAR 28	17.2 ON JUL 10	0B ON MAR 1	11 600	1978
1979	47.9 B AT 01:22 CST ON APR 22 *	38.5 B ON APR 22	0B ON MAR 1	18 900	1979
1980	0.735B AT 10:29 CST ON MAR 24	0.371B ON MAR 25	0B ON MAR 1	277	1980
1981	---	0.001 ON MAR 1	0 ON MAR 3	0.17	1981
1982	43.8 B AT 03:03 CST ON APR 18	31.0 B ON APR 18	0B ON MAR 1	8 930	1982
				5 660	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

JONES CREEK AT READ'S RANCH - STATION NO. 05HD002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR APR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	---	---	---	---	0.051	---	---	---	1909
1910	---	---	---	0.122	0.030	0.010	0.017	0.003	0.009	0.013	---	---	0.029	1910
1911	---	---	---	0.468	0.083	0.087	0.036	0.015	---	---	---	---	---	1911
MEAN	---	---	---	0.295	0.057	0.049	0.027	0.009	0.009	0.032	---	---	0.029	MEAN

LOCATION - LAT 49 37 10 N DRAINAGE AREA, 136 km²
LONG 108 40 20 W NATURAL FLOW

JONES CREEK AT READ'S RANCH - STATION NO. 05HD002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR APR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1909	---	---	---	---	1909
1910	---	0.204 ON APR 12	0 ON JUL 29 *	531	1910
1911	---	1.56 ON APR 10 *	0 ON JUL 25	---	1911
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		531	MEAN

JONES CREEK AT STEARNS' RANCH - STATION NO. 05HD009

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1912	---	---	---	---	---	0.072	0.034	0.028	0.026	0.029	---	---	---	1912
1913	---	---	---	---	0.078	0.036	0.030	0.015	0.016	0.022	---	---	---	1913
1914	---	---	---	0.196	0.050	0.032	0.004	0	0	0	---	---	---	1914
1915	---	---	---	0.168	0.085	0.245	0.077	0.025	---	---	---	---	---	1915
MEAN	---	---	---	0.180	0.071	0.096	0.036	0.017	0.014	0.017	---	---	---	MEAN

LOCATION - LAT 49 39 10 N DRAINAGE AREA, 87.3 km²
LONG 108 40 30 W NATURAL FLOW

JONES CREEK AT STEARNS' RANCH - STATION NO. 05HD009

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1912	---	---	---	---	1912
1913	---	---	---	---	1913
1914	---	---	0E ON JUL 19 *	---	1914
1915	---	1.13 ON JUN 20 *	---	---	1915
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

E - ESTIMATED

JUMPING DEER CREEK NEAR LIPTON - STATION NO. 05JK004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1941	---	---	0.002	0.264	0.017	0	0	0	0	0	---	---	0.035	1941
1942	---	---	0.047	0.462	0.012	0.032	0.279	0.086	0.107	0.041	---	---	0.132	1942
1943	---	---	0	2.63	0.107	0.011	0.001	0	0	0	---	---	0.337	1943
1944	---	---	0	0.372	0.014	0.049	0.009	0	0	0	---	---	0.054	1944
1945	---	---	0.080	0.024	0.010	0.011	0.001	0	0	0	---	---	0.016	1945
1946	---	---	0.140	0.038	0.014	0.007	0.031	0.002	0	0.015	---	---	0.031	1946
1947	---	---	0	1.14	0.062	0.057	0.005	0	0	0	---	---	0.155	1947
1948	---	---	0	0.678	0.136	0.010	0	0	0	0	---	---	0.101	1948
1949	---	---	0	0.048	0.003	0.001	0	0.002	0	0	---	---	0.007	1949
1950	---	---	0	0.989	0.023	0.123	0.021	0.001	0.005	0	---	---	0.143	1950
1951	---	---	0	---	0.036	0.017	0.004	0	0.017	0.029	---	---	---	1951
1952	---	---	0.144	0.251	0.012	0.038	0.010	0.002	0.015	0.015	---	---	0.060	1952
1953	---	---	0.346	1.26	0.083	0.123	0.059	0.011	0.007	0.009	---	---	0.235	1953
1954	---	---	0	1.18	0.123	0.264	0.270	0.119	0.402	0.333	---	---	0.333	1954
1955	---	---	0.082	1.49	2.91	0.926	0.402	0.018	0.003	0.012	---	---	0.730	1955
1956	---	---	0.016	2.07	0.503	0.258	0.101	0.018	0.011	0.021	---	---	0.370	1956
1957	---	---	0.367	0.775	0.198	0.029	0.003	0.013	0.005	0.005	---	---	0.173	1957
1958	---	---	0.339	0.257	0.018	0.007	0.003	0.001	0.005	0.011	---	---	0.080	1958
1959	---	---	0.089	0.043	0.025	0.042	0.006	0	0.001	0.009	---	---	0.027	1959
1960	---	---	0	0.508	0.043	0.043	0	0	0	0	---	---	0.073	1960
1961	---	---	0.015	0.044	0.020	0.004	0	0	0	0.001	---	---	0.011	1961
1962	---	---	0	0.227	0.041	0.031	0.006	0	0	0.001	---	---	0.038	1962
1963	---	---	0.139	0.036	0.028	0.035	0.018	0.003	0.003	0.003	---	---	0.033	1963
1964	---	---	0	0.193	0.017	0.004	0	0.002	0	0	---	---	0.026	1964
1965	---	---	0	0.112	0.031	0.047	0.037	0.023	0	0	---	---	0.031	1965
1966	---	---	0.134	0.452	0.025	0.044	0.011	0.032	0	0.003	---	---	0.087	1966
1967	---	---	0	0.433	0.144	0.021	0.002	0	0	0.040	---	---	0.079	1967
1968	---	---	0.516	0.092	0.008	0.008	0.002	0.004	0.005	0.013	---	---	0.082	1968
1969	---	---	0	1.26	0.038	0.025	0.051	0	0	0.013	---	---	0.170	1969
1970	---	---	0.087	0.482	0.074	0.033	0.006	0.002	0	0.017	---	---	0.087	1970
1971	---	---	0	1.33	0.061	0.032	0.008	0.001	0.001	0.004	---	---	0.176	1971
1972	---	---	0.158	0.365	0.069	0.002	0.001	0	0	0.006	---	---	0.075	1972
1973	---	---	0.048	0.016	0.024	0.013	0.004	0.006	0.007	0.002	---	---	0.015	1973
1974	---	---	0	0.959	0.323	0.079	0.010	0.043	0.023	0.009	---	---	0.179	1974
1975	---	---	0	1.20	0.440	0.059	0.008	0.005	0.004	0.010	---	---	0.213	1975
1976	---	---	0	1.32	0.058	0.866	0.049	0.005	0.003	0.003	---	---	0.282	1976
1977	---	---	0.029	0.041	0.067	0.001	0	0	0	0	---	---	0.017	1977
1978	---	---	0.208	0.200	0.060	0.014	0.001	0	0	0.001	---	---	0.060	1978
1979	---	---	0.002	1.64	0.136	0.012	0	0	0	0	---	---	0.219	1979
1980	---	---	0.004	0.597	0.008	0.001	0.001	0.001	0.001	0.001	---	---	0.075	1980
1981	---	---	0.006	0.017	0.004	0.007	0.017	0.005	0.002	0.007	---	---	0.008	1981
1982	---	---	0	0.613	0.039	0.021	0.002	0	0	0.001	---	---	0.083	1982
MEAN	---	---	0.071	0.637	0.144	0.081	0.034	0.010	0.015	0.015	---	---	0.125	MEAN

LOCATION - LAT 50 55 10 N DRAINAGE AREA, 1 680 km²
LONG 103 53 57 W REGULATED

JUMPING DEER CREEK NEAR LIPTON - STATION NO. 05JK004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1941	---	1.64 ON APR 7	0 ON MAR 1 *	735	1941
1942	---	4.11 B ON APR 3	0B ON MAR 1	2 800	1942
1943	---	14.1 ON APR 5 *	0 ON MAR 1	7 140	1943
1944	---	4.16 ON APR 5	0 ON MAR 1	1 150	1944
1945	---	0.283B ON MAR 27	0B ON MAR 1	336	1945
1946	---	0.583 ON MAR 27	0 ON MAR 1	659	1946
1947	---	7.08 B ON APR 14	0B ON MAR 1	3 290	1947
1948	---	3.09 B ON APR 18	0B ON MAR 1	2 150	1948
1949	---	0.425B ON APR 2	0B ON MAR 1	143	1949
1950	---	6.17 ON APR 17	0B ON MAR 1	3 010	1950
1951	---	---	0B ON MAR 1	---	1951
1952	---	2.63 B ON MAR 31	0B ON MAR 1	1 280	1952
1953	---	7.25 ON APR 2	0B ON MAR 1	4 980	1953
1954	---	5.41 ON APR 14	0B ON MAR 1	7 050	1954
1955	---	6.00 ON MAY 4	0B ON MAR 1	15 500	1955
1956	---	6.23 ON APR 14	0B ON MAR 1	7 830	1956
1957	---	2.94 B ON APR 5	0B ON MAR 1	3 670	1957
1958	---	2.80 B ON MAR 29	0B ON MAR 1	1 690	1958
1959	---	0.708B ON MAR 23	0B ON MAR 1	567	1959
1960	---	2.58 A ON APR 7	0B ON MAR 1	1 550	1960
1961	---	0.085B ON MAR 26	0B ON MAR 1	222	1961
1962	3.62 AT 03:00 CST ON APR 17	1.49 ON APR 17	0B ON MAR 1	796	1962
1963	2.38 B AT 01:30 CST ON MAR 22	1.48 B ON MAR 22	0B ON MAR 1	705	1963
1964	1.96 B AT 00:30 CST ON APR 3	1.28 B ON APR 3	0B ON MAR 1	559	1964
1965	0.974 AT 14:00 CST ON APR 11	0.586 ON APR 11	0 ON MAR 1	657	1965
1966	---	2.47 ON APR 2	0B ON MAR 1	1 830	1966
1967	---	3.62 ON APR 16	0B ON MAR 1	1 670	1967
1968	2.97 B AT 03:00 CST ON MAR 7	2.32 B ON MAR 6	0E ON JUN 26	1 720	1968
1969	8.81 AT 00:00 CST ON APR 11	6.94 ON APR 11	0B ON MAR 1	3 600	1969
1970	3.91 AT 20:30 CST ON APR 6	2.72 ON APR 6	0B ON MAR 1	1 840	1970
1971	8.86 AT 01:21 CST ON APR 10 *	6.20 B ON APR 9	0B ON MAR 1	3 730	1971
1972	1.69 B AT 20:23 CST ON APR 9	1.27 B ON APR 9	0B ON MAR 1	1 580	1972
1973	0.824 AT 14:59 CST ON MAY 12	0.195B ON MAR 16	0B ON MAR 1	320	1973
1974	7.90 AT 01:53 CST ON APR 19	4.84 ON APR 19	0B ON MAR 1	3 780	1974
1975	5.27 AT 23:10 CST ON APR 28	4.50 ON APR 29	0B ON MAR 1	4 510	1975
1976	8.67 AT 22:43 CST ON JUN 12	5.66 ON APR 9	0B ON MAR 1	5 970	1976
1977	0.671 AT 15:09 CST ON MAY 9	0.345 ON MAY 6	0B ON MAR 1	364	1977
1978	1.97 B AT 22:42 CST ON MAR 28	1.65 B ON MAR 29	0B ON MAR 1	1 280	1978
1979	7.54 B AT 23:27 CST ON APR 20	5.96 B ON APR 18	0B ON MAR 1	4 640	1979
1980	4.13 B AT 01:17 CST ON APR 6	2.91 B ON APR 6	0B ON MAR 1	1 600	1980
1981	1.49 AT 14:48 CST ON JUL 3	0.396 ON JUL 3	0B ON MAR 1	168	1981
1982	4.17 B AT 20:23 CST ON APR 13	3.79 B ON APR 13	0B ON MAR 1	1 760	1982
				2 650	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

KAPOSVAR CREEK NEAR ESTERHAZY - STATION NO. 05JM012

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1956	---	---	0	6.26	3.44	0.716	0.343	0.141	0.009	0.079	---	---	1.36	1956
1957	---	---	0.145	2.16	0.185	0.023	0.016	0.002	0	0	---	---	0.312	1957
1958	---	---	0.146	0.181	0	0	0	0	0	0	---	---	0.041	1958
1959	---	---	0.036	0	0	0	0	0	0	0	---	---	0.005	1959
1960	---	---	0	0.889	0.050	0.002	0	0	0	0	---	---	0.115	1960
1961	---	---	0	0	0	0	0	0	0	0	---	---	0	1961
1962	---	---	0	0.052	0	0	0	0	0	0	---	---	0.006	1962
1963	---	---	0.096	0.005	0.003	0.002	0.005	0.007	0	0	---	---	0.015	1963
1964	---	---	0	0.279	0.125	0.077	0.008	0.001	0.001	0.003	---	---	0.061	1964
1965	---	---	0	1.80	0.378	0.011	0.004	0	0.008	0	---	---	0.271	1965
1966	---	---	0.147	0.887	0.101	0.001	0.018	0.003	0.001	0	---	---	0.143	1966
1967	---	---	0	1.07	0.273	0.013	0	0	0	0	---	---	0.168	1967
1968	---	---	0.618	0.045	0.010	0.001	0	0.001	0.001	0.004	---	---	0.086	1968
1969	---	---	0.007	0.402	0.047	0	0.001	0	0	0	---	---	0.056	1969
1970	---	---	0	0.734	0.106	0.001	0.028	0	0	0.062	---	---	0.115	1970
1971	---	---	0	0.512	0.042	0.001	0.008	0	0	0.577	---	---	0.142	1971
MEAN	---	---	0.075	0.955	0.298	0.053	0.027	0.010	0.001	0.045	---	---	0.181	MEAN

LOCATION - LAT 50 38 57 W
LONG 102 02 20 W
DRAINAGE AREA, 1 700 km^2
REGULATED SINCE 1947

KAPOSVAR CREEK NEAR ESTERHAZY - STATION NO. 05JM012

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1956	---	16.9 E ON APR 19 *	0B ON MAR 1 *	28 800	1956
1957	---	5.38 B ON APR 7	0 ON MAY 30	6 600	1957
1958	---	1.33 B ON MAR 29	0B ON MAR 1	861	1958
1959	---	0.255B ON MAR 22	0B ON MAR 1	95.5	1959
1960	---	5.83 B ON APR 7	0B ON MAR 1	2 440	1960
1961	---	0 ON MAR 1	0 ON MAR 1	0	1961
1962	---	0.300B ON APR 6	0B ON MAR 1	135	1962
1963	---	0.736E ON MAR 23	0 ON MAR 1	319	1963
1964	---	0.453B ON APR 11	0B ON MAR 1	1 290	1964
1965	---	6.99 B ON APR 12	0B ON MAR 1	5 730	1965
1966	---	4.25 B ON APR 5	0B ON MAR 1	3 030	1966
1967	---	5.12 B ON APR 13	0B ON MAR 1	3 540	1967
1968	---	2.64 B ON MAR 9	0B ON MAR 1	1 820	1968
1969	---	1.44 ON APR 16	0B ON MAR 1	1 190	1969
1970	---	3.23 ON APR 14	0B ON MAR 1	2 430	1970
1971	---	1.19 E ON APR 13	0B ON MAR 1	3 020	1971
				3 830	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

KAPOSVAR CREEK NEAR TANTALLON - STATION NO. 05JM005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR APR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1941	---	---	---	---	0.002	0	0	0	0	0	---	---	---	1941
1942	---	---	0.654	2.59	0.010	0.333	0.004	0.387	0.096	0.034	---	---	0.486	1942
1943	---	---	0.220	3.81	0.087	0.173	0.185	0.980	0.503	---	---	---	---	1943
1944	---	---	---	0.736	0.055	0.854	0.054	0.005	0.004	0.002	---	---	0.240	1944
1945	---	---	0.266	0.138	0.072	0.047	0.063	0.005	0	---	---	---	---	1945
1946	---	---	---	0.581	0.030	0.006	1.76	0.010	0.006	0.015	---	---	0.347	1946
1947	---	---	---	4.07	0.478	0.859	0.314	0.023	0.011	0.013	---	---	0.813	1947
1948	---	---	---	4.08	1.08	0.212	0.636	0.005	0.003	0.004	---	---	0.853	1948
1949	---	---	---	---	0.030	0.294	0.012	---	---	---	---	---	---	1949
1950	---	---	---	---	1.49	0.112	0.074	0.157	---	---	---	---	---	1950
1951	---	---	---	1.06	0.203	0.224	0.026	0	0	0.003	---	---	0.213	1951
1952	---	---	0.070	1.08	0.039	0.027	0.010	0.003	0.022	0.017	---	---	0.169	1952
1953	---	---	---	1.91	0.271	1.26	0.564	0.620	0.170	0.171	---	---	0.704	1953
1954	---	---	---	1.98	0.965	6.45	4.41	0.526	1.18	1.49	0.667	---	2.42	1954
1955	---	---	---	10.2	10.4	1.45	0.582	0.066	0.010	0.056	---	---	3.24	1955
MEAN	---	---	0.303	2.59	0.922	0.818	0.582	0.202	0.158	0.164	0.667	---	0.949	MEAN

LOCATION - LAT 50 31 43 N
LONG 101 55 00 W
DRAINAGE AREA, 1 810 km^2
NATURAL FLOW

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1945

KAPOSVAR CREEK NEAR TANTALLON - STATION NO. 05JM005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR APR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1941	---	---	0 ON MAY 12 *	---	1941
1942	---	16.9 ON APR 1	0 ON JUL 3	8 980	1942
1943	---	11.9 B ON APR 3	0.006 ON AUG 16	---	1943
1944	---	4.25 ON JUN 3	0 E ON AUG 11	4 440	1944
1945	---	0.311B ON APR 15	0 ON AUG 17	---	1945
1946	---	14.7 ON JUL 10	0 ON JUN 27	6 420	1946
1947	---	9.85 B ON APR 10	0 ON SEP 9	15 100	1947
1948	---	12.8 ON APR 26	0 B ON APR 1	15 800	1948
1949	---	5.66 ON APR 6	0 ON JUL 13	---	1949
1950	---	6.40 ON APR 16	0 ON JUL 9	---	1950
1951	---	3.40 B ON APR 5	0 ON JUL 14	3 940	1951
1952	---	4.16 B ON APR 4	0 ON APR 21	3 120	1952
1953	---	11.3 ON APR 2	0.028 ON OCT 6	13 000	1953
1954	---	15.9 ON JUN 10	0.085 ON SEP 2	44 700	1954
1955	---	57.2 ON MAY 4 *	0 ON AUG 24	60 000	1955
				17 600	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

KEARNEY BROTHERS DITCH NEAR KEALEY SPRINGS - STATION NO. 11AC042

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1917	---	---	0	0	0	0	0	0	0	0	---	---	0	1917
MEAN	---	---	0	0	0	0	0	0	0	0	---	---	0	MEAN

LOCATION - LAT 49 39 20 N
LONG 109 06 10 W
REGULATED

REMARKS - NO WATER WAS DIVERTED DURING 1917 AND FROM 1919-29

KEARNEY BROTHERS DITCH NEAR KEALEY SPRINGS - STATION NO. 11AC042

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1917	---	0 ON MAR 1 *	0 ON MAR 1 *	0	1917
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		0	MEAN

KEELEY RIVER AT OUTLET OF KEELEY LAKE - STATION NO. 06BB004

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1972	---	---	---	---	---	---	---	2.91	2.07	2.52	2.58	2.37	---	1972
1973	2.38	1.99	1.91	2.36	4.13	6.18	8.82	7.51	6.40	6.04	5.48	4.92	4.86	1973
1974	4.68	3.94	3.26	3.15	5.81	10.4	7.29	4.54	3.45	2.82	2.33	2.01	4.47	1974
1975	1.97	2.01	1.54	1.56	2.68	4.40	4.59	4.51	3.68	3.54	2.94	2.29	2.98	1975
1976	1.87	1.77	1.56	1.59	2.17	2.58	3.73	3.85	2.57	1.99	1.54	1.18	2.20	1976
1978	1.45	1.43	1.45	2.04	---	---	4.57	3.07	2.65	2.11	1.50	1.39	---	1978
1979	1.22	1.20	1.15	2.05	5.23	4.65	4.22	3.33	3.19	2.66	2.25	2.02	2.77	1979
1980	1.82	1.65	1.43	1.55	1.59	1.29	1.73	2.61	4.69	4.78	3.73	3.18	2.51	1980
1981	2.70	2.17	1.93	2.06	2.80	2.06	1.59	1.08	0.410	0.315	0.367	0.485	1.49	1981
1982	0.427	0.487	0.709	1.17	3.97	4.28	4.54	4.13	2.63	2.09	1.80	1.96	2.36	1982
MEAN	2.05	1.85	1.66	1.95	3.55	4.48	4.56	3.75	3.17	2.89	2.45	2.18	2.96	MEAN

LOCATION - LAT 54 55 10 W DRAINAGE AREA, 1 020 km^2
LONG 108 03 20 W NATURAL FLOW

KEELEY RIVER AT OUTLET OF KEELEY LAKE - STATION NO. 06BB004

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1972	---	---	---	---	1972
1973	10.1 AT 23:52 CST ON JUL 11 *	9.58 ON JUL 6	1.85 ON FEB 25	153 000	1973
1974	---	11.3 E ON JUN 12 *	1.87 ON NOV 30	141 000	1974
1975	5.92 AT 13:59 CST ON AUG 23	5.15 ON AUG 23	1.41 ON APR 5	94 100	1975
1976	5.01 AT 14:49 CST ON JUL 22	4.81 ON JUL 22	1.04 E ON DEC 30	69 700	1976
1978	---	---	1.32 ON DEC 27	---	1978
1979	---	5.76E ON MAY 5	1.10 E ON APR 6	87 400	1979
1980	---	5.44A ON SEP 30	1.15 ON JUN 23	79 300	1980
1981	---	3.06E ON MAY 14	0.248 ON OCT 25 *	47 100	1981
1982	5.33 AT 17:25 CST ON JUL 12	4.97 ON JUL 15	0.380B ON JAN 27	74 500	1982
				93 300	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

KELSEY CREEK NEAR GARRICK - STATION NO. 05KE007

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1957	---	---	---	1.85	0.409	---	---	---	---	---	---	---	---	1957
1958	---	---	---	1.70	---	---	---	---	---	---	---	---	---	1958
1959	---	---	---	0.716	---	---	---	---	---	---	---	---	---	1959
1960	---	---	---	1.02	---	---	---	---	---	---	---	---	---	1960
1961	---	---	---	0.915	---	---	---	---	---	---	---	---	---	1961
1962	---	---	---	1.62	0.798	---	---	---	---	---	---	---	---	1962
1963	---	---	---	0.835	---	---	---	---	---	---	---	---	---	1963
1964	---	---	---	0.204	---	---	---	---	---	---	---	---	---	1964
1965	---	---	---	1.04	0	---	---	---	---	---	---	---	---	1965
1966	---	---	---	0.246	0	---	---	---	---	---	---	---	---	1966
1968	---	---	0.011	0.126	---	---	---	---	---	---	---	---	---	1968
1969	---	---	---	1.41	---	---	---	---	---	---	---	---	---	1969
1970	---	---	---	1.65	---	---	---	---	---	---	---	---	---	1970
1971	---	---	---	1.93	---	---	---	---	---	---	---	---	---	1971
1972	---	---	---	4.85	---	---	---	---	---	---	---	---	---	1972
1973	---	---	---	1.22	---	---	---	---	---	---	---	---	---	1973
1974	---	---	---	6.14	1.30	1.24	---	---	---	---	---	---	---	1974
1975	---	---	0	0.788	0.177	0	0	0	0	0	---	---	0.119	1975
1976	---	---	0	0.402	0.019	0	0	0	0	0	---	---	0.052	1976
1977	---	---	0	0.010	0	0	0	0	0	0	---	---	0.001	1977
1978	---	---	0 R	2.55 R	0.321R	0.008R	0R	0R	0R	0R	---	---	0.353R	1978
1979	---	---	0	3.70	1.05	0.096	0	0	0	0	---	---	0.597	1979
1980	---	---	0	0.266	0.005	0	0	0	0	0	---	---	0.033	1980
1981	---	---	0.004	0.028	0.006	0	0	0	0	0	---	---	0.005	1981
1982	---	---	0	0.815	0.011	0.001	0	0	0	0	---	---	0.101	1982
MEAN	---	---	0.002R	1.44 R	0.315R	0.149R	0R	0R	0R	0R	---	---	0.158	MEAN

LOCATION - LAT 53 28 53 W DRAINAGE AREA, 155 km^2
LONG 104 19 33 W NATURAL FLOW

R - REVISED SINCE JAN 1980

REMARKS - STATION OPERATED IN SW05-52-16-W2 1957-73 AND SW17-52-16-W2 FROM 1974-77

KELSEY CREEK NEAR GARRICK - STATION NO. 05KE007

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1957	---	---	---	---	1957
1958	---	---	---	---	1958
1959	---	---	---	---	1959
1960	---	---	---	---	1960
1961	---	---	---	---	1961
1962	---	---	---	---	1962
1963	---	---	---	---	1963
1964	---	---	---	---	1964
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1968	---	0.793B ON APR 4	0B ON MAR 1 *	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1972	---	---	---	---	1972
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	---	2.97 ON APR 19	0B ON MAR 1	2 510	1975
1976	---	3.51 ON APR 8	0B ON MAR 1	1 090	1976
1977	---	0.116 ON APR 10	0B ON MAR 1	25.9	1977
1978	15.7 R AT 22:13 CST ON APR 23	13.3 R ON APR 23	0RB ON MAR 1	7 480 R	1978
1979	28.5 AT 20:17 CST ON APR 23 *	19.7 ON APR 24 *	0B ON MAR 1	12 600	1979
1980	2.71 B AT 07:04 CST ON APR 14	2.39 B ON APR 14	0B ON MAR 1	701	1980
1981	0.247 AT 18:41 CST ON APR 25	0.146 ON APR 23	0B ON MAR 1	101	1981
1982	7.12 AT 01:58 CST ON APR 19	5.88 ON APR 19	0B ON MAR 1	2 140	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980		3 330 R	MEAN

KNOX COULEE NEAR TUXFORD - STATION NO. 05JG015

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1979	---	---	0 R	0.037R	0.001R	0R	0R	0R	0R	0R	---	---	0.005R	1979
1980	---	---	0.004	0.003	0	0	0	0	0	0	---	---	0.001	1980
1981	---	0	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	0.185	0.001	0	0	0	0	0	---	---	0.023	1982
MEAN	---	0	0.001R	0.056R	0.001R	0R	0R	0R	0R	0R	---	---	0.007	MEAN

LOCATION - LAT 50 41 41 N, LONG 105 36 05 W — DRAINAGE AREA, 24.1 km^2, NATURAL FLOW

R - REVISED SINCE JAN 1980

KNOX COULEE NEAR TUXFORD - STATION NO. 05JG015

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1979	---	0.360R ON APR 16	0RB ON MAR 1 *	98.4R	1979
1980	0.205B AT 13:45 CST ON MAR 30	0.091B ON MAR 30	0B ON MAR 1	18.1	1980
1981	0 B AT 00:00 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1981
1982	1.94 AT 23:52 CST ON APR 16 *	1.42 ON APR 17 *	0B ON MAR 1	482	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980		150 R	MEAN

KOHLESCHMIDT CREEK NEAR ROSTHERN - STATION NO. 05HN003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1964	---	---	0	1.19	---	---	---	---	---	---	---	---	---	1964
1965	---	---	0	2.50	---	---	---	---	---	---	---	---	---	1965
1966	---	---	---	0.534	---	---	---	---	---	---	---	---	---	1966
1967	---	---	---	0.117	0.143	---	---	---	---	---	---	---	---	1967
1968	---	---	0.568	---	---	---	---	---	---	---	---	---	---	1968
1969	---	---	0	3.66	---	---	---	---	---	---	---	---	---	1969
1970	---	---	0	4.38	---	---	---	---	---	---	---	---	---	1970
1971	---	---	0	1.27	---	---	---	---	---	---	---	---	---	1971
1972	---	---	0	5.41	---	---	---	---	---	---	---	---	---	1972
1973	---	---	0	0.220	---	---	---	---	---	---	---	---	---	1973
1974	---	---	0	4.30	0.196	---	---	---	---	---	---	---	---	1974
1975	---	---	0	1.06	0.149	0	0	0	0	0	---	---	0.148	1975
1976	---	---	0	1.38	0.044	0.015	0	0	0	0	---	---	0.176	1976
1977	---	---	0	0.004	0.023	0.020	0	0	0	0	---	---	0.006	1977
1978	---	---	0	0.631	0.021	0.001	0.001	0	0	0	---	---	0.080	1978
1979	---	---	0	6.13	1.36	0	0	0	0	0	---	---	0.923	1979
1980	---	---	0	0.945	0.004	0	0	0	0	0	---	---	0.116	1980
1981	---	---	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	0.012	0	0	0	0	0	0	---	---	0.001	1982
MEAN	---	---	0.033	1.87	0.194	0.005	0	0	0	0	---	---	0.181	MEAN

LOCATION - LAT 52 44 50 N, LONG 106 22 05 W — DRAINAGE AREA, 362 km^2, NATURAL FLOW

KOHLESCHMIDT CREEK NEAR ROSTHERN - STATION NO. 05HH003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1964	---	5.97 ON APR 7	0E ON MAR 1 *	---	1964
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	9.63 B ON APR 15	0B ON MAR 1	---	1971
1972	---	---	---	---	1972
1973	---	0.821B ON APR 6	0B ON MAR 1	---	1973
1974	---	37.1 B ON APR 19 *	0B ON MAR 1	---	1974
1975	---	6.00 ON APR 22	0B ON MAR 1	3 140	1975
1976	15.6 B AT 07:57 CST ON APR 9	11.2 B ON APR 9	0B ON MAR 1	3 730	1976
1977	0.212 AT 16:06 CST ON MAY 5	0.144 ON MAY 5	0B ON MAR 1	122	1977
1978	4.05 A AT 23:59 CST ON APR 7	3.40 ON APR 8	0B ON MAR 1	1 690	1978
1979	35.4 AT 06:34 CST ON APR 25 *	33.1 ON APR 25	0B ON MAR 1	19 600	1979
1980	9.91 B AT 14:04 CST ON APR 16	8.06 B ON APR 16	0B ON MAR 1	2 460	1980
1981	0 B AT 00:00 CST ON MAR 1	0 B ON MAR 1	0B ON MAR 1	0	1981
1982	---	0.127B ON APR 15	0B ON MAR 1	29.8	1982
				3 850	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

KOKOTT DITCH NEAR EASTEND - STATION NO. 11AC020

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1913	---	---	---	---	---	---	---	---	---	---	---	---	---	1913
1914	---	---	0	0	0	0.047	0.044	0.039	0.022	0	---	---	0.019	1914
1915	---	---	0	0	0	0	0	0	0	0	---	---	0	1915
1916	---	---	0	0	0	0	0	0	0	0	---	---	0	1916
1917	---	---	0	0	0	0.011	0.025	0	0	0	---	---	0.005	1917
1918	---	---	0	0	0.024	0.018	0.003	0	0	0	---	---	0.006	1918
1919	---	---	0	0	0.003	0.022	0.019	0	0	0	---	---	0.006	1919
1920	---	---	0	0	0.022	0.037	0.009	0	0	0	---	---	0.008	1920
1921	---	---	0	0	0	0.036	0.023	0	0	0	---	---	0.007	1921
1922	---	---	0	0	0	0.027	0.010	0	0	0	---	---	0.005	1922
1923	---	---	0	0	0.029	0.017	0	0	0	0	---	---	0.006	1923
1924	---	---	0	0	0.043	0.021	0	0	0	0	---	---	0.008	1924
1925	---	---	0	0	0	0	0	0	0	0	---	---	0	1925
1926	---	---	0	0	0	0.026	0.008	0	0	0	---	---	0.004	1926
1927	---	---	0	0	0	0	0	0	0	0	---	---	0	1927
1928	---	---	0	0	0	0	0	0	0	0	---	---	0	1928
1929	---	---	0	0	0	0	0	0	0	0	---	---	0	1929
1930	---	---	0	0	0	0	0	0	0	0	---	---	0	1930
1931	---	---	---	---	---	---	---	---	---	---	---	---	---	1931
1938	---	---	0	0	0	0	---	---	---	---	---	---	---	1938
MEAN	---	---	0	0	0.007	0.015	0.008	0.002	0.001	0	---	---	0.004	MEAN

LOCATION - LAT 49 36 50 N
LONG 108 56 40 W
REGULATED

KOKOTT DITCH NEAR EASTEND - STATION NO. 11AC020

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1913	---	0.045 ON AUG 18	0.045 ON AUG 18	---	1913
1914	---	0.071 ON JUN 3	0 ON MAR 1 *	400	1914
1915	---	0 ON MAR 1	0 ON MAR 1	0	1915
1916	---	0 ON MAR 1	0 ON MAR 1	0	1916
1917	---	0.031 ON JUL 3	0 ON MAR 1	95.5	1917
1918	---	0.068 ON MAY 15	0 ON MAR 1	117	1918
1919	---	0.024 ON MAY 28	0 ON MAR 1	117	1919
1920	---	0.059 ON JUN 17	0 ON MAR 1	179	1920
1921	---	0.048 ON JUN 3	0 ON MAR 1	153	1921
1922	---	0.074 ON JUL 8 *	0 ON MAR 1	97.4	1922
1923	---	0.054 ON JUN 1	0 ON MAR 1	120	1923
1924	---	0.051 ON MAY 3	0 ON MAR 1	172	1924
1925	---	0 ON MAR 1	0 ON MAR 1	0	1925
1926	---	0.042 ON JUN 15	0 ON MAR 1	90.2	1926
1927	---	0 ON MAR 1	0 ON MAR 1	0	1927
1928	---	0 ON MAR 1	0 ON MAR 1	0	1928
1929	---	0 ON MAR 1	0 ON MAR 1	0	1929
1930	---	0 ON MAR 1	0 ON MAR 1	0	1930
1931	---	---	0 ON APR 27	---	1931
1938	---	---	0 ON MAR 1	---	1938
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		90.7	MEAN

LAKE OF THE RIVERS WEST INFLOW - STATION NO. 05JD004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1976	---	---	1.30	0.438	0.001	0.032	0.001	0	0	0	---	---	0.222	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0.379	0.046	0.003	0	0.011	0	0.196	0	---	---	0.079	1978
1979	---	---	0.154	1.47	0.230	0.021	0	0	0	0	---	---	0.231	1979
1980	---	---	0.071	0.041	0	0.002	0	0	0	0	---	---	0.014	1980
1981	---	0.031	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	1.66	0.125	0.027	0.073	0	0	0	---	---	0.287	1982
MEAN	---	0.031	0.272	0.494	0.051	0.012	0.012	0	0.028	0	---	---	0.108	MEAN

LOCATION - LAT 49 44 25 N DRAINAGE AREA, 64.2 km²
LONG 105 46 41 W NATURAL FLOW

LAKE OF THE RIVERS WEST INFLOW - STATION NO. 05JD004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1976	13.3 AT 15:00 CST ON MAR 28	7.84 ON MAR 28	0B ON MAR 1 *	4 700	1976
1977	0 B AT 00:00 CST ON MAR 1	0 B ON MAR 1	0B ON MAR 1	0	1977
1978	---	2.21 ON MAR 27	0B ON MAR 1	1 670	1978
1979	14.2 AT 04:47 CST ON APR 17	11.9 ON APR 17	0B ON MAR 1	4 900	1979
1980	1.50 AT 03:10 CST ON JUN 27	0.805 ON MAR 30	0B ON MAR 1	300	1980
1981	---	0.001 ON MAR 1	0 ON MAR 5	0.35	1981
1982	14.7 B AT 20:57 CST ON APR 14 *	13.8 B ON APR 15 *	0B ON MAR 1	4 390	1982
				2 280	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

LANIGAN CREEK ABOVE BOULDER LAKE - STATION NO. 05JJ003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1958	---	---	0.011	0.090	0.040	0	0	0	0	0	---	---	0.017	1958
1959	---	---	0	0	0	0	0	0	0	0	---	---	0	1959
1960	---	---	0	0.051	0	0	0	0	0	0	---	---	0.006	1960
1961	---	---	0	0	0	0	0	0	0	0	---	---	0	1961
1962	---	---	0	0.019	0	0	0	0	0	0	---	---	0.002	1962
1963	---	---	0.001	0	0	0	0	0	0	0	---	---	0	1963
1964	---	---	0	0	0	0	0	0	0	0	---	---	0	1964
1965	---	---	0	0.002	0	0	0	0	0	0	---	---	0	1965
1966	---	---	0.005	0.002	0	0	0	0	0	0	---	---	0.001	1966
1967	---	---	0	0.008	0.902	0	0	0	0	0	---	---	0.115	1967
1968	---	---	0.012	0	0	0	0	0	0	0	---	---	0.002	1968
1969	---	---	0	1.39	0	0	0	0	0	0	---	---	0.178	1969
1970	---	---	0	0.982	0	0	0	0	0	0	---	---	0.115	1970
1971	---	---	0	0.219	0	0	0	0	0	0	---	---	0.027	1971
1972	---	---	0	3.18	2.08	0.308	0.001	0	0	0	---	---	0.698	1972
1973	---	---	0.010	0.350	0.395	0.533	0.713	0.186	0.338	0.147	---	---	0.333	1973
1974	---	---	0	5.56	3.61	1.49	0.296	0.466	0.693	0.435	---	---	1.55	1974
1975	---	---	0	1.32	3.20	0.719	0.041	0.003	0	0	---	---	0.660	1975
1976	---	---	0	3.26	0.548	0.122	0.279	0.104	0.011	0	---	---	0.533	1976
1977	---	---	0	0	0.031	0.022	0	0	0	0	---	---	0.007	1977
1978	---	---	0.013	1.54	0.397	0.038	0	0.010	0.227	0.107	---	---	0.288	1978
1979	---	---	0	5.41	4.16	0.095	0	0	0	0	---	---	1.20	1979
1980	---	---	0	2.63	0.185	0	0	0	0	0	---	---	0.345	1980
1981	---	0	0	0	0	0	0.218	0.265	0.024	0.017	---	---	0.066	1981
1982	---	---	0	0.089	0.019	0.012	0	0.170	0.056	0.010	---	---	0.044	1982
MEAN	---	0	0.002	1.04	0.623	0.134	0.062	0.048	0.054	0.028	---	---	0.247	MEAN

LOCATION - LAT 51 38 55 N DRAINAGE AREA, 2 360 km²
LONG 105 14 15 W REGULATED

LANIGAN CREEK ABOVE BOULDER LAKE - STATION NO. 05JJ003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1958	---	0.241 ON APR 3	0B ON MAR 1 *	368	1958
1959	---	0 B ON MAR 1	0B ON MAR 1	0	1959
1960	---	0.640B ON APR 5	0B ON MAR 1	131	1960
1961	---	0 B ON MAR 1	0B ON MAR 1	0	1961
1962	---	0.430B ON APR 17	0B ON MAR 1	48.6	1962
1963	---	0.011 ON MAR 24	0B ON MAR 1	1.99	1963
1964	---	0.006B ON APR 11	0B ON MAR 1	1.04	1964
1965	---	0.062 ON APR 23	0B ON MAR 1	6.39	1965
1966	---	0.130B ON MAR 31	0B ON MAR 1	20.4	1966
1967	---	3.68 ON MAY 9	0B ON MAR 1	2 440	1967
1968	---	0.139B ON MAR 7	0B ON MAR 1	32.5	1968
1969	---	9.06 ON APR 15	0B ON MAR 1	3 600	1969
1970	---	3.28 ON APR 15	0B ON MAR 1	2 440	1970
1971	2.47 AT 09:29 CST ON APR 20	2.16 ON APR 19	0B ON MAR 1	568	1971
1972	7.76 AT 00:36 CST ON APR 30	7.53 ON APR 30	0B ON MAR 1	14 600	1972
1973	1.14 AT 08:33 CST ON JUL 7	1.10 ON JUL 6	0B ON MAR 1	7 050	1973
1974	23.3 AT 15:23 CST ON APR 22 *	22.4 ON APR 22 *	0B ON MAR 1	32 900	1974
1975	8.64 AT 02:49 CST ON MAY 4	8.52 ON MAY 4	0B ON MAR 1	14 000	1975
1976	8.61 AT 23:21 CST ON APR 13	8.44 ON APR 14	0B ON MAR 1	11 300	1976
1977	0.255 AT 21:47 CST ON MAY 25	0.125 ON MAY 26	0B ON MAR 1	142	1977
1978	2.53 AT 00:16 CST ON APR 10	2.44 ON APR 10	0B ON MAR 1	6 090	1978
1979	21.6 AT 20:40 CST ON APR 24	21.3 ON APR 24	0B ON MAR 1	25 400	1979
1980	8.86 ON APR 16	7.86 A ON APR 15	0B ON MAR 1	7 320	1980
1981	0.442 AT 16:25 CST ON JUL 23	0.419 ON JUL 25	0B ON MAR 1	1 480	1981
1982	0.299A ON AUG 4	0.290E ON AUG 5	0B ON MAR 1	938	1982
				5 230	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

LANIGAN CREEK DIVERSION TO LITTLE MANITOU LAKE - STATION NO. 05JJ004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1959	---	---	0	0	0	0	0	0	0	0	---	---	0	1959
1960	---	---	0	0.030	0	0	0	0	0	0	---	---	0.004	1960
1961	---	---	0	0	0	0	0	0	0	0	---	---	0	1961
1962	---	---	0	0.018	0	0	0	0	0	0	---	---	0.002	1962
1963	---	---	0.004	0	0	0	0	0	0	0	---	---	0.001	1963
1964	---	---	0	0.002	0	0	0	0	0	0	---	---	0	1964
1965	---	---	0	0.015	0	0	0	0	0	0	---	---	0.002	1965
1966	---	---	0	0.338	0.064	0.013	0.002	0.003	0	0	---	---	0.052	1966
1967	---	---	0	0.436	0.103	0.007	0	0	0	0	---	---	0.069	1967
1968	---	---	0.025	0.279	0.048	0	0	0	0	0	---	---	0.043	1968
1969	---	---	0	0.861	0.235	0	0	0	0	0	---	---	0.135	1969
1970	---	---	0	0.649	0.511	0.090	0.008	0	0	0	---	---	0.156	1970
1971	---	---	0	0.616	0.435	0.074	0.112	0.127	0.079	0.025	---	---	0.183	1971
MEAN	---	---	0.002	0.216	0.133	0.022	0.010	0.010	0.006	0.002	---	---	0.050	MEAN

LOCATION - LAT 51 39 20 N LONG 105 15 54 W REGULATED

LANIGAN CREEK DIVERSION TO LITTLE MANITOU LAKE - STATION NO. 05JJ004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1959	---	0 B ON MAR 1	0B ON MAR 1 *	0	1959
1960	---	0.113B ON APR 6	0B ON MAR 1	78.3	1960
1961	---	0 ON MAR 1	0 ON MAR 1	0	1961
1962	---	0.198B ON APR 18	0B ON MAR 1	47.4	1962
1963	---	0.102B ON MAR 23	0B ON MAR 1	12.8	1963
1964	---	0.020B ON APR 9	0B ON MAR 1	5.62	1964
1965	---	0.224B ON APR 13	0B ON MAR 1	38.9	1965
1966	---	0.567B ON APR 8	0B ON MAR 1	1 090	1966
1967	---	1.32 ON MAY 16	0B ON MAR 1	1 460	1967
1968	---	0.433 ON APR 16	0B ON MAR 1	912	1968
1969	---	2.29 ON APR 17	0B ON MAR 1	2 860	1969
1970	---	2.41 B ON APR 11 *	0B ON MAR 1	3 310	1970
1971	---	1.83 ON APR 26	0B ON MAR 1	3 870	1971
				1 050	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

LANIGAN CREEK NEAR HATFIELD - STATION NO. 05JJ002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1955	---	---	---	12.4	23.6	2.27	0.365	0.027	---	---	---	---	---	1955
1956	---	---	---	8.93	2.90	0.847	---	---	---	---	---	---	---	1956
MEAN	---	---	---	10.7	13.3	1.56	0.365	0.027	---	---	---	---	---	MEAN

LOCATION - LAT 51 27 00 N LONG 105 11 00 W DRAINAGE AREA, 7 610 km^2 NATURAL FLOW

DATA CONTRIBUTED BY - PRAIRIE FARM REHABILITATION ADMINISTRATION

LANIGAN CREEK NEAR HATFIELD - STATION NO. 05JJ002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1955	---	69.7 ON MAY 4 *	0E ON AUG 10 *	---	1955
1956	---	23.8 ON APR 24	0E ON APR 1	---	1956
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

E - ESTIMATED

LANIGAN CREEK NEAR LANIGAN - STATION NO. 05JJ010

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	---	1.52	0.504	---	---	---	---	---	---	---	---	1970
1971	---	---	---	1.57	0.137	---	---	---	---	---	---	---	---	1971
1972	---	---	---	---	1.11	---	---	---	---	---	---	---	---	1972
1974	---	---	---	4.35	1.16	0.255	---	---	---	---	---	---	---	1974
1975	---	---	0	1.99	1.68	0.152	0.038	0.008	0.009	0.005	---	---	0.482	1975
1976	---	---	0	3.09	0.194	0.101	0.043	0.011	0.001	0.001	---	---	0.422	1976
1977	---	---	0	0.003	0.051	0.032	0.004	0.001	0.003	0.005	---	---	0.012	1977
1978	---	---	0.029	1.03	0.132	0.005	0.063	0.003	0.003	0.003	---	---	0.157	1978
1979	---	---	0	5.65	2.09	0.114	0.001	0	0	0	---	---	0.971	1979
1980	---	---	0	3.11	0.136	0	0	0	0	0	---	---	0.398	1980
1981	---	0	0	0	0	0.002	0	0	0	0	---	---	0	1981
1982	---	---	0	0.038	0.037	0.044	0.888	0.325	0.001	0	---	---	0.168	1982
MEAN	---	0	0.004	2.03	0.603	0.078	0.130	0.044	0.002	0.002	---	---	0.326	MEAN

LOCATION - LAT 51 50 16 N, LONG 104 58 52 W; DRAINAGE AREA, 587 km^2; NATURAL FLOW

LANIGAN CREEK NEAR LANIGAN - STATION NO. 05JJ010

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1972	---	---	---	---	1972
1974	---	---	---	---	1974
1975	11.6 AT 04:48 CST ON APR 30	10.5 ON APR 30	0B ON MAR 1 *	10 200	1975
1976	14.7 AT 23:50 CST ON APR 9	13.8 ON APR 10	0B ON MAR 1	8 930	1976
1977	---	0.168A ON MAY 6	0B ON MAR 1	260	1977
1978	2.49 AT 05:33 CST ON APR 10	2.33 ON APR 10	0B ON MAR 1	3 320	1978
1979	20.5 AT 07:59 CST ON APR 26 *	20.0 ON APR 26 *	0B ON MAR 1	20 600	1979
1980	13.0 AT 02:47 CST ON APR 12	11.3 ON APR 12	0B ON MAR 1	8 430	1980
1981	0.007 AT 08:11 CST ON JUN 16	0.006 ON JUN 16	0B ON MAR 1	6.82	1981
1982	4.32 AT 14:39 CST ON JUL 20	3.75 ON JUL 21	0B ON MAR 1	3 560	1982
				6 910	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

LAST MOUNTAIN CREEK NEAR CRAVEN - STATION NO. 05JH006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	12.1	3.41	4.56	3.25	0.645	0.659	0.566	0.233	---	---	3.19	1968
1969	-3.56	-4.18	-2.94	-36.3	-9.64	0.367	1.37	2.73	2.14	3.24	2.18	1.37	-4.80	1969
1970	1.42	-2.63	-1.36	-17.1	-18.9	5.10	2.51	3.40	5.07	6.84	4.21	3.06	-1.80	1970
1971	2.80	1.51	2.35	-33.1	-4.26	-2.03	-1.65	1.35	1.34	7.31	5.81	4.45	-3.49	1971
1973	0.430	0.845	0.701	-1.35	-3.07	-0.634	-0.541	-0.368	-0.582	1.88	1.62	0.925	-0.491	1973
1974	---	---	0	-88.3	-48.9	12.2	24.1	20.2	16.8	14.2	---	---	-6.05	1974
1975	---	---	3.80	-18.6	-35.1	5.27	9.78	11.5	10.3	7.21	---	---	-0.719	1975
1976	---	---	-1.73	-72.4	1.67	-0.668	10.5	10.5	10.5	8.58	---	---	-3.92	1976
1977	---	---	0.629	-0.619	-1.96	-1.28	-0.768	0.053	-0.030	-0.156	---	---	-0.516	1977
MEAN	0.273	-1.11	1.51	-29.4	-12.8	2.40	5.11	5.56	5.12	5.48	3.96	2.45	-2.07	MEAN

LOCATION - LAT 50 42 23 N, LONG 104 48 35 W REGULATED

LAST MOUNTAIN CREEK NEAR CRAVEN - STATION NO. 05JH006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	21.2 B ON MAR 9	0 ON SEP 22	67 500	1968
1969	---	3.99 ON OCT 29	- 104 ON APR 16	- 102 000	1969
1970	---	9.34 ON JUN 17	-30 3 ON APR 11	-38 000	1970
1971	---	9.12 ON OCT 19	-65.1 ON APR 15	-73 900	1971
1973	---	4.33 ON APR 13	-8.47 ON MAY 11	-10 400	1973
1974	---	27.6 ON JUN 29 *	- 306 ON APR 25 *	- 129 000	1974
1975	---	16.5 ON JUN 4	-80.1 ON MAY 1	-15 200	1975
1976	---	14.0 ON OCT 14	- 103 ON APR 8	-83 400	1976
1977	---	4.25B ON MAR 15	-9.57 ON MAY 31	-10 900	1977
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		-43 900	MEAN

LAWRIE CREEK NEAR INSINGER - STATION NO. 05MB012

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1964	---	---	---	0	---	---	---	---	---	---	---	---	---	1964
1966	---	---	---	0.825	---	---	---	---	---	---	---	---	---	1966
1967	---	---	---	---	0.551	---	---	---	---	---	---	---	---	1967
1969	---	---	---	0.192	0.003	---	---	---	---	---	---	---	---	1969
1970	---	---	---	0.920	0.347	---	---	---	---	---	---	---	---	1970
1971	---	---	---	1.37	---	---	---	---	---	---	---	---	---	1971
1972	---	---	0.018	1.68	0.137	---	---	---	---	---	---	---	---	1972
1973	---	---	---	---	0.158	---	---	---	---	---	---	---	---	1973
1974	---	---	---	---	1.43	---	---	---	---	---	---	---	---	1974
1975	---	---	0	2.96	0.741	0.153	0.021	0.001	0.003	0.002	---	---	0.478	1975
1976	---	---	0	2.92	0.028	1.99	0.063	0	0	0	---	---	0.612	1976
1977	---	---	0	0.009	0.011	0	0	0	0	0	---	---	0.003	1977
1978	---	---	0	0.123	0.004	0.001	0.270	0	0.007	0.005	---	---	0.051	1978
1979	---	---	0	2.08	1.26	0.066	0	0	0	0	---	---	0.422	1979
1980	---	---	0	0.419	0	0	0	0	0	0	---	---	0.051	1980
1981	---	---	0	0.001	0.001	0.026	0	0	0	0.001	---	---	0.004	1981
1982	---	---	0	0.907	0.034	0.013	0.001	0	0	0	---	---	0.117	1982
MEAN	---	---	0.002	1.03	0.336	0.281	0.044	0	0.001	0.001	---	---	0.217	MEAN

LOCATION - LAT 51 29 17 N, LONG 103 01 10 W. DRAINAGE AREA, 190 km^2. NATURAL FLOW

LAWRIE CREEK NEAR INSINGER - STATION NO. 05MB012

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1964	---	---	---	---	1964
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1972	---	---	---	---	1972
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	23.1 AT 01:57 CST ON APR 29 *	20.2 ON APR 29 *	0B ON MAR 1 *	10 100	1975
1976	21.3 AT 06:32 CST ON APR 9	20.2 ON APR 9	0B ON MAR 1	13 000	1976
1977	---	0.082 ON MAY 15	0B ON MAR 1	53.6	1977
1978	---	2.16 ON JUL 1	0B ON MAR 1	1 090	1978
1979	12.4 A AT 16:52 CST ON APR 26	10.7 ON APR 26	0B ON MAR 1	8 930	1979
1980	1.94B AT 04:30 CST ON APR 8	1.26 B ON APR 8	0B ON MAR 1	1 090	1980
1981	1.03 AT 08:43 CST ON JUN 14	0.297 ON JUN 14	0B ON MAR 1	76.3	1981
1982	8.48 AT 14:00 CST ON APR 21	3.80 ON APR 21	0B ON MAR 1	2 480	1982
	A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		4 600	MEAN

LEATHER RIVER BELOW PRESBYTERIAN RIVER - STATION NO. 05KB010

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1972	---	---	---	---	---	---	---	---	---	---	---	---	---	1972
1974	---	---	0	38.6	---	---	---	---	---	---	---	---	---	1974
MEAN	---	---	0	38.6	---	---	---	---	---	---	---	---	---	MEAN

LOCATION - LAT 53 02 26 N, LONG 104 01 33 W. DRAINAGE AREA, 1 340 km^3. NATURAL FLOW

LEATHER RIVER BELOW PRESBYTERIAN RIVER - STATION NO. 05KB010

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1972	226 ON APR 23	---	---	---	1972
1974	326 AT 04:43 CST ON APR 20 *	---	---	---	1974
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

LEATHER RIVER NEAR STAR CITY - STATION NO. 05KB006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	---	---	---	---	0	0	0	0	---	---	---	1967
1968	---	---	0.602	0.441	0.071	0.105	0	0.187	0.213	0.023	---	---	0.204	1968
1969	---	---	0.006	1.58	0.014	0.001	0	0	0	0.010	---	---	0.197	1969
1970	---	---	0	2.42	0.336	0.043	0.086	0	0	0	---	---	0.356	1970
1971	---	---	0.006	2.28	0.052	0.117	0.097	0.002	0	0	---	---	0.313	1971
1972	---	---	0.015	3.99	0.429	0.001	0	0	0	0	---	---	0.544	1972
1973	---	---	0.002	0.121	0.364	1.96	3.32	0.200	0.013	0.026	---	---	0.750	1973
1974	---	---	0.009	4.72	1.29	0.391	0.037	0.061	0.041	0.081	---	---	0.818	1974
1975	---	---	0.028	2.77	1.10	0.169	0.118	0.110	0.002	0.018	---	---	0.534	1975
1976	---	---	0	1.97	0.062	0.060	0.004	0	0	0	---	---	0.257	1976
1977	---	---	0.014	0.495	0.815	0.199	0.015	0.011	0.007	0.004	---	---	0.194	1977
1978	---	---	0.001	2.65	0.171	0.092	0.020	0	0	0	---	---	0.360	1978
1979	---	---	0	3.48	1.70	0.405	0.004	0	0	0	---	---	0.692	1979
1980	---	---	0	1.57	0.001	0	0	0	0	0	---	---	0.192	1980
1981	---	---	0.099	0.196	0.047	0.001	0	0	0	0	---	---	0.043	1981
1982	---	---	0	1.06	0.112	0.061	0	0	0	0	---	---	0.152	1982
MEAN	---	---	0.052	1.98	0.438	0.240	0.231	0.036	0.017	0.010	---	---	0.374	MEAN

LOCATION - LAT 52 50 32 W DRAINAGE AREA, 165 km^2
LONG 104 14 24 W NATURAL FLOW

LEATHER RIVER NEAR STAR CITY - STATION NO. 05KB006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1967	---	---	0 ON JUN 8 *	---	1967
1968	---	3.40 ON AUG 29	0B ON MAR 1	4 320	1968
1969	---	7.67 B ON APR 13	0 ON JUN 7	4 180	1969
1970	---	8.55 ON APR 19	0B ON MAR 1	7 520	1970
1971	---	11.0 B ON APR 14	0E ON MAY 20	6 630	1971
1972	27.9 AT 19:45 CST ON APR 24	22.5 B ON APR 24	0E ON JUN 5	11 500	1972
1973	---	10.7 A ON JUL 28	0B ON MAR 1	15 900	1973
1974	41.3 AT 17:36 CST ON APR 19 *	30.0 ON APR 20 *	0B ON MAR 1	17 300	1974
1975	11.8 AT 19:24 CST ON APR 28	11.3 ON APR 29	0 ON JUL 25	11 300	1975
1976	---	7.19 B ON APR 8	0B ON MAR 1	5 440	1976
1977	6.71 AT 20:34 CST ON MAY 25	4.45 ON MAY 26	0 ON APR 25	4 110	1977
1978	8.69 B AT 10:23 CST ON APR 19	7.90 B ON APR 19	0 ON JUL 10	7 630	1978
1979	17.9 AT 21:53 CST ON APR 25	14.8 ON APR 25	0B ON MAR 1	14 800	1979
1980	11.5 B AT 21:13 CST ON APR 15	9.04 B ON APR 16	0B ON MAR 1	4 070	1980
1981	0.445B AT 12:14 CST ON MAR 17	0.333B ON MAR 31	0B ON MAR 1	900	1981
1982	7.06 B AT 13:30 CST ON APR 17	5.74 B ON APR 17	0B ON MAR 1	3 220	1982
				7 910	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

LESLIE EAST DITCH NEAR COULEE - STATION NO. 11AB037

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1921	---	---	0	0	0	0.001	0.001	0	0	0	---	---	0	1921
1922	---	---	0	0	0	0	0	0	0	0	---	---	0	1922
1923	---	---	0	0	0	0.009	0	0	0	0	---	---	0.001	1923
MEAN	---	---	0	0	0	0.003	0	0	0	0	---	---	0	MEAN

LOCATION - LAT 49 37 50 N
LONG 109 48 50 W REGULATED

LESLIE EAST DITCH NEAR COULEE - STATION NO. 11AB037

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1921	---	0.006 ON JUL 8	0 ON MAR 1 *	6.05	1921
1922	---	0.011 ON JUN 14	0 ON MAR 1	0.95	1922
1923	---	0.045E ON JUN 22 *	0 ON MAR 1	24.3	1923
				10.4	MEAN

E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

LESLIE WEST DITCH NEAR COULEE - STATION NO. 11AB038

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
1920	---	---	0	0	0	0.015	0	0	0	0	---	---	0.002	1920
1921	---	---	0	0	0	0.007	0.002	0	0	0	---	---	0.001	1921
1922	---	---	0	0	0	0.005	0	0	0	0	---	---	0.001	1922
MEAN	---	---	0	0	0	0.009	0.001	0	0	0	---	---	0.001	MEAN

LOCATION - LAT 49 37 45 N
LONG 109 48 50 W REGULATED

LESLIE WEST DITCH NEAR COULEE - STATION NO. 11AB038

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1919	---	0.001 ON JUN 1	0.001 ON JUN 1	---	1919
1920	---	0.031 ON JUN 11 *	0 ON MAR 1 *	38.2	1920
1921	---	0.031 ON JUN 20	0 ON MAR 1	23.3	1921
1922	---	0.010 ON JUN 29	0 ON MAR 1	13.9	1922
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		25.1	MEAN

LEWIS CREEK NEAR IMPERIAL - STATION NO. 05JH005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1972	---	---	0.080	0.093	0.001	0	0	0	0	0	---	---	0.022	1972
1973	---	---	0.026	0.012	0.005	0.020	0	0	0	0	---	---	0.008	1973
1974	---	---	0	1.71	0.401	0.134	0	0	0	0	---	---	0.277	1974
1975	---	---	0	0.479	0.214	0.048	0.007	0	0	0	---	---	0.093	1975
1976	---	---	0	0.508	0.019	0.043	0	0	0	0	---	---	0.070	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0.006	0.054	0.011	0.009	0	0	0	0	---	---	0.010	1978
1979	---	---	0.002	0.761	0.169	0.004	0	0	0	0	---	---	0.115	1979
1980	---	---	0.188	0.287	0	0	0	0	0	0	---	---	0.059	1980
1981	---	0.008	0.003	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	0.384	0.003	0	0	0	0	0	---	---	0.047	1982
MEAN	---	0.008	0.028	0.390	0.075	0.023	0.001	0	0	0	---	---	0.064	MEAN

LOCATION - LAT 51 18 02 N DRAINAGE AREA, 572 km^2
LONG 105 22 52 W NATURAL FLOW

LEWIS CREEK NEAR IMPERIAL - STATION NO. 05JH005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1972	0.835 AT 11:00 CST ON MAR 23	0.581 ON MAR 23	0B ON MAR 1 *	458	1972
1973	0.286B AT 18:32 CST ON MAR 19	0.144 ON MAR 28	0B ON MAR 1	167	1973
1974	17.7 B AT 10:35 CST ON APR 18 *	12.8 B ON APR 18 *	0B ON MAR 1	5 860	1974
1975	2.72 AT 17:10 CST ON APR 17	2.42 ON APR 17	0B ON MAR 1	1 960	1975
1976	5.75 AT 11:50 CST ON APR 6	3.28 ON APR 6	0B ON MAR 1	1 480	1976
1977	0 AT 00:00 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1977
1978	0.680B AT 11:03 CST ON APR 2	0.450B ON APR 2	0B ON MAR 1	209	1978
1979	5.96 AT 19:51 CST ON APR 17	4.67 ON APR 18	0B ON MAR 1	2 440	1979
1980	8.46 B AT 11:19 CST ON MAR 31	3.88 B ON MAR 31	0B ON MAR 1	1 250	1980
1981	---	0.027B ON MAR 1	0B ON MAR 8	8.29	1981
1982	7.65 B AT 11:40 CST ON APR 13	3.51 ON APR 14	0B ON MAR 1	1 000	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		1 350	MEAN

LEWIS DITCH AT KLINTONEL - STATION NO. 05HD013

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1919	---	---	---	---	---	---	0.005	0.005	---	---	---	---	---	1919
1920	---	---	---	---	---	---	0.006	---	---	---	---	---	---	1920
MEAN	---	---	---	---	---	---	0.006	0.005	---	---	---	---	---	MEAN

LOCATION - LAT 49 41 42 N
LONG 108 54 53 W REGULATED

LIGHTNING CREEK NEAR CARNDUFF - STATION NO. 05NF006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1936	---	---	---	---	0.037	0.001	---	---	---	---	---	---	---	1936
1973	---	---	---	---	---	---	---	---	---	0.039	---	---	---	1973
1974	---	---	0.014	6.56	0.854	0.136	0.024	0.001	0	0.002	---	---	0.934	1974
1975	---	---	0	4.98	2.49	1.47	0.055	0.005	0.545	0.361	---	---	1.22	1975
1976	---	---	0.003	18.3	0.731	0.539	0.016	0.001	0.001	0.003	---	---	2.41	1976
1977	---	---	0.004	0.001	0.013	0.001	0	0	0	0	---	---	0.002	1977
1978	---	---	0.013	0.060	0.006	0.002	0.001	0	0	0	---	---	0.010	1978
1979	---	---	0	2.23	0.290	0.032	0.002	0.002	0	0	---	---	0.315	1979
1980	---	---	0	0.011	0.001	0	0	0	0	0	---	---	0.002	1980
1981	---	---	0.042	0.002	0.001	0	0	0	0	0	---	---	0.006	1981
1982	---	---	0	1.86	0.015	0.001	0	0	0	0	---	---	0.229	1982
MEAN	---	---	0.008	3.77	0.444	0.218	0.011	0.001	0.061	0.041	---	---	0.570	MEAN

LOCATION - LAT 49 13 17 N DRAINAGE AREA, 740 km²
LONG 101 43 08 W NATURAL FLOW

LIGHTNING CREEK NEAR CARNDUFF - STATION NO. 05NF006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1936	---	---	---	---	1936
1973	---	---	0 ON AUG 16 *	---	1973
1974	30.0 B AT 17:29 CST ON APR 17	26.1 B ON APR 17	0 ON JUL 30	19 800	1974
1975	24.4 AT 00:34 CST ON APR 30	23.1 ON APR 30	0B ON MAR 1	25 800	1975
1976	49.8 AT 19:54 CST ON APR 10 *	44.7 ON APR 11 *	0 ON JUL 29	51 000	1976
1977	---	0.068E ON MAY 10	0B ON MAR 1	50.5	1977
1978	---	0.600B ON APR 1	0B ON MAR 1	215	1978
1979	16.2 B AT 23:36 CST ON APR 20	13.5 B ON APR 21	0B ON MAR 1	6 660	1979
1980	0.044B AT 00:10 CST ON APR 6	0.034B ON APR 6	0B ON MAR 1	31.8	1980
1981	---	0.300B ON MAR 1	0 ON MAY 19	119	1981
1982	21.8 B AT 02:36 CST ON APR 14	17.3 B ON APR 14	0B ON MAR 1	4 850	1982
				12 100	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

LILIAN RIVER NEAR LADY LAKE - STATION NO. 05MC003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1965	---	---	---	1.33	1.76	2.07	0.523	0.181	0.327	0.206	0.227	---	---	1965
1966	---	---	---	---	1.28	0.843	---	---	---	---	---	---	---	1966
1967	---	---	---	0.886	---	---	---	---	---	---	---	---	---	1967
1969	---	---	---	---	0.072	0.057	0.021	0.004	0.008	0.058	---	---	---	1969
1970	---	---	0.010	1.47	1.04	0.343	0.262	0.060	0.055	0.120	---	---	0.417	1970
1971	---	---	0.003	4.18	0.554	0.346	0.148	0.049	0.006	0.018	---	---	0.653	1971
1972	---	---	0.013	4.71	2.68	0.215	0.125	0.023	0.027	0.047	---	---	0.972	1972
1973	---	---	0.120	0.769	0.229	0.257	0.034	0.011	0.016	0.017	---	---	0.179	1973
1974	---	---	0	2.61	1.66	1.22	0.079	0.050	0.072	0.085	---	---	0.714	1974
1975	---	---	0.014	2.50	1.13	0.901	0.190	0.061	0.141	0.122	---	---	0.625	1975
1976	---	---	0.012	4.89	0.368	1.69	0.474	0.089	0.016	0.088	---	---	0.938	1976
1977	---	---	0.017	0.937	0.109	0.041	0.040	0.037	0.057	0.035	---	---	0.157	1977
1978	---	---	0.005	1.48	0.134	0.022	0.072	0.032	0.038	0.031	---	---	0.224	1978
1979	---	---	0	3.40	1.91	0.395	0.069	0.023	0.032	0.078	---	---	0.733	1979
1980	---	---	0.021	1.09	0.068	0.028	0.027	0.026	0.046	0.088	---	---	0.171	1980
1981	---	---	0.208	0.514	0.097	0.068	0.025	0.055	0.035	0.175	---	---	0.146	1981
1982	---	---	0.026	0.730	0.055	0.108	0.042	0.032	0.022	0.055	---	---	0.132	1982
MEAN	---	---	0.035	2.10	0.822	0.538	0.142	0.049	0.060	0.082	0.227	---	0.466	MEAN

LOCATION - LAT 52 01 22 N DRAINAGE AREA, 228 km²
LONG 102 37 30 W NATURAL FLOW

LILIAN RIVER NEAR LADY LAKE - STATION NO. 05MC003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1969	---	---	---	---	1969
1970	---	6.60 ON APR 26	0 B ON MAR 1 *	8 830	1970
1971	---	25.0 ON APR 17 *	0 B ON MAR 1	13 800	1971
1972	23.9 ON APR 26 *	23.1 ON APR 26	0.003B ON MAR 1	20 600	1972
1973	---	2.17B ON APR 6	0 B ON MAR 1	3 790	1973
1974	---	12.0 B ON APR 21	0 B ON MAR 1	15 100	1974
1975	16.1 AT 14:26 CST ON APR 23	13.4 ON APR 24	0.003 ON AUG 19	13 200	1975
1976	21.3 AT 15:32 CST ON APR 12	20.3 ON APR 12	0.003 ON SEP 17	19 900	1976
1977	5.24B AT 16:45 CST ON APR 13	4.79B ON APR 14	0.012 ON AUG 24	3 320	1977
1978	9.37B AT 14:32 CST ON APR 19	8.35B ON APR 19	0 B ON MAR 1	4 740	1978
1979	18.4 B AT 13:50 CST ON APR 25	17.0 B ON APR 25	0 B ON MAR 1	15 500	1979
1980	6.90 AT 01:46 CST ON APR 15	6.43 ON APR 15	0.001 ON JUN 19	3 620	1980
1981	---	1.50B ON APR 4	0.005 ON JUL 13	3 100	1981
1982	3.92B AT 21:40 CST ON APR 16	3.27B ON APR 17	0.008B ON APR 2	2 790	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		9 870	MEAN

LINDNER BROS. DITCH NEAR BATTLE CREEK - STATION NO. 11AB012

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1910	---	---	---	---	---	---	---	0.002	---	---	---	---	---	1910
1911	---	---	0	0	0.021	0.029	0.010	0.001	0	0	---	---	0.008	1911
1912	---	---	0	0.017	0.038	0.079	0.083	0	0	0	---	---	0.027	1912
1913	---	---	0	0.005	0.106	0.119	0.142	0.003	0	0	---	---	0.047	1913
1914	---	---	0	0.006	0.067	0.019	0.023	0	0	0	---	---	0.014	1914
1915	---	---	0	0.066	0	0.011	0.038	0	0	0	---	---	0.014	1915
1916	---	---	0	0.036	0.035	0	0.013	0	0	0	---	---	0.011	1916
1917	---	---	0	0	0.044	0.054	0.057	0	0	0	---	---	0.019	1917
1918	---	---	0	0.042	0.039	0.072	0.056	0	0	0	---	---	0.026	1918
1919	---	---	0	0.036	0.035	0.012	0.008	0	0	0	---	---	0.011	1919
1920	---	---	0	0	0	0.051	0.035	0	0	0	---	---	0.011	1920
1921	---	---	0	0.042	0.007	0.019	0.060	0	0	0	---	---	0.016	1921
1922	---	---	0	0	0	0.090	0.021	0.002	0	0	---	---	0.014	1922
1923	---	---	0	0.013	0.073	0.035	0.007	0	0	0	---	---	0.016	1923
1924	---	---	0	0	0.009	0.017	0.010	0	0	0	---	---	0.004	1924
1925	---	---	0	0	0	0.021	0.019	0	0	0	---	---	0.005	1925
1926	---	---	0	0.001	0.044	0.066	0.003	0	0	0	---	---	0.014	1926
1927	---	---	0	0	0	0	0	0	0	0	---	---	0	1927
1928	---	---	---	---	---	---	---	---	---	---	---	---	---	1928
1929	---	---	0	0	0	0	0.025	0	0	0	---	---	0.003	1929
1930	---	---	0	0	0.009	0.076	0.013	0	0	0	---	---	0.012	1930
1931	---	---	0	0	0.045	0.029	0	0	0	0	---	---	0.009	1931
MEAN	---	---	0	0.013	0.029	0.040	0.031	0	0	0	---	---	0.014	MEAN

LOCATION - LAT 49 27 24 N
LONG 109 50 24 W REGULATED

LINDNER BROS. DITCH NEAR BATTLE CREEK - STATION NO. 11AB012

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1910	---	0.164 ON JUN 11	0 ON AUG 15 *	---	1910
1911	---	0.091 ON MAY 15	0E ON MAR 1	160	1911
1912	---	0.235 ON APR 28	0E ON MAR 1	575	1912
1913	---	0.289 ON JUN 18	0E ON MAR 1	998	1913
1914	---	0.190 ON MAY 5	0E ON MAR 1	304	1914
1915	---	0.193 ON APR 13	0E ON MAR 1	302	1915
1916	---	0.275 ON MAY 6	0E ON MAR 1	225	1916
1917	---	0.368 ON MAY 16 *	0E ON MAR 1	410	1917
1918	---	0.221 ON APR 23	0E ON MAR 1	548	1918
1919	---	0.224 ON APR 19	0E ON MAR 1	240	1919
1920	---	0.288 ON JUN 17	0E ON MAR 1	227	1920
1921	---	0.164 ON APR 18	0E ON MAR 1	337	1921
1922	---	0.227 ON JUN 3	0E ON MAR 1	293	1922
1923	---	0.170 ON MAY 15	0E ON MAR 1	338	1923
1924	---	0.048 ON MAY 31	0E ON MAR 1	95.0	1924
1925	---	0.074 ON JUN 10	0E ON MAR 1	105	1925
1926	---	0.229 ON MAY 6	0E ON MAR 1	300	1926
1927	---	0.006 ON JUL 12	0E ON MAR 1	0.52	1927
1928	---	---	0 ON APR 12	---	1928
1929	---	0.130 ON JUL 8	0E ON MAR 1	68.1	1929
1930	---	0.181 ON MAY 31	0E ON MAR 1	255	1930
1931	---	0.127 ON MAY 23	0E ON MAR 1	196	1931
	E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		299	MEAN

LITTLE BOGGY CREEK NEAR COTE - STATION NO. 05MD006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1957	---	---	0	2.48	1.25	0.391	0.203	0.095	0.040	0.055	---	---	0.560	1957
1958	---	---	0.039	0.437	0.316	0.215	0.165	0.119	0.246	0.356	---	---	0.236	1958
1959	---	---	0.672	0.946	0.395	0.390	0.202	0.237	0.333	0.829	---	---	0.449	1959
1960	---	---	0.046	2.28	0.730	0.569	0.163	0.071	0.089	0.103	---	---	0.501	1960
1961	---	---	0.068	0.246	0.280	0.120	0.048	0.005	0.004	0.034	---	---	0.100	1961
1962	---	---	0.018	1.05	0.456	0.216	0.079	0.056	0.070	0.083	---	---	0.251	1962
1963	---	---	0.923	0.474	0.309	0.258	0.550	0.136	0.125	0.176	---	---	0.370	1963
1964	---	---	0	0.651	0.375	0.138	0.150	0.125	0.118	0.167	---	---	0.214	1964
1965	---	---	0.025	1.38	0.493	0.364	0.186	0.056	0.156	0.284	---	---	0.365	1965
1966	---	---	0.049	1.58	0.489	0.638	0.231	0.196	0.093	0.057	---	---	0.412	1966
1967	---	---	0	0.798	0.700	0.188	0.074	0.043	0.027	0.078	---	---	0.237	1967
1968	---	---	0.164	0.669	0.226	0.172	0.227	0.170	0.111	0.189	---	---	0.240	1968
1969	---	---	0	0.871	0.237	0.064	0.096	0.090	0.101	0.172	---	---	0.202	1969
1970	---	---	0	0.877	0.465	0.081	0.242	0.029	0.089	0.283	---	---	0.257	1970
1971	---	---	0.084	2.09	0.269	0.072	0.234	0.132	0.026	0.134	---	---	0.376	1971
1972	---	---	0.030	2.34	0.423	0.055	0.064	0.042	0.063	0.118	---	---	0.387	1972
1973	---	---	0.242	0.433	0.237	0.718	0.113	0.102	0.104	0.103	---	---	0.254	1973
MEAN	---	---	0.139	1.15	0.450	0.273	0.178	0.100	0.106	0.166	---	---	0.318	MEAN

LOCATION - LAT 51 31 02 N LONG 101 46 57 W DRAINAGE AREA, 248 km² NATURAL FLOW

LITTLE BOGGY CREEK NEAR COTE - STATION NO. 05MD006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1957	---	8.16 ON APR 20	0 B ON MAR 1 *	11 800	1957
1958	0.708 AT 16:00 CST ON APR 19	0.680 ON APR 19	0 B ON MAR 1	4 990	1958
1959	---	5.13 A ON MAR 30	0 B ON MAR 1	9 510	1959
1960	9.85 AT 11:30 CST ON APR 14	7.50 ON APR 14	0.028A ON AUG 15	10 600	1960
1961	---	0.691A ON APR 20	0 ON AUG 17	2 130	1961
1962	---	5.38 B ON APR 21	0.008 ON AUG 22	5 300	1962
1963	---	2.57 A ON JUL 11	0.011B ON MAR 1	7 830	1963
1964	---	1.88 B ON APR 11	0 B ON MAR 1	4 550	1964
1965	---	6.46 B ON APR 12	0 B ON MAR 1	7 730	1965
1966	4.02 AT 15:00 CST ON APR 14	3.85 ON APR 13	0 B ON MAR 1	8 720	1966
1967	---	2.71 B ON APR 29	0 B ON MAR 1	5 030	1967
1968	1.86 AT 12:45 CST ON APR 9	1.60 ON APR 9	0.054B ON MAR 21	5 080	1968
1969	---	2.86 B ON APR 14	0 B ON MAR 1	4 280	1969
1970	2.67 AT 14:00 CST ON APR 19	2.21 B ON APR 19	0 B ON MAR 1	5 430	1970
1971	10.6 B AT 06:35 CST ON APR 11 *	10.4 B ON APR 11 *	0 ON JUN 3	7 960	1971
1972	7.65 AT 08:40 CST ON APR 21	6.80 ON APR 21	0 B ON MAR 27	8 190	1972
1973	---	3.09 E ON JUN 4	0 B ON MAR 1	5 380	1973
				6 740	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

LITTLE BREED CREEK NEAR BUZZARD'S RANCH - STATION NO. 11AC028

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1914	---	---	0.004	0.378	0	0.050	0	0.002	0.002	0.013	---	---	---	1914
1915	---	---	---	0.347	0.056	---	0	0	0	0	---	---	---	1915
1916	---	---	---	2.45	0.457	0.074	0	0	0	0	---	---	---	1916
MEAN	---	---	0.004	1.06	0.171	0.062	0	0.001	0.001	0.004	---	---	---	MEAN

LOCATION - LAT 49 06 45 N LONG 107 22 36 W DRAINAGE AREA, 159 km² NATURAL FLOW

LITTLE BREED CREEK NEAR BUZZARD'S RANCH - STATION NO. 11AC028

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1914	---	---	---	---	1914
1915	---	---	0 ON APR 16 *	---	1915
1916	---	19.7 ON MAR 28 *	0E ON JUN 25	---	1916
				---	MEAN

E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

LITTLE BRIDGE CREEK NEAR ARMLEY - STATION NO. 05KB008

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1973	---	---	---	0.730	---	1.47	---	---	---	---	---	---	---	1973
1974	---	---	---	4.07	1.34	1.36	---	---	---	---	---	---	---	1974
1975	---	---	0	1.71	0.508	0.138	0	0	0	0	---	---	0.291	1975
1976	---	---	0	0.567	0.003	0	0	0	0	0	---	---	0.070	1976
1977	---	---	0	0.002	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0	1.53	0.197	0	0	0	0	0	---	---	0.213	1978
1979	---	---	0	3.32	1.23	0.241	0.083	0	0	0	---	---	0.603	1979
1980	---	---	0	0.933	0.071	0	0	0	0	0	---	---	0.123	1980
1981	---	---	0.021	0.018	0.004	0	0	0	0	0	---	---	0.005	1981
1982	---	---	0	0.990	0.091	0.126	0.027	0	0	0	---	---	0.152	1982
MEAN	---	---	0.003	1.39	0.383	0.334	0.014	0	0	0	---	---	0.182	MEAN

LOCATION - LAT 53 09 28 N LONG 104 10 17 W DRAINAGE AREA, 87.0 km² NATURAL FLOW

LITTLE BRIDGE CREEK NEAR ARMLEY - STATION NO. 05KB008

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	---	9.51 ON APR 28	0B ON MAR 1 *	6 150	1975
1976	---	3.77 B ON APR 6	0B ON MAR 1	1 480	1976
1977	---	0.014 ON APR 12	0B ON MAR 1	4.67	1977
1978	---	6.48 B ON APR 19	0B ON MAR 1	4 560	1978
1979	---	16.5 A ON APR 24 *	0B ON MAR 1	12 800	1979
1980	8.17B AT 20:45 CST ON APR 14	7.04 ON APR 15	0B ON MAR 1	2 610	1980
1981	---	0.090B ON MAR 17	0B ON MAR 1	115	1981
1982	8.39B AT 02:19 CST ON APR 17 *	6.44 B ON APR 17	0B ON MAR 1	3 210	1982
				3 860	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

LODGE CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AB006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1910	---	---	---	---	0.020	0	0	0	0	0	---	---	---	1910
1911	---	---	1.85	3.06	0.425	0.592	0.896	0	4.19	0.040	---	---	1.37	1911
1912	---	---	0.003	20.1	0.750	0.466	0.007	0	0	0	---	---	2.61	1912
1913	---	---	0.031	15.8	0.698	0.052	0.072	0.005	0	0	---	---	2.04	1913
1914	---	---	1.70	3.49	0.162	0.002	0	0	0	0.513	---	---	0.728	1914
1915	---	---	---	7.37	0.262	0.387	1.90	0.701	0.042	0.009	---	---	---	1915
1916	---	---	---	1.57	1.01	3.61	3.79	0.353	0.248	0.199	---	---	---	1916
1917	---	---	0	23.8	6.44	0.321	0.003	0	0	0	---	---	3.76	1917
1918	---	---	6.71	19.2	0.891	0.114	0	0	0	0	---	---	3.33	1918
1919	---	---	0	3.54	0.206	0.005	0	0	0	0	---	---	0.460	1919
1920	---	---	0.260	6.03	2.65	1.37	0.189	0	0	0	---	---	1.29	1920
1921	---	---	0.803	7.29	2.53	0.286	0.028	0	0	0	0	---	1.35	1921
1922	---	---	0	19.0	2.86	0.085	0.078	0.001	0	0	---	---	2.71	1922
1923	---	---	0.403	3.74	0.178	2.57	1.92	0.108	0.001	0	---	---	1.10	1923
1924	---	---	0	1.17	0.042	0.900	0.003	0	0	0	---	---	0.259	1924
1925	---	---	6.71	11.7	0.372	1.11	0	0	0.020	0.003	---	---	2.47	1925
1926	---	---	3.96	0.547	0.010	0	0.171	0	0	0	---	---	0.590	1926
1927	---	---	4.86	15.1	15.8	1.98	0.670	0.026	0	0	---	---	4.78	1927
1928	---	---	10.3	6.75	0.634	0.176	0.273	0.056	0	0	---	---	2.27	1928
1929	---	---	0.552	3.99	3.22	0.112	0.001	0	0	0	---	---	0.979	1929
1930	---	2.26	3.88	3.67	0.075	0.001	0.003	0	0	0	---	---	0.951	1930
1931	---	---	0	0.028	0	0.036	0.145	0.017	0	0	---	---	0.028	1931
1932	---	0.550	2.30	2.06	0.156	0.120	0	0	0	0	---	---	0.577	1932
1933	---	---	2.76	1.14	1.20	0.276	0.472	0.007	0	0	---	---	0.735	1933
1934	---	1.64	4.35	1.25	0.013	0.177	0	0	0	0	---	---	0.728	1934
1935	---	---	3.63	3.99	0.162	0.003	0.034	0	0	0	---	---	0.973	1935
1936	---	---	0	5.80	0.122	0	0	0	0	0	---	---	0.725	1936
1937	0	0	0.177	7.19	0.056	0.011	0	0	0	0	---	---	0.911	1937
1938	---	---	4.26	3.42	0.337	0.304	0.769	0	1.28	0	---	---	1.29	1938
1939	---	---	11.4	1.06	0.080	0.729	0.140	0	0	0	---	---	1.69	1939
1940	---	---	0	18.6	1.66	0.221	0.173	0.283	0.200	0.054	---	---	2.60	1940
1941	---	---	6.63	0.358	0.016	0.510	0.572	0	0	0	---	---	1.02	1941
1942	---	---	0.221	1.22	0.006	3.10	0.333	0	0	0.028	---	---	0.604	1942
1943	---	---	12.6	3.96	0.050	0.015	0.141	0	0.016	0.001	---	---	2.10	1943
1944	---	---	0.030	0.396	0.007	0.076	0.742	0	0	0	---	---	0.156	1944
1945	---	---	3.54	0.111	0.003	0	0	0	0	0	---	---	0.462	1945
1946	---	---	3.58	0.711	0.004	0.037	0	0	0	0	---	---	0.545	1946
1947	---	---	4.05	4.79	0.152	0.052	0	0	0	0	---	---	1.12	1947
1948	---	---	0.016	7.22	1.70	0.093	0	0	0	0	---	---	1.11	1948
1949	---	---	0	0.147	0.020	0.001	0	0	0	0	---	---	0.021	1949
1950	---	---	0	5.14	0.049	0	0	0	0	0	---	---	0.635	1950
1951	---	---	0	9.41	4.73	0.786	0.070	2.15	1.33	0.101	---	---	2.30	1951
MEAN	0	1.11	2.60	6.22	1.18	0.493	0.323	0.088	0.174	0.023	0	---	1.37	MEAN

LOCATION - LAT 49 01 00 N LONG 109 45 00 W DRAINAGE AREA, 1 970 km² NATURAL FLOW INTERNATIONAL GAUGING STATION

LODGE CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AB006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1910	---	---	0E ON JUN 1 *	---	1910
1911	---	47.3 ON SEP 7	0 ON MAR 1	29 800	1911
1912	---	92.9 ON APR 5	0 ON MAR 1	55 300	1912
1913	---	39.1 ON APR 12	0B ON MAR 1	43 200	1913
1914	---	15.7 ON MAR 16	0E ON MAR 1	15 400	1914
1915	---	39.6 ON APR 4	0 ON AUG 19	---	1915
1916	---	---	---	---	1916
1917	---	59.5 B ON APR 10	0B ON MAR 1	79 700	1917
1918	---	76.5 B ON MAR 31	0B ON MAR 1	70 500	1918
1919	---	9.57A ON APR 20	0 ON MAR 1	9 740	1919
1920	---	18.7 A ON JUN 18	0B ON MAR 1	27 300	1920
1921	---	30.3 ON APR 16	0B ON MAR 1	28 600	1921
1922	---	47.3 B ON APR 8	0B ON MAR 1	57 300	1922
1923	---	35.4 ON JUN 22	0B ON MAR 1	23 300	1923
1924	---	13.6 ON JUN 9	0B ON MAR 1	5 480	1924
1925	---	41.9 ON APR 24	0B ON MAR 1	52 200	1925
1926	---	12.7 B ON MAR 2	0 ON MAY 24	12 500	1926
1927	---	84.4 ON MAY 23	0B ON MAR 1	101 000	1927
1928	---	79.3 B ON MAR 24	0B ON MAR 1	48 000	1928
1929	---	25.2 ON MAY 1	0 ON MAR 1	20 700	1929
1930	---	22.6 B ON MAR 12	0 ON JUN 11	20 100	1930
1931	---	2.38 ON JUL 1	0 ON MAR 1	603	1931
1932	---	15.5 ON APR 3	0 ON JUL 1	12 200	1932
1933	---	11.0 B ON MAR 20	0B ON MAR 1	15 600	1933
1934	---	5.49B ON MAR 11	0A ON MAY 30	15 400	1934
1935	---	20.7 ON MAR 16	0 ON MAR 1	20 600	1935
1936	---	31.1 B ON APR 11	0B ON MAR 1	15 300	1936
1937	---	47.6 ON APR 10	0 ON MAR 1	19 300	1937
1938	---	30.0 B ON MAR 28	0B ON MAR 1	27 300	1938
1939	---	97.1 ON MAR 23	0 ON MAR 1	35 700	1939
1940	---	83.8 ON APR 19	0 ON MAR 1	55 000	1940
1941	---	58.0 B ON MAR 20	0B ON MAR 1	21 500	1941
1942	---	40.5 ON JUN 27	0 ON MAR 1	12 800	1942
1943	---	121 ON MAR 30 *	0 ON MAR 1	84 600	1943
1944	---	12.5 ON JUL 6	0B ON MAR 1	3 320	1944
1945	---	16.7 B ON MAR 20	0 ON MAR 1	9 790	1945
1946	---	8.64 ON MAR 29	0 ON MAY 11	11 500	1946
1947	---	25.3 ON MAR 29	0 ON MAR 1	23 700	1947
1948	---	23.4 ON APR 18	0 ON MAR 1	23 500	1948
1949	---	1.32 ON APR 8	0 ON MAR 1	836	1949
1950	---	25.1 ON APR 14	0 ON MAR 1	13 400	1950
1951	---	40.5 ON AUG 31	0B ON MAR 1	48 800	1951
				29 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

LODGE CREEK BELOW MCRAE CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AB083

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1952	---	---	0.041	53.8	2.25	0.245	0.359	0.005	0	0	---	---	6.95	1952
1953	---	---	0	1.35	4.02	4.95	0.043	0.002	0	0	---	---	1.29	1953
1954	---	0	0	2.32	0.198	0.381	0.003	0	0	0.031	---	---	0.360	1954
1955	---	---	0.442	18.1	4.77	0.421	4.92	0.038	0	0.023	---	---	3.56	1955
1956	---	---	0.329	3.41	0.847	0.092	1.23	0.064	0.007	0.002	---	---	0.743	1956
1957	---	---	0.512	7.59	1.13	0.172	0.001	0	0	0	---	---	1.16	1957
1958	---	---	2.18	13.8	0.145	0.035	0	0	0	0	---	---	1.99	1958
1959	---	---	2.85	2.34	0.083	0.126	0.025	0	0	0	---	---	0.675	1959
1960	---	---	5.99	1.85	2.87	0.352	0.012	0	0	0	---	---	1.39	1960
1961	---	---	0.146	0.185	0.046	0.013	0	0	0	0	---	---	0.049	1961
1962	---	---	0.351	0.710	0.031	5.96	0.106	0.077	0.002	0	---	---	0.889	1962
1963	---	---	0.296	0.689	0.016	0	1.72	0.095	0	0	---	---	0.358	1963
1964	---	---	0	0.853	0.839	0.255	0.002	0	0	0	---	---	0.242	1964
1965	---	---	0	12.7	2.18	8.32	2.44	0.089	0.350	0.095	---	---	3.22	1965
1966	---	---	6.91	3.81	0.324	0.197	0.073	0.006	0.039	0.039	---	---	1.43	1966
1967	---	---	0.310	12.5	14.2	0.750	0.073	0.015	0	0	---	---	3.46	1967
1968	---	---	0.088	0.586	0.183	0.153	0.002	0	0	0	---	---	0.125	1968
1969	---	---	0	7.80	0.140	0.095	0.008	0	0	0	---	---	0.986	1969
1970	---	---	0	2.33	3.40	0.248	0.131	0	0	0	---	---	0.762	1970
1971	---	---	0.006	3.83	0.794	0.296	0	0.011	0.083	0	---	---	0.618	1971
1972	---	---	3.85	0.504	0.127	0.474	0.115	0.034	0	0	---	---	0.642	1972
1973	---	---	0.178	0.064	0.117	0.040	0.001	0	0	0	---	---	0.050	1973
1974	---	---	0.440	2.08	2.22	0.532	0.027	0.201	0	0	---	---	0.685	1974
1975	---	---	0	4.31	5.39	3.16	0.200	0.069	0.003	0	---	---	1.63	1975
1976	---	---	5.75	2.31	0.187	0.012	0.070	0	0.091	0	---	---	1.06	1976
1977	---	---	0.018	0.076	0.233	0.012	0	0	0	0	---	---	0.042	1977
1978	---	---	0	7.13	1.16	0.151	0.007	0	0.132	0.003	---	---	1.06	1978
1979	---	---	5.40	4.38	1.42	0.160	0.011	0.033	0	0.081	---	---	1.44	1979
1980	---	---	0.005	0.023	0.192	0.048	0	0	0	0	---	---	0.034	1980
1981	---	---	0.024	0.004	0.053	0.046	0.026	0.001	0	0	---	---	0.019	1981
1982	---	---	0	5.26	1.18	2.11	0.058	0	0	0	---	---	1.06	1982
MEAN	---	0	1.16	5.70	1.64	0.961	0.376	0.024	0.023	0.009	---	---	1.23	MEAN

LOCATION - LAT 49 00 20 N, LONG 109 43 00 W DRAINAGE AREA, 2 140 km^2 REGULATED INTERNATIONAL GAUGING STATION

LODGE CREEK BELOW MCRAE CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AB083

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1952	158 ON APR 13	140 ON APR 14 *	0B ON MAR 1 *	147 000	1952
1953	68.2 AT 08:00 MST ON JUN 4	52.7 ON JUN 4	0B ON MAR 1	27 200	1953
1954	17.8 AT 20:00 MST ON APR 6	10.4 ON APR 6	0 ON MAR 1	7 620	1954
1955	94.9 AT 18:30 MST ON APR 19	63.1 ON APR 19	0 ON AUG 27	75 400	1955
1956	16.3 AT 05:30 MST ON JUL 4	11.8 ON JUL 4	0B ON MAR 1	15 700	1956
1957	22.5 B AT 17:00 MST ON APR 5	17.7 B ON APR 5	0B ON MAR 1	24 500	1957
1958	77.0 B AT 23:00 MST ON APR 5	68.5 B ON APR 5	0 ON JUN 27	42 100	1958
1959	20.0 B AT 21:10 MST ON MAR 28	17.8 B ON MAR 28	0B ON MAR 1	14 300	1959
1960	28.3 AT 01:00 MST ON MAR 24	26.0 ON MAR 23	0B ON MAR 1	29 500	1960
1961	3.79 AT 09:30 MST ON APR 25	2.32 ON APR 25	0B ON MAR 1	1 030	1961
1962	220 R AT 10:00 MST ON JUN 14 *	129 ON JUN 14	0 ON MAR 1	18 800	1962
1963	8.24 AT 02:00 MST ON JUL 9	5.58 ON JUL 7	0B ON MAR 1	7 500	1963
1964	2.63 AT 13:00 MST ON MAY 15	2.21 ON MAY 3	0 ON MAR 1	5 130	1964
1965	93.2 AT 04:00 MST ON JUN 27	74.2 ON JUN 27	0B ON MAR 1	68 100	1965
1966	55.2 AT 19:30 MST ON MAR 30	50.1 ON MAR 30	0B ON MAR 1	30 200	1966
1967	60.9 AT 19:00 MST ON APR 28	53.5 ON MAY 8	0 ON JUL 21	73 200	1967
1968	1.81 AT 09:00 MST ON APR 16	1.73 ON APR 28	0 ON MAR 1	2 650	1968
1969	54.9 AT 17:30 MST ON APR 7	46.4 ON APR 8	0B ON MAR 1	20 800	1969
1970	10.9 AT 20:00 MST ON APR 12	9.97 ON APR 12	0 ON MAR 1	16 100	1970
1971	13.0 AT 21:00 CST ON APR 17	11.8 ON APR 17	0 ON MAR 1	13 100	1971
1972	40.5 B AT 08:30 MST ON MAR 19	30.6 B ON MAR 19	0 ON MAR 1	13 600	1972
1973	0.878B AT 08:00 MST ON MAR 13	0.595B ON MAR 13	0 ON MAR 1	1 060	1973
1974	11.0 AT 05:00 CST ON MAY 22	7.93 ON MAY 22	0 ON JUL 18	14 500	1974
1975	35.4 AT 08:54 CST ON MAY 8	31.7 ON MAY 8	0B ON MAR 1	38 500	1975
1976	36.8 B AT 18:00 CST ON MAR 28	28.1 B ON MAR 21	0 ON AUG 1	22 300	1976
1977	1.08 AT 04:30 CST ON MAY 17	0.906 ON MAY 17	0 ON MAR 1	890	1977
1978	33.4 AT 20:40 CST ON APR 5	30.3 ON APR 5	0B ON MAR 1	22 480	1978
1979	28.5 B AT 21:00 CST ON MAR 19	24.7 B ON MAR 19	0B ON MAR 1	30 500	1979
1980	0.502 AT 06:00 CST ON MAY 15	0.445 ON MAY 15	0 ON MAR 1	713	1980
1981	0.625 AT 23:30 CST ON JUN 1	0.441 ON JUN 2	0 ON APR 21	407	1981
1982	32.5 AT 10:30 CST ON APR 25	31.1 ON APR 25	0B ON MAR 1	22 480	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980		25 900	MEAN

LODGE CREEK BELOW SPANGLER PROJECT - STATION NO. 11AB088

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1960	---	---	---	---	---	---	0	0	0	0	---	---	---	1960
1961	---	---	0	0	0	0	0	0	0	0	---	---	---	1961
1962	---	---	0.059	0.362	0	2.01	0.015	0.112	0	0	---	---	---	1962
1963	---	---	0.279	0.499	0	0	1.26	0.014	0	0	---	---	---	1963
1964	---	---	0	1.04	0.676	0.202	0	0	0	0	---	---	---	1964
1965	---	---	0	9.79	1.49	5.98	1.56	0.097	0.311	0.062	---	---	---	1965
1966	---	---	5.54	2.22	0.168	0.032	0.092	0.006	0.086	0	---	---	---	1966
MEAN	---	---	0.980	2.32	0.389	1.37	0.418	0.033	0.057	0.009	---	---	---	MEAN

LOCATION - LAT 49 05 50 N DRAINAGE AREA, 1 080 km^2
LONG 109 50 00 W REGULATED

LODGE CREEK BELOW SPANGLER PROJECT - STATION NO. 11AB088

ANNUAL EXTREMES OF DISCHAPGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1960	---	---	0 ON JUL 1 *	---	1960
1961	0 AT 00:00 MST ON MAR 1 *	---	---	---	1961
1962	91.2 AT 03:00 MST ON JUN 14 *	---	---	---	1962
1963	4.11 AT 24:00 MST ON JUL 30	---	---	---	1963
1964	2.03 AT 07:00 MST ON MAY 3	---	---	---	1964
1965	65.1 AT 23:00 MST ON JUN 26	---	---	---	1965
1966	46.2 AT 11:00 MST ON MAR 30	---	---	---	1966
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

LODGE CREEK NEAR ALBERTA BOUNDARY - STATION NO. 11AB082

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1951	---	---	0	9.34	3.97	0.632	0.031	2.25	0.411	0.176	---	---	2.08	1951
1952	---	---	0	36.3	1.40	0.032	0.019	0	0	0	---	---	4.63	1952
1953	---	---	0.066	2.51	3.46	4.43	0.027	0	0	0	---	---	1.30	1953
1954	---	---	0	1.68	0.327	0.200	0.049	0.032	0.011	0.005	---	---	0.283	1954
1955	---	---	0.320	10.7	4.68	0.343	4.37	0.015	0.330	0	---	---	2.57	1955
1956	---	---	0.151	2.85	0.652	0.031	0.613	0.452	0.012	0.127	---	---	0.607	1956
1957	---	---	0.156	6.12	1.03	0.040	0.252	0.110	0.012	0.133	---	---	0.993	1957
1958	---	---	0.430	10.6	0.126	0.005	0.079	0.348	0.002	0	---	---	1.43	1958
1959	---	---	1.97	2.03	0.030	0.004	0.006	0	0	0	---	---	0.503	1959
1960	---	---	4.98	0.920	1.12	0.040	0	0	0	0	---	---	0.889	1960
1961	---	---	0.410	0.003	0.101	0.069	0.149	0	0	0	---	---	0.092	1961
1962	---	---	1.02	0.484	0	0.456	0.189	0	0	0	---	---	0.268	1962
1963	---	---	1.01	0.496	0.002	0.190	2.27	0	0	0	---	---	0.500	1963
1964	---	---	0.235	1.44	1.11	0.003	0	0	0	0	---	---	0.347	1964
1965	---	---	0	11.9	1.51	5.09	1.07	0.005	0.117	0.021	---	---	2.43	1965
1966	---	---	5.03	2.16	0.381	0.265	0.040	0	0	0	---	---	0.987	1966
1967	---	---	0.028	9.14	10.0	0.752	0.102	0.095	0.001	0.002	---	---	2.51	1967
1968	---	---	0.508	0.244	0.251	0.052	0	0	0	0	---	---	0.122	1968
1969	---	---	0	6.89	0.182	0	0	0	0	0	---	---	0.867	1969
1970	---	---	0	4.06	2.08	0.678	0.153	0	0	0	---	---	0.857	1970
1971	---	---	0	5.13	0.501	0.288	0	0	0	0	---	---	0.726	1971
1972	---	---	4.32	0.256	0.013	0.179	0.005	0	0	0	---	---	0.603	1972
1973	---	---	0.179	0.220	0.168	0.203	0	0	0	0	---	---	0.096	1973
1974	---	---	0.018	3.48	1.40	0.237	0.002	0	0	0	---	---	0.636	1974
1975	---	---	0	4.03	4.25	2.48	0.057	0.003	0.001	0	---	---	1.38	1975
1976	---	0.267	4.70	2.01	0.057	0.197	0.020	0	0	0	---	---	0.874	1976
1977	---	---	0.003	0.071	0.002	0	0	0	0	0	---	---	0.009	1977
1978	---	---	0.093	5.75	0.908	0.033	0.360	0	0.083	0.001	---	---	0.891	1978
1979	---	---	3.65	3.93	1.19	0.044	0.002	0	0	0	---	---	1.10	1979
1980	---	---	0	0.265	0.002	0.001	0	0	0	0	---	---	0.033	1980
1981	---	---	0.094	0.001	0.079	0.072	0	0	0	0	---	---	0.031	1981
1982	---	---	0	5.57	1.55	2.00	0.005	0	0	0	---	---	1.12	1982
MEAN	---	0.267	0.910	4.71	1.33	0.595	0.308	0.110	0.028	0.015	---	---	0.992	MEAN

LOCATION - LAT 49 12 10 N DRAINAGE AREA, 909 km²
LONG 109 59 05 W NATURAL FLOW

LODGE CREEK NEAR ALBERTA BOUNDARY - STATION NO. 11AB082

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1951	---	45.0 ON AUG 30	0B ON MAR 1 *	44 100	1951
1952	137 AT 10:00 MST ON APR 16 *	110 ON APR 16 *	0B ON MAR 1	98 000	1952
1953	73.1 AT 16:00 MST ON JUN 3	43.3 ON JUN 3	0B ON MAR 1	27 500	1953
1954	---	5.86 B ON APR 7	0B ON MAR 1	5 990	1954
1955	64.6 AT 12:00 MST ON JUL 13	45.3 ON JUL 13	0B ON MAR 1	54 400	1955
1956	9.17 AT 01:00 MST ON APR 11	6.60 ON APR 11	0B ON MAR 1	12 800	1956
1957	19.3 B AT 02:00 MST ON APR 5	15.5 B ON APR 5	0B ON MAR 1	21 100	1957
1958	75.6 AT 09:00 MST ON APR 5	68.2 ON APR 5	0 ON JUN 4	30 200	1958
1959	15.3 B AT 02:00 MST ON MAR 28	11.8 B ON MAR 27	0B ON MAR 1	10 600	1959
1960	21.5 B AT 01:00 MST ON MAR 23	17.2 B ON MAR 23	0B ON MAR 1	18 800	1960
1961	4.67 AT 07:30 MST ON MAR 18	2.49 ON MAR 18	0B ON MAR 1	1 950	1961
1962	21.1 AT 06:00 MST ON JUN 14	10.4 ON JUN 14	0B ON MAR 1	5 670	1962
1963	33.7 AT 10:30 MST ON JUL 5	26.8 ON JUL 5	0 ON MAY 13	10 600	1963
1964	9.17 AT 15:00 MST ON MAY 9	7.65 ON MAY 9	0 ON MAR 1	7 350	1964
1965	67.4 AT 01:00 MST ON JUN 26	56.6 B ON APR 15	0B ON MAR 1	51 400	1965
1966	43.0 AT 01:00 MST ON MAR 30	34.8 ON MAR 29	0B ON MAR 1	20 900	1966
1967	47.0 AT 01:00 MST ON MAY 8	38.2 ON MAY 7	0B ON MAR 1	53 200	1967
1968	3.20 AT 07:30 MST ON MAR 8	2.13 ON MAR 8	0 ON JUL 1	2 800	1968
1969	44.2 AT 00:40 MST ON APR 7	41.6 ON APR 7	0 ON MAR 1	18 400	1969
1970	22.6 AT 05:00 MST ON APR 8	18.4 ON APR 8	0 ON MAR 1	18 100	1970
1971	20.9 AT 04:04 CST ON APR 10	16.2 B ON APR 9	0B ON MAR 1	15 400	1971
1972	37.7 B AT 09:15 CST ON MAR 17	34.5 B ON MAR 17	0B ON MAR 1	12 800	1972
1973	2.86 AT 19:10 CST ON JUN 19	2.01 ON JUN 20	0B ON MAR 1	2 030	1973
1974	11.1 AT 05:25 CST ON MAY 23	7.96 ON APR 8	0B ON MAR 1	13 400	1974
1975	31.7 AT 06:27 CST ON JUN 21	25.5 ON MAY 7	0B ON MAR 1	28 400	1975
1976	43.0 B AT 03:44 CST ON MAR 19	32.3 B ON MAR 19	0 ON JUL 21	18 500	1976
1977	1.76 AT 20:12 CST ON APR 7	0.821 ON APR 8	0 ON APR 19	194	1977
1978	35.7 AT 13:18 CST ON JUL 6	17.1 ON APR 6	0B ON MAR 1	18 800	1978
1979	14.0 AT 20:49 CST ON APR 19	13.6 ON APR 19	0B ON MAR 1	23 300	1979
1980	1.36B AT 12:51 CST ON APR 8	0.965B ON APR 8	0B ON MAR 1	694	1980
1981	2.66 AT 17:19 CST ON JUN 16	0.933 ON JUN 17	0 ON APR 17	657	1981
1982	36.3 AT 16:54 CST ON APR 24	33.8 ON APR 24	0B ON MAR 1	23 700	1982
				21 000	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

LOISELLE CREEK NEAR HUDSON BAY - STATION NO. 05LB004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1956	---	---	---	0.840	0.829	---	---	---	---	---	---	---	---	1956
1957	---	---	---	6.27	0.091	---	---	---	---	---	---	---	---	1957
1958	---	---	0.035	0.291	---	---	---	---	---	---	---	---	---	1958
1959	---	---	0.171	0.812	---	---	---	---	---	---	---	---	---	1959
1960	---	---	---	3.61	0.023	---	---	---	---	---	---	---	---	1960
1961	---	---	---	0.188	---	---	---	---	---	---	---	---	---	1961
1962	---	---	---	2.84	0.033	---	---	---	---	---	---	---	---	1962
1963	---	---	0.010	0.406	---	---	---	---	---	---	---	---	---	1963
1964	---	---	0	0.133	0.081	0	0	0	0	0	---	---	0.026	1964
1965	---	---	0	0.506	0.027	0.156	0.080	0.122	0.022	0.014	---	---	0.114	1965
1966	---	---	0.001	2.16	0.084	0.157	1.13	0.010	0.047	0.005	---	---	0.446	1966
1967	---	---	0	0.261	2.17	0.018	0.001	0	0	0	---	---	0.308	1967
1968	---	---	0.213	0.161	0.002	0.007	0.002	0.001	0	0.001	---	---	0.048	1968
1969	---	---	0	1.09	0.001	0	0.003	0	0	0.004	---	---	0.134	1969
1970	---	---	0	0.633	0.431	0.001	0.104	0	0	0.012	---	---	0.187	1970
1971	---	---	0	2.23	0.012	0	0	0	0	0	---	---	0.274	1971
1972	---	---	0	2.50	0.102	0	0	0	0	0	---	---	0.320	1972
1973	---	---	0.008	0.320	0.013	0.075	0.019	0	0	0	---	---	0.053	1973
1974	---	---	0	1.62	0.710	0.212	0.001	0	0	0	---	---	0.314	1974
1975	---	---	0	0.957	0.067	0	0	0	0.087	0.001	---	---	0.137	1975
1976	---	---	0	0.692	0.039	0.600	0.047	0	0	0	---	---	0.169	1976
1977	---	---	0	0.188	0	0	0	0	0	0	---	---	0.018	1977
1978	---	---	0.008	1.85	0.032	0.002	0.001	0	0.001	0	---	---	0.233	1978
1979	---	---	0	2.13	0.418	0.180	0	0	0	0	---	---	0.336	1979
1980	---	---	0	0.277	0.001	0	0	0	0	0	---	---	0.034	1980
1981	---	---	0.055	0.070	0.001	0.002	0	0	0	0	---	---	0.016	1981
1982	---	---	0	0.216	0.006	0.005	0	0	0	0	---	---	0.028	1982
MEAN	---	---	0.023	1.23	0.225	0.074	0.073	0.007	0.008	0.002	---	---	0.166	MEAN

LOCATION - LAT 52 47 51 N DRAINAGE AREA, 180 km²
LONG 102 22 14 W NATURAL FLOW

LOISELLE CREEK NEAR HUDSON BAY - STATION NO. 05LB004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1956	---	---	---	---	1956
1957	---	---	---	---	1957
1958	---	---	0 ON MAR 1 *	---	1958
1959	---	---	0 ON MAR 1	---	1959
1960	---	---	0E ON APR 1	---	1960
1961	---	---	0 ON APR 1	---	1961
1962	---	---	0B ON APR 1	---	1962
1963	---	---	0 ON MAR 1	---	1963
1964	---	0.589 ON MAY 12	0 ON MAR 1	560	1964
1965	---	2.36 ON APR 14	0B ON MAR 1	2 420	1965
1966	---	10.7 ON APR 13	0B ON MAR 1	9 440	1966
1967	---	9.03 ON MAY 2	0B ON MAR 1	6 530	1967
1968	---	1.53 B ON MAR 29	0B ON MAR 1	1 020	1968
1969	---	6.94 B ON APR 12	0B ON MAR 1	2 840	1969
1970	---	3.28 ON MAY 6	0B ON MAR 1	3 100	1970
1971	---	7.99 B ON APR 13	0B ON MAR 1	5 810	1971
1972	18.2 AT 02:43 CST ON APR 24	16.3 ON APR 24 *	0B ON MAR 1	6 760	1972
1973	---	1.18 ON APR 4	0B ON MAR 1	1 130	1973
1974	---	15.6 ON APR 21	0B ON MAR 1	6 640	1974
1975	8.30 AT 09:35 CST ON APR 22	7.82 ON APR 22	0B ON MAR 1	2 890	1975
1976	---	2.55 ON APR 8	0B ON MAR 1	3 570	1976
1977	---	1.11 ON APR 13	0B ON MAR 1	384	1977
1978	---	8.75 ON APR 19	0B ON MAR 1	4 930	1978
1979	18.5 AT 23:50 CST ON APR 21 *	16.1 ON APR 22	0B ON MAR 1	7 110	1979
1980	0.962 AT 08:50 CST ON APR 5	0.774 ON APR 8	0B ON MAR 1	731	1980
1981	0.262 AT 18:46 CST ON MAR 18	0.245 ON APR 8	0B ON MAR 1	337	1981
1982	1.18 AT 20:35 CST ON APR 16	1.10 ON APR 16	0B ON MAR 1	586	1982
				3 510	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

LONEPINE CREEK AT HEWITT'S RANCH - STATION NO. 11AC007

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAY TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	---	---	0.025	0.032	0.028	---	---	---	1909
1910	---	---	---	0.046	0.034	0.021	0.012	0.017	0.025	0.025	---	---	0.022	1910
1911	---	---	---	---	0.097	0.048	0.028	0.030	0.047	0.057	---	---	0.051	1911
1912	---	---	---	---	0.078	0.046	0.045	0.044	0.024	0.030	---	---	0.045	1912
1913	---	---	---	---	0.056	0.028	0.030	0.018	0.018	0.027	---	---	0.030	1913
1914	---	---	---	---	0.034	0.015	0.012	0.013	0.020	0.025	---	---	0.020	1914
MEAN	---	---	---	0.046	0.060	0.033	0.025	0.024	0.028	0 032	---	---	0.034	MEAN

LOCATION - LAT 49 35 18 N DRAINAGE AREA, 9.58 km²
LONG 109 27 38 W NATURAL FLOW

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1911, 1913-14

LONEPINE CREEK AT HEWITT'S RANCH - STATION NO. 11AC007

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAY TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1909	---	---	---	---	1909
1910	---	0.079 ON MAY 15	0.007 ON MAY 25	356	1910
1911	---	0.227 ON JUN 25 *	0.006 ON JUN 17 *	812	1911
1912	---	0.130 ON JUL 9	0.015 ON JUL 4	709	1912
1913	---	0.093 ON MAY 16	0.007E ON SEP 5	474	1913
1914	---	0.051 ON SEP 13	0.009E ON AUG 1	312	1914
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		533	MEAN

E - ESTIMATED

LONG CREEK AT EASTERN CROSSING OF INTERNATIONAL BOUNDARY - STATION NO. 05NB013

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1959	0	0	1.22	0.099	0	0.628	0.561	0	0	0.346	0.013	0	0.242	1959
MEAN	0	0	1.22	0.099	0	0.628	0.561	0	0	0.346	0.013	0	0.242	MEAN

LOCATION - LAT 49 01 05 N, LONG 103 03 37 W DRAINAGE AREA, 4 510 km^2, REGULATED INTERNATIONAL GAUGING STATION

LONG CREEK AT EASTERN CROSSING OF INTERNATIONAL BOUNDARY - STATION NO. 05NB013

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1959	---	10.8 ON JUN 30 *	0 ON JAN 1 *	7 620	1959
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		7 620	MEAN

LONG CREEK AT WESTERN CROSSING OF INTERNATIONAL BOUNDARY - STATION NO. 05NA003

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1959	0	0	0.284	0.019	0	0.863	0.256	0	0	0	0	0	0.118	1959
1960	0	0	6.68	4.88	0.148	0.229	0.038	0	0	0	0	0	1.00	1960
1961	0	0	0.041	0	0	0	0	0	0	0	0	0	0.003	1961
1962	0	0	0.290	1.05	0.005	0.002	0	0	0	0	0	0	0.111	1962
1963	0	0	0.366	0.164	0.003	3.29	0.137	0.945	0.285	0.018	0.005	0.001	0.432	1963
1964	0	0	0	3.69	0.262	0.233	0.058	0	0	0	0	0	0.349	1964
1965	0	0	0	5.42	8.01	4.46	1.86	0.255	0.205	0.188	0.053	0.019	1.68	1965
1966	0	0	3.86	0.943	0.422	0.039	0.032	0	0	0	0	0	0.447	1966
1967	0	0	1.20	3.69	3.57	0.232	0	0	0	0	0	0	0.712	1967
1968	0	0	0.013	0.001	0	0	0	0.011	0.367	0.003	0.003	0	0.033	1968
1969	0	0	0	26.6	1.23	0.064	0.697	0.204	0.010	0	0	0	2.35	1969
1970	0	0	0.317	4.43	16.4	1.07	0.086	0	0	0	0	0	1.88	1970
1971	0	0.001	0.330	4.33	0.162	0.022	5.31	0.311	0	0.016	0.001	0	0.879	1971
1972	0	0	10.5	1.48	0.953	4.91	0.311	0.087	0	0	0.005	0.001	1.53	1972
1973	0	0	0.097	0.120	0.154	0.005	0	0	0	0	0	0	0.038	1973
1974	0	0	0.454	20.5	1.76	0.564	0.470	0.002	0	0	0	0	1.96	1974
1975	0	0	0.014	17.6	7.80	0.835	0.020	0	0.036	0.043	0.032	0.022	2.20	1975
1976	0.004	0	11.2	27.7	0.885	10.2	1.28	0.088	0.003	0	0	0	4.25	1976
1977	0	0.001	0.065	0.103	0.362	0.046	0	0	0	0	0	0	0.049	1977
1978	0	0	5.35	4.90	0.469	0.253	11.2	0.748	1.74	0.712	0.118	0.023	2.19	1978
1979	0	0	0.668	29.8	11.4	0.762	0.080	0.005	0	0	0	0	3.55	1979
1980	0	0	0.260	0.679	0.025	0	0	0	0	0	0	0	0.080	1980
1981	0	0.750	0.060	0	0	0	0	0	0	0	0	0	0.063	1981
1982	0	0	0	17.2	1.30	0.107	0.032	0.002	0	0	0	0	1.54	1982
MEAN	0	0.031	1.75	7.29	2.30	1.18	0.916	0.111	0.110	0.041	0.009	0.003	1.14	MEAN

LOCATION - LAT 49 00 01 N, LONG 103 21 08 W DRAINAGE AREA, 3 210 km^2, REGULATED INTERNATIONAL GAUGING STATION

LONG CREEK AT WESTERN CROSSING OF INTERNATIONAL BOUNDARY - STATION NO. 05NA003

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1959	---	11.3 E ON JUN 30	0B ON JAN 1 *	3 740	1959
1960	---	37.7 B ON MAR 27	0 ON JAN 1	31 700	1960
1961	---	0.278 ON MAR 17	0 ON JAN 1	189	1961
1962	---	3.96 A ON APR 5	0 ON JAN 1	3 526	1962
1963	19.9 AT 15:00 CST ON JUN 8	19.3 ON JUN 8	0 ON JAN 1	13 600	1963
1964	15.7 B AT 14:00 CST ON APR 4	13.5 B ON APR 4	0 ON JAN 1	11 000	1964
1965	23.1 AT 16:00 CST ON APR 18	22.6 ON APR 18	0 ON JAN 1	52 800	1965
1966	---	20.7 B ON MAR 16	0B ON JAN 1	14 100	1966
1967	13.6 AT 17:00 CST ON MAY 8	13.3 ON MAY 8	0 ON JAN 1	22 400	1967
1968	1.96 AT 12:00 CST ON SEP 4	1.94 ON SEP 4	0B ON JAN 1	1 030	1968
1969	112 B AT 04:36 CST ON APR 10	99.7 B ON APR 10	0B ON JAN 1	74 100	1969
1970	52.1 AT 18:58 CST ON MAY 7	49.6 ON MAY 7	0B ON JAN 1	59 100	1970
1971	24.2 B AT 09:06 CST ON APR 9	18.4 B ON APR 9	0B ON JAN 1	27 700	1971
1972	56.9 AT 15:42 CST ON JUN 10	46.7 ON JUN 10	0B ON JAN 1	48 300	1972
1973	0.266 AT 07:33 CST ON MAY 2	0.261 ON MAY 1	0B ON JAN 1	1 210	1973
1974	46.7 AT 19:14 CST ON APR 19	46.2 ON APR 19	0B ON JAN 1	61 800	1974
1975	68.0 AT 12:04 CST ON APR 26	66.3 ON APR 26	0B ON JAN 1	69 200	1975
1976	133 AT 02:23 CST ON APR 1 *	123 ON APR 1 *	0B ON JAN 17	134 000	1976
1977	2.10 AT 09:47 CST ON MAY 23	1.95 ON MAY 22	0B ON JAN 1	1 530	1977
1978	65.4 AT 08:09 CST ON JUL 14	63.7 ON JUL 14	0B ON JAN 1	69 100	1978
1979	125 AT 11:20 CST ON APR 23	118 ON APR 22	0B ON JAN 1	112 000	1979
1980	2.40 B AT 11:32 CST ON APR 3	1.64 ON APR 15	0B ON JAN 1	2 520	1980
1981	3.94 B AT 09:28 CST ON FEB 19	2.68 ON FEB 20	0 ON JAN 1	1 980	1981
1982	77.2 B AT 01:00 CST ON APR 15	67.8 B ON APR 14	0B ON JAN 1	48 400	1982
				36 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

LONG CREEK NEAR CROSBY - STATION NO. 05NB026

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	---	---	---	---	---	0.120	0	0	0	0	---	1944
1945	0	0	0.061	0.049	0.001	0	0	0.010	0	0	0	0	0.010	1945
1946	0	0	3.27	0.556	0.029	0.001	0.142	0	0	0	0	0	0.338	1946
1947	0	0	3.05	10.7	0.530	0.430	0.177	0.262	0.227	0.189	0.085	0.028	1.29	1947
1948	0.014	0	0	33.2	3.48	0.178	0.239	0.003	0	0	0.001	0.001	3.05	1948
1949	0	0	0.230	3.66	0.180	0.066	0	0	0	0	0	0	0.341	1949
1950	0	0	0.020	8.70	0.807	1.05	0.171	0.024	0	0	0	0	0.889	1950
1951	0	0	0	14.8	4.96	0.218	0.010	0	0.064	0	0	0	1.66	1951
1952	0	0	0.338	5.39	0.102	0	0	0	0	0	0	0	0.479	1952
1953	0	0	0.324	0.174	0.543	8.45	3.69	0.184	0.015	0	0	0	1.11	1953
1954	0	0.526	0.286	0.207	0.255	0.335	0.090	0.010	0.004	0.001	0.010	0.032	0.143	1954
1955	0.015	0	1.43	8.59	4.92	0.455	0.031	0.009	0	0	0	0	1.28	1955
1956	0	0	0.946	3.52	0.439	0.033	0.001	0	0	0	0	0	0.408	1956
1957	0	0.001	0.125	0.005	0	0	0	0	0	0	0	0	0.011	1957
1958	0	0	0.964	3.18	0.019	0	0	0	0	0	0	0	0.345	1958
1959	0	0	0.396	0.003	0	0.889	0.360	0	0	0	0	0	0.137	1959
1960	0	0	7.35	5.71	0.174	0.159	0.036	0	0	0	0	0	1.12	1960
1961	0	0	0	0	0	0	0	0	0	0	0	0	0	1961
1962	0	0	0.234	1.14	0.002	0	0	0	0	0	0	0	0.111	1962
1963	0	0	0.307	0.158	0.003	3.92	0.227	1.03	0.302	0.005	0	0	0.493	1963
1964	0	0	0	4.13	0.430	0.226	0.091	0	0	0	0	0	0.601	1964
1965	0	0	0	5.24	0.64	5.09	1.64	0.192	0.160	---	---	---	---	1965
MEAN	0.001	0.025	0.921	5.19	1.21	1.02	0.329	0.083	0.035	0.007	0.005	0.003	0.681	MEAN

LOCATION - LAT 48 58 30 N, LONG 103 16 04 W
DRAINAGE AREA, 3 370 km^2
REGULATED

LONG CREEK NEAR CROSBY - STATION NO. 05NB026

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	---	---	---	1944
1945	---	0.218 ON APR 17	0 ON JAN 1 *	320	1945
1946	---	19.2 ON MAR 13	0 ON JAN 1	10 700	1946
1947	---	26.5 ON APR 11	0 ON JAN 1	40 800	1947
1948	---	170 ON APR 23 *	0B ON FEB 1	96 400	1948
1949	---	13.6 B ON APR 3	0B ON JAN 1	10 800	1949
1950	---	29.2 B ON APR 16	0 ON JAN 1	28 100	1950
1951	---	32.6 B ON APR 18	0 ON JAN 1	52 400	1951
1952	---	13.6 B ON APR 2	0 ON JAN 1	15 200	1952
1953	---	25.0 ON JUN 10	0 ON JAN 1	34 900	1953
1954	---	3.20 B ON FEB 25	0 ON JAN 1	4 520	1954
1955	24.1 AT 17:00 CST ON APR 6	23.1 ON APR 6	0B ON JAN 28	40 500	1955
1956	8.50B AT 07:00 CST ON APR 11	7.65 B ON APR 6	0 ON JAN 1	12 900	1956
1957	---	0.708 ON MAR 23	0 ON JAN 1	351	1957
1958	27.9 AT 11:00 CST ON MAR 31	24.5 ON MAR 31	0 ON JAN 1	10 900	1958
1959	15.7 AT 23:30 CST ON JUN 29	12.2 ON JUN 30	0E ON JAN 1	4 330	1959
1960	46.7 B AT 18:00 CST ON MAR 27 *	39.6 B ON MAR 27	0 ON JAN 1	35 500	1960
1961	---	0 ON JAN 1	0 ON JAN 1	0	1961
1962	---	4.53 ON APR 5	0 ON JAN 1	3 570	1962
1963	---	20.3 ON JUN 8	0 ON JAN 1	15 600	1963
1964	---	14.4 B ON APR 4	0 ON JAN 1	12 700	1964
1965	23.0 AT 17:00 CST ON MAY 27	22.0 ON MAY 27	0 ON JAN 1	---	1965
				21 500	MEAN

B - ICE CONDITIONS
E - ESTIMATED

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

LONG CREEK NEAR ESTEVAN - STATION NO. 05NB001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	---	---	0.047	0.021	0.017	0.697	---	---	---	1911
1912	---	---	---	---	5.62	---	---	0.113	0.081	0.122	---	---	---	1912
1913	---	---	---	2.20	0.298	0.189	0.298	0.042	0.076	0.086	---	---	---	1913
1914	---	---	---	---	0.897	2.38	0.315	0.043	0.133	0.062	0.030	0.026	---	1914
1915	0.031	0.029	0.046	0.089	0.036	0.020	0.028	0.011	0.008	0.014	0.027	0.021	0.030	1915
1916	0.011	0.011	0.011	18.9	2.33	0.454	0.281	0.124	0.037	0.060	0.061	0.048	1.84	1916
1917	0.015	0.009	0.113	3.50	2.67	0.205	0.054	0.011	0.013	0.038	0.041	0.018	0.558	1917
1918	0.041	0.030	0.388	1.67	0.788	0.121	0.016	0.151	0.033	0.014	0.013	0.015	0.273	1918
1919	0.024	0.041	0.031	6.60	0.507	0.044	0.089	0.008	0.005	0.021	0.022	0	0.609	1919
1920	0	0	0.006	14.0	2.41	0.307	0.049	0.005	0.002	0.004	0.005	0.004	1.38	1920
1921	0	0	0.333	0.394	0.107	1.46	1.82	0.149	0.051	0.031	0.022	0.016	0.368	1921
1922	0.001	0	0.565	5.34	2.21	0.386	0.318	0.037	0.027	0.036	0.037	0.027	0.747	1922
1923	0.024	0.007	0.261	10.9	1.02	---	---	---	---	---	---	---	---	1923
1933	---	---	---	0.452	2.13	2.51	0.158	0.028	0.056	---	---	---	---	1933
1934	---	---	---	0.252	0.055	0.035	0	---	---	---	---	---	---	1934
1935	---	---	---	0.362	0.088	0.032	0.020	0.010	0.033	0.023	---	---	---	1935
1936	---	---	---	6.49	0.430	0.041	0.014	0.006	0.004	0.007	---	---	---	1936
1937	---	---	---	---	0.055	0.009	0.082	0.012	0.013	---	---	---	---	1937
1938	---	---	---	0.379	0.394	0.051	0.076	0.018	0.015	---	---	---	---	1938
1939	---	---	---	2.80	0.089	0.076	0.026	0.001	0	---	---	---	---	1939
1940	---	---	---	0.057	0.138	0.045	0.039	0.045	0.046	---	---	---	---	1940
1941	---	---	---	4.76	0.642	0.258	0.057	0.046	0.050	---	---	---	---	1941
1942	---	---	---	4.93	0.382	0.297	0.040	0.049	0.031	0.025	---	---	---	1942
1943	---	---	---	22.2	0.692	0.966	0.235	0.030	0.031	---	---	---	---	1943
1944	---	---	---	0.187	0.066	1.65	1.43	0.251	0.060	0.050	---	---	---	1944
1945	---	---	---	0.142	0.064	0.041	0.032	0.022	0.022	0.038	---	---	---	1945
1946	---	---	---	0.873	0.108	0.050	0.168	0.025	0.020	0.030	---	---	---	1946
1947	---	---	---	10.9	0.743	0.562	0.395	0.182	0.275	0.133	---	---	---	1947
1948	---	---	---	---	5.07	0.350	0.232	0.048	0.022	0.050	---	---	---	1948
1949	---	---	---	4.97	0.210	0.167	0.044	0.023	0.011	0.016	---	---	---	1949
1950	---	---	---	11.7	1.29	1.16	0.193	0.034	0.016	0.026	---	---	---	1950
1951	---	---	---	18.9	6.94	0.338	0.066	0.041	0.074	0.061	---	---	---	1951
1952	---	---	---	7.58	0.269	0.066	0.070	0.030	0.031	0.038	0.018	---	---	1952
1953	---	---	---	0.346	0.690	9.81	6.73	0.320	0.053	0.038	0.042	---	---	1953
1954	---	---	---	0.460	0.584	0.618	0.165	0.040	0.043	0.258	0.389	---	---	1954
1955	---	---	---	11.0	5.50	0.675	0.174	0.014	0.017	0.060	---	---	---	1955
1956	---	---	0.780	3.68	0.608	0.059	0.019	0.017	0.004	0.005	0.004	---	---	1956
1957	---	---	0.355	0.329	0.037	0.014	0.030	0.041	0.014	0.011	---	---	---	1957
1959	---	---	0.019	0.011	0.023	0.022	0.024	0.063	0.023	0.026	0.011	0.004	---	1959
1960	0.011	0.014	0.014	0.015	0.009	0.012	0.057	0.047	0.068	0.025	0.021	0.016	0.026	1960
1961	0.005	0.009	0.008	0.006	0.012	0.032	0.069	0.122	0.046	0.013	0.008	0.006	0.028	1961
1962	0.035	0.007	0.008	0.011	0.641	0.009	0.010	0.095	0.022	0.023	0.028	0.026	0.077	1962
1963	0.008	0.029	0.016	0.017	0.009	0.011	0.016	0.068	0.021	0.014	0.012	0.011	0.019	1963
1964	0.020	0.043	0.019	3.04	0.914	0.028	0.201	0.005	0.175	0.030	0.100	0.117	0.388	1964
1965	0.115	0.108	0.101	3.17	9.69	5.47	1.50	0.414	0.002	0.018	0.006	0.045	1.73	1965
1966	0.013	0.076	4.67	1.24	0.249	0.017	0.089	0.108	0.037	0.109	0.014	0.027	0.560	1966
1967	0.042	0.068	0.276	3.34	3.52	0.099	0.095	0.199	0.199	0.046	0.696	0.042	0.720	1967
1968	0.042	0.042	0.042	0.042	0.083	0.105	0.141	0.086	0.042	0.042	0.042	0.053	0.064	1968
1969	0.054	0.054	4.44	24.9	1.13	0.022	1.88	0.026	0.367	0.147	0.078	0.070	2.74	1969
1970	0.081	0.071	0.070	2.71	21.0	1.55	0.099	0.192	0.060	0.050	0.042	0.042	2.20	1970
1971	0.024	0.025	0.323	3.28	0.079	0.052	5.81	1.06	3.40	0.083	0.573	0.051	1.23	1971
1972	0.051	0.061	7.55	1.81	1.37	5.66	0.912	0.795	0.618	0.070	0.158	0.305	1.62	1972
1973	0.018	0.034	0.107	0.088	0.060	0.104	0.071	0.118	0.040	0.135	0.064	0.050	0.074	1973
1974	0.026	0.023	0.811	20.5	2.64	0.818	2.69	0.112	0.137	0.147	0.078	0.101	2.33	1974
1975	0.096	0.082	0.069	17.4	9.95	1.27	0.053	0.071	0.091	0.099	0.384	0.734	2.52	1975
1976	0.737	1.49	16.2	39.4	1.11	10.5	0.932	0.772	0.559	0.046	0.054	0.073	5.94	1976
1977	0.099	0.085	0.078	0.035	0.210	0.076	0.071	0.145	0.093	0.075	0.091	0.054	0.093	1977
1978	0.054	0.064	1.26	4.25	0.831	0.802	12.2	0.601	2.06	0.931	0.040	0.011	1.95	1978
1979	0.014	0.599	4.28	34.0	15.1	1.11	0.294	0.053	0.035	0.046	0.028	0.040	4.62	1979
1980	0.041	0.050	0.075	0.056	0.087	0.099	0.199	0.107	0.066	0.079	0.087	0.061	0.084	1980
1981	0.104	0.054	0.070	0.054	0.051	0.063	0.087	0.074	0.041	0.065	0.077	0.088	0.069	1981
1982	0.064	0.051	0.063	13.6	1.37	0.315	0.422	0.063	0.062	0.094	0.058	0.068	1.34	1982
MEAN	0.059	0.102	1.24	6.15	1.91	0.910	0.696	0.124	0.161	0.084	0.094	0.069	1.17	MEAN

LOCATION - LAT 49 06 15 N DRAINAGE AREA, 4 840 km²
LONG 103 00 48 W REGULATED SINCE 1958

LONG CREEK NEAR ESTEVAN - STATION NO. 05NB001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	---	---	---	1911
1912	---	---	---	---	1912
1913	---	---	---	---	1913
1914	---	---	---	---	1914
1915	---	0.150E ON APR 25	0.001 ON SEP 2	981	1915
1916	---	38.5 E ON APR 14	0.011 ON JAN 1	58 200	1916
1917	---	11.8 ON MAY 2	0.002B ON FEB 9	17 600	1917
1918	---	5.24 ON APR 26	0 ON AUG 1 *	8 620	1918
1919	---	18.7 B ON APR 5	0 ON AUG 24	19 200	1919
1920	---	25.1 B ON APR 21	0 ON JAN 1	43 700	1920
1921	---	11.0 ON JUN 29	0 ON JAN 1	11 600	1921
1922	---	15.3 B ON APR 5	0 B ON JAN 6	23 500	1922
1923	---	33.7 ON APR 17	0.003 ON FEB 23	---	1923
1933	---	---	---	---	1933
1934	---	---	0 E ON MAR 6	---	1934
1935	---	---	---	---	1935
1936	---	---	---	---	1936
1937	---	---	0 ON JUN 9	---	1937
1938	---	---	---	---	1938
1939	---	43.3 B ON MAR 24	0 ON JUL 22	---	1939
1940	---	---	---	---	1940
1941	---	14.7 ON APR 11	---	---	1941
1942	---	---	---	---	1942
1943	---	---	---	---	1943
1944	---	---	---	---	1944
1945	---	---	---	---	1945
1946	---	---	---	---	1946
1947	---	---	---	---	1947
1948	---	170 E ON APR 26 *	---	---	1948
1949	---	---	---	---	1949
1950	---	---	---	---	1950
1951	---	---	---	---	1951
1952	---	---	---	---	1952
1953	---	---	---	---	1953
1954	---	---	---	---	1954
1955	---	---	---	---	1955
1956	---	---	---	---	1956
1957	---	---	---	---	1957
1959	---	---	---	---	1959
1960	0.504 AT 10:00 CST ON SEP 28	0.442 ON JUL 25	0 ON JUL 11	811	1960
1961	0.442 AT 02:00 CST ON AUG 5	0.433 ON AUG 4	0 ON JUL 11	889	1961
1962	---	3.38 ON MAY 16	0 ON JUL 1	2 440	1962
1963	0.402 AT 18:00 CST ON DEC 7	0.374 ON AUG 13	0 ON JUN 13	607	1963
1964	---	15.6 A ON APR 12	0 A ON MAY 28	12 300	1964
1965	---	21.3 ON MAY 29	0 ON APR 8	54 500	1965
1966	---	23.1 ON MAR 19	0.006 ON JAN 1	17 700	1966
1967	---	15.1 ON MAY 10	0.006 ON MAR 1	22 700	1967
1968	---	0.210 ON JUL 14	0.042 ON JAN 1	2 010	1968
1969	---	113 ON APR 11	0 ON APR 29	86 500	1969
1970	---	55.2 ON MAY 6	0 ON OCT 7	69 300	1970
1971	22.4 AT 21:58 CST ON JUL 13	21.7 ON JUL 14	0.007E ON MAR 4	38 900	1971
1972	41.9 AT 01:54 CST ON MAR 21	41.6 ON MAR 21	0.006 ON NOV 11	51 100	1972
1973	0.864 AT 04:34 CST ON AUG 16	0.680E ON MAR 9	0.005 ON MAY 9	2 350	1973
1974	---	54.4 ON APR 13	0.014B ON FEB 6	73 400	1974
1975	---	84.1 E ON APR 30	0.042E ON MAY 16	79 400	1975
1976	---	154 E ON APR 2	0.020 ON SEP 23	188 000	1976
1977	1.68 AT 19:45 CST ON MAY 16	1.28 ON MAY 16	0.025 ON JUN 29	2 930	1977
1978	38.2 AT 23:00 CST ON JUL 9	36.2 ON JUL 10	0.005B ON DEC 9	61 400	1978
1979	111 AT 19:08 CST ON APR 22 *	110 ON APR 21	0.004B ON NOV 22	146 000	1979
1980	1.08 AT 12:30 CST ON DEC 31	0.290 ON JUL 31	0.021 ON JUN 20	2 660	1980
1981	0.303 AT 08:40 CST ON JUL 24	0.224 ON JUL 23	0.005 ON SEP 5	2 180	1981
1982	72.7 AT 00:44 CST ON APR 17	70.4 ON APR 17	0.021B ON NOV 21	42 200	1982
				36 900	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

LONG CREEK NEAR MAXIM - STATION NO. 05NA004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1959	---	---	0.045	0	0	0.182	0.003	0	0	0.002	---	---	0.029	1959
1960	---	---	3.95	1.72	0.027	0.002	0.001	0	0	0	---	---	0.715	1960
1961	---	---	0.053	0	0	0	0	0	0	0	---	---	0.007	1961
1962	---	---	0.305	0.833	0.001	0.002	0	0	0	0	---	---	0.141	1962
1963	---	---	0.165	0.129	0.013	1.49	0.054	0	0.010	0	---	---	0.229	1963
1964	---	---	0.005	1.70	0.214	0.087	0.004	0	0	0	---	---	0.246	1964
1965	---	---	0	3.06	5.36	3.19	0.487	0.147	0.200	0.142	---	---	1.57	1965
1966	---	---	1.53	0.312	0.101	0.009	0	0	0	0	---	---	0.246	1966
1967	---	---	0.105	3.12	2.39	0.175	0	0	0	0	---	---	0.719	1967
1968	---	---	0.039	0	0	0	0.321	0.404	0.087	0	---	---	0.106	1968
1969	---	---	0	17.0	0.806	0.081	0.218	0.334	0.011	0	---	---	2.27	1969
1970	---	---	0.064	4.25	10.6	0.343	0.004	0	0	0	---	---	1.92	1970
1971	---	---	0.043	3.56	0.049	0.050	4.02	0.386	0	0.044	---	---	1.02	1971
1972	---	---	5.69	0.706	0.158	1.72	0.218	0.123	0	0	---	---	1.08	1972
1973	---	---	0	0.006	0.004	0.002	0	0	0	0	---	---	0.001	1973
1974	---	---	0.073	12.5	0.942	0.242	0.115	0	0	0	---	---	1.71	1974
1975	---	---	0	12.1	3.58	0.064	0.014	0.005	0.004	0.002	---	---	1.94	1975
1976	---	---	8.01	14.4	0.253	6.68	0.655	0.056	0	0	---	---	3.72	1976
1977	---	---	0.001	0.003	0.006	0.003	0	0	0	0	---	---	0.002	1977
1978	---	---	5.02	2.63	0.170	0.428	13.2	0.271	0.725	0.392	---	---	2.88	1978
1979	---	---	0.293	20.4	7.28	0.309	0.074	0.003	0	0	---	---	3.50	1979
1980	---	---	0.010	0.017	0	0	0	0	0	0	---	---	0.003	1980
1981	---	0.049	0.006	0	0	0	0	0	0	0	---	---	0.001	1981
1982	---	---	0.106	9.19	0.519	0.029	0.073	0.030	0	0	---	---	1.22	1982
MEAN	---	0.049	1.06	4.48	1.35	0.629	0.798	0.070	0.056	0.028	---	---	1.05	MEAN

LOCATION - LAT 49 15 32 W DRAINAGE AREA, 1 790 km²
LONG 103 57 22 W REGULATED

LONG CREEK NEAR MAXIM - STATION NO. 05NA004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1959	---	3.94 ON JUN 27	0 ON MAR 1 *	609	1959
1960	---	26.6 ON MAR 29	0B ON MAR 1	15 200	1960
1961	---	0.365B ON MAR 13	0B ON MAR 1	141	1961
1962	---	4.90 B ON MAR 31	0B ON MAR 1	2 990	1962
1963	---	6.80 ON JUN 11	0 ON MAR 1	4 840	1963
1964	---	4.76 B ON APR 8	0B ON MAR 1	5 210	1964
1965	---	19.1 ON MAY 8	0B ON MAR 1	33 200	1965
1966	---	4.64 ON MAR 20	0 ON MAR 1	5 200	1966
1967	---	8.81 ON APR 12	0B ON MAR 1	15 200	1967
1968	---	2.17 ON AUG 29	0B ON MAR 1	2 250	1968
1969	---	82.4 ON APR 8	0B ON MAR 1	48 100	1969
1970	---	52.1 ON MAY 5	0B ON MAR 1	40 600	1970
1971	---	15.9 ON JUL 13	0B ON MAR 1	21 600	1971
1972	41.1 AT 12:12 CST ON JUN 8	30.3 ON MAR 19	0B ON MAR 1	22 800	1972
1973	0.127 AT 18:47 CST ON APR 26	0.079 ON APR 26	0B ON MAR 1	29.9	1973
1974	52.4 AT 11:04 CST ON APR 17	51.3 ON APR 17	0B ON MAR 1	36 100	1974
1975	64.0 AT 13:24 CST ON APR 24	62.6 ON APR 24	0B ON MAR 1	41 100	1975
1976	65.7 AT 02:09 CST ON APR 3	64.0 ON APR 3	0B ON MAR 1	78 700	1976
1977	0.481 AT 10:43 CST ON MAY 19	0.173 ON MAY 19	0B ON MAR 1	36.3	1977
1978	84.4 AT 07:46 CST ON JUL 11	81.6 ON JUL 11	0B ON MAR 1	60 900	1978
1979	121 AT 01:19 CST ON APR 21 *	112 ON APR 21 *	0B ON MAR 1	74 200	1979
1980	0.217B AT 15:25 CST ON MAR 19	0.079 ON APR 12	0B ON MAR 1	69.4	1980
1981	---	0.027 ON MAR 1	0 ON MAR 15	15.3	1981
1982	39.4 AT 17:15 CST ON APR 17	38.6 ON APR 19	0B ON MAR 1	25 800	1982
				22 300	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

LONG CREEK NEAR HOONAH - STATION NO. 05MB027

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1959	---	---	---	---	---	---	---	---	---	0	0.013	0.018	---	1959
1960	0.005	0.004	8.31	7.43	0.227	0.142	0.102	0	0	0	0	0	1.35	1960
1961	0	0	0.106	0.033	0.004	0	0	0	0	0	0	0	0.012	1961
1962	0	0	0.493	1.12	0.010	0.015	0	0	0	0	0	0	0.136	1962
1963	0	0	0.278	0.215	0.029	3.98	0.498	1.09	0.453	0.022	0.004	0.003	0.545	1963
1964	0.001	0.003	0.003	5.84	0.527	0.223	0.114	0	0	0	0	0	0.552	1964
1965	0	0	0	5.43	8.77	5.32	1.60	0.199	0.137	0.124	0.055	0.062	1.81	1965
1966	0.041	0.040	5.12	1.23	0.475	0.049	0.007	0.001	0	0.002	0.002	0.001	0.588	1966
1967	0	0	1.84	3.59	3.80	0.111	0.001	0	0	0	0	0	0.783	1967
1968	0.002	0.002	0.072	0.016	0.003	0.004	0	0	0.306	0.004	0.005	0.004	0.035	1968
1969	0	0	0.005	34.0	1.36	0.107	1.42	0.205	0.005	0.009	0.011	0.012	3.06	1969
1970	0.002	0	0.409	5.02	20.6	1.54	0.295	0.038	0.004	0.018	0.023	0.008	2.36	1970
1971	0.003	0.008	0.546	5.13	0.267	0.099	7.88	0.432	0.019	0.070	0.044	0.024	1.15	1971
1972	0.004	0	12.8	1.97	1.51	5.69	0.516	0.181	0.035	0.039	0.039	0.022	1.91	1972
1973	0.016	0.018	0.131	0.199	0.178	0.104	0.001	0	0.003	0.009	0.015	0.003	0.056	1973
1974	0	0.026	2.94	26.5	2.66	0.876	2.80	0.122	0.020	0.025	0.024	0.018	2.98	1974
1975	0.023	0.014	0.027	19.9	9.41	1.18	0.176	0.032	0.356	0.295	0.182	0.123	2.63	1975
1976	0.145	0.129	16.9	36.6	1.63	10.6	1.60	0.146	0.020	0.027	0.022	0.012	5.62	1976
1977	0.008	0.011	0.125	0.117	0.382	0.086	0.001	0	0	0.001	0.006	0.003	0.062	1977
1978	0	0	4.78	6.50	0.698	0.799	12.8	1.11	2.19	0.877	0.203	0.121	2.70	1978
1979	0.022	0.011	4.377	39.5	14.6	1.16	0.220	0.030	0.014	0.019	0.019	0.020	4.65	1979
1980	0.009	0.005	0.280	0.923	0.066	0.002	0.001	0	0	0.001	0.008	0.003	0.107	1980
1981	0	2.02	0.370	0.021	0.007	0.006	0	0	0	0	0	0.001	0.189	1981
1982	0	0	0	23.6	1.58	0.210	0.797	0.062	0.005	0.019	0.022	0.012	2.17	1982
MEAN	0.012	0.100	2.52	9.78	2.99	1.40	1.31	0.159	0.155	0.065	0.029	0.020	1.58	MEAN

LOCATION - LAT 48 58 52 N LONG 103 04 34 W DRAINAGE AREA, 4 460 km² REGULATED INTERNATIONAL GAUGING STATION

LONG CREEK NEAR HOONAH - STATION NO. 05MB027

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1959	---	---	0 E ON OCT 1 •	---	1959
1960	90.6 B AT 20:00 CST ON MAR 27	56.6 B ON MAR 28	0 B ON FEB 26	42 900	1960
1961	0.651 ON MAR 20	0.510 ON MAR 19	0 B ON JAN 1	380	1961
1962	4.36 AT 07:00 CST ON MAR 30	3.91 ON APR 5	0 ON JAN 1	4 280	1962
1963	22.9 AT 07:00 CST ON JUN 9	20.9 ON JUN 9	0 ON JAN 1	17 200	1963
1964	22.2 B AT 09:00 CST ON APR 5	18.4 B ON APR 5	0 B ON JAN 9	17 400	1964
1965	22.1 AT 10:30 CST ON MAY 9	21.5 ON MAY 9	0 ON JAN 1	57 200	1965
1966	23.2 B AT 23:00 CST ON MAR 16	22.1 B ON MAR 17	0 ON JUL 12	18 500	1966
1967	---	13.5 ON MAY 9	0 B ON JAN 1	24 700	1967
1968	1.27 AT 00:00 CST ON SEP 8	1.19 ON SEP 7	0 ON JAN 1	1 090	1968
1969	141 AT 16:00 CST ON APR 10 •	121 ON APR 10	0 ON JAN 1	96 600	1969
1970	53.8 AT 07:30 CST ON MAY 8	53.0 ON MAY 8	0 ON JAN 9	74 300	1970
1971	---	22.0 ON JUL 13	0 ON JAN 15	36 300	1971
1972	---	49.6 B ON MAR 18	0 B ON JAN 22	60 400	1972
1973	0.481 ON JUN 4	0.368 ON APR 3	0 ON JUL 5	1 780	1973
1974	60.6 B ON APR 12	54.4 B ON APR 11	0 B ON JAN 1	94 000	1974
1975	75.3 ON APR 29	71.6 ON APR 29	0.001 ON JUL 30	83 100	1975
1976	---	162 ON APR 1 •	0 ON SEP 16	178 000	1976
1977	---	1.70 ON MAY 23	0 ON JUL 7	1 960	1977
1978	61.7 AT 00:15 CST ON JUL 15	59.2 ON JUL 15	0 E ON JAN 1	85 100	1978
1979	140 AT 02:30 CST ON APR 19	132 ON APR 19	0.007 ON AUG 27	146 000	1979
1980	2.27 B AT 19:45 CST ON MAR 28	2.07 ON APR 16	0 ON JUL 19	3 390	1980
1981	11.5 B AT 06:00 CST ON FEB 21	10.6 B ON FEB 21	0 B ON JAN 12	5 960	1981
1982	110 B AT 17:00 CST ON APR 15	102 B ON APR 15	0 B ON JAN 1	68 400	1982
	B - ICE CONDITIONS E - ESTIMATED	• - EXTREME RECORDED FOR THE PERIOD OF RECORD		48 600	MEAN

LONG CREEK NEAR TRIBUNE - STATION NO. 05MA001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1956	---	---	0.624	2.34	0.299	0.004	0	0	0	0	---	---	---	1956
MEAN	---	---	0.624	2.34	0.299	0.004	0	0	0	0	---	---	---	MEAN

LOCATION - LAT 49 13 05 N LONG 103 53 20 W DRAINAGE AREA, 1 970 km² NATURAL FLOW

LONG CREEK NEAR TRIBUNE - STATION NO. 05MA001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1956	---	5.64 ON APR 8 •	0B ON MAR 1 •	---	1956
	B - ICE CONDITIONS	• - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

LONG CREEK NEAR TRIBUNE - STATION NO. 05NA002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1957	---	---	0.181	0.049	0	0	0	0	0.001	0	---	---	0.029	1957
1958	---	---	0.604	2.03	0	0.066	0	0	0	0	---	---	0.333	1958
MEAN	---	---	0.393	1.04	0	0.033	0	0	0.001	0	---	---	0.181	MEAN

LOCATION - LAT 49 10 32 N LONG 103 50 38 W DRAINAGE AREA, 1 980 km² NATURAL FLOW

LONG CREEK NEAR TRIBUNE - STATION NO. 05NA002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1957	---	1.84 ON MAR 21	0 ON MAR 1 *	614	1957
1958	---	9.34 ON APR 4 *	0B ON MAR 1	7 040	1958
				3 830	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

LOON CREEK NEAR MARKINCH - STATION NO. 05JK006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO JUN IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	---	---	---	0	---	---	---	---	---	---	---	1944
1945	---	---	---	0	0	0	---	---	---	---	---	---	---	1945
1946	---	---	0.017	0	0	0	---	---	---	---	---	---	0.004	1946
1947	---	---	0	1.13	0.008	0	---	---	---	---	---	---	0.281	1947
1948	---	---	0	0.374	0.004	0	---	---	---	---	---	---	0.093	1948
1949	---	---	0	0.026	0	0	---	---	---	---	---	---	0.006	1949
1950	---	---	0.001	0.530	0	0	---	---	---	---	---	---	0.131	1950
1951	---	---	3	0.666	0.128	0	---	---	---	---	---	---	0.196	1951
1952	---	---	0.164	0.183	0	0	---	---	---	---	---	---	0.087	1952
1953	---	---	0.005	1.37	0.043	0.007	---	---	---	---	---	---	0.352	1953
1954	---	---	0	0.838	0.145	0.130	---	---	---	---	---	---	0.275	1954
MEAN	---	---	0.021	0.512	0.033	0.012	---	---	---	---	---	---	0.158	MEAN

LOCATION - LAT 50 53 00 N LONG 104 18 30 W DRAINAGE AREA, 2 040 km² REGULATED

LOON CREEK NEAR MARKINCH - STATION NO. 05JK006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO JUN FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	---	0 ON MAY 20 *	---	1944
1945	---	---	0 ON APR 1	---	1945
1946	---	0.082 ON MAR 27	0 ON MAR 1	45.4	1946
1947	---	8.55 ON APR 14	0B ON MAR 1	2 960	1947
1948	---	3.40 ON APR 19	0 ON MAR 1	979	1948
1949	---	0.150 ON APR 4	0B ON MAR 1	67.6	1949
1950	---	3.11 ON APR 7	0B ON MAR 1	1 370	1950
1951	---	2.21 ON APR 30	0B ON MAR 1	2 070	1951
1952	---	2.44 ON MAR 29	0 ON MAR 1	916	1952
1953	---	10.4 ON APR 4 *	0B ON MAR 1	3 700	1953
1954	---	3.45 B ON APR 12	0B ON MAR 1	2 900	1954
				1 670	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

LYNCH DITCH NEAR GOVENLOCK - STATION NO. 11AB042

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	0	0	0	0	0	0	0	0	---	---	0	1915
MEAN	---	---	0	0	0	0	0	0	0	0	---	---	0	MEAN

LOCATION - LAT 49 08 15 N LONG 109 52 00 W REGULATED

REMARKS - NO WATER WAS DIVERTED FROM 1915-23

LYNCH DITCH NEAR GOVENLOCK - STATION NO. 11AB042

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	0 ON MAR 1 *	0 ON MAR 1 *	0	1915
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		0	MEAN

LYONS CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AB075

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1927	---	---	0.466	2.49	1.46	0.042	0.318	0.020	0	0	---	---	0.596	1927
1928	---	---	0.184	1.20	0.004	0	0	0	0	0	---	---	0.172	1928
1929	---	---	0	0	0.028	0.085	0	0	0	0	0	0	0.014	1929
1930	0	0.042	0.876	1.09	0.001	0	0	0	0	0	0	0	0.244	1930
1931	0	0	0	0	0	0	0	0	0	0	0	0	0	1931
1932	0	0	0.010	0.002	0	0.042	0	0	0	0	0	0	0.007	1932
1933	0	0	0	0	0	0	0	0	0	0	0	0	0	1933
1934	0	0.196	0.287	0.010	0	0	0	0	0	0	0	0	0.038	1934
1935	0	0	0.180	0.610	0	0	0.082	0.002	0	0	0	0	0.108	1935
1936	0	0	0	0.748	0.001	0	0	0	0	0	0	0	0.092	1936
1937	0	0	0.004	0.346	0	0	0	0	0.014	0	---	---	0.045	1937
1938	---	---	0.259	0.264	0.026	0.129	0.081	0	0	0	---	---	0.094	1938
1939	---	---	1.01	0.011	0	0.155	0.001	0	0	0	---	---	0.148	1939
1940	---	---	0	1.50	0.057	0.023	0	0	0	0	---	---	0.194	1940
1941	---	---	1.03	0.008	0	0	0	0	0	0	---	---	0.132	1941
1942	---	---	0.083	0.073	0	0.355	0.061	0	0	0	---	---	0.071	1942
1943	---	---	0.644	0.053	0	0	0	0	0	0	---	---	0.088	1943
1944	---	---	0.115	0	0	0	0	0	0	0	---	---	0.015	1944
1945	---	---	0.041	0	0	0	0	0	0	0	---	---	0.005	1945
1946	---	---	0.420	0	0	0.109	0	0	0	0	---	---	0.066	1946
1947	---	---	0.183	0.151	0	0	0	0	0	0	0	0	0.042	1947
1948	0	0	0	0	0	0	0	0	0	0	0	0	0	1948
1949	0	0	0	0	0	0	0	0	0	0	---	---	0	1949
1950	---	---	0	1.94	0.005	0	0	0	0	0	---	---	0.238	1950
1951	---	---	0	0.462	0.116	0	0	0	0	0	---	---	0.071	1951
1952	---	---	0	5.55	0.004	0	0	0	0	0	---	---	0.680	1952
1953	---	---	0	0	0	0	0	0	0	0	---	---	0	1953
1954	---	---	0	0.942	0.006	0	0	0	0	0	---	---	0.116	1954
1955	---	---	0.178	1.55	0.015	0.110	2.81	0.016	0	0	---	---	0.586	1955
1956	---	---	0.032	0.088	0.004	0	0	0	0	0	---	---	0.015	1956
1957	---	---	0.017	0.460	0	0	0	0	0	0	---	---	0.058	1957
1958	---	---	0.515	0.351	0	0	0	0	0	0	---	---	0.108	1958
1959	---	---	0.203	0.047	0	0.147	0.003	0	0	0	---	---	0.050	1959
1960	---	---	1.08	0.125	0.030	0	0	0	0	0	---	---	0.156	1960
1961	---	---	0.334	0	0	0	0	0	0	0	---	---	0.042	1961
1962	---	---	0.409	0.057	0	0.045	0.046	0	0	0	---	---	0.070	1962
1963	---	0.027	0.019	0	0	0	0	0	0	0	---	---	0.002	1963
1964	---	---	0	0	0	0	0	0	0	0	---	---	0	1964
1965	---	---	0	1.05	0.013	0	0	0	0	0	---	---	0.131	1965
1966	---	---	0.341	0.112	0.001	0	0	0	0	0	---	---	0.057	1966
1967	---	---	0.391	1.28	0.574	0	0	0	0	0	---	---	0.279	1967
1968	---	---	0	0	0	0	0	0	0	0	---	---	0	1968
1969	---	---	0	1.13	0.007	0	0	0	0	0	---	---	0.139	1969
1970	---	---	0	0	0	0	0	0	0	0	---	---	0	1970
1971	---	---	0	0.002	0	0	0	0	0	0	---	---	0	1971
1972	---	---	0.015	0	0	0	0	0	0	0	---	---	0.002	1972
1973	---	---	0	0	0	0	0	0	0	0	---	---	0	1973
1974	---	---	0.274	0.363	0.345	0.002	0	0	0	0	---	---	0.123	1974
1975	---	---	0	0.248	0.105	0.004	0	0.043	0	0	---	---	0.050	1975
1976	---	---	0.599	0.017	0	0	0	0	0	0	---	---	0.078	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0	1.71	0.022	0	0	0	0	0	---	---	0.213	1978
1979	---	---	0.694	0.321	0.026	0.079	0.267	0	0	0	---	---	0.174	1979
1980	---	---	0.215	0.007	0	0	0	0	0	0	---	---	0.028	1980
1981	---	---	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0.035	1.37	0.138	0.175	0	0	0	0	---	---	0.211	1982
MEAN	0	0.024	0.199	0.495	0.053	0.027	0.066	0.001	0	0	0	0	0.104	MEAN

LOCATION - LAT 49 00 17 N LONG 109 13 48 W DRAINAGE AREA, 174 km^2 NATURAL FLOW INTERNATIONAL GAUGING STATION

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1963

LYONS CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AB075

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1927	18.9 AT 19:00 MST ON APR 3	18.3 ON MAY 23	0 ON MAR 1 *	12 600	1927
1928	15.8 B ON APR 2	10.7 B ON APR 2	0B ON MAR 1	3 630	1928
1929	0.796 ON JUN 11	0.603 ON JUN 4	0 ON MAR 1	295	1929
1930	12.4 B AT 07:00 MST ON APR 2	10.7 B ON APR 2	0B ON MAR 2	5 170	1930
1931	---	0 ON MAR 1	0 ON MAR 1	0	1931
1932	0.708 AT 19:00 MST ON JUN 10	0.362 ON JUN 11	0 ON MAR 1	140	1932
1933	---	0 ON MAR 1	0 ON MAR 1	0	1933
1934	3.26 B AT 07:00 MST ON MAR 3	2.52 B ON MAR 3	0 ON MAR 28	795	1934
1935	12.8 AT 07:00 MST ON APR 13	7.02 ON APR 13	0 ON MAR 1	2 290	1935
1936	14.3 AT 18:00 MST ON APR 12	11.0 ON APR 12	0 ON MAR 1	1 940	1936
1937	5.21 AT 05:00 MST ON APR 9	2.80 ON APR 9	0 ON MAR 1	946	1937
1938	4.11 AT 18:30 MST ON MAR 25	3.14 B ON APR 9	0 ON MAR 1	2 000	1938
1939	17.1 AT 01:00 MST ON MAR 23	10.5 ON MAR 22	0 ON MAR 1	3 130	1939
1940	25.7 AT 07:30 MST ON APR 21	15.1 ON APR 21	0 ON MAR 1	8 110	1940
1941	11.6 AT 22:00 MST ON MAR 21	8.07 ON MAR 22	0 ON MAR 1	2 790	1941
1942	6.00 AT 08:15 MST ON JUN 29	4.22 ON JUN 29	0 ON MAR 1	1 490	1942
1943	9.12 AT 09:45 MST ON MAR 29	9.00 ON MAR 29	0 ON MAR 1	1 870	1943
1944	2.92 AT 19:15 MST ON MAR 17	1.50 ON MAR 18	0 ON MAR 1	309	1944
1945	0.811 AT 09:45 MST ON MAR 23	0.356 ON MAR 22	0 ON MAR 1	111	1945
1946	13.8 AT 20:05 MST ON JUN 5	2.66 ON MAR 11	0 ON MAR 1	1 410	1946
1947	1.84 AT 19:00 MST ON MAR 29	1.33 ON MAR 29	0 ON MAR 1	882	1947
1948	---	0 ON MAR 1	0 ON MAR 1	0	1948
1949	---	0 ON MAR 1	0 ON MAR 1	0	1949
1950	20.6 ON APR 13	14.7 ON APR 13	0 ON MAR 1	5 040	1950
1951	3.96 B AT 17:55 MST ON APR 5	2.89 ON APR 8	0 ON MAR 1	1 510	1951
1952	26.6 AT 03:00 MST ON APR 7	23.5 ON APR 7 *	0 ON MAR 1	18 400	1952
1953	---	0 ON MAR 1	0 ON MAR 1	0	1953
1954	18.3 AT 21:00 MST ON APR 6	9.49 ON APR 6	0B ON MAR 1	2 460	1954
1955	34.5 ON JUL 6 *	19.5 ON JUL 7	0B ON MAR 1	12 400	1955
1956	0.541 AT 19:00 MST ON APR 4	0.487 ON APR 4	0B ON MAR 1	325	1956
1957	3.45 AT 12:30 MST ON APR 1	3.17 ON APR 1	0 ON MAR 1	1 230	1957
1958	6.63 A AT 17:45 MST ON MAR 31	5.47 A ON MAR 31	0 ON MAR 1	2 290	1958
1959	6.98 AT 18:30 MST ON MAR 26	2.49 ON JUN 28	0 ON MAR 1	1 050	1959
1960	8.35 A AT 18:00 MST ON MAR 23	7.90 A ON MAR 23	0 ON MAR 1	3 310	1960
1961	5.21 AT 19:00 MST ON MAR 15	2.61 ON MAR 17	0 ON MAR 1	895	1961
1962	---	3.79 ON MAR 27	0 ON MAR 1	1 490	1962
1963	---	0.210B ON MAR 2	0B ON MAR 16	50.3	1963
1964	---	0 ON MAR 1	0 ON MAR 1	0	1964
1965	18.7 AT 13:30 MST ON APR 20	7.93 B ON APR 19	0B ON MAR 1	2 770	1965
1966	3.71 AT 23:30 MST ON APR 2	1.22 ON APR 3	0 ON MAR 1	1 200	1966
1967	8.89 AT 19:30 MST ON APR 3	4.76 ON APR 4	0 ON MAR 1	5 920	1967
1968	0 AT 00:00 MST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1968
1969	15.7 AT 09:00 MST ON APR 7	10.4 ON APR 7	0 ON MAR 1	2 950	1969
1970	---	0 ON MAR 1	0 ON MAR 1	0	1970
1971	0.181 AT 22:00 CST ON APR 9	0.025 ON APR 10	0 ON MAR 1	4.06	1971
1972	1.23 AT 18:45 MST ON MAR 17	0.368 ON MAR 17	0 ON MAR 1	41.3	1972
1973	0 AT 00:00 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1973
1974	5.38 AT 16:00 CST ON APR 1	4.02 ON APR 1	0 ON MAR 1	2 600	1974
1975	2.78 A AT 01:00 CST ON APR 15	1.05 ON APR 20	0 ON MAR 1	1 050	1975
1976	5.69 B ON MAR 19	3.68 B ON MAR 19	0 ON MAR 1	1 640	1976
1977	---	0 ON MAR 1	0 ON MAR 1	0	1977
1978	21.5 B AT 19:30 CST ON APR 6	13.0 B ON APR 6	0B ON MAR 1	4 500	1978
1979	5.42 AT 19:00 CST ON MAR 24	3.43 ON MAR 24	0 ON MAR 1	3 680	1979
1980	2.33 AT 20:00 MST ON MAR 20	1.27 ON MAR 21	0 ON MAR 1	595	1980
1981	---	0 ON MAR 1	0 ON MAR 1	0	1981
1982	15.3 AT 20:00 CST ON APR 13	8.39 ON APR 14	0 ON MAR 1	4 480	1982
				2 210	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

MACDONALD CREEK NEAR BOUNTY - STATION NO. 05HF005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1966	---	---	---	---	---	---	---	---	0	0	---	---	---	1966
1967	---	---	0	0.376	0.989	0.195	0.001	0	0	0	---	---	0.195	1967
1968	---	---	0.189	0.012	0.001	0.004	0	0	0.002	0.006	---	---	0.027	1968
1969	---	---	0	3.66	0.353	0.096	0.047	0.020	0	0.024	---	---	0.516	1969
1970	---	---	0	8.88	1.29	0.366	0.324	0.153	0.031	0.030	---	---	1.36	1970
1971	---	---	0	1.34	0.382	0.136	0.043	0	0	0	---	---	0.234	1971
1972	---	---	0.090	0.112	0.007	0.057	0.002	0	0	0	---	---	0.033	1972
1973	---	---	0.050	0.023	0.009	0	0	0	0	0	---	---	0.010	1973
1974	---	---	0	2.58	0.260	0.039	0.265	0.013	0.001	0.083	---	---	0.390	1974
1975	---	---	0	1.31	0.578	0.347	0.189	0.059	0.031	0.017	---	---	0.314	1975
1976	---	---	0.012	3.46	0.706	0.227	0.148	0.040	0.001	0	---	---	0.566	1976
1977	---	---	0.015	0.042	0.026	0.001	0	0	0	0	---	---	0.010	1977
1978	---	---	0.092	0.127	0.019	0.005	0	0	0	0	---	---	0.030	1978
1979	---	---	0	0.948	0.031	0.008	0.002	0	0	0	---	---	0.121	1979
1980	---	---	0.229	0.100	0	0	0	0	0	0	---	---	0.041	1980
1981	---	---	0.011	0.013	0.001	0.001	0	0	0	0	---	---	0.003	1981
1982	---	---	0	1.29	0.112	0.064	0.002	0.008	0	0	---	---	0.181	1982
MEAN	---	---	0.043	1.52	0.298	0.097	0.064	0.018	0.004	0.005	---	---	0.252	MEAN

LOCATION - LAT 51 31 56 N, LONG 107 24 44 W DRAINAGE AREA, 2 570 km^2, NATURAL FLOW

MACDONALD CREEK NEAR BOUNTY - STATION NO. 05HF005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1966	---	---	0 ON AUG 22 *	---	1966
1967	4.16 B AT 01:30 CST ON APR 29	3.17 B ON APR 29	0B ON MAR 1	4 130	1967
1968	---	1.21 B ON MAR 4	0 ON MAY 2	570	1968
1969	32.0 AT 06:00 CST ON APR 11 *	26.0 ON APR 11	0B ON MAR 1	10 900	1969
1970	30.9 AT 03:30 CST ON APR 10	26.6 ON APR 11 *	0B ON MAR 1	28 800	1970
1971	6.71 B AT 23:51 CST ON APR 10	5.47 B ON APR 10	0B ON MAR 1	4 950	1971
1972	1.03 B AT 00:01 CST ON MAR 24	0.631B ON APR 3	0B ON MAR 1	704	1972
1973	0.609B AT 14:50 CST ON MAR 20	0.368B ON MAR 21	0B ON MAR 1	220	1973
1974	18.6 B AT 07:29 CST ON APR 20	16.5 B ON APR 20	0B ON MAR 1	8 240	1974
1975	8.83 AT 08:08 CST ON APR 20	8.33 ON APR 20	0B ON MAR 1	6 640	1975
1976	17.2 AT 00:26 CST ON APR 8	16.1 ON APR 7	0B ON MAR 1	12 000	1976
1977	0.238 AT 03:56 CST ON APR 10	0.210 ON APR 10	0B ON MAR 1	219	1977
1978	1.35 AT 08:05 CST ON MAR 29	0.932 ON MAR 29	0B ON MAR 1	640	1978
1979	4.51 AT 08:43 CST ON APR 19	4.31 ON APR 19	0B ON MAR 1	2 570	1979
1980	2.20 B AT 07:24 CST ON MAR 25	1.09 B ON MAR 29	0B ON MAR 1	874	1980
1981	0.070 AT 11:40 CST ON MAR 17	0.062 ON MAR 17	0B ON MAR 1	69.1	1981
1982	14.1 B AT 07:19 CST ON APR 17	9.39 B ON APR 17	0B ON MAR 1	3 830	1982
				5 330	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

MACFARLANE RIVER AT OUTLET OF DAVY LAKE - STATION NO. 07NB001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	---	---	---	---	96.4	72.6	55.6	57.3	56.6	49.5	---	1967
1968	44.4	42.2	43.6	48.6	88.0	79.7	66.5	50.3	59.5	112	93.9	70.5	66.7	1968
1969	62.1	54.2	48.7	61.3	86.2	63.4	45.4	38.2	37.4	44.4	40.5	36.7	51.2	1969
1970	32.1	30.3	33.1	39.5	74.5	66.9	50.9	42.8	54.1	62.6	62.3	52.6	50.2	1970
1971	46.7	43.5	41.1	48.5	77.9	51.5	40.7	38.3	42.4	46.0	45.0	39.5	46.8	1971
1972	35.9	34.2	32.2	32.4	72.5	66.9	47.1	33.7	34.6	53.1	45.7	37.9	43.9	1972
1973	37.0	36.6	36.2	36.3	45.9	46.0	70.5	81.1	64.7	64.5	58.0	53.4	52.7	1973
1974	47.9	45.0	41.7	42.1	86.2	72.8	68.6	61.5	67.8	75.6	67.2	51.2	60.7	1974
1975	45.5	42.8	41.9	47.5	94.2	70.8	62.3	51.2	56.6	64.4	65.3	56.7	58.4	1975
1976	50.9	44.7	40.3	57.6	85.4	64.2	50.8	64.4	65.2	71.4	69.2	57.1	60.1	1976
1977	51.1	49.4	46.5	60.5	92.0	84.8	70.4	64.5	73.8	69.2	59.8	51.9	64.6	1977
1978	46.1	42.6	41.7	46.0	89.9	75.5	52.0	47.9	59.0	72.9	61.4	51.4	57.3	1978
1979	46.1	42.6	41.7	42.4	69.1	77.9	54.4	46.0	46.5	55.0	55.1	45.9	51.9	1979
1980	40.0	37.9	37.3	52.6	63.2	40.2	34.3	33.7	35.8	39.9	38.1	32.8	40.5	1980
1981	30.0	29.3	29.3	33.3	69.8	53.5	39.2	30.7	26.8	27.0	32.2	32.8	36.2	1981
1982	27.5	22.8	21.6	23.7	63.6	54.4	38.7	38.2	40.4	40.3	36.1	35.1	37.0	1982
MEAN	42.9	39.9	38.5	44.8	77.2	64.6	55.5	49.4	51.3	59.7	55.4	47.2	51.9	MEAN

LOCATION - LAT 58 58 00 N LONG 108 10 30 W DRAINAGE AREA, 9 120 km^2 NATURAL FLOW

MACFARLANE RIVER AT OUTLET OF DAVY LAKE - STATION NO. 07NB001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1967	---	---	---	---	1967
1968	121 AT 15:00 CST ON OCT 17 *	117 ON OCT 15 *	41.9A ON JAN 31	2 110 000	1968
1969	95.1 AT 08:00 CST ON MAY 2	95.1 ON MAY 2	30.0 ON SEP 5	1 610 000	1969
1970	80.4 AT 12:00 CST ON MAY 27	80.1 ON MAY 27	29.7B ON FEB 5	1 580 000	1970
1971	88.3 AT 07:06 CST ON MAY 11	87.2 ON MAY 11	35.4 ON AUG 15	1 480 000	1971
1972	88.9 AT 23:36 CST ON MAY 24	88.3 ON MAY 24	30.3E ON AUG 25	1 390 000	1972
1973	---	96.6 ON JUL 25	36.0E ON MAR 29	1 660 000	1973
1974	---	102 E ON MAY 20	40.8 ON MAR 10	1 920 000	1974
1975	---	103 ON MAY 16	41.1 ON MAR 29	1 640 000	1975
1976	96.0 AT 18:09 CST ON MAY 10	93.4 ON MAY 10	39.4 ON MAR 7	1 900 000	1976
1977	113 AT 12:19 CST ON MAY 12	104 ON MAY 12	44.7E ON MAR 23	2 040 000	1977
1978	98.0 AT 22:42 CST ON MAY 18	97.7 ON MAY 16	40.5 ON MAR 4	1 810 000	1978
1979	99.0 AT 13:43 CST ON MAY 27	95.6 ON MAY 28	39.2 ON APR 5	1 640 000	1979
1980	---	78.0E ON APR 30	31.2 ON DEC 25	1 280 000	1980
1981	78.4 AT 13:15 CST ON MAY 16	77.8 ON MAY 16	23.8 ON OCT 8	1 140 000	1981
1982	78.9 AT 12:13 CST ON MAY 21	76.1 ON MAY 24	21.1 ON MAR 25 *	1 170 000	1982
				1 640 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

MACLEOD TRIBUTARY NEAR BICKLEIGH - STATION NO. 05HF012

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	0.001	0	0	0	0	0	0	0	---	---	0	1968
1969	---	---	0	0.067	0	0	0	0	0	0.003	---	---	0.009	1969
1970	---	---	0	0.077	0	0	0	0	0	0	---	---	0.009	1970
1971	---	---	0	0.039	0	0.001	0.003	0	0	0	---	---	0.005	1971
1972	---	---	0.002	0.001	0	0	0	0	0	0	---	---	0	1972
1973	---	---	0.001	0.002	0	0	0	0	0	0	---	---	0	1973
MEAN	---	---	0.001	0.031	0	0	0.001	0	0	0.001	---	---	0.004	MEAN

LOCATION - LAT 51 19 44 N LONG 108 24 05 W DRAINAGE AREA, 18.4 km^2 NATURAL FLOW

MACLEOD TRIBUTARY NEAR BICKLEIGH - STATION NO. 05HF012

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	0.008A ON MAR 3	0E ON MAR 7 *	2.07	1968
1969	2.18 AT 18:20 CST ON APR 11 *	0.855 ON APR 11 *	0B ON MAR 1	181	1969
1970	1.65 AT 17:00 CST ON APR 9	0.586 ON APR 8	0B ON MAR 1	199	1970
1971	1.44 B AT 17:34 CST ON APR 8	0.402B ON APR 8	0B ON MAR 1	112	1971
1972	0.037B AT 17:24 CST ON APR 1	0.014B ON APR 1	0B ON MAR 1	6.74	1972
1973	0.019 AT 14:35 CST ON MAR 21	0.010B ON MAR 20	0B ON MAR 1	7.26	1973
				84.7	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

MACNAB CREEK NEAR SOMME - STATION NO. 05LB008

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1956	---	---	---	0.006	0.723	---	---	---	---	---	---	---	---	1956
1957	---	---	---	0.809	0.599	---	---	---	---	---	---	---	---	1957
1960	---	---	---	0.925	---	---	---	---	---	---	---	---	---	1960
1961	---	---	0	0	0	0	0	0	0	0	---	---	0	1961
1963	---	---	0	0	0	0	0	0	0	0	---	---	0	1963
1964	---	---	---	---	0.403	---	---	---	---	---	---	---	---	1964
1965	---	---	---	0.185	---	---	---	---	---	---	---	---	---	1965
1966	---	---	---	0.235	0.379	---	---	---	---	---	---	---	---	1966
1967	---	---	---	0.112	1.10	---	---	---	---	---	---	---	---	1967
1968	---	---	---	0.019	---	---	---	---	---	---	---	---	---	1968
1969	---	---	---	0.373	---	---	---	---	---	---	---	---	---	1969
1970	---	---	---	0.216	---	---	---	---	---	---	---	---	---	1970
1974	---	---	---	0.431	1.49	0.381	---	---	---	---	---	---	---	1974
1975	---	---	0	0.440	0.776	0.514	0.064	0.006	0.011	0.050	---	---	0.231	1975
1976	---	---	0	0.512	0.112	2.16	0.263	0.028	0.001	0.001	---	---	0.378	1976
1977	---	---	0	0.037	0.034	0.004	0	0	0	0	---	---	0.009	1977
1978	---	---	0	0.266	0.115	0.005	0	0	0	0	---	---	0.048	1978
1979	---	---	0	0.473	0.953	0.628	0.014	0	0	0	---	---	0.257	1979
1980	---	---	0.001	0.116	0	0	0	0	0	0	---	---	0.014	1980
1981	---	---	0.002	0.005	0	0	0	0	0	0	---	---	0.001	1981
1982	---	---	0	0.043	0.003	0.011	0	0	0	0	---	---	0.007	1982
MEAN	---	---	0	0.258	0.418	0.337	0.034	0.003	0.001	0.005	---	---	0.095	MEAN

LOCATION - LAT 52 36 29 N, LONG 102 57 57 W
DRAINAGE AREA, 87.5 km^2
NATURAL FLOW

REMARKS - RECORDS PRIOR TO 1977 COLLECTED IN SE05-42-07-W2

MACNAB CREEK NEAR SOMME - STATION NO. 05LB008

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1956	---	---	---	---	1956
1957	---	---	---	---	1957
1960	---	---	---	---	1960
1961	---	0 ON MAR 1	0 ON MAR 1 *	0	1961
1963	---	0 ON MAR 1	0 ON MAR 1	0	1963
1964	---	---	---	---	1964
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1974	---	---	---	---	1974
1975	---	1.85 ON APR 29	0B ON MAR 1	4 900	1975
1976	---	5.75 ON JUN 25 *	0B ON MAR 1	8 010	1976
1977	---	0.167 ON APR 12	0B ON MAR 1	199	1977
1978	---	0.886B ON APR 18	0B ON MAR 1	1 010	1978
1979	---	3.28 ON JUN 7	0B ON MAR 1	5 450	1979
1980	0.691 AT 06:15 CST ON APR 6 *	0.486 ON APR 6	0B ON MAR 1	298	1980
1981	0.182 AT 05:19 CST ON APR 7	0.081 ON APR 7	0B ON MAR 1	17.1	1981
1982	0.397 AT 17:45 CST ON APR 15	0.348 ON APR 15	0B ON MAR 1	149	1982
				2 000	MEAN

B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

MAGNUSSON CREEK NEAR WYNYARD - STATION NO. 05HA021

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1964	---	---	---	0.271	0.037	---	---	---	---	---	---	---	---	1964
1965	---	---	---	0.891	0.007	---	---	---	---	---	---	---	---	1965
1966	---	---	---	0.968	0.078	---	---	---	---	---	---	---	---	1966
1967	---	---	---	0.970	0.122	0	---	---	---	---	---	---	---	1967
1969	---	---	---	---	0.007	---	---	---	---	---	---	---	---	1969
1970	---	---	0.119	1.99	---	---	---	---	---	---	---	---	---	1970
1971	---	---	---	2.22	---	---	---	---	---	---	---	---	---	1971
1972	---	---	0.397	1.23	0.029	---	---	---	---	---	---	---	---	1972
1973	---	---	0.029	0.009	0.005	0.089	0.058	0	0	0	---	---	0.026	1973
1974	---	---	0	0.944	0.471	0.199	0	0.002	0.121	0.023	---	---	0.217	1974
1975	---	---	0	2.92	0.325	0.012	0	0	0	0	---	---	0.402	1975
1976	---	---	0	1.11	0.008	0.015	0.005	0	0	0	---	---	0.139	1976
1977	---	---	0	0.052	0.220	0.006	0	0	0	0	---	---	0.035	1977
1978	---	---	0.348	0.305	0.009	0	0.157	0	0	0	---	---	0.102	1978
1979	---	---	0	2.42	0.238	0.007	0	0	0	0	---	---	0.328	1979
1980	---	---	0	0.860	0	0	0	0	0	0	---	---	0.105	1980
1981	---	0.011	0.007	0	0	0	0	0.002	0	0	---	---	0.001	1981
1982	---	---	0.002	0.293	0.001	0.001	0	0	0	0	---	---	0.036	1982
MEAN	---	0.011	0.075	0.921	0.097	0.030	0.022	0	0.012	0.002	---	---	0.139	MEAN

LOCATION - LAT 51 48 52 N
LONG 104 12 07 W
DRAINAGE AREA, 121 km²
NATURAL FLOW

MAGNUSSON CREEK NEAR WYNYARD - STATION NO. 05HA021

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1964	---	---	---	---	1964
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	17.0 B ON APR 8	0B ON APR 1 *	---	1971
1972	---	3.88 ON APR 3	0E ON MAR 1	---	1972
1973	0.507 AT 06:35 CST ON JUN 5	0.439 ON JUN 5	0B ON MAR 1	500	1973
1974	9.83 AT 12:26 CST ON APR 19	6.77 B ON APR 19	0B ON MAR 1	6 600	1974
1975	28.9 AT 02:48 CST ON APR 29 *	20.7 ON APR 29 *	0B ON MAR 1	8 670	1975
1976	11.5 B AT 08:21 CST ON APR 8	7.73 B ON APR 8	0B ON MAR 1	2 940	1976
1977	7.50 AT 09:43 CST ON MAY 25	3.71 ON MAY 25	0B ON MAR 1	739	1977
1978	5.21 B AT 11:08 CST ON MAR 29	4.11 B ON MAR 29	0B ON MAR 1	2 160	1978
1979	20.4 B AT 09:35 CST ON APR 21	15.1 B ON APR 21	0B ON MAR 1	6 940	1979
1980	11.4 B AT 14:46 CST ON APR 4	6.70 B ON APR 4	0B ON MAR 1	2 230	1980
1981	0.212B AT 13:15 CST ON MAR 17	0.070B ON MAR 17	0B ON MAR 5	26.0	1981
1982	2.12 AT 11:40 CST ON APR 14	1.87 ON APR 14	0B ON MAR 1	766	1982
				2 980	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

MAKWA RIVER AT OUTLET OF MAKWA LAKE - STATION NO. 06AD009

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	---	---	0.265	---	---	---	---	---	---	---	---	1967
1968	---	---	---	---	0.744	---	---	---	---	---	---	---	---	1968
1970	---	---	---	---	2.46	---	---	---	---	---	---	---	---	1970
1972	---	---	---	3.94	---	---	---	---	---	---	---	---	---	1972
1973	---	---	---	1.30	3.69	---	---	---	---	---	---	---	---	1973
1974	---	---	---	2.36	11.4	16.1	---	---	---	---	---	---	---	1974
1975	---	---	0.992	1.35	3.36	2.43	3.70	3.04	1.78	3.33	---	---	2.50	1975
1976	---	---	1.01	0.555	0.056	0.017	0.032	0.032	0.043	0.038	---	---	0.223	1976
1977	---	---	0	0.160	0.466	0.187	0.283	0.582	0.430	0.271	---	---	0.293	1977
1978	---	---	0.738	3.12	2.82	2.31	0.557	0.028	0.028	0.034	---	---	1.20	1978
1979	---	---	0.205	0.653	2.05	2.61	1.69	0.729	0.423	0.265	---	---	1.08	1979
1980	---	---	0.578	2.69	0.609	0.167	0.011	0.013	0.013	0.030	---	---	0.508	1980
1981	---	---	0.152	1.90	0.885	0.017	0.043	0.041	0.011	0.025	---	---	0.364	1981
1982	---	---	0.002	0.004	0.048	0.105	0.188	0.329	0.115	0.089	---	---	0.111	1982
MEAN	---	---	0.460	1.63	2.22	2.66	0.813	0.594	0.355	0.510	---	---	0.785	MEAN

LOCATION - LAT 54 04 40 N
LONG 109 12 00 W
DRAINAGE AREA, 1 420 km²
REGULATED

NAKWA RIVER AT OUTLET OF NAKWA LAKE - STATION NO. 06AD009

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1970	---	---	---	---	1970
1972	---	---	---	---	1972
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	---	5.52 E ON OCT 30 *	0.923 ON APR 10	53 000	1975
1976	---	1.24 ON APR 13	0.003 ON JUN 19	4 720	1976
1977	---	0.691 ON AUG 9	0 B ON MAR 1 *	6 190	1977
1978	3.77 AT 12:34 CST ON APR 25	3.74 ON APR 25	0.026 ON JUL 17	25 300	1978
1979	2.95 AT 06:19 CST ON JUN 16	2.91 ON JUN 16	0.162E ON OCT 31	22 800	1979
1980	5.01 AT 02:37 CST ON APR 13 *	4.72 ON APR 12	0.001 ON JUL 30	10 800	1980
1981	2.57 B AT 12:40 CST ON APR 5	2.44 B ON APR 5	0.001 ON JUN 21	7 700	1981
1982	0.514 AT 13:46 CST ON AUG 22	0.501 ON AUG 22	0.001B ON MAR 1	2 350	1982
				16 600	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

NAKWA RIVER AT RAPID VIEW - STATION NO. 06AD007

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1960	---	---	---	29.3	20.0	10.6	8.02	4.60	---	---	---	---	---	1960
1961	---	---	---	8.78	4.56	2.53	1.89	---	---	---	---	---	---	1961
1962	---	---	---	8.06	6.95	6.66	0.761	---	---	---	---	---	---	1962
1963	---	---	---	9.83	6.74	5.70	2.78	---	---	---	---	---	---	1963
1964	---	---	---	0.977	1.20	---	---	---	---	---	---	---	---	1964
1965	---	---	---	12.0	11.6	26.3	---	---	---	---	---	---	---	1965
1966	---	---	---	---	2.18	---	---	---	---	---	---	---	---	1966
1971	---	---	1.34	12.1	5.48	2.98	1.75	2.22	1.49	1.12	---	---	3.88	1971
1972	---	---	0.926	9.67	9.59	3.19	1.36	0.361	0.317	0.576	---	---	3.25	1972
1973	---	---	0.798	6.11	7.06	5.50	5.82	1.66	0.566	1.44	---	---	3.59	1973
1974	---	---	1.83	20.3	23.6	19.4	12.6	6.01	6.38	1.90	---	---	11.6	1974
1975	---	---	2.10	13.1	7.78	5.71	14.5	4.35	3.67	0.837	---	---	6.37	1975
1976	---	---	0.870	4.99	1.02	0.706	0.919	1.28	0.795	0.335	---	---	1.36	1976
1977	---	---	0.057	3.73	5.92	2.11	0.438	1.38	1.03	0.905	---	---	1.93	1977
1978	---	---	0.665	8.69	13.3	5.96	0.746	0.066	0.085	0.111	---	---	3.41	1978
1979	---	---	0	4.82	10.8	6.88	2.67	0.805	0.495	0.380	---	---	3.08	1979
1980	---	---	0.362	6.32	1.86	0.424	0.093	0.203	0.979	0.963	---	---	1.38	1980
1981	---	---	0.882	5.05	1.80	0.120	0.062	0.078	0.046	0.090	---	---	1.01	1981
1982	---	---	0	3.79	3.42	0.863	0.858	0.670	0.393	0.849	---	---	1.35	1982
MEAN	---	---	0.803	9.32	7.72	5.94	3.44	1.80	1.27	0.792	---	---	3.87	MEAN

LOCATION - LAT 54 08 50 N
LONG 108 48 20 W
DRAINAGE AREA, 2 740 km^2
REGULATED

NAKWA RIVER AT RAPID VIEW - STATION NO. 06AD007

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1960	---	---	---	---	1960
1961	---	---	---	---	1961
1962	---	---	---	---	1962
1963	---	---	---	---	1963
1964	---	---	---	---	1964
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1971	37.4 AT 18:00 CST ON APR 17	36.0 ON APR 18	0.527 ON OCT 23	73 700	1971
1972	22.0 AT 16:00 CST ON APR 20	20.7 ON APR 20	0 ON AUG 27 *	68 900	1972
1973	20.8 AT 13:00 CST ON APR 16	18.7 ON APR 17	0.198 ON SEP 1	76 000	1973
1974	59.2 AT 15:59 CST ON APR 22 *	58.9 ON APR 22 *	1.13 E ON OCT 23	242 000	1974
1975	---	27.2 E ON APR 18	0.890 ON OCT 10	135 000	1975
1976	---	15.1 ON APR 9	0.193 ON OCT 13	28 800	1976
1977	---	19.2 ON MAY 29	0.054B ON MAR 1	40 900	1977
1978	23.3 AT 14:30 CST ON APR 15	20.8 B ON APR 15	0 ON AUG 11	72 200	1978
1979	29.8B AT 03:14 CST ON APR 27	29.5 ON APR 29	0 E ON MAR 1	65 300	1979
1980	18.2 AT 16:48 CST ON APR 17	18.0 ON APR 18	0.004E ON JUL 16	29 300	1980
1981	10.5 AT 08:00 CST ON APR 9	9.34B ON APR 5	0 E ON SEP 17	21 300	1981
1982	15.2 AT 13:02 CST ON APR 27	15.1 ON APR 27	0 B ON MAR 1	28 600	1982
				73 500	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

NAKWA RIVER NEAR BROWN'S FARM - STATION NO. 06AD002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAY TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1933	---	---	---	---	9.80	13.0	5.62	2.49	2.05	---	---	---	---	1933
1934	---	---	---	---	5.49	3.08	3.18	1.55	0.903	0.748	---	---	2.50	1934
1935	---	---	---	---	5.05	2.81	1.94	1.35	0.812	0.904	---	---	2.15	1935
1936	---	---	---	---	2.60	1.81	1.18	0.665	0.586	0.687	---	---	1.25	1936
1937	---	---	---	---	2.56	1.41	0.894	0.676	0.600	0.372	---	---	1.05	1937
1938	---	---	---	---	1.21	0.806	0.356	0.102	0.041	0.066	---	---	0.431	1938
1939	---	---	---	---	1.65	0.833	0.543	0.069	0.040	0.130	---	---	0.566	1939
1940	---	---	---	---	0.626	0.300	0.116	0.050	0.021	0.060	---	---	0.162	1940
MEAN	---	---	---	---	3.60	3.01	1.73	0.867	0.737	0.426	---	---	1.16	MEAN

LOCATION - LAT 54 12 00 N, LONG 108 47 00 W DRAINAGE AREA, 2 950 km² NATURAL FLOW

NAKWA RIVER NEAR BROWN'S FARM - STATION NO. 06AD002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAY TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1933	---	17.8 ON JUN 1 *	---	---	1933
1934	---	13.6 ON MAY 1	0.660 ON OCT 30	39 700	1934
1935	---	9.97 ON MAY 1	0.527 ON SEP 24	34 100	1935
1936	---	4.11 ON MAY 3	0.498 ON AUG 11	19 900	1936
1937	---	3.20 ON MAY 14	0.326 ON SEP 19	16 700	1937
1938	---	1.47 ON JUN 1	0.006 ON SEP 7 *	6 850	1938
1939	---	2.64 ON MAY 1	0.023 ON SEP 7	8 680	1939
1940	---	0.634 ON MAY 1	0.017 ON SEP 30	2 570	1940
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		18 900	MEAN

MALONECK CREEK NEAR PELLY - STATION NO. 05LE011

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1965	---	---	---	1.67 B	---	---	---	---	---	---	---	---	---	1965
1966	---	---	---	2.31 B	1.23 B	---	---	---	---	---	---	---	---	1966
1967	---	---	---	0.697B	3.80 B	---	---	---	---	---	---	---	---	1967
1969	---	---	---	2.15 B	---	---	---	---	---	---	---	---	---	1969
1970	---	---	---	1.66 B	1.26 B	---	---	---	---	---	---	---	---	1970
1971	---	---	---	3.63 B	---	---	---	---	---	---	---	---	---	1971
1974	---	---	0.006	2.90	2.90	0.306	0	0.063	0.124	0.170	---	---	0.817	1974
1975	---	---	0.089	3.02	1.20	1.02	0.211	0.038	0.207	0.085	---	---	0.726	1975
1976	---	---	0	2.00	0.254	1.97	0.293	0.015	0	0	---	---	0.679	1976
1977	---	---	0	0.888	0.168	0.061	0	0.014	0.167	0.093	---	---	0.159	1977
1978	---	---	0	1.93	0.188	0.035	0.010	0	0	0.023	---	---	0.207	1978
1979	---	---	0.001	2.06	2.40	0.261	0.003	0	0	0	---	---	0.590	1979
1980	---	---	0	1.06	0.024	0.002	0	0	0	0	---	---	0.133	1980
1981	---	---	0.036	0.196	0.081	0.013	0.001	0	0	0	---	---	0.041	1981
1982	---	---	0	0.008	0.004	0.061	0.124	0.013	0.001	0.001	---	---	0.026	1982
MEAN	---	---	0.014	1.76 B	1.13 B	0.418	0.071	0.013	0.053	0.041	---	---	0.375	MEAN

LOCATION - LAT 51 58 00 N, LONG 101 54 50 W DRAINAGE AREA, 180 km² NATURAL FLOW

B - REVISED SINCE JAN 1980

MALONECK CREEK NEAR PELLY - STATION NO. 05LE011

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1974	17.4 B AT 23:10 CST ON APR 19 *	13.5 B ON APR 21 *	0 ON JUN 26 *	17 300	1974
1975	12.6 B AT 18:20 CST ON APR 22	9.49 ON APR 25	0 ON AUG 6	15 300	1975
1976	15.7 B AT 19:55 CST ON APR 8	10.9 B ON APR 12	0b ON MAR 1	14 400	1976
1977	4.11 AT 10:45 CST ON APR 12	3.03 ON APR 14	0b ON MAR 1	3 380	1977
1978	---	6.11 B ON APR 20	0b ON MAR 1	6 380	1978
1979	11.6 AT 23:10 CST ON APR 27	10.7 ON APR 28	0b ON MAR 1	12 500	1979
1980	9.90 AT 19:40 CST ON APR 14	6.42 ON APR 15	0b ON MAR 1	2 800	1980
1981	---	0.3508 ON APR 8	0b ON MAR 1	864	1981
1982	0.697 AT 11:29 CST ON JUL 20	0.696 ON JUL 20	0b ON MAR 1	559	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		7 940	MEAN

HANN DITCH NEAR SKULL CREEK - STATION NO. 05HA031

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	0	0.023	0.002	0	0	0	0	0	---	---	0.003	1915
1918	---	---	---	---	---	---	---	---	---	---	---	---	---	1918
1919	---	---	0.004	0.014	0	0	0	0	0	0	---	---	0.002	1919
1920	---	---	0.030	0.019	0	0	0	0	0	0	---	---	0.006	1920
MEAN	---	---	0.011	0.018	0.001	0	0	0	0	0	---	---	0.004	MEAN

LOCATION - LAT 49 52 15 N
LONG 108 57 40 W
REGULATED

HANN DITCH NEAR SKULL CREEK - STATION NO. 05HA031

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	0.076 ON APR 2	0 ON MAR 1 *	61.8	1915
1918	---	---	0R ON MAY 2	---	1918
1919	---	0.065 ON MAR 31	0 ON MAR 1	46.8	1919
1920	---	0.192 ON MAR 21 *	0 ON MAR 1	132	1920
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980		80.2	MEAN

HANYBONE CREEK NEAR KRONAU - STATION NO. 05JF007

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1947	---	---	0	0.000	0.097	0.055	---	---	---	---	---	---	---	1947
1948	---	---	0	0.835	0.113	0.018	0	0	0	0	---	---	---	1948
1950	---	---	0	0.091	0	0	---	---	---	---	---	---	---	1950
MEAN	---	---	0	0.609	0.070	0.024	0	0	0	0	---	---	---	MEAN

LOCATION - LAT 50 17 01 N
LONG 104 14 47 W
DRAINAGE AREA, 197 km^2
NATURAL FLOW

HANYBONE CREEK NEAR KRONAU - STATION NO. 05JF007

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1947	---	5.22 ON APR 14	0 ON MAR 1 *	---	1947
1948	---	9.60 ON APR 23 *	0B ON MAR 1	---	1948
1950	---	1.980 ON APR 15	0B ON MAR 1	---	1950
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

MAPLE CREEK ABOVE BIGSTICK LAKE - STATION NO. 05HA068

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	0	0	0	0	0	0	0	0	---	---	---	1944
1945	---	---	0	0	0	0	0	0	0	0	---	---	---	1945
1946	---	---	0	0	0	0	0	0	0	0	---	---	---	1946
MEAN	---	---	0	0	0	0	0	0	0	0	---	---	---	MEAN

LOCATION - LAT 50 11 10 N
LONG 109 27 10 W
DRAINAGE AREA, 3 190 km^2
REGULATED

MAPLE CREEK ABOVE BIGSTICK LAKE - STATION NO. 05HA068

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	0 ON MAR 1 *	0 ON MAR 1 *	---	1944
1945	---	0 ON MAR 1	0 ON MAR 1	---	1945
1946	---	0 ON MAR 1	0 ON MAR 1	---	1946
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

MAPLE CREEK ABOVE JUNCTION RESERVOIR - STATION NO. 05HA008

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1908	---	---	---	---	---	---	---	---	---	---	---	---	---	1908
1909	---	---	---	1.00	1.08	---	0.392	0.004	0.001	0.001	---	---	---	1909
1910	---	---	---	0.028	0.005	0.004	0.001	0.001	0	0	---	---	---	1910
1911	---	---	---	1.28	0.248	---	---	0	0.025	0.034	---	---	---	1911
1912	---	---	---	3.10	0.476	0.241	0.004	0.017	0	0	---	---	---	1912
1913	---	---	---	1.39	0.203	0.082	0.002	0	0	0	---	---	---	1913
1914	---	---	---	0.579	0.076	0.001	0	0	0	0.238	---	---	---	1914
1915	---	---	---	0.971	---	---	---	---	---	---	---	---	---	1915
1944	---	---	0.297	0.177	0.004	0.008	0.023	0.002	0	0	---	---	0.064	1944
1945	---	---	0.067	0.002	0.019	0.032	0	0	0	0	---	---	0.015	1945
1946	---	---	0.463	0.054	0.087	0.211	0.043	---	---	---	---	---	---	1946
1947	---	---	0.510	1.06	0.045	0.028	0.023	0.177	0.029	0.024	---	---	0.236	1947
1948	---	---	0.016	0.821	0.154	0.063	0.028	0.011	0	0	---	---	0.135	1948
1949	---	---	---	0	0	0	0	---	---	---	---	---	---	1949
1950	---	---	0	0.185	0.018	0.004	0.001	0.001	0	0	---	---	0.026	1950
1951	---	---	0	2.89	0.981	0.114	0.011	0.003	0.001	0	---	---	0.494	1951
1952	---	0.222	0.759	2.75	0.261	0.042	0.009	0.003	0	0.001	---	---	0.472	1952
1953	---	---	0.179	0.661	0.818	0.751	0.119	0.013	0.002	0.001	---	---	0.316	1953
1954	---	0.073	0.029	0.403	0.263	0.292	0.034	0.041	0.005	0.017	---	---	0.134	1954
1955	---	---	0.230	6.79	1.32	0.087	0.309	0.017	0.004	0.003	---	---	1.08	1955
1956	---	---	0.273	0.429	0.116	0.018	0.007	0.001	0	0	---	---	0.105	1956
1957	---	0.019	0.008	0.164	0.055	0.011	0.042	0.001	0.001	0	---	---	0.035	1957
1958	---	---	0	0.053	0.012	0.002	0.004	0.022	0	0	---	---	0.012	1958
1959	---	---	0.021	0.029	0.024	0.014	0.024	0.005	0	0.007	---	---	0.016	1959
1960	---	---	0.188	0.048	0.025	0.001	0.002	0.028	0.110	0.002	---	---	0.050	1960
1961	---	---	0.001	0.014	0.007	0	0	0	0	0	---	---	0.003	1961
1962	---	---	0	0	0.004	0.017	0.037	0.006	0	0	---	---	0.008	1962
1963	---	0.154	0.004	0.001	0.028	0.029	0.014	0	0	0	---	---	0.009	1963
1964	---	---	0	0	0.026	0	0.007	0	0	0	---	---	0.004	1964
1965	---	---	0	0.456	0.076	0.129	0.111	0.014	0.003	0.010	---	---	0.099	1965
1966	---	---	0.097	0.142	0.088	0.073	0.038	0.016	0.019	0	---	---	0.059	1966
1967	---	---	0.141	0.548	1.52	0.100	0.042	0.005	0	0	---	---	0.295	1967
1968	---	---	0.015	0.022	0.017	0.003	0.005	0.028	0.007	0.002	---	---	0.013	1968
1969	---	---	0.078	0.248	0.227	0.017	0.111	0.030	0	0.003	---	---	0.089	1969
1970	---	---	0.019	0.589	0.697	0.125	0.182	0.040	0.040	0.001	---	---	0.211	1970
1971	---	0.164	0.035	0.805	0.377	0.049	0.059	0.028	0.004	0.013	---	---	0.170	1971
1972	---	---	0.041	0.025	0.033	0.141	0.025	0.010	0	0.010	---	---	0.035	1972
1973	---	---	0.033	0.030	0.011	0.002	0	0	0	0	---	---	0.009	1973
MEAN	---	0.126	0.121	0.750	0.261	0.079	0.049	0.015	0.007	0.011	---	---	0.150	MEAN

LOCATION - LAT 49 54 43 N DRAINAGE AREA, 453 km²
LONG 109 29 14 W REGULATED

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1963

MAPLE CREEK ABOVE JUNCTION RESERVOIR - STATION NO. 05HA008

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1908	---	---	0R ON MAY 9 *	---	1908
1909	---	---	---	---	1909
1910	---	---	0 ON JUL 11	---	1910
1911	---	---	0 ON JUL 27	---	1911
1912	---	---	0 ON JUL 22	---	1912
1913	---	---	0 ON AUG 1	---	1913
1914	---	---	0E ON JUN 7	---	1914
1915	---	---	---	---	1915
1944	---	4.19 B ON MAR 18	0B ON MAR 27	1 350	1944
1945	---	0.255B ON MAR 15	0B ON MAR 1	319	1945
1946	---	1.98 ON MAR 28	0B ON MAR 1	---	1946
1947	---	2.72 B ON MAR 23	0B ON MAR 1	4 990	1947
1948	---	3.99 ON APR 18	0B ON MAR 1	2 850	1948
1949	---	---	0 ON APR 1	---	1949
1950	---	1.12 ON APR 17	0B ON MAR 1	544	1950
1951	---	6.71 ON APR 30	0B ON MAR 1	10 500	1951
1952	---	8.04 ON APR 7	0B ON MAR 1	9 990	1952
1953	---	5.83 ON JUN 4	0B ON MAR 1	6 690	1953
1954	---	3.68 ON JUN 12	0B ON MAR 1	2 840	1954
1955	49.0 AT 07:00 MST ON APR 10 *	37.4 ON APR 10 *	0B ON MAR 1	22 900	1955
1956	---	2.04 B ON MAR 27	0B ON MAR 1	2 220	1956
1957	---	0.549 ON APR 23	0B ON MAR 1	739	1957
1958	---	0.419 ON AUG 23	0B ON MAR 1	245	1958
1959	---	0.306 ON APR 16	0B ON MAR 1	330	1959
1960	---	0.765B ON MAR 19	0B ON MAR 1	1 060	1960
1961	---	0.042 ON APR 26	0B ON MAR 1	59.2	1961
1962	---	0.130 ON MAY 31	0 ON MAR 1	168	1962
1963	---	0.099 ON MAY 21	0B ON MAR 1	200	1963
1964	---	0.198 ON MAY 8	0 ON MAR 1	88.1	1964
1965	---	2.02 ON JUN 27	0B ON MAR 1	2 080	1965
1966	---	0.345B ON MAR 14	0B ON MAR 1	1 250	1966
1967	---	6.65 ON MAY 8	0B ON MAR 11	6 250	1967
1968	---	0.057B ON MAR 2	0B ON MAR 14	265	1968
1969	3.20 AT 03:30 MST ON APR 8	1.90 ON APR 8	0B ON MAR 1	1 890	1969
1970	7.62 AT 23:50 MST ON APR 25	5.32 ON APR 26	0B ON MAR 1	4 470	1970
1971	3.91 AT 09:07 CST ON APR 24	3.51 ON APR 24	0B ON MAR 23	3 600	1971
1972	2.86 AT 07:52 CST ON JUN 10	2.01 ON JUN 10	0B ON MAR 1	751	1972
1973	0.258B AT 05:00 CST ON MAR 12	0.136B ON MAR 12	0E ON JUL 7	200	1973
				3 170	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

MAPLE CREEK ABOVE TENAILLE LAKE RESERVOIR - STATION NO. 05HA067

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	0	0.050	0.020	0.385	0.315	0.228	0.001	0	---	---	0.125	1944
1945	---	---	0.023	0.068	0.406	0.156	0.006	---	---	---	---	---	---	1945
1946	---	---	0.093	0.272	0.201	0.150	0.006	0	0	0	---	---	0.090	1946
1947	---	---	0.078	0.221	0.966	0.736	0.367	0.045	0	0	---	---	0.301	1947
1948	---	---	0.789	1.25	1.16	0.158	0.883	0.210	0.275	0	---	---	0.591	1948
1949	---	---	0.034	0.223	0.036	0	---	---	---	---	---	---	---	1949
1950	---	---	0.016	0.011	0.295	0.001	0	0	0	0	---	---	0.041	1950
1951	---	---	0	2.65	---	0.142	0.100	0.086	0.450	0.581	---	---	---	1951
1952	---	---	3.13	8.56	0.922	0.071	0.336	0.397	0.018	0.123	---	---	1.68	1952
1953	---	---	0.125	0.711	1.82	9.24	0.474	0.242	0.011	0.008	---	---	1.56	1953
1954	---	---	0.044	0.166	0.348	0.584	0.193	0.056	0.032	1.15	---	---	0.323	1954
MEAN	---	---	0.394	1.29	0.617	1.06	0.244	0.140	0.087	0.207	---	---	0.589	MEAN

LOCATION - LAT 50 05 11 N
LONG 109 31 48 W
DRAINAGE AREA, 1 560 km^2
REGULATED

MAPLE CREEK ABOVE TENAILLE LAKE RESERVOIR - STATION NO. 05HA067

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	1.59 ON AUG 7	0B ON MAR 1 *	2 640	1944
1945	---	---	0B ON MAR 1	---	1945
1946	---	1.29 ON MAR 4	0 ON MAR 1	1 900	1946
1947	---	2.86 ON MAY 30	0B ON MAR 1	6 390	1947
1948	---	2.86 ON MAR 22	0 ON MAR 1	12 500	1948
1949	---	---	0B ON MAR 1	---	1949
1950	---	2.44 ON MAY 18	0B ON MAR 1	864	1950
1951	---	13.7 ON APR 30	0B ON MAR 1	---	1951
1952	---	50.1 B ON MAR 30 *	0B ON MAR 1	35 600	1952
1953	---	42.5 E ON JUN 4	0B ON MAR 1	32 900	1953
1954	---	3.57 ON OCT 16	0 ON OCT 6	6 820	1954
				12 500	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

MAPLE CREEK AT MENELEY'S FARM - STATION NO. 05HA019

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	---	---	0.663	1.92	1.10	0.096	0.034	0.067	---	---	---	1915
1916	---	---	5.31	0.927	2.59	5.87	0.937	0.211	0.023	0.173	---	---	2.00	1916
1917	---	---	---	19.2	6.08	0.324	0.016	0.001	0.013	0.016	---	---	---	1917
1918	---	---	---	2.25	0.266	0.043	0.002	0	0	0.003	---	---	---	1918
1919	---	---	0.011	1.22	0.059	0.005	0	0	---	---	---	---	---	1919
1920	---	---	---	3.13	1.47	0.077	0.010	0	0	0	---	---	---	1920
1921	---	---	1.20	4.89	1.32	0.040	0.039	0	0.020	0.012	---	---	0.932	1921
1922	---	---	0.771	10.9	3.06	0.130	0.012	0.027	0.004	0.005	---	---	1.84	1922
1923	---	---	0.591	1.95	0.113	1.38	0.263	0.042	0.002	0.005	---	---	0.536	1923
1924	---	---	0.128	1.38	0.136	0.069	0.005	0.006	0	0	---	---	0.212	1924
1925	---	---	3.43	5.46	0.247	0.215	0.004	0	0.005	0.010	---	---	1.16	1925
1926	---	0.111	1.89	0.719	0.043	0.007	0.002	0	0	0	---	---	0.334	1926
1927	---	---	0.197	9.85	8.57	1.69	1.32	0.121	0.040	0.059	---	---	2.72	1927
1928	---	---	---	0.906	0.276	1.09	0.708	0.038	0.009	0.016	---	---	---	1928
1929	---	---	1.35	3.23	0.915	0.274	0.021	0	0	0	---	---	0.718	1929
1930	---	---	0.573	2.19	0.199	0.049	0.017	0	0.028	0.059	---	---	0.385	1930
1933	---	---	---	0.911	0.213	0.195	0.096	0	0	0	---	---	---	1933
1934	---	---	---	---	0.008	0.778	0.001	0	0	0	---	---	---	1934
1935	---	---	---	2.58	0.359	0.009	0	---	---	---	---	---	---	1935
1936	---	---	1.48	5.89	0.187	0.014	0	---	---	---	---	---	---	1936
1937	---	---	0.002	0.795	0.014	0	0.001	0	0	0	---	---	0.099	1937
1938	---	---	1.49	2.81	0.379	0.015	0.005	0	0.256	0.001	---	---	0.615	1938
1939	---	---	1.42	0.066	0.719	2.45	0.142	0	0	0.001	---	---	0.597	1939
MEAN	---	0.111	1.32	3.87	1.21	0.724	0.204	0.026	0.022	0.021	---	---	0.934	MEAN

LOCATION - LAT 49 57 36 N
LONG 109 30 36 W
DRAINAGE AREA, 1 230 km²
REGULATED

MAPLE CREEK AT MENELEY'S FARM - STATION NO. 05HA019

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	---	---	---	1915
1916	---	45.6 ON JUN 12	0.009 ON SEP 10	42 300	1916
1917	---	42.8 ON APR 10	0 ON JUL 20 *	---	1917
1918	---	---	0 ON JUL 4	---	1918
1919	---	2.80 ON APR 3	0 B ON MAR 1	---	1919
1920	---	15.5 B ON MAR 22	0 ON JUL 30	---	1920
1921	---	21.4 ON APR 14	0 ON JUN 30	19 800	1921
1922	---	35.1 ON APR 23	0 ON MAR 1	38 800	1922
1923	---	15.5 ON JUN 22	0 ON SEP 6	11 300	1923
1924	---	10.0 ON APR 8	0 ON JUL 9	4 490	1924
1925	---	19.0 B ON MAR 30	0 B ON MAR 1	24 600	1925
1926	---	7.90 ON MAR 18	0 ON JUN 10	7 070	1926
1927	---	56.1 ON MAY 24 *	0 B ON MAR 1	57 500	1927
1928	---	13.3 B ON MAR 21	0 ON SEP 7	---	1928
1929	---	10.1 ON APR 18	0 B ON MAR 1	15 200	1929
1930	---	12.9 ON APR 4	0 ON JUL 29	8 150	1930
1933	---	---	0 ON JUN 19	---	1933
1934	---	---	0 ON MAY 20	---	1934
1935	---	13.2 ON APR 17	0 ON JUN 11	---	1935
1936	---	33.1 E ON APR 12	0 B ON MAR 1	---	1936
1937	---	4.64 ON APR 11	0 B ON MAR 1	2 110	1937
1938	---	13.5 ON APR 11	0 B ON MAR 1	13 000	1938
1939	---	10.6 ON MAR 22	0 B ON MAR 1	12 600	1939
				19 800	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

MAPLE CREEK BELOW JUNCTION RESERVOIR - STATION NO. 05HA076

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1973	---	---	---	---	---	---	1.21	0.017	0.007	0.007	---	---	---	1973
1974	---	---	0.186	0.101	0.677	0.007	0.547	0.002	0.002	0.031	---	---	0.196	1974
1975	---	---	0.022	0.185	2.25	1.36	0.794	0.018	0.008	0.006	---	---	0.581	1975
1976	---	0.007	0.795	1.00	0.654	0.014	0.516	0.128	0.033	0.001	---	---	0.394	1976
1977	---	---	0.008	0.003	1.19	0.004	0.003	0.061	0.007	0.009	---	---	0.162	1977
1978	---	---	0.022	0.518	0.697	0.004	0.623	0.003	0.001	0.001	---	---	0.234	1978
1979	---	---	0.020	1.10	1.07	0.005	0.987	0.204	0.003	0.066	---	---	0.433	1979
1980	---	---	0.002	0.455	1.22	0.001	0.002	0.001	0.178	0.001	---	---	0.233	1980
1981	---	0.002	0.003	0.622	0.566	0.004	0.002	0.001	0.001	0.217	---	---	0.177	1981
1982	---	0.003	0.046	0.559	0.407	0.003	0.144	1.75	0.003	0.001	---	---	0.366	1982
MEAN	---	0.004	0.123	0.505	0.970	0.156	0.483	0.219	0.024	0.034	---	---	0.308	MEAN

LOCATION - LAT 49 48 52 N
LONG 109 31 22 W
DRAINAGE AREA, 1 240 km²
REGULATED

MAPLE CREEK BELOW JUNCTION RESERVOIR - STATION NO. 05HA076

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1973	---	---	---	---	1973
1974	1.64 AT 19:49 CST ON JUL 12	1.59 ON JUL 13	0 ON SEP 24 *	4 150	1974
1975	15.2 AT 17:54 CST ON MAY 8 *	14.4 ON MAY 9 *	0B ON MAR 1	12 300	1975
1976	7.79 AT 01:42 CST ON MAR 20	3.79 ON MAR 20	0B ON MAR 1	8 330	1976
1977	1.98 AT 13:13 CST ON MAY 15	1.88 ON MAY 15	0 ON APR 25	3 430	1977
1978	2.71 AT 16:22 CST ON JUL 19	2.43 ON APR 25	0B ON MAR 1	4 970	1978
1979	5.76 AT 19:31 CST ON APR 17	2.95 ON APR 22	0B ON MAR 1	9 150	1979
1980	2.81 AT 17:32 CST ON MAY 7	2.60 ON MAY 8	0B ON MAR 1	4 940	1980
1981	3.26 AT 17:16 CST ON OCT 6	2.94 ON OCT 7	0 ON MAR 29	3 780	1981
1982	4.66 AT 14:02 CST ON AUG 10	4.54 ON AUG 11	0 ON APR 21	7 760	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		6 530	MEAN

MAPLE CREEK NEAR MAPLE CREEK - STATION NO. 05HA011

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	1.51	0.780	0.051	---	---	---	---	---	---	---	1911
1912	---	---	---	1.98	0.476	0.325	0.015	0.092	0.005	0.005	---	---	---	1912
1913	---	---	---	1.50	0.114	0.015	0.012	0.004	0.003	0	---	---	---	1913
1914	---	---	---	0.578	0.074	0.006	0.006	0.035	0.024	0.461	---	---	---	1914
1915	---	---	---	0.702	0.061	0.235	0.506	0.008	0.016	0.010	---	---	---	1915
1916	---	---	---	0.330	0.365	1.47	0.098	0.023	0.012	0.016	---	---	---	1916
1917	---	---	---	5.26	1.71	0.106	0.015	0.015	0.013	0.016	---	---	---	1917
1918	---	---	---	0.863	0.205	0.033	0.005	0.007	0.005	0.004	---	---	---	1918
1919	---	---	0	0.216	0	0.008	0.003	0.002	0.001	0.001	---	---	0.030	1919
MEAN	---	---	0	1.49	0.422	0.250	0.083	0.023	0.010	0.064	---	---	0.030	MEAN

LOCATION - LAT 49 56 01 N [illegible] AREA, 458 km²
LONG 109 29 05 W [illegible]

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1914

MAPLE CREEK NEAR MAPLE CREEK - STATION NO. 05HA011

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	---	0 ON JUL 1 *	---	1911
1912	---	6.88 ON APR 4	0 ON AUG 12	---	1912
1913	---	6.17 ON APR 6	0 ON OCT 3	---	1913
1914	---	4.11 ON MAR 14	0.001 ON SEP 2	---	1914
1915	---	3.40 ON APR 3	0 ON APR 24	---	1915
1916	---	6.68 ON JUN 12	0.012 ON SEP 1	---	1916
1917	---	12.3 ON APR 10 *	0 ON OCT 17	---	1917
1918	---	1.61 ON APR 13	0 ON AUG 1	---	1918
1919	---	0.850 ON APR 19	0 B ON MAR 1	634	1919
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		634	MEAN

MARSHALL AND GAFF DITCH AT BATTLE CREEK - STATION NO. 11AB043

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	---	---	---	---	---	---	---	---	---	1911
1912	---	---	---	---	---	---	---	---	---	---	---	---	---	1912
1913	---	---	---	---	---	---	---	---	---	---	---	---	---	1913
1914	---	---	0	0	0	0	0	0	0	0	---	---	0	1914
1915	---	---	0	0	0	0	0	0	0	0	---	---	0	1915
1916	---	---	0	0	0	0	0	0	0	0	---	---	0	1916
1917	---	---	---	---	---	---	---	---	---	---	---	---	---	1917
1918	---	---	0	0	0	0.376	0.112	0.079	0.085	0.195	---	---	0.105	1918
1919	---	---	0	0.106	0.189	0.097	0.023	0.027	0.050	0.066	---	---	0.069	1919
1920	---	---	0	0.046	0.052	0.140	0.034	0	0	0	---	---	0.034	1920
1921	---	---	0	0	0	---	0.066	0	0.026	0.086	---	---	---	1921
1922	---	---	0	0	0.065	0.105	0.099	0	0	0	---	---	0.034	1922
1923	---	---	0	0	0.037	0.103	0	0	0	0	---	---	0.017	1923
1924	---	---	0	0	0.022	0.049	0.016	0.008	0	0	---	---	0.012	1924
1925	---	---	0	0	0	0	0	0	0	0	---	---	0	1925
1926	---	---	0	0	0.064	0.022	0	0	0	0	---	---	0.011	1926
1927	---	---	0	0	0	0	0	0	0	0	---	---	0	1927
1928	---	---	0	0	0	0	0	0	0	0	---	---	0	1928
1929	---	---	0	0	0.074	0.020	0.034	0.045	0.002	0	---	---	0.022	1929
1930	---	---	0	0.032	0.055	0.025	0.003	0	0	0	---	---	0.018	1930
1931	---	---	0	0	0	0	0	0	0	0	---	---	0	1931
MEAN	---	---	0	0.011	0.033	0.059	0.023	0.009	0.010	0.020	---	---	0.020	MEAN

LOCATION - LAT 49 25 19 N
LONG 109 49 24 W REGULATED

MARSHALL AND GAFF DITCH AT BATTLE CREEK - STATION NO. 11AB043

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	---	0 ON AUG 25 *	---	1911
1912	---	---	0 ON MAY 30	---	1912
1913	---	0.459 ON JUN 23	0.054 ON JUL 3	---	1913
1914	---	0 ON MAR 1	0 ON MAR 1	0	1914
1915	---	0 ON MAR 1	0 ON MAR 1	0	1915
1916	---	0 ON MAR 1	0 ON MAR 1	0	1916
1917	---	---	0 ON JUN 11	---	1917
1918	---	0.592 ON JUN 8 *	0 ON MAR 1	2 230	1918
1919	---	0.300 ON APR 21	0 ON MAR 1	1 470	1919
1920	---	0.416 ON APR 20	0 ON MAR 1	713	1920
1921	---	---	0 ON MAR 1	---	1921
1922	---	0.442 ON MAY 17	0 ON MAR 1	713	1922
1923	---	0.266 ON JUN 22	0 ON MAR 1	366	1923
1924	---	0.227 ON JUN 7	0 ON MAR 1	251	1924
1925	---	0 ON MAR 1	0 ON MAR 1	0	1925
1926	---	0.167 ON JUN 20	0 ON MAR 1	227	1926
1927	---	0 ON MAR 1	0 ON MAR 1	0	1927
1928	---	0 ON MAR 1	0 ON MAR 1	0	1928
1929	---	0.130E ON MAY 4	0 ON MAR 1	464	1929
1930	---	0.088E ON APR 20	0 ON MAR 1	302	1930
1931	---	0 ON MAR 1	0 ON MAR 1	0	1931
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		421	MEAN

E - ESTIMATED

MCCARTHY BERTRAM AND SALT EAST DITCH NEAR PIAPOT - STATION NO. 05HA033

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	0	0.194	0	0	0	0	0	0	---	---	0.024	1915
1917	---	---	---	---	---	---	---	---	---	---	---	---	---	1917
1918	---	---	---	---	---	---	---	---	---	---	---	---	---	1918
1919	---	---	0	0	0.064	0	0	0	0	0	---	---	0.008	1919
1920	---	---	0	0	0.012	0.062	0	0	0	0	---	---	0.009	1920
1921	---	---	0	0	0.030	0.012	0	0	0	0	---	---	0.005	1921
MEAN	---	---	0	0.049	0.027	0.019	0	0	0	0	---	---	0.012	MEAN

LOCATION - LAT 49 56 30 N
LONG 109 06 55 W REGULATED

MCCARTHY BERTRAM AND SALT EAST DITCH NEAR PIAPOT - STATION NO. 05HA033

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	0.459 ON APR 17 *	0 ON MAR 1 *	503	1915
1917	---	---	0R ON JUN 20	---	1917
1918	---	---	0R ON MAY 2	---	1918
1919	---	0.159 ON MAY 15	0 ON MAR 1	171	1919
1920	---	0.173 ON JUN 20	0 ON MAR 1	192	1920
1921	---	0.096 ON MAY 26	0 ON MAR 1	112	1921
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		245	MEAN

R - REVISED SINCE JAN 1980

MCCARTHY BERTRAM AND SALT WEST DITCH NEAR PIAPOT - STATION NO. 05HA032

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	0	0.124	0	0	0	0	0	0	---	---	0.015	1915
1919	---	---	0	0	0.050	0	0	0	0	0	---	---	0.006	1919
1920	---	---	0	0	0.013	0.062	0	0	0	0	---	---	0.009	1920
1921	---	---	0	0	0.023	0.009	0	0	0	0	---	---	0.004	1921
MEAN	---	---	0	0.031	0.022	0.018	0	0	0	0	---	---	0.009	MEAN

LOCATION - LAT 49 56 30 N
LONG 109 06 50 W REGULATED

MCCARTHY BERTRAN AND SALT WEST DITCH NEAR PIAPOT - STATION NO. 05MA032

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	0.348 ON APR 10 *	0 ON MAR 1 *	321	1915
1919	---	0.144 ON MAY 17	0 ON MAR 1	134	1919
1920	---	0.193 ON JUN 20	0 ON MAR 1	196	1920
1921	---	0.076 ON MAY 22	0 ON MAR 1	84.2	1921
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		184	MEAN

MCDONALD CREEK NEAR MCCORD - STATION NO. 05JA003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1965	---	---	---	---	---	---	---	---	---	---	---	---	---	1965
1966	---	---	0.715	---	---	---	---	---	---	---	---	---	---	1966
1967	---	---	2.02	1.44	---	---	---	---	---	---	---	---	---	1967
1969	---	---	0.406	1.80	0.155	0.008	0.060	0	0	0.003	---	---	0.301	1969
1970	---	---	1.10	0.320	0.241	0.250	0.002	0.001	0.004	0	---	---	0.240	1970
1971	---	---	0.309	0.941	0.029	0	0	0	0	0	---	---	0.158	1971
1972	---	---	0.578	0.039	0.011	0.082	0	0.015	0.010	0.001	---	---	0.093	1972
1973	---	---	0.040	0.050	0.022	0.005	0	0	0	0	---	---	0.015	1973
1974	---	---	2.50	0.557	0.532	0.014	0	0.001	0	0	---	---	0.454	1974
1975	---	---	0.004	1.70	0.626	0.027	0.002	0	0	0	---	---	0.292	1975
1976	---	---	1.79	0.101	0.004	0.001	0	0.257	0	0	---	---	0.273	1976
1977	---	---	0.005	0.035	0.083	0.003	0.001	0	0	0.001	---	---	0.016	1977
1978	---	---	3.65	0.271	0.031	0.009	0.715	0.001	0.039	0.001	---	---	0.595	1978
1979	---	---	3.21	1.01	0.193	0.035	0.001	0	0.002	0.001	---	---	0.559	1979
1980	---	---	0.691	0.114	0.001	0	0	0.001	0	0	---	---	0.102	1980
1981	---	---	0.015	0.002	0	0.177	0.128	0	0	0.001	---	---	0.040	1981
1982	---	0.443	1.67	0.303	0.501	0.137	0.006	0.015	0.001	0.001	---	---	0.332	1982
MEAN	---	0.443	1.17	0.579	0.174	0.053	0.065	0.021	0.004	0.001	---	---	0.248	MEAN

LOCATION - LAT 49 26 14 N DRAINAGE AREA, 257 km^2
LONG 106 50 05 W NATURAL FLOW

MCDONALD CREEK NEAR MCCORD - STATION NO. 05JA003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1965	---	15.0 E ON APR 9	0E ON JUN 1 *	---	1965
1966	---	5.10 B ON MAR 12	0B ON MAR 1	---	1966
1967	---	14.2 B ON MAR 26	0B ON MAR 1	---	1967
1969	---	11.0 B ON APR 3	0 ON JUN 18	6 380	1969
1970	---	5.07 B ON MAR 21	0 ON JUN 4	5 080	1970
1971	12.3 B AT 13:28 CST ON MAR 31	9.23 B ON MAR 31	0B ON MAR 1	3 350	1971
1972	10.9 B AT 08:11 CST ON MAR 14	7.79 B ON MAR 14	0B ON MAR 1	1 960	1972
1973	0.544B AT 09:19 CST ON MAR 6	0.181B ON MAR 6	0 ON JUN 24	308	1973
1974	12.1 B AT 17:54 CST ON MAR 29	9.68 B ON MAR 29	0 ON JUN 18	9 600	1974
1975	19.3 AT 05:18 CST ON APR 22	13.6 ON APR 22	0B ON MAR 1	6 180	1975
1976	16.5 B AT 02:59 CST ON MAR 19	13.1 B ON MAR 18	0 ON MAY 24	5 770	1976
1977	0.665 AT 05:32 CST ON MAY 18	0.348 ON MAY 26	0 ON MAY 1	341	1977
1978	20.2 B AT 13:15 CST ON MAR 21	17.2 B ON MAR 21	0B ON MAR 1	12 600	1978
1979	44.9 B AT 17:15 CST ON MAR 17 *	35.8 B ON MAR 17 *	0B ON MAR 1	11 800	1979
1980	9.01 B AT 17:39 CST ON MAR 19	4.65 B ON MAR 19	0B ON MAR 1	2 150	1980
1981	4.82 AT 23:09 CST ON JUL 13	1.35 A ON JUN 15	0 ON APR 18	848	1981
1982	20.0 B AT 09:36 CST ON MAR 12	10.3 B ON MAR 12	0 ON AUG 7	7 020	1982
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		5 240	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED

MCDONALD TRIBUTARY NEAR TOTHES - STATION NO. 05HF015

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	0.005	0.001	0.001	0	0	0	0	0	---	---	0.001	1968
1969	---	---	0	0.766	0.001	0	0.002	0	0	0.002	---	---	0.094	1969
1970	---	---	0	0.795	0.002	0.001	0	0	0	0	---	---	0.098	1970
1971	---	---	0	0.367	0.002	0	0.001	0	0	0	---	---	0.045	1971
1972	---	---	0.005	0.007	0	0	0	0	0	0	---	---	0.002	1972
1973	---	---	0.015	0.004	0.001	0	0	0	0	0	---	---	0.002	1973
1974	---	---	0	0.523	0.022	0.025	0.004	0.078	0.001	0.001	---	---	0.080	1974
1975	---	---	0	0.674	0.026	0.001	0	0	0	0	---	---	0.086	1975
1976	---	---	0.033	0.229	0.001	0	0.001	0	0	0	---	---	0.033	1976
1977	---	---	0.001	0.002	0.041	0	0	0	0	0	---	---	0.006	1977
1978	---	---	0.021	0.066	0.003	0	0	0	0	0	---	---	0.011	1978
1979	---	---	0.004	0.022	0.001	0.002	0	0	0	0	---	---	0.004	1979
1980	---	---	0.008	0.003	0	0	0	0.003	0	0	---	---	0.002	1980
1981	---	0.001	0.007	0.003	0.001	0.001	0.003	0	0	0	---	---	0.002	1981
1982	---	---	0	0.226	0.008	0.003	0.031	0	0	0	---	---	0.033	1982
MEAN	---	0.001	0.007	0.246	0.007	0.002	0.003	0.005	0	0	---	---	0.033	MEAN

LOCATION - LAT 51 20 04 N DRAINAGE AREA, 46.1 km²
LONG 108 26 56 W REGULATED SINCE 1967

MCDONALD TRIBUTARY NEAR TOTHES - STATION NO. 05HF015

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	0.028B AT 01:30 CST ON MAR 6	0.017B ON MAR 3	0B ON MAR 19 *	19.7	1968
1969	9.54 AT 17:30 CST ON APR 12	6.71 ON APR 13 *	0B ON MAR 1	1 990	1969
1970	7.25 B AT 19:00 CST ON APR 10	5.86 B ON APR 11	0B ON MAR 1	2 070	1970
1971	2.59 AT 12:08 CST ON APR 11	1.64 ON APR 12	0B ON MAR 1	960	1971
1972	0.552B AT 09:00 CST ON APR 2	0.136B ON APR 2	0B ON MAR 1	34.3	1972
1973	---	0.079A ON MAR 20	0 ON MAR 1	51.6	1973
1974	4.81 AT 02:15 CST ON APR 19	4.47 ON APR 19	0B ON MAR 1	1 700	1974
1975	8.90 AT 16:50 CST ON APR 20	4.36 ON APR 20	0B ON MAR 1	1 820	1975
1976	3.43 AT 10:04 CST ON APR 7	1.95 ON APR 7	0B ON MAR 1	688	1976
1977	0.855 AT 22:15 CST ON MAY 19	0.360 ON MAY 19	0 ON MAR 1	118	1977
1978	0.631B AT 15:38 CST ON MAR 30	0.362B ON MAR 30	0B ON MAR 1	236	1978
1979	0.589A AT 06:07 CST ON APR 19	0.298A ON APR 19	0B ON MAR 1	75.2	1979
1980	0.420 AT 22:30 CST ON AUG 15	0.070B ON MAR 28	0B ON MAR 1	37.3	1980
1981	0.209 AT 03:30 CST ON JUL 22	0.079 ON JUL 22	0 ON MAR 23	38.4	1981
1982	11.0 AT 19:22 CST ON JUL 2 *	1.18 ON APR 17	0B ON MAR 1	698	1982
				702	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1924	---	---	---	0.692	0.122	0.078	0.024	0	0	0.262	---	---	---	1924
1925	---	---	4.96	3.23	0.038	0.504	0.003	0	0.001	0.011	---	---	1.09	1925
1926	---	---	7.60	0.021	0.011	0.433	0.002	0	0	0	---	---	1.02	1926
1927	---	---	0.084	10.9	1.92	0.615	0.128	0.001	0	0.001	---	---	1.69	1927
1928	---	---	4.34	0.262	0.015	0.928	0.495	0.007	0	0	---	---	0.760	1928
1929	---	---	0.316	0.137	0.005	0.002	0	0	0	0	---	---	0.058	1929
1930	---	---	2.42	1.80	0.010	0.002	0	0	0	0	---	---	0.528	1930
1931	---	---	0.007	0.009	0.006	0.051	0.096	0	0	0	---	---	0.021	1931
1932	---	---	0.413	0.155	0.004	0.020	0	0.005	0	0	---	---	0.075	1932
1933	---	---	0.483	0.007	0.002	0	0	0.815	0.020	0.003	---	---	0.168	1933
1934	---	---	1.04	0.671	0.001	0	0	0	0	0	---	---	0.214	1934
1935	---	---	0.021	0.486	0.006	0	0	0	0	0	---	---	0.063	1935
1936	---	---	0	1.41	0.023	0	0	0	0	0	---	---	0.176	1936
1937	---	---	0	0.170	0	0	0	0	0	0	---	---	0.021	1937
1938	---	---	1.59	0.536	0.003	0.354	0.915	0	0	0	---	---	0.427	1938
1939	---	---	7.50	0.120	1.13	2.19	0.012	0.001	0	0	---	---	1.38	1939
1940	---	---	0	2.60	0.178	0.701	0.004	0.001	0	0	---	---	0.427	1940
1941	---	---	1.52	0.011	0.002	0.003	0.002	0	0	0	---	---	0.194	1941
1942	---	---	0.908	0.367	0.006	0.424	0.056	0.091	0.002	0.003	---	---	0.232	1942
1943	---	---	7.36	0.999	0.003	0.391	0.005	0	0	0	---	---	1.10	1943
1944	---	---	0.459	0.896	0.005	0.018	0	0	0	0	---	---	0.171	1944
1945	---	---	0.619	0.006	0.003	0.001	0	0	0	0	---	---	0.079	1945
1946	---	---	1.39	0.021	0.005	0.002	0	0	0	0	---	---	0.179	1946
1947	---	---	0.972	2.62	0.012	0.003	0	0	0	0	---	---	0.445	1947
1948	---	---	0.161	1.65	0.007	0.003	0.001	0	0	0	---	---	0.224	1948
1949	---	---	0.055	0.330	0	0	0	0	0	0	---	---	0.047	1949
1950	---	---	0	5.93	0.113	0.101	0.006	0	0	0	---	---	0.758	1950
1951	---	---	0	5.06	0.498	0.003	0.001	0	0	0	---	---	0.683	1951
1952	---	---	0	15.5	0.022	0.003	0.072	0.001	0	0	---	---	1.92	1952
1953	---	---	0.038	0.283	1.07	1.49	0.076	0	0	0	---	---	0.367	1953
1954	---	---	0.126	5.51	0.038	0.392	0.001	0.147	0	0	---	---	0.762	1954
1955	---	---	0.096	4.23	0.878	0.010	0	0	0	0	---	---	0.643	1955
1956	---	---	0.333	0.478	0.009	0.001	0	0	0	0	---	---	0.102	1956
1957	---	---	0.009	0.015	0	0	0	0	0	0	---	---	0.003	1957
1958	---	---	1.36	0.757	0.001	0	0	0	0	0	---	---	0.265	1958
1959	---	---	1.28	0.392	0.001	0	0	0	0	0	---	---	0.210	1959
1960	---	---	4.56	0.267	0.002	0	0	0	0	0	---	---	0.610	1960
1961	---	---	0.001	0	0	0	0	0	0	0	---	---	0	1961
1962	---	---	0.167	0.725	0	0.398	1.26	0.002	0	0	---	---	0.318	1962
1963	---	0.125	1.27	0.021	0.002	0.978	0.083	0	0	0	---	---	0.294	1963
1964	---	---	0	0	0.001	0.002	0	0	0	0	---	---	0	1964
1965	---	---	0	1.82	1.65	0.855	0.012	0	0	0	---	---	0.539	1965
1966	---	---	1.16	0.039	0.009	0	0	0	0	0	---	---	0.153	1966
1967	---	---	0	6.05	1.22	0.014	0	0	0	0	---	---	0.897	1967
1968	---	---	1.25	0.015	0.003	0	0	0	0	0	---	---	0.160	1968
1969	---	---	0	7.52	0.409	0.001	0.203	0	0	0	---	---	0.998	1969
1970	---	---	0.015	3.19	1.05	0.234	0.002	0	0	0	---	---	0.554	1970
1971	---	---	0	1.73	0.040	0.003	0	0	0	0	---	---	0.217	1971
1972	---	---	1.65	0.050	0.002	0.455	0	0	0	0	---	---	0.271	1972
1973	---	---	0.474	0	0	0	0	0	0	0	---	---	0.060	1973
1974	---	---	1.18	4.71	0.707	0.033	0.006	0.058	0	0	---	---	0.828	1974
1975	---	---	0.002	2.89	1.49	0.007	0.001	0.135	0.001	0.005	---	---	0.561	1975
1976	---	---	6.91	0.701	0.008	0.012	0.024	0.001	0	0	---	---	0.965	1976
MEAN	---	0.125	1.27	1.85	0.240	0.221	0.066	0.024	0	0.005	---	---	0.460	MEAN

LOCATION - LAT 48 59 30 N DRAINAGE AREA, 443 km² INTERNATIONAL GAUGING STATION
LONG 106 55 40 W NATURAL FLOW

MCEACHERN CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AE007

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1924	---	3.82 E ON APR 3	0 ON JUN 21 *	---	1924
1925	62.6 ON MAR 29	41.3 ON MAR 29	0B ON MAR 1	23 100	1925
1926	---	26.9 ON MAR 17	0 ON JUL 19	21 600	1926
1927	90.3 AT 15:00 MST ON APR 9	59.2 ON APR 9	0B ON MAR 1	35 700	1927
1928	---	28.3 B ON MAR 21	0B ON MAR 1	16 100	1928
1929	---	1.78 B ON MAR 30	0 ON MAR 1	1 220	1929
1930	---	11.2 B ON MAR 23	0B ON MAR 1	11 200	1930
1931	20.7 AT 22:00 MST ON JUN 30	2.10 ON JUL 1	0 ON MAY 28	483	1931
1932	---	3.34 B ON MAR 26	0B ON MAR 4	1 590	1932
1933	20.9 AT 09:00 MST ON AUG 22	18.0 ON AUG 22	0B ON MAR 1	3 560	1933
1934	---	7.42 ON APR 2	0 ON MAY 14	4 530	1934
1935	---	5.95 ON APR 17	0 ON MAR 1	1 330	1935
1936	19.8 AT 16:00 MST ON APR 12	16.4 ON APR 12	0 ON MAR 1	3 720	1936
1937	1.12 AT 11:30 MST ON APR 11	1.06 ON APR 10	0 ON MAR 1	441	1937
1938	26.8 AT 15:00 MST ON MAR 17	12.1 ON MAR 17	0 ON MAR 1	9 030	1938
1939	106 AT 01:00 MST ON MAR 23	90.6 ON MAR 23	0 ON MAR 1	29 100	1939
1940	16.2 AT 19:30 MST ON APR 18	14.0 ON APR 18	0 ON MAR 1	9 050	1940
1941	---	9.63 B ON MAR 22	0 ON MAR 1	4 120	1941
1942	15.9 AT 14:45 MST ON JUN 29	9.00 ON JUN 29	0 ON MAR 1	4 900	1942
1943	97.4 AT 06:00 MST ON MAR 29	75.6 ON MAR 29	0 ON MAR 1	23 300	1943
1944	28.9 AT 13:00 MST ON APR 1	12.2 ON APR 1	0B ON MAR 1	3 610	1944
1945	6.00 AT 16:30 MST ON MAR 13	4.45 ON MAR 13	0 ON MAR 1	1 680	1945
1946	5.47 AT 17:30 MST ON MAR 20	5.18 ON MAR 20	0B ON MAR 1	3 790	1946
1947	9.63 AT 08:35 MST ON APR 3	8.69 ON APR 3	0 ON MAR 1	9 430	1947
1948	8.83 AT 13:30 MST ON APR 16	7.90 ON APR 16	0 ON MAR 1	4 740	1948
1949	2.10 AT 08:50 MST ON APR 3	1.93 ON APR 3	0 ON MAR 1	1 000	1949
1950	94.9 B AT 12:00 MST ON APR 16	51.8 ON APR 17	0 ON MAR 1	16 000	1950
1951	19.7 AT 10:00 MST ON APR 26	17.3 ON APR 26	0B ON MAR 1	14 400	1951
1952	200 AT 01:00 MST ON APR 15 *	112 ON APR 14 *	0 ON MAR 1	40 600	1952
1953	30.3 AT 11:00 MST ON JUN 3	18.5 ON JUN 3	0B ON MAR 1	7 770	1953
1954	140 AT 16:00 MST ON APR 6	92.3 B ON APR 6	0B ON MAR 1	16 200	1954
1955	36.0 B AT 10:00 MST ON APR 2	26.3 B ON APR 2	0B ON MAR 1	13 600	1955
1956	5.10 B AT 11:45 MST ON MAR 27	3.96 B ON MAR 27	0 ON MAR 1	2 160	1956
1957	0.108 AT 21:00 MST ON APR 1	0.105 ON APR 1	0 ON MAR 1	63.9	1957
1958	---	21.1 ON MAR 31	0 ON MAR 1	5 610	1958
1959	11.2 AT 17:20 MST ON MAR 27	8.64 ON MAR 28	0 ON MAR 1	4 450	1959
1960	46.4 AT 02:00 MST ON MAR 27	30.0 ON MAR 27	0 ON MAR 1	12 900	1960
1961	0.037 AT 06:00 MST ON MAR 22	0.025 ON MAR 22	0 ON MAR 1	2.85	1961
1962	22.6 AT 23:00 MST ON JUL 14	17.3 ON JUL 15	0 ON MAR 1	6 740	1962
1963	25.9 AT 04:00 MST ON JUN 22	16.7 ON JUN 22	0 ON MAY 18	6 220	1963
1964	0.040 AT 04:00 MST ON JUN 22	0.031 ON JUN 22	0 ON MAR 1	6.73	1964
1965	33.7 AT 02:00 MST ON MAY 7	27.2 ON MAY 7	0B ON MAR 1	11 400	1965
1966	14.5 AT 16:00 MST ON MAR 16	12.0 ON MAR 16	0 ON MAR 1	3 250	1966
1967	49.6 AT 02:00 MST ON APR 12	37.7 ON APR 12	0B ON MAR 1	19 000	1967
1968	7.31 B AT 21:00 MST ON MAR 2	5.01 B ON MAR 6	0 ON MAY 22	3 390	1968
1969	107 A AT 21:00 MST ON APR 6	62.9 A ON APR 7	0B ON MAR 1	21 100	1969
1970	48.7 AT 10:00 MST ON APR 7	29.2 ON APR 7	0 ON MAR 1	11 700	1970
1971	7.87 B AT 19:00 CST ON APR 11	6.31 B ON APR 11	0 ON MAR 1	4 590	1971
1972	18.3 B AT 01:00 MST ON MAR 19	13.7 B ON MAR 19	0B ON MAR 1	5 740	1972
1973	7.08 AT 10:00 MST ON MAR 14	1.78 ON MAR 14	0 ON MAR 1	1 270	1973
1974	34.0 B AT 03:00 CST ON MAR 31	29.2 B ON MAR 31	0 ON MAR 1	17 500	1974
1975	30.9 AT 03:30 CST ON MAY 7	17.4 ON MAY 7	0B ON MAR 1	11 900	1975
1976	69.1 B AT 04:00 CST ON MAR 20	59.7 B ON MAR 20	0B ON MAR 2	20 400	1976
				9 740	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

MCEACHERN CREEK AT MCCOY'S RANCH - STATION NO. 11AE001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1914	---	---	---	---	0.006	0.001	0	0	0	0	---	---	---	1914
1915	---	---	---	0.103	0.068	0.056	0.009	0.001	0	0	---	---	---	1915
1916	---	---	---	7.70	0.611	0.183	0.443	0.003	0	0	---	---	---	1916
1917	---	---	---	---	0.324	0.010	0	0	0	0	---	---	---	1917
1918	---	---	---	3.47	0.111	0	0	0.045	0.003	0	---	---	---	1918
1919	---	---	0.007	1.88	0.011	0	0	0	0	0	---	---	0.232	1919
1920	---	---	1.10	0.400	0.002	0	0	0	0	0	---	---	0.189	1920
1921	---	---	0.645	0.100	0.015	0.134	0.471	0	0	0	---	---	0.172	1921
1922	---	---	0	4.94	0.644	0.135	0.020	0	0	0	---	---	0.705	1922
1923	---	---	0	1.46	0.004	1.81	0.397	0.006	0	0	---	---	0.452	1923
MEAN	---	---	0.350	2.51	0.180	0.233	0.134	0.006	0	0	---	---	0.350	MEAN

LOCATION - LAT 49 00 10 N, LONG 106 56 20 W
DRAINAGE AREA, 316 km^2
NATURAL FLOW

MCEACHERN CREEK AT MCCOY'S RANCH - STATION NO. 11AE001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1914	---	---	0 ON MAY 30 *	---	1914
1915	---	---	0 ON MAY 9	---	1915
1916	---	31.1 ON APR 12	0 ON AUG 10	---	1916
1917	---	---	0 ON JUL 10	---	1917
1918	---	17.1 ON APR 3	0 ON JUN 7	---	1918
1919	---	9.94 ON APR 2	0 ON MAR 1	4 910	1919
1920	---	12.5 B ON MAR 23	0B ON MAR 1	8 000	1920
1921	---	6.12 ON JUL 11	0 ON JUN 1	3 640	1921
1922	---	40.5 ON APR 5 *	0 ON MAR 1	14 900	1922
1923	---	18.8 ON JUN 22	0 ON MAR 1	9 570	1923
				7 400	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

MCKINNON DITCH NEAR CONSUL - STATION NO. 11AB044

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	---	---	---	---	---	---	---	---	---	1911
1912	---	---	0	0	0	0	0	0	0	0	---	---	0	1912
1913	---	---	0	0	0	0	0	0	0	0	---	---	0	1913
1914	---	---	0	0	0	0	0	0	0	0	---	---	0	1914
1915	---	---	0	0	0	0	0	0	0	0	---	---	0	1915
1916	---	---	0	0	0	0	0	0	0	0	---	---	0	1916
1917	---	---	0	0	0	---	---	---	---	---	---	---	---	1917
1918	---	---	0	---	0	---	---	---	---	---	---	---	---	1918
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
1920	---	---	0	0.042	0.047	0.078	0.012	0	0	0	---	---	0.022	1920
1921	---	---	0	---	---	---	---	0	0	0	---	---	---	1921
1922	---	---	0	0	0	0	0	0	0	0	---	---	0	1922
1923	---	---	0	0	0.083	0.004	0	0	0	0	---	---	0.011	1923
1924	---	---	0	0	0.024	0.087	0.010	0	0	0	---	---	0.015	1924
1925	---	---	0	0	0.090	0.107	0.005	0	0	0	---	---	0.025	1925
1926	---	---	---	---	---	---	---	---	---	---	---	---	---	1926
1927	---	---	0	0	0	0	0	0	0	0	---	---	0	1927
1928	---	---	0	0	0	0	0	0	0	0	---	---	0	1928
1929	---	---	0	0	0	0	0.004	0	0	0	---	---	0.001	1929
1930	---	---	0	0.066	0.120	0.078	0.007	0	0	0	---	---	0.034	1930
1931	---	---	0	0.058	0.138	0.033	0	0	0	0	---	---	0.029	1931
1941	---	---	0	0.204	0.120	0.050	0	0	0	0	---	---	0.046	1941
1942	---	---	0	0.014	0.217	0.025	0	0	0	0	---	---	0.032	1942
1943	---	---	---	---	---	---	---	---	---	---	---	---	---	1943
1944	---	---	---	---	---	---	---	---	---	---	---	---	---	1944
1946	---	---	0.001	0	0	0.065	0.085	0.040	0	0.105	---	---	0.037	1946
1947	---	---	0	0.025	0.077	0.170	0.219	0	0	0	---	---	0.061	1947
1948	---	---	0	0	0	0.155	0.407	0.064	0	0	---	---	0.079	1948
1949	---	---	0	0.214	0.291	0.248	0.121	0.045	0	0	---	---	0.115	1949
1950	---	---	0	0.012	0.202	0.146	0.240	0.138	0	0	---	---	0.093	1950
1951	---	---	0	0	0.037	0.016	0.144	0.174	0	0	---	---	0.047	1951
1952	---	---	0	0	0	0.116	0.445	0.124	0.004	0	---	---	0.087	1952
1953	---	---	0	0.017	0.035	0	0.233	0.185	0.024	0	---	---	0.062	1953
1954	---	---	0	0	0.008	0.168	0.281	0.119	0	0	---	---	0.072	1954
1955	---	---	0	0.002	0.004	0.333	0.012	0.028	0	0.007	---	---	0.048	1955
1956	---	---	0	0	0.006	0.370	0.122	0.131	0	0.021	---	---	0.081	1956
1957	---	---	0	0	0.213	0.281	0.200	0.165	0.006	0	---	---	0.108	1957
1958	---	---	0.001	0.035	0.269	0.478	0.250	0.187	0.002	0	---	---	0.153	1958
1959	---	---	0	0.045	0.147	0.480	0.133	0.344	0	0.005	---	---	0.144	1959
1960	---	---	0	0	0.016	0.599	0.274	0.196	0	0.058	---	---	0.142	1960
1961	---	---	0	0.078	0.262	0.276	0.511	0.022	0	0.007	---	---	0.145	1961
1962	---	---	0	0.025	0.422	0.088	0.003	0	0	0.012	---	---	0.069	1962
1963	---	---	0	0.049	0.520	0.053	0	0	0	0	---	---	0.078	1963
1964	---	---	0	0	0.275	0.316	0.059	0.001	0	0	---	---	0.081	1964
1965	---	---	0	0	0.274	0.300	0	0.187	0	0	---	---	0.095	1965
1966	---	---	0	0	0.211	0.398	0.177	0.051	0	0	---	---	0.109	1966
1967	---	---	0	0	0	0.526	0.235	0.189	0	0	---	---	0.118	1967
1968	---	---	0	0	0.623	0.005	0.398	0.059	0	0	---	---	0.137	1968
1969	---	---	0	0	0.272	0.246	0.345	0.234	0	0	---	---	0.138	1969
1970	---	---	0	0	0.513	0.224	0.379	0.006	0	0	---	---	0.141	1970
1971	---	---	0	0	0.480	0.006	0.482	0.165	0	0	---	---	0.143	1971
1972	---	---	0	0	0.539	0	0.536	0.036	0	0	---	---	0.141	1972
1973	---	---	0	0	0.542	0	0.410	0.156	0	0	---	---	0.140	1973
1974	---	---	0	0	0	0.581	0.360	0.004	0	0	---	---	0.117	1974
1975	---	---	0	0	0	0.534	0.336	0.117	0	0	---	---	0.123	1975
1976	---	---	0	0	0.463	0.120	0.348	0	0	0	---	---	0.117	1976
1977	---	---	0	0	0.667	0	0.474	0.002	0	0	---	---	0.144	1977
1978	---	---	0	0	0.021	0.464	0	0	0	0	---	---	0.060	1978
1979	---	---	0	0	0.055	0.464	0.275	0	0	0	---	---	0.099	1979
1980	---	---	0	0	0.579	0.005	0.361	0	0	0	---	---	0.120	1980
1981	---	---	0	0.098	0.430	0	0	0	0	0	---	---	0.066	1981
1982	---	---	0	0	0	0.402	0	0	0	0	---	---	0.049	1982
MEAN	---	---	0	0.018	0.166	0.168	0.165	0.058	0.001	0.004	---	---	0.074	MEAN

LOCATION - LAT 49 20 00 N
LONG 109 29 40 W REGULATED

INTERNATIONAL GAUGING STATION

MCKINNON DITCH NEAR CONSUL - STATION NO. 11AB044

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	---	0 ON OCT 20 *	---	1911
1912	---	0 ON MAR 1	0 ON MAR 1	0	1912
1913	---	0 ON MAR 1	0 ON MAR 1	0	1913
1914	---	0 ON MAR 1	0 ON MAR 1	0	1914
1915	---	0 ON MAR 1	0 ON MAR 1	0	1915
1916	---	0 ON MAR 1	0 ON MAR 1	0	1916
1917	---	---	0 ON MAR 1	---	1917
1918	---	---	0 ON MAR 1	---	1918
1919	---	---	0 ON JUL 18	---	1919
1920	---	0.331 ON APR 29	0 ON MAR 1	467	1920
1921	---	---	0 E ON MAR 1	---	1921
1922	---	0 ON MAR 1	0 ON MAR 1	0	1922
1923	---	0.178 ON MAY 11	0 ON MAR 1	233	1923
1924	---	0.184 ON JUN 11	0 ON MAR 1	315	1924
1925	---	0.229 ON MAY 18	0 ON MAR 1	531	1925
1926	---	0.062 ON MAY 18	0.062 ON MAY 18	---	1926
1927	---	0 ON MAR 1	0 ON MAR 1	0	1927
1928	---	0 ON MAR 1	0 ON MAR 1	0	1928
1929	---	0.025 ON JUL 5	0 ON MAR 1	10.8	1929
1930	---	0.184 ON APR 6	0 ON MAR 1	712	1930
1931	---	0.258 ON MAY 3	0 ON MAR 1	605	1931
1941	---	0.306 ON APR 11	0 ON MAR 1	982	1941
1942	---	0.348 ON APR 30	0 ON MAR 1	682	1942
1943	---	---	0 ON MAY 20	---	1943
1944	---	---	0 ON JUL 24	---	1944
1946	---	0.105E ON OCT 1	0 E ON APR 1	787	1946
1947	---	0.379 ON MAY 16	0 ON MAR 1	1 300	1947
1948	---	0.541 ON JUL 21	0 ON MAR 1	1 660	1948
1949	---	0.640 ON APR 15	0 ON MAR 1	2 420	1949
1950	---	0.804 ON AUG 3	0 ON MAR 1	1 960	1950
1951	---	0.504 ON MAY 4	0 ON MAR 1	994	1951
1952	---	1.78 ON JUL 25	0 ON MAR 1	1 830	1952
1953	---	0.530 ON AUG 7	0 ON MAR 1	1 320	1953
1954	---	0.668 ON JUL 24	0 ON MAR 1	1 530	1954
1955	---	0.580 ON JUN 20	0 ON MAR 1	1 010	1955
1956	---	0.685 ON JUN 19	0 ON MAR 1	1 710	1956
1957	---	0.555 ON JUN 4	0 ON MAR 1	2 290	1957
1958	---	0.940 ON JUN 1	0 E ON MAR 1	3 230	1958
1959	---	0.821 ON JUN 8	0 ON MAR 1	3 040	1959
1960	---	0.980 ON JUN 7	0 ON MAR 1	3 010	1960
1961	---	0.881 ON JUL 29	0 ON MAR 1	3 070	1961
1962	---	0.799 ON MAY 25	0 ON MAR 1	1 460	1962
1963	---	0.629 ON MAY 25	0 ON MAR 1	1 650	1963
1964	---	0.578 ON JUN 29	0 ON MAR 1	1 720	1964
1965	---	0.977 ON JUN 5	0 ON MAR 1	2 010	1965
1966	---	1.13 ON MAY 30	0 ON MAR 1	2 310	1966
1967	---	0.889 ON JUN 8	0 ON MAR 1	2 500	1967
1968	---	0.968 ON MAY 20	0 ON MAR 1	2 910	1968
1969	---	1.29 ON JUL 29	0 ON MAR 1	2 920	1969
1970	---	1.48 ON JUL 24	0 ON MAR 1	2 990	1970
1971	---	1.41 ON JUL 30	0 ON MAR 1	3 040	1971
1972	---	1.44 ON JUL 20	0 ON MAR 1	2 980	1972
1973	---	1.21 ON MAY 27	0 ON MAR 1	2 970	1973
1974	---	1.45 ON JUN 19	0 ON MAR 1	2 480	1974
1975	---	1.93 ON JUN 18 *	0 E ON MAR 1	2 590	1975
1976	---	1.29 ON MAY 25	0 ON MAR 1	2 490	1976
1977	---	1.78 ON MAY 19	0 ON MAR 1	3 060	1977
1978	---	1.21 ON JUN 11	0 ON MAR 1	1 260	1978
1979	---	1.26 ON JUN 2	0 ON MAR 1	2 080	1979
1980	---	1.38 ON MAY 23	0 ON MAR 1	2 530	1980
1981	---	1.32 ON MAY 6	0 ON MAR 1	1 400	1981
1982	---	1.55 ON JUN 14	0 ON MAR 1	1 040	1982
				1 560	MEAN

E - ESTIMATED

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

MCRAE COULEE AT INTERNATIONAL BOUNDARY - STATION NO. 11AB070

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1927	---	---	0.551	0.355	0.844	0.050	0.013	0	0	0	---	---	---	1927
1928	---	---	0.028	0.518	0	0	0	0	0	0	---	---	---	1928
1929	---	---	0	0	0	0	0	0	0	0	0	0	---	1929
1930	0	0.057	0.752	0.095	0	0	0	0	0	0	0	0	0.076	1930
1931	0	0	0	0	0	0.034	0.007	0	0	0	0	0	0.003	1931
1932	0	0	0.017	0.002	0	0	0	0	0	0	0	0	0.002	1932
1933	0	0	0	0	0	0.001	0	0.002	0.004	0	0	0	0.001	1933
1934	0	0.036	0.262	0.017	0	0	0	0	0	0	0	0	0.026	1934
1935	0	0	0.228	0.180	0	0	0.071	0	0	0	0	0	0.037	1935
1936	0	0	0	0.535	0	0	0	0	0	0	0	0	0.044	1936
1937	0	0	0.007	0.383	0	0	0	0	0	0	0	0	0.032	1937
1938	---	---	0.359	0.051	0.004	0.002	0	0	0	0	---	---	---	1938
1939	---	---	0.525	0	0	0	0	0	0	0	---	---	---	1939
1940	---	---	0	1.25	0.029	0	0	0	0	0	---	---	---	1940
1941	---	---	0.866	0	0	0	0	0	0	0	---	---	---	1941
1942	---	---	0.015	0.002	0	0.061	0	0	0	0	---	---	---	1942
1943	---	---	1.99	0.047	0	0	0	0	0	0	---	---	---	1943
1944	---	---	0.003	0	0	0.002	0.347	0	0	0	---	---	---	1944
1945	---	---	0.283	0	0	0	0	0	0	0	---	---	---	1945
1946	---	---	0.164	0	0	0	0	0	0	0	---	---	---	1946
1947	---	---	0.557	0.121	0	0	0	0	0	0	0	0	---	1947
1948	0	0	0	0	0	0	0	0	0	0	0	0	0	1948
1949	0	0	0	0	0	0	0	0	0	0	---	---	---	1949
1950	---	---	0	0.846	0	0	0	0	0	0	---	---	---	1950
1951	---	---	0	0.550	0.002	0	0	0.001	0.001	0	---	---	---	1951
MEAN	0	0.009	0.263	0.196	0.035	0.006	0.018	0	0	0	0	0	0.025	MEAN

LOCATION - LAT 49 01 00 N DRAINAGE AREA, 157 km² INTERNATIONAL GAUGING STATION
LONG 109 43 10 W NATURAL FLOW

REMARKS - MAXIMUM INSTANTANEOUS DISCHARGE FOR 1952 WAS 32.8 m³/s ON APR 07

MCRAE COULEE AT INTERNATIONAL BOUNDARY - STATION NO. 11AB070

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1927	---	10.7 ON MAY 23	0 ON MAR 1 *	---	1927
1928	4.70 AT 17:00 MST ON APR 2	3.23 B ON APR 3	0 ON MAR 1	---	1928
1929	0 AT 00:00 MST ON MAR 1	0 ON MAR 1	0 ON MAR 1	---	1929
1930	4.87 B ON MAR 26	3.94 B ON MAR 26	0 ON JAN 1	2 400	1930
1931	4.25 ON JUN 30	1.02 ON JUN 30	0 ON JAN 1	106	1931
1932	0.360B AT 20:00 MST ON MAR 24	0.088B ON MAR 25	0 ON JAN 1	50.3	1932
1933	0.113 AT 11:00 MST ON JUN 29	0.074 ON AUG 22	0 ON JAN 1	17.7	1933
1934	---	0.708B ON MAR 1	0 ON JAN 1	836	1934
1935	10.2 AT 19:00 MST ON JUL 21	2.18 B ON MAR 24	0 ON JAN 1	1 170	1935
1936	16.7 AT 23:00 MST ON APR 12	7.90 ON APR 12	C ON JAN 1	1 390	1936
1937	6.12 AT 23:30 MST ON APR 7	4.05 ON APR 8	0 ON JAN 1	1 010	1937
1938	10.7 AT 01:00 MST ON MAR 27	4.36 ON MAR 27	0 ON MAR 1	---	1938
1939	9.91 AT 23:30 MST ON MAR 23	5.44 ON MAR 23	0 ON MAR 1	---	1939
1940	17.6 AT 23:00 MST ON APR 19	11.4 ON APR 19	0 ON MAR 1	---	1940
1941	14.5 B AT 22:00 MST ON MAR 21	8.58 B ON MAR 21	0B ON MAR 1	---	1941
1942	1.16 AT 21:30 MST ON JUN 6	0.564 ON JUN 7	0 ON MAR 1	---	1942
1943	27.6 ON MAR 29 *	25.0 ON MAR 29 *	0 ON MAR 1	---	1943
1944	23.4 AT 11:30 MST ON JUL 5	8.04 ON JUL 5	0 ON MAR 1	---	1944
1945	3.57 AT 21:00 MST ON MAR 19	2.32 ON MAR 20	0 ON MAR 1	---	1945
1946	1.61 AT 21:00 MST ON MAR 11	1.15 ON MAR 11	0 ON MAR 1	---	1946
1947	10.5 AT 22:00 MST ON MAR 30	7.05 ON MAR 30	0B ON MAR 1	---	1947
1948	0 AT 00:00 MST ON MAR 1	0 ON JAN 1	0 ON JAN 1	0	1948
1949	0 AT 00:00 MST ON MAR 1	0 ON JAN 1	0 ON JAN 1	---	1949
1950	13.5 AT 12:45 MST ON APR 7	6.03 ON APR 13	0 ON MAR 1	---	1950
1951	---	4.81 B ON APR 10	0 ON MAR 1	---	1951

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD 776 MEAN

MCSHANE CREEK AT SHALL'S RANCH - STATION NO. 05HA010

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	0.161	---	0.009	0	0	0	---	---	---	1909
1910	---	---	---	---	---	---	---	---	---	---	---	---	---	1910
1911	---	---	---	0.051	0.019	0.003	0.015	0.003	0.031	0.006	---	---	---	1911
1912	---	---	---	0.141	0.064	0.021	0	0.004	0	0	---	---	---	1912
1913	---	---	---	---	0.033	0.004	0.005	---	---	---	---	---	---	1913
1914	---	---	---	0.107	0.007	0	0	0	0.032	0.141	---	---	---	1914
1915	---	---	---	---	---	---	---	---	---	---	---	---	---	1915
MEAN	---	---	---	0.100	0.057	0.007	0.006	0.002	0.016	0.037	---	---	---	MEAN

LOCATION - LAT 49 47 10 N DRAINAGE AREA, 46.6 km²
LONG 109 35 42 W NATURAL FLOW

MCSHANE CREEK AT SHALL'S RANCH - STATION NO. 05HA010

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1909	---	---	0 ON JUN 1 *	---	1909
1910	---	---	0 ON APR 23	---	1910
1911	---	---	0 ON APR 2	---	1911
1912	---	---	0 ON MAY 26	---	1912
1913	---	---	0 ON APR 22	---	1913
1914	---	---	0 ON MAR 20	---	1914
1915	---	---	0 ON AUG 26	---	1915
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

MEADOW RIVER BELOW MEADOW LAKE - STATION NO. 06AD010

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1958	---	---	---	14.1	21.0	6.21	3.49	2.38	2.01	1.91	1.43	0.937	---	1958
1960	---	---	---	30.6	38.3	25.7	12.4	5.26	3.83	2.74	2.19	---	---	1960
1961	---	---	---	---	5.90	3.21	2.37	2.03	1.48	0.885	---	---	---	1961
1964	---	---	---	2.09	4.38	2.90	1.93	1.28	0.828	0.704	---	---	---	1964
1968	---	---	---	---	1.59	---	---	---	---	---	---	---	---	1968
1974	---	---	---	16.5	49.0	---	---	---	---	---	---	---	---	1974
1975	---	---	0.283	1.96	10.4	10.6	14.9	9.30	4.99	2.50	---	---	---	1975
1976	---	---	0.339	3.79	2.54	0.937	1.11	1.05	0.736	0.672	0.295	0.069	---	1976
1977	0.015	0.041	0.144	1.71	4.77	5.15	1.51	1.01	0.750	1.06	0.385	0.546	1.43	1977
1978	0.555	0.178	0.612	4.06	18.3	11.0	3.20	1.18	0.827	0.500	0.223	0.089	3.41	1978
1979	0.008	0	0.003	1.08	11.1	9.51	5.26	2.68	1.70	1.02	0.869	0.299	2.81	1979
1980	0	0	0	2.92	3.67	1.31	0.983	0.842	1.69	2.39	1.23	0.553	1.30	1980
1981	0.097	0.088	0.696	4.18	4.82	1.57	0.589	0.203	0.065	0.026	0.039	0.027	1.04	1981
1982	0.014	0	0	0.920	12.2	4.25	1.41	0.368	0.113	0.457	0.408	0.408	1.73	1982
MEAN	0.115	0.051	0.260	6.99	13.4	6.86	4.10	2.30	1.58	1.24	0.785	0.366	1.95	MEAN

LOCATION - LAT 54 08 10 N DRAINAGE AREA, 3 340 km^2
LONG 108 23 40 W NATURAL FLOW

MEADOW RIVER BELOW MEADOW LAKE - STATION NO. 06AD010

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1958	---	---	---	---	1958
1960	---	---	---	---	1960
1961	---	---	---	---	1961
1964	---	---	---	---	1964
1968	---	---	---	---	1968
1974	---	---	---	---	1974
1975	---	---	---	---	1975
1976	---	---	---	---	1976
1977	12.7 AT 13:08 CST ON MAY 29	10.8 ON MAY 29	0 B ON JAN 15 *	45 000	1977
1978	23.5 AT 19:47 CST ON MAY 12 *	22.4 ON MAY 11 *	0.037B ON DEC 30	108 000	1978
1979	12.8 AT 21:23 CST ON MAY 19	12.0 ON MAY 18	0 B ON JAN 20	88 600	1979
1980	7.61 AT 12:43 CST ON APR 29	6.99 ON APR 28	0 B ON JAN 1	41 200	1980
1981	7.43 AT 09:47 CST ON MAY 1	6.34 ON MAY 1	0.004 ON OCT 17	32 600	1981
1982	15.7 AT 16:21 CST ON MAY 13	15.2 ON MAY 11	0 B ON FEB 4	54 500	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		61 700	MEAN

MEADOW RIVER NEAR MEADOW LAKE - STATION NO. 06AD003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAY TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1933	---	---	---	---	30.9	51.1	18.7	7.45	6.48	---	---	---	---	1933
1934	---	---	---	---	13.1	8.13	9.40	3.70	4.36	---	---	---	---	1934
1935	---	---	---	---	12.5	3.76	2.79	1.81	0.549	0.508	---	---	3.67	1935
1936	---	---	---	---	7.07	2.45	1.41	0.365	0.141	0.369	---	---	1.96	1936
1937	---	---	---	---	9.61	4.21	1.39	0.328	0.048	0.002	---	---	1.60	1937
1938	---	---	---	---	1.18	0.797	0.424	0.057	0.005	0.001	---	---	0.410	1938
1939	---	---	---	---	1.11	1.06	1.31	0.246	0.057	0.040	---	---	0.639	1939
1940	---	---	---	---	0.385	0.211	0.106	0.046	0.001	0	---	---	0.125	1940
MEAN	---	---	---	---	9.48	8.96	4.44	1.74	1.46	0.153	---	---	1.57	MEAN

LOCATION - LAT 54 13 30 N DRAINAGE AREA, 3 420 km^2
LONG 108 22 30 W NATURAL FLOW

MEADOW RIVER NEAR MEADOW LAKE - STATION NO. 06AD003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAY TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1933	---	66.8 ON JUN 2 *	---	---	1933
1934	---	17.0 E ON MAY 1	---	---	1934
1935	---	20.4 ON MAY 6	0.051 ON SEP 30	58 400	1935
1936	---	10.0 ON MAY 2	0.057 ON SEP 11	31 100	1936
1937	---	11.9 ON MAY 18	0 ON SEP 24 *	41 300	1937
1938	---	1.48 ON MAY 11	0 ON SEP 2	6 530	1938
1939	---	2.01 ON JUL 10	0.031 ON OCT 2	10 200	1939
1940	---	0.844 ON MAY 26	0 ON SEP 10	1 990	1940
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		24 900	MEAN

E - ESTIMATED

MELFORT CREEK NEAR MELFORT - STATION NO. 05KB001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1928	---	---	---	---	---	0.393	0.244	0.090	0.009	0.005	0.001	0	---	1928
1929	0	0	0	2.09	0.471	0.154	0.114	0.006	0	0	0	0	0.234	1929
1930	0	0	0	0.282	0.153	0.051	0.056	0.002	0.004	0.035	0.022	0	0.051	1930
1931	0	0.003	0.047	0.205	---	---	---	---	---	---	---	---	---	1931
1972	---	---	---	---	---	---	---	---	---	---	---	---	---	1972
1974	---	---	0	10.3	---	---	---	---	---	---	---	---	---	1974
MEAN	0	0.001	0.012	3.22	0.312	0.199	0.138	0.033	0.004	0.013	0.008	0	0.143	MEAN

LOCATION - LAT 52 50 29 N DRAINAGE AREA, 417 km^2
LONG 104 32 26 W REGULATED

MELFORT CREEK NEAR MELFORT - STATION NO. 05KB001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1928	---	---	0 ON SEP 22 *	---	1928
1929	---	5.47 B ON APR 20 *	0B ON JAN 1	7 390	1929
1930	---	0.776 ON APR 10	0B ON JAN 1	1 590	1930
1931	---	---	0B ON JAN 1	---	1931
1972	112 ON APR 24 *	---	---	---	1972
1974	67.7 AT 12:14 CST ON APR 20	---	---	---	1974
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		4 490	MEAN

MIDDLE CREEK ABOVE LODGE CREEK - STATION NO. 11AB008

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	0.212	0.112	0.059	0.171	0	1.25	0.042	---	---	---	1911
1912	---	---	---	6.93	0.361	0.079	0	0	0	0	---	---	---	1912
1913	---	---	---	4.39	0.190	0.034	0.046	0	0	0	---	---	---	1913
1914	---	---	---	1.59	0.035	0	0	0	0	0.179	---	---	---	1914
1915	---	---	1.41	2.15	0.021	0.029	0.217	0.268	0.031	0.039	---	---	0.517	1915
1916	---	---	---	0.664	0.313	0.694	0.492	0.091	0.016	0.036	---	---	---	1916
1917	---	---	0	12.9	2.93	0.060	0.051	0	0	0	---	---	1.97	1917
1918	---	---	---	7.29	0.319	0.013	0	0	0	0	---	---	---	1918
1919	---	---	0	0.631	0.045	0.001	0	0	0	0	---	---	0.083	1919
1920	---	---	0.125	1.57	1.08	0.608	0.097	0	0	0	---	---	0.431	1920
1921	---	---	0.023	2.61	0.508	0.027	0.065	0	0	0	---	---	0.398	1921
1922	---	---	0	7.23	1.36	0.067	0.015	0	0	0	---	---	1.07	1922
1923	---	---	0.015	1.01	0.072	0.851	0.995	0.081	0.001	0	---	---	0.375	1923
1924	---	---	0	0.606	0.034	0.507	0.003	0.051	0	0	---	---	0.147	1924
1925	---	---	1.57	4.45	0.129	0.144	0.001	0	0	0	---	---	0.777	1925
1926	---	---	0.802	0.173	0.005	0	0.537	0	0	0	---	---	0.191	1926
1927	---	---	1.23	5.88	6.32	0.853	0.224	0.041	0	0.029	---	---	1.82	1927
1928	---	---	3.06	2.16	0.076	0.010	0.011	0.002	0	0	---	---	0.663	1928
1929	---	---	0.026	1.78	0.774	0.051	0	0	0	0	---	---	0.333	1929
1930	---	0.058	0.638	1.78	0.053	0.007	0	0	0	0	---	---	0.306	1930
1931	---	---	0.038	0.023	0	0	0	0	0	0	---	---	0.008	1931
1962	---	---	0.016	0.360	0.040	1.08	0.010	0	0	0	---	---	0.185	1962
1963	---	---	0.023	0.139	0.003	0	0.542	0	0	0	---	---	0.089	1963
1964	---	---	0.002	0.010	0.118	0	0	0	0	0	---	---	0.016	1964
1965	---	---	0	1.13	0.190	1.73	0.696	0.006	0.017	0.027	---	---	0.469	1965
1966	---	---	0.762	0.873	0.218	0.076	0.018	0	0	0.072	---	---	0.252	1966
1967	---	---	0.040	1.71	1.62	0.061	0.111	0	0	0.016	---	---	0.442	1967
1968	---	---	0.089	0.249	0.042	0.092	0	0	0	0	---	---	0.058	1968
1969	---	---	---	1.37	0.018	0.001	0	0	0	0	---	---	---	1969
1970	---	---	0.011	0.293	0.566	0.004	0	0	0	0.018	---	---	0.112	1970
1971	---	---	---	0.618	0.056	0.005	0.003	0.189	0.008	0.011	---	---	---	1971
1972	---	---	---	0.115	0.050	0.525	0.124	0	0	0.005	---	---	---	1972
1973	---	---	0.177	0.100	0.130	0.036	0	0	0	0	---	---	0.056	1973
1974	---	---	0.093	0.364	0.356	0.074	0.001	0.128	0.013	0	---	---	0.128	1974
1975	---	---	0	0.824	0.582	0.352	0.017	0	0	0.016	---	---	0.222	1975
1976	---	---	0.419	0.070	0.039	0.012	0.001	0	0	0	---	---	0.068	1976
1977	---	---	0.044	0.007	0.255	0.020	0	0	0	0	---	---	0.041	1977
1978	---	---	0.006	0.892	0.056	0.033	0.004	0.002	0.001	0	---	---	0.122	1978
1979	---	---	0.716	0.304	0.106	0.017	0.014	0	0	0	---	---	0.145	1979
1980	---	---	0.004	0.008	0.227	0.047	0.002	0	0	0	---	---	0.036	1980
1981	---	---	0.031	0	0.113	0.017	0	0	0	0	---	---	0.020	1981
1982	---	---	0	0.580	0.123	0.080	0	0	0	0	---	---	0.096	1982
MEAN	---	0.058	0.346	1.81	0.468	0.199	0.106	0.020	0.032	0.012	---	---	0.353	MEAN

LOCATION - LAT 49 06 01 N LONG 109 49 02 W DRAINAGE AREA, 717 km² REGULATED

MIDDLE CREEK ABOVE LODGE CREEK - STATION NO. 11AB008

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	12.8 ON SEP 6	0 ON MAR 14 *	---	1911
1912	---	25.0 E ON APR 5	0E ON APR 1	---	1912
1913	---	---	0 ON JUL 12	---	1913
1914	---	---	0 ON MAY 22	---	1914
1915	---	11.9 ON APR 5	0B ON MAR 1	11 000	1915
1916	---	---	0 ON AUG 27	---	1916
1917	---	22.7 ON APR 22	0B ON MAR 1	41 700	1917
1918	---	---	0 ON JUL 9	---	1918
1919	---	1.98 ON APR 22	0B ON MAR 1	1 760	1919
1920	---	6.12 ON JUN 18	0B ON MAR 1	9 130	1920
1921	---	14.8 ON APR 16	0B ON MAR 1	8 410	1921
1922	---	33.1 ON APR 24 *	0B ON MAR 1	22 600	1922
1923	---	11.7 ON JUN 22	0B ON MAR 1	7 930	1923
1924	---	4.30 ON JUN 8	0B ON MAR 1	3 110	1924
1925	---	15.1 ON APR 24	0B ON MAR 1	16 400	1925
1926	---	5.44 ON JUL 3	0 ON MAY 16	4 050	1926
1927	---	31.7 E ON MAY 23	0B ON MAR 1	38 400	1927
1928	---	24.1 B ON MAR 26	0B ON MAR 1	14 000	1928
1929	---	5.44 ON APR 24	0B ON MAR 1	7 050	1929
1930	---	11.4 ON APR 6	0 ON JUN 17	6 480	1930
1931	---	0.229B ON MAR 23	0B ON MAR 1	162	1931
1962	19.8 AT 12:00 MST ON JUN 14 *	13.3 ON JUN 14	0B ON MAR 1	3 910	1962
1963	3.45 AT 22:00 MST ON JUL 5	3.37 ON JUL 6	0 ON MAY 6	1 880	1963
1964	1.93 AT 22:00 MST ON MAY 14	1.68 ON MAY 15	0B ON MAR 1	347	1964
1965	12.6 AT 19:00 MST ON JUN 26	9.17 ON JUN 27	0B ON MAR 1	9 920	1965
1966	10.0 AT 13:30 MST ON MAR 31	7.70 ON MAR 31	0B ON MAR 1	5 320	1966
1967	---	4.96 ON MAY 8	0B ON MAR 1	9 360	1967
1968	0.988 AT 10:00 MST ON APR 2	0.671 ON APR 3	0 ON MAY 21	1 240	1968
1969	13.1 AT 11:11 MST ON APR 7	11.3 ON APR 7	0 ON JUN 3	---	1969
1970	1.88 AT 23:15 MST ON MAY 12	1.50 ON MAY 17	0B ON MAR 1	2 370	1970
1971	1.67 B AT 10:20 CST ON APR 10	1.59 B ON APR 10	0 ON JUN 4	---	1971
1972	4.16 AT 05:20 CST ON JUN 25	3.94 ON JUN 25	0 ON JUN 17	---	1972
1973	1.54 B AT 13:00 CST ON MAR 8	1.02 B ON MAR 8	0B ON MAR 1	1 180	1973
1974	1.27 B AT 12:48 CST ON MAR 30	1.21 ON MAY 23	0B ON MAR 1	2 720	1974
1975	4.53 AT 05:40 CST ON MAY 8	3.79 ON MAY 8	0B ON MAR 1	4 700	1975
1976	---	1.98 B ON MAR 21	0 ON MAY 15	1 440	1976
1977	1.07 AT 05:19 CST ON MAY 16	0.909 ON MAY 16	0 ON MAY 2	870	1977
1978	5.78 AT 22:00 CST ON APR 6	4.84 ON APR 6	0B ON MAR 1	2 580	1978
1979	---	2.50 B ON MAR 18	0B ON MAR 1	3 080	1979
1980	0.459 AT 06:16 CST ON MAY 27	0.431 ON MAY 27	0B ON MAR 1	767	1980
1981	0.688 AT 20:22 CST ON MAY 31	0.408 ON MAY 24	0B ON MAR 28	430	1981
1982	---	2.34 ON APR 25	0B ON MAR 1	2 040	1982
				7 460	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

MIDDLE CREEK BELOW MIDDLE CREEK RESERVOIR - STATION NO. 11AB001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	---	---	0.010	0.010	0.010	---	---	---	1909
1910	---	---	---	0.025	0.013	0.011	0.014	0.012	0.012	0.012	---	---	---	1910
1911	---	---	---	0.373	0.087	0.020	0.110	0.019	0.376	0.014	---	---	---	1911
1912	---	---	---	8.44	0.158	0.023	0.009	0.011	0.012	0.010	---	---	---	1912
1913	---	---	---	---	0.015	0.008	0.011	0.011	0.008	0.007	---	---	---	1913
1914	---	---	---	1.16	0.011	0.012	0.008	0.006	0.007	0.010	---	---	---	1914
1915	---	---	---	1.75	0.014	0.017	0.070	0.397	0.010	0.010	---	---	---	1915
1916	---	---	5.11	0.319	0.298	0.557	0.724	0.106	0.022	0.018	---	---	0.902	1916
1917	---	---	0	6.78	3.11	0.095	0.025	0.011	0.055	0.044	---	---	1.25	1917
1918	---	---	1.79	5.26	0.145	0.040	0.029	0.019	0.015	0.018	---	---	0.904	1918
1919	---	---	0.012	0.399	0.019	0.016	0.011	0.009	0.009	0.013	---	---	0.060	1919
1920	---	---	0.024	1.01	0.964	---	0	0	0	0	---	---	---	1920
1921	---	---	0.048	1.41	0.235	0	---	0	0	0	---	---	---	1921
1922	---	---	0	3.75	0.818	0	0	0	0	0	---	---	0.563	1922
1923	---	---	0	0.893	0.023	---	---	---	0	0	---	---	---	1923
1924	---	---	0	0.434	0	---	0	0	0	0	---	---	---	1924
1925	---	---	0.378	2.66	0.046	---	0	0	0	0	---	---	---	1925
1926	---	---	0.575	0.200	0	0	0.115	0	0	0	---	---	0.112	1926
1927	---	---	0	5.63	4.48	0.447	0.095	0	0	0	---	---	1.32	1927
1928	---	---	1.09	1.49	0.228	0	0	0	0	0	---	---	0.349	1928
1929	---	---	0.018	1.30	0.490	0.021	0	0	0	0	---	---	0.226	1929
1930	---	0.040	0.224	1.36	0.007	0	0	0	0	0	---	---	0.195	1930
1931	---	---	0.002	0	0	0	0	0	0	0	---	---	0	1931
1935	---	---	---	---	---	---	---	---	0	0	---	---	---	1935
1936	---	---	0	0.668	0.006	0	0	0	0	0	---	---	0.083	1936
1972	---	---	---	0	0	0.094	0	0	0	0	---	---	---	1972
1973	---	---	---	0	0.256	0.072	0	0.012	0	0	---	---	---	1973
1974	---	---	0	0.393	0.098	0	0.012	0.388	0	0	---	---	0.110	1974
1975	---	---	---	---	0.020	0.164	0	0	0	0	---	---	---	1975
1976	---	---	---	0	0.114	0	0.010	0.013	0	0.043	---	---	---	1976
1977	---	---	0	0	0.385	0	0	0	0	0	---	---	0.049	1977
1978	---	---	0	0.132	0	0.014	0	0.010	0	0	---	---	0.019	1978
1979	---	---	0.075	0.003	0	0.184	0.001	0.024	0	0	---	---	0.036	1979
1980	---	---	0	0	0.473	0	0	0	0	0	---	---	0.060	1980
1981	---	---	0	0.011	0.267	0	0	0	0	0	---	---	0.035	1981
1982	---	---	0	0.005	0.082	0	0	0	0	0	---	---	0.011	1982
MEAN	---	0.040	0.389	1.43	0.378	0.060	0.039	0.031	0.015	0.006	---	---	0.331	MEAN

LOCATION - LAT 49 24 44 N LONG 109 55 06 W
DRAINAGE AREA, 385 km^2
REGULATED SINCE 1937
INTERNATIONAL GAUGING STATION

MIDDLE CREEK BELOW MIDDLE CREEK RESERVOIR - STATION NO. 11AB001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1909	---	---	---	---	1909
1910	---	---	---	---	1910
1911	---	---	---	---	1911
1912	---	47.9 ON APR 5 *	---	---	1912
1913	---	---	---	---	1913
1914	---	---	---	---	1914
1915	---	12.5 ON APR 8	---	---	1915
1916	---	22.5 ON MAR 12	0.010 ON APR 29	19 100	1916
1917	---	17.2 ON APR 15	0 E ON MAR 1 *	26 500	1917
1918	---	21.1 ON MAR 30	0 E ON MAR 1	19 100	1918
1919	---	2.24 ON APR 20	0.007 ON AUG 19	1 270	1919
1920	---	3.65 ON APR 21	0 ON MAY 25	---	1920
1921	---	---	0 B ON MAR 1	---	1921
1922	---	18.6 ON APR 22	0 B ON MAR 1	11 900	1922
1923	---	---	0 ON MAR 1	---	1923
1924	---	---	0 B ON MAR 1	---	1924
1925	---	---	0 B ON MAR 1	---	1925
1926	---	3.00 ON JUL 2	0 B ON MAR 1	2 370	1926
1927	---	29.4 ON APR 26	0 B ON MAR 1	28 000	1927
1928	---	3.54 E ON MAR 21	0 ON MAR 1	7 380	1928
1929	---	4.39 ON APR 23	0 B ON MAR 1	4 780	1929
1930	---	4.16 B ON APR 4	0 ON MAY 5	4 140	1930
1931	---	0.023 ON MAR 24	0 B ON MAR 1	6.39	1931
1935	---	---	---	---	1935
1936	---	2.69 ON APR 14	0 B ON MAR 1	1 740	1936
1972	3.62 AT 07:15 CST ON JUN 23 *	1.41 ON JUN 23	0 ON APR 1	---	1972
1973	---	0.920 ON MAY 10	0 ON APR 1	---	1973
1974	1.76 AT 02:04 CST ON APR 19	1.64 ON APR 18	0 B ON MAR 1	2 330	1974
1975	1.51 AT 16:47 CST ON MAY 6	1.12 ON JUN 13	0 ON MAY 9	---	1975
1976	---	1.17 ON OCT 7	---	---	1976
1977	---	1.41 ON MAY 7	0 ON MAR 1	1 030	1977
1978	1.14 B AT 18:27 CST ON APR 2	1.04 B ON APR 2	0 B ON MAR 1	804	1978
1979	1.05 AT 16:56 CST ON JUN 11	0.964 ON JUN 11	0 B ON MAR 1	754	1979
1980	1.06 AT 22:04 CST ON MAY 22	0.952 ON MAY 4	0 B ON MAR 1	1 270	1980
1981	1.11 AT 12:36 CST ON MAY 20	0.876 ON MAY 12	0 B ON MAR 1	742	1981
1982	0.604 AT 14:36 CST ON MAY 10	0.517 ON MAY 10	0 B ON MAR 1	233	1982
				7 000	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

MIDDLE CREEK NEAR BATTLE CREEK - STATION NO. 11AB087

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1960	---	---	---	---	---	---	0.020	0.228	0.031	0.027	---	---	---	1960
1961	---	---	0.041	0.190	0.030	0.018	0.119	0.121	0.020	0.017	---	---	0.069	1961
1962	---	---	0.046	0.079	0.036	0.044	0.025	0.012	0.014	0.022	---	---	0.035	1962
1963	---	---	0.023	0.036	0.026	0.021	0.287	0.010	0.016	0.021	---	---	0.050	1963
1964	---	---	0.071	0.116	0.043	0.025	0.009	0.008	0.018	0.020	---	---	0.039	1964
1965	---	---	0.014	0.275	0.165	0.376	0.096	0.016	0.026	0.028	---	---	0.123	1965
1966	---	---	0.110	0.077	0.199	0.033	0.023	0.025	0.024	0.184	---	---	0.085	1966
1967	---	---	---	---	0.505	0.089	0.102	0.024	0.024	0.146	---	---	---	1967
1968	---	---	0.085	0.191	0.131	0.042	0.025	0.023	0.027	0.023	---	---	0.068	1968
1969	---	---	---	---	0.025	0.015	0.016	0.009	0.016	0.095	---	---	---	1969
1970	---	---	---	---	0.634	0.056	0.028	0.017	0.015	0.117	---	---	---	1970
1971	---	---	---	0.197	0.035	0.066	0.044	0.396	0.039	0.025	---	---	---	1971
MEAN	---	---	0.056	0.145	0.166	0.071	0.063	0.074	0.023	0.060	---	---	0.067	MEAN

LOCATION - LAT 49 24 20 N LONG 109 52 22 W DRAINAGE AREA, 414 km^2 REGULATED INTERNATIONAL GAUGING STATION

MIDDLE CREEK NEAR BATTLE CREEK - STATION NO. 11AB087

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1960	---	---	---	---	1960
1961	---	2.94 ON APR 19	0 B ON MAR 1 *	1 470	1961
1962	---	0.306 ON JUN 14	0.008 ON AUG 14	732	1962
1963	---	5.18 ON JUL 4 *	0.008 ON AUG 6	1 070	1963
1964	---	1.38 B ON APR 1	0.003 ON JUL 30	816	1964
1965	---	4.13 ON JUN 25	0.011 ON JUN 9	2 600	1965
1966	---	3.51 ON MAY 24	0.017 ON JUL 19	1 800	1966
1967	---	---	---	---	1967
1968	---	1.23 ON MAY 29	0.009B ON MAR 13	1 440	1968
1969	---	---	---	---	1969
1970	6.57 AT 04:44 MST ON MAY 11 *	---	---	---	1970
1971	1.37 AT 17:57 CST ON JUL 23	---	---	---	1971
				1 420	MEAN

B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

MIDDLE CREEK NEAR GOVENLOCK - STATION NO. 11AB108

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	0.129	0.286	0.121	0.100	0.010	0.001	0.016	0.041	---	---	0.087	1968
1969	---	---	---	1.20	0.063	0.008	0.021	0	0	0.074	---	---	---	1969
1970	---	---	---	0.394	0.608	0.052	0.030	0.001	0	0.101	---	---	---	1970
1971	---	---	---	0.480	0.093	0.048	0.026	0.359	0.020	0.039	---	---	---	1971
1972	---	---	---	0.120	0.064	0.622	0.051	0.009	0.014	0.039	---	---	---	1972
1973	---	---	---	0.075	0.283	0.051	0.002	0	0	0.005	---	---	---	1973
1974	---	---	0.089	0.678	0.276	0.079	0.016	0.245	0.010	0.024	---	---	0.176	1974
1975	---	---	0.001	0.705	0.473	0.357	0.016	0.012	0.022	0.036	---	---	0.201	1975
1976	---	---	0.250	0.132	0.113	0.015	0.001	0	0	0.040	---	---	0.069	1976
1977	---	---	0.071	0.040	0.369	0.019	0.001	0	0	0.005	---	---	0.064	1977
1978	---	---	0.033	0.869	0.082	0.024	0.029	0	0.034	0.026	---	---	0.135	1978
1979	---	---	0.538	0.346	0.086	0.158	0.019	0.003	0.001	0.012	---	---	0.145	1979
1980	---	---	0.027	0.081	0.445	0.037	0.006	0.001	0.001	0.019	---	---	0.078	1980
1981	---	---	0.050	0.015	0.299	0.032	0.003	0	0	0.005	---	---	0.051	1981
1982	---	---	0	0.445	0.211	0.116	0.006	0	0	0.025	---	---	0.099	1982
MEAN	---	---	0.119	0.391	0.239	0.115	0.016	0.042	0.008	0.033	---	---	0.111	MEAN

LOCATION - LAT 49 13 42 N DRAINAGE AREA, 655 km²
LONG 109 48 57 W REGULATED

MIDDLE CREEK NEAR GOVENLOCK - STATION NO. 11AB108

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	1.70 AT 03:00 MST ON MAY 31	1.12 ON MAY 31	0 ON JUL 25 *	1 850	1968
1969	18.4 B AT 22:18 MST ON APR 6 *	12.1 B ON APR 6 *	0 ON JUN 13	---	1969
1970	3.94 B AT 00:17 MST ON APR 8	2.24 B ON APR 8	0 ON AUG 11	---	1970
1971	1.54 B AT 20:23 CST ON APR 16	1.22 ON APR 23	0 ON JUL 20	---	1971
1972	14.1 AT 02:55 CST ON JUN 24	8.21 ON JUN 24	---	---	1972
1973	1.01 AT 00:00 CST ON MAY 13	0.915 ON MAY 12	0 ON AUG 2	---	1973
1974	2.62 B AT 23:29 CST ON MAR 31	1.76 ON APR 20	0.001 ON JUL 24	3 740	1974
1975	8.35 AT 13:00 CST ON MAY 7	5.30 ON MAY 7	0 ON AUG 11	4 250	1975
1976	---	1.13 B ON MAR 2)	0 ON JUL 10	1 460	1976
1977	1.17 AT 03:54 CST ON MAY 9	1.14 ON MAY 5	0 ON APR 27	1 350	1977
1978	9.29 B AT 23:04 CST ON APR 5	5.58 B ON APR 5	0 ON JUL 3	2 860	1978
1979	2.05 B AT 18:02 CST ON MAR 17	1.72 B ON MAR 17	0 B ON MAR 1	3 070	1979
1980	0.881 AT 21:25 CST ON MAY 7	0.839 ON MAY 6	0 B ON MAR 1	1 680	1980
1981	1.22 AT 17:53 CST ON MAY 8	0.737 ON MAY 19	0 ON JUL 27	1 070	1981
1982	3.08 AT 02:39 CST ON APR 24	2.22 ON APR 24	0 B ON MAR 1	2 100	1982
				2 340	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

MIDDLE CREEK RESERVOIR BEDFORD OUTLET - STATION NO. 11AB114

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1964	---	---	0	0	0	0	0	0	0	0	---	---	0	1964
1965	---	---	0	0	0	0	0.519	0	0	0.073	---	---	0.075	1965
1966	---	---	0	0	0	0	0	0	0	0	---	---	0	1966
1967	---	---	0	0.209	0	0	0	0	0	0	---	---	0.026	1967
1968	---	---	0	0	0	0	0	0	0	0	---	---	0	1968
1969	---	---	0	0	0	0	0	0	0.267	0	---	---	0.033	1969
1970	---	---	0	0.099	1.18	0	0	0	0	0	---	---	0.162	1970
1971	---	---	0	0	0	0	0	0.052	0.217	0	---	---	0.033	1971
1972	---	---	0	0	0	0	0	0.157	0.029	0	---	---	0.023	1972
1973	---	---	0	0.588	0	0	0	0	0	0	---	---	0.072	1973
1974	---	---	0	0	0	0	0	0	0	0	---	---	0	1974
1975	---	---	0	0	0	0.139	0	0	0	0	---	---	0.017	1975
1976	---	---	0	0	0	0	0	0	0	0	---	---	0	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0	0	0	0	0	0	0	0	---	---	0	1978
1979	---	---	0	0	0	0	0	0	0	0	---	---	0	1979
1980	---	---	0	0	0	0	0	0	0	0	---	---	0	1980
1981	---	---	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	0	0	0	0	0	0	0	---	---	0	1982
MEAN	---	---	0	0.047	0.062	0.007	0.027	0.011	0.027	0.004	---	---	0.023	MEAN

LOCATION - LAT 49 23 04 N
LONG 109 59 28 W REGULATED

MIDDLE CREEK RESERVOIR BEDFORD OUTLET - STATION NO. 11AB114

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1964	---	0 ON MAR 1	0 ON MAR 1 *	0	1964
1965	---	1.08 ON JUL 2	0 ON MAR 1	1 590	1965
1966	---	0 ON MAR 1	0 ON MAR 1	0	1966
1967	---	1.05 ON APR 6	0 ON MAR 1	542	1967
1968	---	0 ON MAR 1	0 ON MAR 1	0	1968
1969	---	1.33 ON SEP 24	0 ON MAR 1	692	1969
1970	---	1.98 ON APR 30 *	0 ON MAR 1	3 420	1970
1971	---	1.19 ON AUG 31	0 ON MAR 1	703	1971
1972	---	1.37 ON AUG 29	0 ON MAR 1	496	1972
1973	---	1.58 ON APR 18	0 ON MAR 1	1 520	1973
1974	---	0 ON MAR 1	0 ON MAR 1	0	1974
1975	---	1.05 ON JUN 17	0 ON MAR 1	359	1975
1976	---	0 ON MAR 1	0 ON MAR 1	0	1976
1977	---	0 ON MAR 1	0 ON MAR 1	0	1977
1978	---	0 ON MAR 1	0 ON MAR 1	0	1978
1979	---	0 ON MAR 1	0 ON MAR 1	0	1979
1980	---	0 ON MAR 1	0 ON MAR 1	0	1980
1981	---	0 ON MAR 1	0 ON MAR 1	0	1981
1982	---	0 ON MAR 1	0 ON MAR 1	0	1982
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		491	MEAN

MIDDLE CREEK RESERVOIR FLOOD SPILLWAY - STATION NO. 11AB115

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1964	---	---	0	0	0	0	0	0	0	0	---	---	0	1964
1965	---	---	0	0	0	0	0	0	0	0	---	---	0	1965
1966	---	---	0.046	0.838	0.015	0	0	0	0	0	---	---	0.110	1966
1967	---	---	0	0	1.40	0.114	0	0	0	0	---	---	0.191	1967
1968	---	---	0	0	0	0	0	0	0	0	---	---	0	1968
1969	---	---	0	0	0	0	0	0	0	0	---	---	0	1969
1970	---	---	0	0	0	0	0	0	0	0	---	---	0	1970
1971	---	---	0	0	0	0	0	0	0	0	---	---	0	1971
1972	---	---	0	0	0	0	0	0	0	0	---	---	0	1972
1973	---	---	0	0	0	0	0	0	0	0	---	---	0	1973
1974	---	---	0	0	0	0	0	0	0	0	---	---	0	1974
1975	---	---	0	0	0	0	0	0	0	0	---	---	0	1975
1976	---	---	0	0	0	0	0	0	0	0	---	---	0	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0	0	0	0	0	0	0	0	---	---	0	1978
1979	---	---	0	0	0	0	0	0	0	0	---	---	0	1979
1980	---	---	0	0	0	0	0	0	0	0	---	---	0	1980
1981	---	---	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	0	0	0	0	0	0	0	---	---	0	1982
MEAN	---	---	0.002	0.044	0.074	0.006	0	0	0	0	---	---	0.016	MEAN

LOCATION - LAT 49 23 02 N
LONG 109 59 55 W REGULATED

MIDDLE CREEK RESERVOIR FLOOD SPILLWAY - STATION NO. 11AB115

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1964	---	0 ON MAR 1	0 ON MAR 1 *	0	1964
1965	---	0 ON MAR 1	0 ON MAR 1	0	1965
1966	---	4.25 ON APR 1 *	0 ON MAR 1	2 330	1966
1967	---	3.45 ON MAY 18	0 ON MAR 1	4 040	1967
1968	---	0 ON MAR 1	0 ON MAR 1	0	1968
1969	---	0 ON MAR 1	0 ON MAR 1	0	1969
1970	---	0 ON MAR 1	0 ON MAR 1	0	1970
1971	---	0 ON MAR 1	0 ON MAR 1	0	1971
1972	---	0 ON MAR 1	0 ON MAR 1	0	1972
1973	---	0 ON MAR 1	0 ON MAR 1	0	1973
1974	---	0 ON MAR 1	0 ON MAR 1	0	1974
1975	---	0 ON MAR 1	0 ON MAR 1	0	1975
1976	---	0 ON MAR 1	0 ON MAR 1	0	1976
1977	---	0 ON MAR 1	0 ON MAR 1	0	1977
1978	---	0 ON MAR 1	0 ON MAR 1	0	1978
1979	---	0 ON MAR 1	0 ON MAR 1	0	1979
1980	---	0 ON MAR 1	0 ON MAR 1	0	1980
1981	---	0 ON MAR 1	0 ON MAR 1	0	1981
1982	---	0 ON MAR 1	0 ON MAR 1	0	1982
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		335	MEAN

MIDDLE CREEK RESERVOIR MAIN OUTLET - STATION NO. 11AB113

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1964	---	---	0	0.249	0.048	0	0	0	0	0	---	---	0.037	1964
1965	---	---	0	0	0.502	0	0	0	0	0	---	---	0.064	1965
1966	---	---	0	0	0.389	0	0	0.046	0	0.302	---	---	0.093	1966
1967	---	---	0	0	1.20	0.215	0	0	0.022	0.469	---	---	0.240	1967
1968	---	---	0.216	0.132	0.476	0	0	0	0	0.058	---	---	0.111	1968
1969	---	---	0	0	0	0.399	0	0	0.026	0.162	---	---	0.072	1969
1970	---	---	0	0	1.31	0	0	0	0.027	0.112	---	---	0.184	1970
1971	---	---	0	0	0	0.532	0.031	0.478	0.100	0	---	---	0.142	1971
1972	---	---	0	0	0	0.182	0	0	0	0.021	---	---	0.025	1972
1973	---	---	0	0	0.505	0.199	0.012	0	0	0.004	---	---	0.090	1973
1974	---	---	0	0.389	0.237	0	0.134	0.358	0	0.013	---	---	0.142	1974
1975	---	---	0	0	0	0.219	0	0	0	0	---	---	0.027	1975
1976	---	---	0	0	0.326	0	0.138	0	0	0.079	---	---	0.069	1976
1977	---	---	0	0.047	0.545	0.016	0.058	0.058	0	0	---	---	0.091	1977
1978	---	---	0	0	0	0.116	0.072	0.049	0	0	---	---	0.030	1978
1979	---	---	0	0	0	0.497	0	0.110	0	0	---	---	0.075	1979
1980	---	---	0	0.032	0.877	0	0	0	0	0	---	---	0.115	1980
1981	---	---	0	0.101	0.477	0	0	0	0	0	---	---	0.073	1981
1982	---	---	0	0	0.161	0	0	0	0	0	---	---	0.020	1982
MEAN	---	---	0.011	0.050	0.371	0.125	0.023	0.058	0.009	0.064	---	---	0.089	MEAN

LOCATION - LAT 49 24 15 N
LONG 109 59 00 W REGULATED

MIDDLE CREEK RESERVOIR MAIN OUTLET - STATION NO. 11AB113

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1964	---	0.708 ON APR 19	0 ON MAR 1 *	773	1964
1965	---	3.17 ON MAY 5	0 ON MAR 1	1 350	1965
1966	---	2.75 ON MAY 10	0 ON MAR 1	1 970	1966
1967	---	5.86 ON MAY 17 *	0 ON MAR 1	5 070	1967
1968	---	2.83 ON MAY 4	0 ON MAR 1	2 350	1968
1969	---	2.89 ON JUN 2	0 ON MAR 1	1 530	1969
1970	---	3.91 ON MAY 5	0 ON MAR 1	3 890	1970
1971	---	2.21 ON JUN 9	0 ON MAR 1	3 000	1971
1972	---	1.93 ON JUN 21	0 ON MAR 1	529	1972
1973	---	0.742 ON MAY 18	0 ON MAR 1	1 910	1973
1974	---	1.59 ON APR 17	0 ON MAR 1	3 000	1974
1975	---	1.42 ON JUN 12	0 ON MAR 1	568	1975
1976	---	1.27 ON OCT 6	0 ON MAR 1	1 460	1976
1977	---	2.55 ON MAY 5	0 ON MAR 1	1 940	1977
1978	---	0.850 ON JUN 10	0 ON MAR 1	626	1978
1979	---	1.98 ON JUN 19	0 ON MAR 1	1 580	1979
1980	---	2.22 ON MAY 14	0 ON MAR 1	2 430	1980
1981	---	1.90 ON MAY 16	0 ON MAR 1	1 540	1981
1982	---	1.02 ON MAY 9	0 ON MAR 1	430	1982
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		1 890	MEAN

MIDDLE FORK POPLAR RIVER AT INTERNATIONAL BOUNDARY - STATION NO. 11AE008

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1931	---	---	0.382	0.230	0.090	0.035	0.047	0.006	0.127	0.045	---	---	0.120	1931
1932	---	---	---	0.521	0.179	0.255	0.001	0.092	0.094	0.142	---	---	---	1932
1933	---	---	2.84	0.513	0.490	0.140	0.007	0.025	0.082	0.089	---	---	0.527	1933
1934	---	---	2.31	0.867	0.125	0.143	0.008	0.002	0.009	0.022	---	---	0.437	1934
1935	---	---	0.588	0.871	0.308	0.470	0.329	0.004	0.005	0.010	---	---	0.322	1935
1936	---	---	1.65	1.79	0.431	0.016	0.002	0	0.002	0.006	0.004	---	0.486	1936
1937	---	---	0.115	0.370	0.137	0.024	0.498	0.010	0.005	0.035	---	---	0.150	1937
1938	---	---	3.81	0.356	0.423	0.162	0.079	0.006	0.009	0.075	---	---	0.620	1938
1939	---	---	8.25	0.312	0.223	1.23	0.086	0.003	0.005	0.007	---	---	1.27	1939
1940	---	---	0.021	1.55	0.480	0.259	0.076	0.549	0.014	0.080	---	---	0.376	1940
1941	---	---	3.36	0.389	0.317	0.450	0.080	0.007	0.021	0.074	---	---	0.591	1941
1942	---	---	0.836	1.10	0.310	0.320	0.121	0.087	0.237	0.149	---	---	0.393	1942
1943	---	---	8.52	3.82	0.254	1.43	0.392	0.264	0.015	0.097	---	---	1.85	1943
1944	---	---	0.189	1.08	0.405	0.485	0.069	0.167	0.055	0.074	---	---	0.313	1944
1945	---	---	2.51	0.244	0.218	0.197	0.041	0.004	0.005	0.036	---	---	0.410	1945
1946	---	---	1.65	0.258	0.104	0.306	0.102	0.002	0.002	0.033	---	---	0.309	1946
1947	---	---	1.35	2.70	0.327	0.698	0.082	0.045	0.048	0.092	---	---	0.661	1947
1948	---	---	1.14	5.18	0.642	0.230	0.036	0.048	0.004	0.029	---	---	0.903	1948
1949	---	---	1.11	0.641	0.251	0.085	0.045	0.014	0.003	0.056	---	---	0.277	1949
1950	---	---	0	6.65	0.702	0.807	0.136	0.024	0.039	0.100	---	---	1.04	1950
1951	---	---	0	2.65	1.34	0.202	0.043	0.015	0.142	0.125	---	---	0.560	1951
1952	---	---	0.005	19.8	0.304	0.094	0.423	0.031	0.068	0.070	---	---	2.55	1952
1953	---	---	1.24	1.25	1.52	2.67	0.887	0.062	0.067	0.108	0.148	---	0.971	1953
1954	---	---	0.924	13.5	0.776	0.867	0.096	0.242	0.434	0.334	0.265	---	2.11	1954
1955	---	---	2.65	7.88	2.11	0.364	0.443	0.098	0.015	0.088	---	---	1.69	1955
1956	---	---	1.34	1.38	0.571	0.305	0.068	0.021	0.014	0.065	---	---	0.469	1956
1957	---	---	0.781	0.475	0.266	0.151	0.015	0.005	0.010	0.060	---	---	0.220	1957
1958	---	---	2.24	2.08	0.189	0.054	0.007	0.003	0.003	0.009	---	---	0.571	1958
1959	---	---	0.499	0.273	0.199	0.155	0.096	0.005	0.041	0.209	---	---	0.185	1959
1960	---	---	8.20	0.464	0.367	0.117	0.056	0.009	0.005	0.007	---	---	1.17	1960
1961	---	---	0.661	0.241	0.197	0.056	0.004	0	0.004	0.008	---	---	0.147	1961
1962	---	---	2.37	2.47	0.238	0.310	0.048	0.017	0.004	0.075	---	---	0.688	1962
1963	---	---	5.28	0.569	0.351	5.40	1.93	0.113	0.034	0.034	---	---	1.71	1963
1964	---	---	0.236	1.10	0.382	0.176	0.074	0.003	0.001	0.005	---	---	0.245	1964
1965	---	---	0	1.09	0.890	0.366	0.077	0.004	0.113	0.085	---	---	0.325	1965
1966	---	---	2.39	0.255	0.540	0.182	0.058	0.005	0.004	0.044	---	---	0.438	1966
1967	---	---	0.409	7.23	0.869	0.355	0.012	0	0.001	0.074	---	---	1.10	1967
1968	---	---	4.51	0.277	0.212	0.073	0.010	0.274	0.073	0.089	---	---	0.696	1968
1969	---	---	0.128	9.94	0.379	0.078	1.43	0.024	0.006	0.080	---	---	1.49	1969
1970	---	---	0.802	3.63	1.70	0.378	0.132	0.004	0.007	0.070	---	---	0.833	1970
1971	---	---	0.541	2.12	0.215	0.135	0.009	0.001	0.003	0.017	---	---	0.375	1971
1972	---	---	5.26	0.331	0.783	0.656	0.192	0.046	0.019	0.091	---	---	0.929	1972
1973	---	---	0.399	0.363	0.294	0.218	0.046	0.002	0.005	0.054	---	---	0.172	1973
1974	---	---	3.56	7.29	0.947	0.181	0.090	0.091	0.056	0.153	---	---	1.54	1974
1975	---	---	0.302	15.6	1.40	0.329	0.059	0.036	0.085	0.134	0.140	---	2.21	1975
1976	---	---	8.47	0.933	0.158	0.460	1.36	0.058	0.007	0.070	---	---	1.45	1976
1977	---	---	0.268	0.314	0.351	0.104	0.054	0.008	0.045	0.166	---	---	0.164	1977
1978	---	---	6.38	2.14	0.724	0.337	0.768	0.007	0.306	0.164	---	---	1.36	1978
1979	---	---	1.27	9.21	1.69	0.288	0.020	0.002	0.003	0.023	---	---	1.54	1979
1980	---	---	0.455	1.35	0.149	0.026	0.011	0.038	0.041	0.081	---	---	0.267	1980
1981	---	1.74	0.285	0.203	0.123	0.209	0.007	0.002	0.001	0.007	---	---	0.104	1981
1982	---	---	0.002	8.04	2.44	0.588	0.094	0.015	0.005	0.102	---	---	1.39	1982
MEAN	---	1.74	2.01	2.96	0.559	0.454	0.209	0.050	0.046	0.076	0.139	---	0.799	MEAN

LOCATION - LAT 48 59 30 N DRAINAGE AREA, 927 km² INTERNATIONAL GAUGING STATION
LONG 105 41 40 W NATURAL FLOW

MIDDLE FORK POPLAR RIVER AT INTERNATIONAL BOUNDARY - STATION NO. 11AE008

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1931	4.90 AT 22:00 MST ON SEP 19	1.90 ON SEP 20	0.003 ON AUG 14	2 540	1931
1932	---	---	0 ON JUN 30 *	---	1932
1933	10.3 B AT 20:00 MST ON MAR 19	10.0 B ON MAR 19	0 ON JUL 28	11 200	1933
1934	5.27 AT 19:30 MST ON APR 3	4.13 ON APR 3	0 ON AUG 3	9 260	1934
1935	46.7 AT 20:00 MST ON JUN 15	4.70 ON APR 15	0 B ON MAR 1	6 820	1935
1936	11.3 ON APR 12	7.33 ON APR 13	0 B ON MAR 1	10 300	1936
1937	29.4 AT 15:00 MST ON JUL 13	3.17 ON JUL 13	0 B ON MAR 1	3 160	1937
1938	21.1 B AT 21:00 MST ON MAR 16	17.6 ON MAR 17	0.003 ON AUG 28	13 100	1938
1939	159 AT 21:00 ON MAR 21	65.1 ON MAR 22	0 ON MAR 1	27 000	1939
1940	28.0 AT 07:00 MST ON AUG 2	12.5 B ON APR 14	0.003 ON JUL 5	7 950	1940
1941	12.0 B AT 14:30 MST ON MAR 26	11.0 B ON MAR 23	0 B ON MAR 1	12 500	1941
1942	11.2 B AT 16:00 MST ON APR 4	5.10 B ON APR 3	0 ON MAR 1	8 330	1942
1943	88.3 AT 04:00 MST ON MAR 30	72.5 ON MAR 30	0.003B ON MAR 1	39 100	1943
1944	---	8.50 B ON APR 2	0 B ON MAR 1	6 620	1944
1945	---	8.50 B ON MAR 13	0 B ON MAR 1	8 670	1945
1946	---	4.96 B ON MAR 13	0 B ON MAR 1	6 540	1946
1947	12.9 AT 11:30 MST ON APR 12	11.8 ON APR 12	0 B ON MAR 1	14 000	1947
1948	34.3 AT 01:30 MST ON APR 16	23.1 ON APR 15	0 B ON MAR 1	19 100	1948
1949	---	4.96 B ON MAR 27	0 B ON MAR 1	5 860	1949
1950	48.4 AT 03:00 MST ON APR 18	29.7 ON APR 18	0 B ON MAR 1	22 000	1950
1951	13.0 ON APR 28	12.2 ON MAY 1	0 E ON MAR 1	11 800	1951
1952	99.1 AT 24:00 MST ON APR 13	75.9 ON APR 14	0 B ON MAR 1	53 900	1952
1953	21.7 AT 02:00 MST ON JUL 1	12.7 B ON MAR 29	0.008B ON MAR 1	20 600	1953
1954	360 B AT 20:00 MST ON APR 6 *	142 B ON APR 6 *	0.020 ON JUL 23	44 700	1954
1955	---	43.0 ON APR 3	0.003B ON MAR 1	35 800	1955
1956	9.17B AT 17:00 MST ON MAR 27	7.50 B ON MAR 27	0 B ON MAR 1	9 930	1956
1957	---	4.53 B ON MAR 23	0.003 ON JUL 26	4 660	1957
1958	45.0 AT 21:30 MST ON MAR 30	36.8 ON MAR 31	E ON AUG 26	12 100	1958
1959	---	1.70 B ON MAR 22	0 B ON MAR 1	3 920	1959
1960	---	62.3 E ON MAR 21	0 ON MAR 1	24 700	1960
1961	5.32B AT 04:30 MST ON MAR 14	3.96 B ON MAR 14	0 ON AUG 4	3 110	1961
1962	21.4 B AT 15:00 MST ON MAR 29	16.1 B ON MAR 28	0 B ON MAR 1	14 600	1962
1963	210 AT 04:00 MST ON JUN 21	81.6 ON JUN 21	0 B ON MAR 3	36 200	1963
1964	11.3 B AT 19:00 ON MAR 31	9.06 B ON APR 1	0 ON MAR 1	5 170	1964
1965	7.87 AT 11:30 MST ON APR 16	5.89 ON APR 16	0 B ON MAR 1	6 890	1965
1966	14.2 B AT 13:00 MST ON MAR 16	11.3 B ON MAR 15	0 B ON MAR 1	9 270	1966
1967	51.0 B AT 22:00 MST ON APR 8	32.6 B ON APR 9	0 B ON MAR 1	23 300	1967
1968	20.4 B AT 13:15 MST ON MAR 7	17.3 B ON MAR 6	0 ON JUL 21	14 800	1968
1969	75.0 AT 01:00 MST ON APR 6	48.4 ON APR 7	0 B ON MAR 1	31 500	1969
1970	18.3 AT 01:00 MST ON APR 9	14.3 ON APR 8	0.001 ON SEP 5	17 600	1970
1971	---	7.08 B ON MAR 30	0 B ON MAR 1	7 950	1971
1972	102 AT 01:00 MST ON JUN 8	39.9 B ON MAR 15	0 ON MAR 1	19 700	1972
1973	1.98B AT 08:00 MST ON MAR 10	1.13 B ON MAR 11	0 ON MAR 1	3 650	1973
1974	31.1 B ON MAR 30	31.1 B ON MAR 30	0.008 ON JUL 24	32 500	1974
1975	241 AT 00:15 CST ON APR 23	124 ON APR 23	0 B ON MAR 1	46 700	1975
1976	---	52.1 B ON MAR 19	0 B ON MAR 5	30 700	1976
1977	17.4 AT 22:00 CST ON MAY 27	2.32 ON MAY 28	0.006 ON AUG 17	3 470	1977
1978	---	22.9 ON MAR 31	0 B ON MAR 1	28 800	1978
1979	53.2 AT 07:00 CST ON APR 19	45.9 ON APR 19	0 B ON MAR 1	32 700	1979
1980	8.92B AT 11:00 MST ON APR 1	7.67 B ON APR 1	0.001B ON MAR 1	5 650	1980
1981	---	0.708B ON MAR 1	0 ON AUG 26	2 200	1981
1982	113 B AT 21:15 CST ON APR 13	62.3 ON APR 13	0 B ON MAR 1	29 500	1982
				16 900	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

MILLIGAN CREEK NEAR WADENA - STATION NO. 05MA023

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1964	---	---	---	---	0	---	---	---	---	---	---	---	---	1964
1965	---	---	---	0.649	---	---	---	---	---	---	---	---	---	1965
1966	---	---	---	---	0.656	---	---	---	---	---	---	---	---	1966
1967	---	---	---	---	1.39	---	---	---	---	---	---	---	---	1967
1968	---	---	0.535	1.11	---	---	---	---	---	---	---	---	---	1968
1969	---	---	---	---	0.479	---	---	---	---	---	---	---	---	1969
1970	---	---	---	2.02	0.751	0.074	---	---	---	---	---	---	---	1970
1971	---	---	---	2.38	1.13	---	---	---	---	---	---	---	---	1971
1972	---	---	---	2.31	1.14	---	---	---	---	---	---	---	---	1972
1974	---	---	---	---	3.98	2.85	---	---	---	---	---	---	---	1974
1975	---	---	0	2.83	5.74	2.23	0.537	0.257	0.071	0.012	---	---	1.46	1975
1976	---	---	0	6.26	2.58	1.45	0.835	0.237	0.065	0.001	---	---	1.41	1976
1977	---	---	0.001	0.300	0.175	0.040	0	0	0	0	---	---	0.064	1977
1978	---	---	0	0.282	0.108	0.009	0	0	0	0	---	---	0.049	1978
1979	---	---	0	4.02	5.52	1.67	0.292	0.006	0	0	---	---	1.43	1979
1980	---	---	0	1.48	0.602	0.001	0	0	0	0	---	---	0.258	1980
1981	---	0	0.003	0.003	0.005	0.001	0	0	0	0	---	---	0.001	1981
1982	---	---	0	0.197	0.188	0	0	0	0	0	---	---	0.048	1982
MEAN	---	0	0.060	1.83	1.53	0.833	0.208	0.063	0.017	0.002	---	---	0.590	MEAN

LOCATION - LAT 51 51 10 N DRAINAGE AREA, 1 430 km^2
LONG 103 46 07 W NATURAL FLOW

MILLIGAN CREEK NEAR NADENA - STATION NO. 05MA023

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1964	---	---	---	---	1964
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1968	---	2.55 B ON MAR 25	0B ON MAR 1 *	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1972	---	---	---	---	1972
1974	---	---	---	---	1974
1975	17.2 AT 02:23 CST ON APR 29	15.9 ON APR 29	0B ON MAR 1	30 900	1975
1976	---	15.4 ON APR 12	0B ON MAR 1	29 900	1976
1977	0.694 AT 09:39 CST ON APR 13	0.597B ON APR 10	0B ON MAR 1	1 350	1977
1978	---	0.731A ON APR 10	0B ON MAR 1	1 040	1978
1979	19.2 AT 06:12 CST ON APR 25 *	18.5 ON APR 25 *	0B ON MAR 1	30 300	1979
1980	3.35 B AT 20:54 CST ON APR 11	2.95 ON APR 22	0B ON MAR 1	5 460	1980
1981	0.013 AT 12:40 CST ON MAY 4	0.012 ON MAY 4	0B ON MAR 1	30.5	1981
1982	1.30 AT 17:40 CST ON MAY 11	0.611B ON APR 14	0B ON MAR 1	1 010	1982
				12 500	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

MONNERY RIVER NEAR PARADISE HILL - STATION NO. 05EF004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	---	---	---	---	---	---	0.071	0.163	---	---	---	1967
1968	---	---	1.73	0.778	0.384	0.209	0.170	0.281	0.547	0.325	---	---	0.554	1968
1969	---	---	0.215	2.79	0.722	0.292	0.205	0.128	0.188	0.381	---	---	0.609	1969
1970	---	---	0.283	1.68	0.397	0.710	2.66	0.652	0.189	0.287	---	---	0.857	1970
1971	---	---	0.230	1.78	0.902	0.785	0.763	0.284	0.342	0.378	---	---	0.679	1971
1972	---	---	0.298	2.02	0.809	0.203	0.229	0.286	0.217	0.247	---	---	0.535	1972
1973	---	---	0.375	1.24	0.702	0.905	0.456	0.460	0.231	0.388	---	---	0.592	1973
1974	---	---	0.031	3.67	2.92	3.27	1.87	0.597	0.491	0.521	---	---	1.66	1974
1975	---	---	0.311	1.58	1.78	1.54	2.56	1.18	0.410	0.424	---	---	1.22	1975
1976	---	---	0.260	1.07	0.350	0.489	0.448	0.188	0.170	0.288	---	---	0.405	1976
1977	---	---	0.269	0.583	0.721	0.253	0.408	0.222	0.199	0.312	---	---	0.371	1977
1978	---	---	0.222	0.969	1.07	0.690	0.435	0.208	0.335	0.207	---	---	0.515	1978
1979	---	---	0.232	1.64	1.11	0.533	0.549	0.466	0.240	0.307	---	---	0.633	1979
1980	---	---	0.190	1.31	0.237	0.212	0.188	0.200	0.326	0.134	---	---	0.346	1980
1981	---	---	0.457	1.72	0.332	0.201	0.266	0.084	0.016	0.130	---	---	0.397	1981
1982	---	---	0.236	0.708	0.384	0.287	0.550	0.214	0.095	0.321	---	---	0.349	1982
MEAN	---	---	0.356	1.57	0.855	0.705	0.784	0.363	0.254	0.301	---	---	0.648	MEAN

LOCATION - LAT 53 32 28 N, LONG 109 31 38 W DRAINAGE AREA, 875 km^2, NATURAL FLOW

MONNERY RIVER NEAR PARADISE HILL - STATION NO. 05EF004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1967	---	---	---	---	1967
1968	---	3.65 ON MAR 26	0 ON MAR 1 *	11 700	1968
1969	---	12.1 B ON APR 12	0.037 ON AUG 28	12 900	1969
1970	---	18.0 ON JUL 3 *	0.042 ON OCT 5	18 100	1970
1971	8.72B AT 14:00 CST ON APR 16	7.28B ON APR 16	0.127 ON AUG 29	14 400	1971
1972	---	6.06 ON APR 16	0.025 ON SEP 10	11 300	1972
1973	---	3.03 ON APR 12	0.028 ON SEP 11	12 500	1973
1974	---	16.7 ON APR 20	0.031B ON MAR 1	35 200	1974
1975	---	8.18B ON APR 25	0.229 ON SEP 21	25 900	1975
1976	---	2.57B ON APR 6	0.048 ON AUG 25	8 590	1976
1977	14.1 AT 21:49 CST ON JUL 29 *	2.15 ON JUL 30	0.059 ON SEP 4	7 850	1977
1978	2.10 AT 21:02 CST ON MAY 2	1.98 ON MAY 2	0.079 ON AUG 15	10 900	1978
1979	8.39B AT 18:42 CST ON APR 25	7.50B ON APR 25	0.136 ON SEP 25	13 400	1979
1980	5.06B AT 21:30 CST ON APR 15	4.75B ON APR 16	0.033 ON OCT 26	7 330	1980
1981	6.19B AT 20:21 CST ON APR 2	5.47B ON APR 2	0.002 ON SEP 3	8 410	1981
1982	1.86 AT 08:53 CST ON APR 22	1.61 ON JUL 6	0.055 ON SEP 14	7 390	1982
				13 700	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

MONTREAL RIVER AT HIGHWAY NO. 2 - STATION NO. 06CA003

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1973	---	---	---	---	15.2	32.8	44.1	48.5	47.4	45.6	40.3	29.1	---	1973
1974	25.5	23.8	21.9	21.0	36.2	40.0	48.6	48.2	42.5	37.3	30.9	28.8	33.8	1974
1975	16.0	16.4	17.1	16.0	19.1	22.5	19.6	14.7	9.73	7.54	4.73	4.02	13.9	1975
1976	3.35	6.12	6.34	5.92	6.66	3.88	3.49	1.98	0.248	0.170	0.013	0	3.17	1976
1977	0	0	0	0.304	2.50	3.04	1.62	2.23	3.14	4.56	4.70	3.25	2.12	1977
1978	2.53	1.92	1.81	5.88	12.1	13.1	12.9	9.61	13.1	14.9	13.6	9.07	9.23	1978
1979	7.72	8.85	8.72	6.40	18.1	24.9	22.0	14.3	14.0	11.6	9.38	7.33	12.8	1979
1980	6.04	4.82	5.80	7.20	5.09	---	2.32	---	---	---	14.0	10.3	---	1980
1981	7.93	7.16	9.16	13.6	17.3	12.9	8.97	7.01	3.56	2.34	1.79	2.33	7.84	1981
1982	2.86	2.68	1.95	3.87	7.44	7.53	4.11	3.83	4.33	5.94	5.05	5.32	4.59	1982
MEAN	7.99	7.97	8.09	8.91	14.0	17.9	16.8	16.7	15.3	14.4	12.4	9.95	10.9	MEAN

LOCATION - LAT 58 43 30 N DRAINAGE AREA, 5 450 km²
LONG 105 41 20 W REGULATED

MONTREAL RIVER AT HIGHWAY NO. 2 - STATION NO. 06CA003

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1973	---	---	---	---	1973
1974	57.8R AT 19:25 CST ON AUG 18 *	53.5A ON JUL 20 *	19.7 E ON APR 30	1 070 000	1974
1975	45.0 AT 12:01 CST ON JUN 27	37.7 ON JUN 27	2.32 B ON DEC 31	440 000	1975
1976	---	13.8 ON MAY 17	0 B ON NOV 22 *	100 000	1976
1977	16.2 AT 14:32 CST ON JUN 8	10.3 ON JUN 8	0 B ON JAN 1	66 900	1977
1978	25.8 AT 10:18 CST ON OCT 16	19.0 ON OCT 16	1.65 B ON APR 1	291 000	1978
1979	32.7 AT 22:38 CST ON JUN 23	28.4 ON JUN 23	2.24 B ON APR 21	404 000	1979
1980	---	18.2 ON NOV 1	0.460 ON JUN 25	---	1980
1981	29.0 AT 10:47 CST ON JUL 8	21.2 ON MAY 19	0.653 ON OCT 13	247 000	1981
1982	16.0 AT 18:25 CST ON JUN 8	11.9 ON JUN 8	0.705 ON SEP 29	144 000	1982
				345 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980

MONTREAL RIVER AT OUTLET OF BIGSTONE LAKE - STATION NO. 06CA001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	---	---	---	---	---	19.3	10.6	8.53	8.11	7.85	---	1967
1968	7.08	5.83	5.32	6.21	7.19	7.49	6.61	5.29	5.48	7.34	7.94	7.63	6.62	1968
1969	7.15	6.77	6.48	7.55	11.1	10.1	6.77	5.09	4.82	7.80	9.31	9.20	7.68	1969
1970	8.75	7.75	7.21	8.57	14.7	19.2	51.3	47.9	46.3	36.2	31.7	28.3	25.8	1970
1971	23.0	19.5	16.0	17.3	24.2	26.4	40.8	41.2	32.8	21.5	19.2	17.9	25.0	1971
1972	15.6	13.6	11.6	11.3	30.9	30.6	19.3	12.8	10.9	12.6	15.2	14.2	16.6	1972
1973	12.4	10.7	9.89	11.6	18.8	37.2	57.6	54.6	58.5	59.2	50.9	42.4	35.5	1973
1974	37.7	35.9	35.3	39.2	58.4	53.3	54.7	56.5	54.2	50.7	37.9	28.8	45.3	1974
1975	25.0	21.9	19.4	18.5	27.0	31.2	27.7	20.5	16.8	14.3	12.3	10.1	20.4	1975
1976	8.58	7.73	7.45	8.44	8.40	8.32	8.85	8.49	6.14	5.52	5.11	4.42	7.29	1976
1977	2.93	2.76	2.47	3.00	4.97	11.7	28.6	17.1	9.22	9.09	9.36	9.72	9.31	1977
1978	8.58	7.12	6.19	6.67	20.6	30.7	24.9	21.2	17.7	22.2	21.0	17.2	17.1	1978
1979	15.3	13.7	12.9	12.6	21.5	29.4	27.9	21.6	22.5	22.6	20.2	16.0	19.7	1979
1980	12.5	10.3	8.56	8.58	7.03	4.71	3.63	3.68	8.37	21.1	24.3	19.4	11.0	1980
1981	15.6	13.5	12.7	16.1	24.9	20.0	13.8	9.13	6.34	5.65	5.83	6.31	12.5	1981
1982	5.59	4.20	3.61	3.12	9.27	14.7	10.9	9.18	7.30	7.49	8.44	8.50	7.72	1982
MEAN	13.7	12.1	11.0	11.9	19.3	22.3	25.6	22.1	19.9	19.5	17.9	15.5	17.8	MEAN

LOCATION - LAT 55 05 40 N DRAINAGE AREA, 7 280 km²
LONG 105 21 50 W REGULATED

MONTREAL RIVER AT OUTLET OF BIGSTONE LAKE - STATION NO. 06CA001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1967	---	---	---	---	1967
1968	---	8.10 ON OCT 23	4.45 ON SEP 2	209 000	1968
1969	---	11.8 ON MAY 11	4.25 ON AUG 29	242 000	1969
1970	---	57.5 ON JUL 18	7.14E ON MAR 21	813 000	1970
1971	---	51.5 ON JUL 28	15.1 E ON MAR 27	789 000	1971
1972	---	39.1 ON MAY 31	9.54 ON SEP 15	524 000	1972
1973	---	62.9 ON SEP 26	9.83E ON MAR 25	1 120 000	1973
1974	---	63.1 ON MAY 27 *	26.3 ON DEC 30	1 430 000	1974
1975	---	32.6 ON JUN 2	9.17 ON DEC 31	642 000	1975
1976	---	11.1 ON JUL 24	3.82B ON DEC 31	231 000	1976
1977	---	34.8 ON JUL 31	2.24E ON APR 2 *	294 000	1977
1978	---	33.7 A ON JUN 10	5.95A ON MAR 19	538 000	1978
1979	33.4 AT 15:34 CST ON JUN 25 *	32.9 ON JUN 25	11.7 ON APR 12	622 000	1979
1980	28.4 AT 06:42 CST ON OCT 30	27.8 ON OCT 30	2.70 ON AUG 4	348 000	1980
1981	27.5 AT 21:26 CST ON MAY 21	26.6 ON MAY 19	4.57 ON OCT 8	394 000	1981
1982	16.5 AT 11:47 CST ON JUN 8	16.3 ON JUN 9	2.59 ON APR 28	243 000	1982
				563 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

MOON LAKE CREEK NEAR SASKATOON - STATION NO. 05HG017

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	---	0.378	---	---	---	---	---	---	---	---	---	1970
1971	---	---	---	0.060	---	---	---	---	---	---	---	---	---	1971
1974	---	---	---	0.068	0.002	---	---	---	---	---	---	---	---	1974
1975	---	---	0	0.006	0.001	0	0	0	0	0	---	---	0.001	1975
1976	---	---	0	0.001	0.001	0	0	0	0	0	---	---	0	1976
MEAN	---	---	0	0.103	0.001	0	0	0	0	0	---	---	0.001	MEAN

LOCATION - LAT 52 01 28 N LONG 106 48 43 W DRAINAGE AREA, 146 km² NATURAL FLOW

MOON LAKE CREEK NEAR SASKATOON - STATION NO. 05HG017

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1974	---	---	---	---	1974
1975	---	0.020 ON APR 18 *	0B ON MAR 1 *	19.7	1975
1976	---	0.003 ON APR 22	0B ON MAR 1	3.72	1976
				11.7	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

MOOREHEAD DITCH ON PIAPOT CREEK - STATION NO. 05HA025

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	---	---	---	---	---	---	---	---	---	1911
1915	---	---	---	---	0.165	0.138	---	---	---	---	---	---	---	1915
1917	---	---	---	---	---	---	---	---	---	---	---	---	---	1917
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
MEAN	---	---	---	---	0.165	0.138	---	---	---	---	---	---	---	MEAN

LOCATION - LAT 49 51 00 N LONG 109 16 00 W REGULATED

MOOREHEAD DITCH ON PIAPOT CREEK - STATION NO. 05HA025

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1911	---	---	0 ON AUG 20 *	---	1911
1915	---	---	0 ON JUL 22	---	1915
1917	---	---	0R ON JUL 20	---	1917
1919	---	---	0R ON AUG 30	---	1919
				---	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

MOOSE JAW RIVER ABOVE THUNDER CREEK - STATION NO. 05JE001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1910	---	---	---	---	0.827	0.685	0.034	---	---	---	---	---	---	1910
1911	---	---	---	5.40	1.07	2.01	0.079	0.006	0.002	0.326	0.118	0.016	---	1911
1912	0.001	0	---	---	14.8	1.37	0.684	0.082	0.027	0.055	0.038	0.001	---	1912
1913	0	0	---	---	0.101	0.028	0.342	0.018	0.004	0.006	0.011	0.003	---	1913
1914	0	0	0.031	1.86	0.159	0.095	0.012	0	0	0	0.069	0.010	0.265	1914
1915	0	0	0	0.042	0.011	0.008	0.004	0	0	0	0	0	0.008	1915
1916	0	0	0.749	41.4	3.99	1.13	0.328	0.072	0.058	0.332	0.303	0.057	5.91	1916
1917	0.005	0	0.002	18.6	4.99	0.235	0.026	0.003	0.002	0.011	0.003	0	2.94	1917
1918	0	0	4.76	1.71	0.637	0.027	0.004	0	0	0	0.017	0	0.896	1918
1919	0	0	0.096	4.85	0.325	0.036	0.183	0	0	0.090	0.006	0	0.686	1919
1920	0	0	0.645	15.4	3.78	0.097	0.003	0.002	0.002	0.097	0.015	0	2.47	1920
1921	0	0	0.029	0.362	0.148	0.228	1.13	0.038	0.138	0.073	0.015	0.007	0.269	1921
1922	0.014	0.007	1.02	15.9	6.98	0.929	0.138	0.025	0.009	0.015	0.061	0.014	3.10	1922
1923	0.007	0.001	0.407	7.29	0.952	2.33	19.2	1.20	0.240	0.126	---	---	3.98	1923
1924	---	---	1.11	8.51	0.762	0.224	0.031	0.023	0.111	0.044	---	---	1.33	1924
1925	---	---	2.83	28.5	0.871	1.68	0.263	0.005	0.008	0.090	---	---	3.73	1925
1926	---	---	0.033	0.321	0.524	0.408	1.02	0.115	0.041	0.023	---	---	0.311	1926
1927	---	---	0.368	35.9	6.77	3.32	0.185	0.018	0.034	0.023	---	---	5.74	1927
1928	---	---	4.51	4.95	0.450	0.550	0.788	0.022	0.017	0.110	---	---	1.42	1928
1929	---	---	0.056	0.013	0.006	0.004	0.045	0.014	0.009	0.021	---	---	0.021	1929
1930	---	0.102	0.821	4.18	0.122	0.025	0.014	0.008	0.081	0.029	---	---	0.651	1930
1931	---	---	0.046	0.012	---	---	---	---	---	---	---	---	---	1931
1933	---	---	---	1.68	0.452	1.06	0.036	0.113	0	0	---	---	---	1933
1934	---	---	---	0.177	0.001	0.019	0.007	0.082	0.016	0.023	---	---	---	1934
1935	---	---	---	1.74	0.665	0.973	0.578	0.829	0.020	0.018	---	---	---	1935
1936	---	---	0.552	21.9	4.44	0.084	0.014	0.081	0.001	0.011	---	---	3.34	1936
1937	---	---	0	0.002	0.021	0	0	0	0	0	---	---	0.003	1937
1938	---	---	3.36	2.24	0.245	0.006	0.001	0.081	0.017	0.048	---	---	0.749	1938
1939	---	---	0.302	2.33	0.007	0.296	1.72	0.006	0.109	0.002	---	---	0.592	1939
1940	---	---	0	0.026	0.244	0.005	0.001	0.072	0	0	---	---	0.044	1940
1954	---	---	0.020	0.043	0.297	3.92	0.579	1.08	6.54	3.34	---	---	1.96	1954
1955	---	---	0.284	32.8	38.7	1.33	9.05	0.723	0.029	0.021	---	---	10.3	1955
1956	---	---	1.57	37.1	3.46	0.747	1.01	0.031	0.011	0.021	---	---	5.41	1956
1957	---	---	1.00	4.55	0.482	0.025	0.015	0.001	0.002	0.003	---	---	0.750	1957
1958	---	---	0.068	3.77	0.040	0.024	0.008	0.008	0	0	---	---	0.480	1958
1959	---	---	0.014	0.024	0.004	0.076	0.394	0.010	0.042	0.572	---	---	0.143	1959
1960	---	---	5.82	23.5	1.48	3.88	3.50	0.033	0.004	0.005	---	---	4.72	1960
1961	---	---	1.94	0.409	0.085	0.006	0	0	0	0	---	---	0.307	1961
1962	---	---	0.780	4.28	0.030	0.336	0.034	0.008	0	0	---	---	0.673	1962
1963	---	---	0.477	0.570	0.020	0.849	4.77	1.03	0.043	0.009	---	---	0.976	1963
1964	---	---	0	1.83	0.318	0.350	0.031	0.032	0.011	0.010	---	---	0.318	1964
1965	---	---	0	4.91	6.01	9.52	2.07	0.088	0.003	0.003	---	---	2.80	1965
1966	---	---	2.90	1.44	0.322	0.021	0.006	0.004	0.005	0.001	---	---	0.589	1966
1967	---	---	0.585	18.2	3.19	0.044	0.028	0.003	0.006	0.012	---	---	2.72	1967
1968	---	---	1.87	0.254	0.032	0.019	0.014	0.009	0.013	0.005	---	---	0.279	1968
1969	---	---	0.042	52.3	9.38	0.238	0.106	0.143	0.009	0.202	---	---	7.69	1969
1970	---	---	1.11	21.3	34.9	4.21	0.431	0.017	0.014	0.007	---	---	7.74	1970
1971	---	---	0.215	33.9	3.29	0.365	0.588	0.025	0.010	0.003	---	---	4.71	1971
1972	---	---	5.81	2.71	0.402	1.21	0.025	0.015	0.005	0.003	---	---	1.27	1972
1973	---	---	0.009	0.016	0.011	0.247	0.071	0.020	0.026	0.003	---	---	0.050	1973
1974	---	---	0.005	67.1	34.1	4.84	0.195	2.56	0.460	0.142	---	---	13.5	1974
1975	---	---	0.074	26.5	27.5	1.41	2.13	0.030	0.027	0.027	---	---	7.18	1975
1976	---	---	12.6	64.6	4.12	5.56	2.34	0.759	0.117	0.012	---	---	11.1	1976
1977	---	---	0.013	0.009	1.17	0.201	0.028	0	0	0.001	---	---	0.179	1977
1978	---	---	0.678	5.86	0.866	0.178	0.039	0	0	0	---	---	0.940	1978
1979	---	---	0.454	19.6	26.6	2.42	4.12	0.071	0.004	0	---	---	6.65	1979
1980	---	---	0.074	2.05	0.093	0.059	0.022	0.002	0	0	---	---	0.283	1980
1981	---	0	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0.156	40.6	8.09	2.70	3.06	0.541	0.004	0.004	---	---	6.80	1982
MEAN	0.002	0.008	1.16	12.3	4.47	1.08	1.06	0.178	0.146	0.105	0.055	0.009	3.72	MEAN

LOCATION - LAT 50 20 46 N DRAINAGE AREA, 5 240 km²
LONG 105 31 49 W REGULATED

MOOSE JAW RIVER ABOVE THUNDER CREEK - STATION NO. 05JE001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1910	---	---	0 ON JUL 26 *	---	1910
1911	---	---	0 ON AUG 18	---	1911
1912	---	37.7 ON MAY 14	0 B ON MAR 1	---	1912
1913	---	---	0 B ON MAR 1	---	1913
1914	---	5.61 E ON APR 10	0 B ON MAR 1	5 610	1914
1915	---	0.105 ON APR 4	0 B ON MAR 1	178	1915
1916	---	83.8 ON APR 18	0 B ON MAR 1	125 000	1916
1917	---	58.7 ON APR 18	0 B ON MAR 1	62 300	1917
1918	---	22.7 B ON MAR 26	0 B ON MAR 1	19 000	1918
1919	---	12.4 ON APR 20	0 B ON MAR 1	14 600	1919
1920	---	24.9 ON APR 26	0 B ON MAR 1	52 300	1920
1921	---	2.80 ON JUL 4	0 B ON MAR 4	5 690	1921
1922	---	39.9 ON APR 10	0 B ON MAR 2	65 600	1922
1923	---	54.7 ON JUL 15	0 B ON MAR 19	84 300	1923
1924	---	19.1 B ON APR 14	0 B ON MAR 1	28 200	1924
1925	---	62.9 B ON APR 3	0 B ON MAR 1	78 800	1925
1926	---	3.51 ON JUN 29	0 ON SEP 25	6 600	1926
1927	---	85.0 ON APR 15	0 ON OCT 24	121 000	1927
1928	---	27.6 B ON MAR 31	0 B ON MAR 1	30 000	1928
1929	---	0.722 ON JUL 28	0 B ON MAR 1	446	1929
1930	---	11.8 B ON APR 7	0 ON SEP 1	13 700	1930
1931	---	---	0 B ON MAR 27	---	1931
1933	---	---	0 ON JUL 16	---	1933
1934	---	---	0 ON APR 26	---	1934
1935	---	9.57 B ON APR 22	0 ON MAY 27	---	1935
1936	---	69.7 ON APR 17	0 ON JUL 1	70 700	1936
1937	---	0.496 ON MAY 14	0 B ON MAR 1	51.8	1937
1938	---	15.6 ON MAR 26	0 B ON MAR 1	15 900	1938
1939	---	9.37 ON APR 2	0 B ON MAR 1	12 500	1939
1940	---	2.18 ON AUG 3	0 B ON MAR 1	931	1940
1954	---	17.5 ON SEP 20	0.014B ON MAR 18	41 600	1954
1955	---	106 ON MAY 9	0.006 ON OCT 19	219 000	1955
1956	---	89.2 ON APR 15	0 B ON MAR 1	115 000	1956
1957	---	11.5 B ON APR 6	0 ON JUL 30	15 900	1957
1958	---	19.1 B ON APR 4	0 B ON MAR 1	10 280	1958
1959	---	1.73 ON OCT 31	0 B ON MAR 1	3 020	1959
1960	---	60.0 B ON APR 4	0 B ON MAR 1	99 900	1960
1961	---	9.77 B ON MAR 23	0 B ON MAR 1	6 490	1961
1962	16.7 B AT 16:00 CST ON APR 1	15.7 B ON APR 1	0 B ON MAR 1	14 300	1962
1963	---	10.3 ON JUL 20	0 B ON MAR 1	20 700	1963
1964	---	8.07 B ON APR 9	0 B ON MAR 1	6 720	1964
1965	23.0 B AT 22:00 CST ON APR 18	19.4 ON JUN 3	0 B ON MAR 1	59 300	1965
1966	---	7.62 B ON MAR 27	0 B ON MAR 1	12 500	1966
1967	56.6 AT 21:00 CST ON APR 15	56.1 B ON APR 15	0 B ON MAR 1	57 600	1967
1968	---	3.54 B ON MAR 23	0 ON OCT 2	5 900	1968
1969	---	164 ON APR 12	0 B ON MAR 1	163 000	1969
1970	73.9 AT 03:15 CST ON MAY 10	72.8 ON MAY 10	0.005 ON OCT 14	164 000	1970
1971	100 AT 01:30 CST ON APR 12	98.3 ON APR 12	0.003 ON OCT 5	99 888	1971
1972	26.2 B AT 15:33 CST ON MAR 25	25.3 B ON MAR 25	0 ON SEP 18	27 000	1972
1973	0.711 AT 08:26 CST ON JUN 16	0.663 ON JUN 16	0 ON MAY 5	1 060	1973
1974	261 AT 15:01 CST ON APR 20 *	252 ON APR 20 *	0.003B ON MAR 1	287 000	1974
1975	87.8 AT 17:50 CST ON APR 25	87.2 ON APR 25	0.011B ON MAR 1	152 000	1975
1976	125 AT 12:31 CST ON APR 6	124 ON APR 6	0.006 ON SEP 29	235 000	1976
1977	14.3 A AT 08:47 CST ON MAY 27	13.3 A ON MAY 27	0 ON APR 23	3 780	1977
1978	21.9 B AT 12:15 CST ON APR 4	19.2 B ON APR 4	0 ON AUG 2	19 900	1978
1979	73.6 AT 08:21 CST ON APR 25	73.2 ON APR 25	0 B ON MAR 1	141 000	1979
1980	---	4.58 B ON APR 11	0 ON JUN 8	5 990	1980
1981	0 B AT 00:00 CST ON MAR 1	0 B ON MAR 1	0 B ON MAR 1	0	1981
1982	133 AT 19:59 CST ON APR 18	130 ON APR 19	0 B ON MAR 1	144 000	1982
				57 700	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

MOOSE JAW RIVER AT CHEVRIER'S FARM - STATION NO. 05JE003

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1910	---	---	---	---	1.02	0.631	---	---	---	---	---	---	---	1910
1911	---	---	---	---	0.932	---	0.125	0.005	0	0.239	---	---	---	1911
1912	---	---	---	4.94	---	1.05	0.859	0.130	0.004	---	---	---	---	1912
MEAN	---	---	---	4.94	0.976	0.841	0.492	0.068	0.002	0.239	---	---	---	MEAN

LOCATION - LAT 50 15 33 N, LONG 105 21 03 W
DRAINAGE AREA, 4 170 km^2
NATURAL FLOW

MOOSE JAW RIVER AT CHEVRIER'S FARM - STATION NO. 05JE003

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1910	---	---	0 ON MAY 5 *	---	1910
1911	---	---	0 ON MAY 9	---	1911
1912	---	---	0 ON JUL 27	---	1912
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

MOOSE JAW RIVER NEAR BURDICK - STATION NO. 05JE006

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	0	0.035	0.060	0.867	---	---	---	---	---	---	---	1944
1945	---	---	0.038	0.031	0.036	0.075	---	---	---	---	---	---	---	1945
1946	---	---	8.62	5.80	0.100	0.123	---	---	---	---	---	---	---	1946
1947	---	---	3.36	28.0	2.90	0.335	---	---	---	---	---	---	---	1947
1948	---	---	0.347	41.9	21.2	0.505	---	---	---	---	---	---	---	1948
1949	---	---	0.272	1.96	0.083	0.046	---	---	---	---	---	---	---	1949
1950	---	---	0.302	14.6	3.00	0.369	---	---	---	---	---	---	---	1950
1951	---	---	0	28.3	17.4	0.839	---	---	---	---	---	---	---	1951
1952	---	---	1.61	32.4	0.609	0.266	---	---	---	---	---	---	---	1952
1953	---	---	0.303	2.62	1.49	49.1	20.8	0.415	0.117	0.027	---	---	---	1953
1954	---	---	0.081	0.056	0.105	4.48	0.529	---	7.06	3.59	---	---	---	1954
1955	---	---	0.989	38.2	46.2	2.33	9.32	1.25	0.100	0.037	---	---	---	1955
1956	---	---	2.80	41.5	4.12	1.09	1.52	0.153	0.081	0.114	---	---	---	1956
1957	---	---	2.28	4.88	0.808	0.111	0.055	0.082	0.065	0.100	---	---	---	1957
1958	---	---	1.04	4.30	0.186	0.118	0.086	0.056	0.043	0.075	---	---	---	1958
1959	---	---	0.744	0.078	0.070	0.082	0.331	0.037	0.078	0.785	---	---	---	1959
1960	---	---	7.45	28.4	1.57	3.48	4.15	0.083	0.082	0.075	---	---	---	1960
1961	---	---	2.86	0.634	0.082	0.041	0.030	0.027	0.032	0.089	0.098	---	---	1961
1962	---	---	0.718	4.82	0.154	0.465	0.145	0.028	0	0.038	---	---	---	1962
1963	---	---	1.05	1.18	0.028	1.32	5.54	1.43	0.062	0.040	---	---	---	1963
1964	---	---	0.065	1.94	0.354	0.394	0.082	0.069	0.058	0.052	---	---	---	1964
1965	---	---	0.010	7.13	6.17	9.61	2.41	0.198	0.140	0.005	---	---	---	1965
1966	---	---	4.69	1.94	0.412	0.109	0.280	0.157	0.079	0.018	---	---	---	1966
1967	---	---	0.722	20.9	4.00	0.181	0.032	0.012	0.048	0.094	---	---	---	1967
1968	---	---	2.99	0.441	0.077	0.061	0.078	0.100	0.034	0.040	---	---	---	1968
1969	---	---	0.165	61.5	9.13	1.10	1.41	0.552	0.043	0.209	---	---	---	1969
1970	---	---	1.35	27.4	37.1	6.65	1.01	0.062	0.029	0.026	---	---	---	1970
1971	---	---	0.101	39.9	3.90	0.488	0.665	0.086	0.006	0.150	---	---	---	1971
1972	---	---	4.69	3.26	0.846	1.23	0.054	0.255	0.083	0.178	0.151	0.089	---	1972
1973	0.083	0.119	0.151	0.165	0.377	0.589	0.092	0.093	0.077	0.150	0.200	0.107	0.180	1973
1974	0.079	0.162	0.150	91.0	37.8	6.79	1.01	2.75	1.02	0.174	0.672	0.258	11.8	1974
1975	0.098	0.137	0.328	31.2	30.4	1.76	2.66	0.102	0.286	0.072	0.185	0.117	5.63	1975
1976	0.096	0.269	16.8	70.9	4.55	6.33	2.86	0.900	0.236	0.367	0.220	0.142	8.56	1976
1977	0.149	0.245	0.276	0.097	1.58	0.279	0.321	0.095	0.067	0.103	0.216	0.142	0.300	1977
1978	0.157	0.155	0.858	7.38	1.12	0.309	0.313	0.033	0.080	0.228	0.131	0.149	0.904	1978
1979	0.135	0.143	0.889	21.7	26.7	2.58	4.85	0.347	0.063	0.096	0.216	0.147	4.85	1979
1980	0.108	0.111	0.450	2.52	0.171	0.114	0.210	0.111	0.075	0.187	0.213	0.150	0.363	1980
1981	0.150	0.243	0.188	0.164	0.069	0.164	0.139	0.194	0.257	0.270	0.179	0.135	0.179	1981
1982	0.085	0.138	0.600	49.8	9.02	3.35	2.87	0.642	0.107	0.237	0.201	0.186	5.56	1982
MEAN	0.114	0.172	1.80	18.3	7.03	2.77	2.13	0.356	0.350	0.253	0.224	0.147	3.83	MEAN

LOCATION - LAT 50 24 00 N DRAINAGE AREA, 9 230 km²
LONG 105 23 50 W REGULATED

REMARKS - FROM 1944 TO JUN 15 1955, STATION WAS LOCATED IN SE04-17-25-W2 AND PUBLISHED UNDER STATION NO. 05JG008

MOOSE JAW RIVER NEAR BURDICK - STATION NO. 05JE006

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	8.30 ON JUN 15	0 ON MAR 1 *	---	1944
1945	---	0.170B ON MAR 26	0 B ON MAR 1	---	1945
1946	---	27.4 ON MAR 31	0 B ON MAR 1	---	1946
1947	---	56.4 ON APR 17	0 B ON MAR 1	---	1947
1948	---	200 ON APR 25	---	---	1948
1949	---	10.3 ON APR 10	0 B ON MAR 1	---	1949
1950	---	52.7 ON APR 24	---	---	1950
1951	---	53.0 ON APR 17	0 B ON MAR 1	---	1951
1952	---	63.1 ON APR 10	0 B ON MAR 1	---	1952
1953	---	97.1 E ON JUN 11	0.025 ON OCT 16	---	1953
1954	---	19.5 ON SEP 21	---	---	1954
1955	---	108 A ON MAY 9	0 B ON OCT 31	---	1955
1956	90.9 AT 05:00 CST ON APR 16	90.0 ON APR 16	0.011B ON MAR 1	---	1956
1957	13.5 AT 22:00 CST ON APR 3	12.1 ON APR 4	0.011 ON JUL 3	---	1957
1958	20.3 AT 02:00 CST ON APR 5	18.7 ON APR 5	0.006 ON MAY 27	---	1958
1959	---	5.92 B ON MAR 14	0 ON AUG 13	---	1959
1960	64.0 AT 21:00 CST ON APR 3	61.2 ON APR 4	0.014 ON OCT 9	---	1960
1961	11.8 AT 08:00 CST ON MAR 24	11.6 ON MAR 24	0 ON JUL 8	---	1961
1962	15.0 AT 23:30 CST ON APR 2	14.8 ON APR 3	0 E ON AUG 23	---	1962
1963	16.2 AT 17:00 CST ON JUL 10	12.3 B ON MAR 31	0.006E ON OCT 26	---	1963
1964	15.6 AT 11:00 CST ON APR 9	8.44 ON APR 10	0.028B ON MAR 1	---	1964
1965	21.5 AT 20:00 CST ON APR 20	20.2 ON APR 19	0 B ON MAR 1	---	1965
1966	18.2 B AT 22:00 CST ON MAR 14	13.1 B ON MAR 15	0 ON SEP 28	---	1966
1967	55.5 AT 20:00 CST ON APR 14	54.1 ON APR 15	0 ON JUL 31	---	1967
1968	4.73 B AT 22:00 CST ON MAR 8	4.62 B ON MAR 8	0 ON JUN 11	---	1968
1969	227 AT 24:00 CST ON APR 12	214 ON APR 13	0.008 ON SEP 17	---	1969
1970	71.1 AT 12:00 CST ON MAY 10	70.5 ON MAY 10	0.002 ON AUG 21	---	1970
1971	123 AT 13:04 CST ON APR 12	118 ON APR 12	0 ON SEP 12	---	1971
1972	22.7 B AT 15:47 CST ON MAR 26	20.3 B ON MAR 26	0 ON SEP 11	---	1972
1973	2.13 AT 22:51 CST ON OCT 23	1.28 ON JUN 4	0.005 ON JUL 21	5 670	1973
1974	374 AT 22:52 CST ON APR 19 *	368 ON APR 20 *	0.042B ON JAN 20	371 000	1974
1975	98.8 AT 01:55 CST ON APR 26	97.7 ON APR 26	0.031 ON OCT 15	177 000	1975
1976	130 AT 12:55 CST ON APR 7	129 ON APR 7	0.028 ON OCT 25	271 000	1976
1977	15.5 A AT 20:27 CST ON MAY 27	12.5 A ON MAY 27	0.007 ON MAY 14	9 440	1977
1978	---	21.8 B ON APR 5	0.001 ON AUG 15	28 500	1978
1979	78.3 E AT 17:12 CST ON APR 25	77.2 E ON APR 25	0.005 ON OCT 14	153 000	1979
1980	6.20 B AT 07:01 CST ON APR 11	5.38 ON APR 12	0.004 ON MAY 5	11 500	1980
1981	0.771 ON OCT 14	0.609 ON SEP 5	0.011 ON MAY 6	5 630	1981
1982	156 AT 10:50 CST ON APR 19	154 ON APR 19	0.015 ON SEP 19	175 000	1982
				121 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

MOOSE JAW RIVER NEAR LANG - STATION NO. 05JE002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	---	---	0.110	0.137	0.065	---	---	---	---	1911
1912	---	---	---	1.07	1.45	0.616	0.151	0.027	0.002	0	0	---	---	1912
1913	---	---	---	---	0.012	0	0	0	0	0	---	---	---	1913
1914	---	---	---	0.879	0.089	0.023	0.003	0	0	0	---	---	---	1914
1915	---	---	---	0	0	0	0	0	0	0	---	---	---	1915
1916	---	---	---	---	0.127	0.075	0.056	0.039	0.016	0.014	---	---	---	1916
1917	---	---	---	3.40	1.47	0.049	0.007	0	0	0	---	---	---	1917
1918	---	---	---	0.586	0.161	0.011	0	0	0	0	---	---	---	1918
1919	---	---	---	0.906	0.040	0	0	0	0	0	---	---	---	1919
1969	---	---	0	11.4	1.51	0.023	0.005	0	0	0	---	---	1.59	1969
1970	---	---	0	2.97	11.9	0.965	0.028	0	0	0	---	---	1.95	1970
1971	---	---	0	7.67	0.606	0.017	0.002	0	0	0	---	---	1.02	1971
1972	---	---	0.880	0.467	0.061	0.023	0	0	0	0	---	---	0.179	1972
1973	---	---	0	0	0	0	0	0	0	0	---	---	0	1973
1974	---	---	0	8.61	3.86	0.670	0.023	0	0	0	---	---	1.63	1974
1975	---	---	0	5.66	7.76	0.520	0.027	0	0	0	---	---	1.74	1975
1976	---	---	0.230	17.6	0.710	0.881	1.28	0.193	0.003	0	---	---	2.57	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0.276	0.580	0.030	0	0	0	0	0	---	---	0.110	1978
1979	---	---	0.017R	6.35	8.90	0.703	0.175	0	0	0	---	---	2.02 R	1979
1980	---	---	0.005	0.083	0	0	0	0	0	0	---	---	0.011	1980
1981	---	---	0.002	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	5.72	0.550	0.035	0	0	0	0	---	---	0.774	1982
MEAN	---	---	0.101R	3.70	1.78	0.210	0.081	0.017	0.004	0.001	0	---	0.974	MEAN

LOCATION - LAT 49 55 51 W, LONG 104 29 57 W
DRAINAGE AREA, 865 km^2
NATURAL FLOW

R - REVISED SINCE JAN 1980

MOOSE JAW RIVER NEAR LANG - STATION NO. 05JE002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	---	---	---	1911
1912	---	---	0 ON SEP 13 *	---	1912
1913	---	---	0 ON JUN 4	---	1913
1914	---	---	0 ON JUL 9	---	1914
1915	---	---	0 ON MAR 22	---	1915
1916	---	---	---	---	1916
1917	---	6.68 ON APR 26	0B ON APR 1	---	1917
1918	---	---	0 ON JUN 7	---	1918
1919	---	2.97 ON APR 16	0 ON APR 1	---	1919
1969	---	28.1 ON APR 11	0 ON MAR 1	33 700	1969
1970	---	22.2 ON MAY 4	0B ON MAR 1	42 200	1970
1971	20.6 AT 20:00 CST ON APR 8	17.2 ON APR 10	0B ON MAR 1	21 600	1971
1972	3.88 B AT 14:00 CST ON MAR 18	2.83 B ON MAR 18	0B ON MAR 1	3 790	1972
1973	0 AT 00:00 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1973
1974	34.5 AT 08:05 CST ON APR 19 *	31.7 ON APR 19	0B ON MAR 1	34 400	1974
1975	21.0 AT 20:09 CST ON APR 30	20.6 ON APR 30	0B ON MAR 1	36 900	1975
1976	32.8 AT 18:33 CST ON APR 6	32.3 ON APR 7 *	0B ON MAR 1	54 300	1976
1977	0 B AT 00:01 CST ON MAR 1	0 B ON MAR 1	0B ON MAR 1	0	1977
1978	3.00 AT 12:14 CST ON MAR 31	2.89 ON MAR 31	0B ON MAR 1	2 320	1978
1979	18.6 B AT 17:15 CST ON APR 20	18.0 ON APR 28	0RB ON MAR 1	42 600 R	1979
1980	0.911B AT 13:10 CST ON APR 1	0.740B ON APR 1	0B ON MAR 1	229	1980
1981	0.010B AT 10:30 CST ON MAR 19	0.009B ON MAR 19	0B ON MAR 1	6.31	1981
1982	28.6 B AT 15:15 CST ON APR 17	22.2 B ON APR 17	0B ON MAR 1	16 400	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980		20 600 R	MEAN

MOOSE JAW RIVER NEAR ROULEAU - STATION NO. 05JE004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	0	0	0.080	0.987	---	---	---	---	---	---	---	1944
1945	---	---	0	0	0.002	0.035	0.232	---	---	---	---	---	---	1945
1946	---	---	8.23	1.67	0.003	0.034	---	---	---	---	---	---	---	1946
1947	---	---	0	18.8	1.97	0.379	---	---	---	---	---	---	---	1947
1948	---	---	0	36.9	14.2	0.331	---	---	---	---	---	---	---	1948
1949	---	---	0.002	2.21	0.015	0.016	---	---	---	---	---	---	---	1949
1950	---	---	0.009	14.3	2.38	0.049	---	---	---	---	---	---	---	1950
1951	---	---	0	17.2	13.5	0.387	---	---	---	---	---	---	---	1951
1952	---	---	0.015	20.6	0.272	0.132	---	---	---	---	---	---	---	1952
1953	---	---	1.07	0.876	1.90	40.7	7.47	0.159	0.021	0	---	---	6.44	1953
1954	---	---	0	0.005	0.290	4.07	0.575	1.78	5.21	2.67	---	---	1.81	1954
1955	---	---	0.100	24.8	27.8	1.20	9.16	0.720	0	0	---	---	7.97	1955
1956	---	---	0.997	26.6	2.25	0.148	0.759	0.025	0.001	0	---	---	3.79	1956
1957	---	---	1.97	2.62	0.065	0	0	0	0	0	---	---	0.578	1957
1958	---	---	0.930	3.10	0.007	0.003	0	0	0	0	---	---	0.499	1958
1959	---	---	0.027	0.020	0.003	0.033	1.96	0.008	0	1.42	---	---	0.439	1959
1960	---	---	7.91	15.7	0.565	5.11	2.74	0.059	0	0	---	---	3.97	1960
1961	---	---	1.89	0.175	0.011	0	0	0	0	0	---	---	0.262	1961
1962	---	---	1.91	2.65	0.168	0.287	0.002	0.011	0.005	0	---	---	0.625	1962
1963	---	---	1.16	0.249	0.070	0.837	3.78	0.050	0.114	0.004	---	---	0.788	1963
1964	---	---	0	1.93	0.433	0.579	0.066	0.006	0	0	---	---	0.372	1964
1965	---	---	0	3.32	7.00	4.80	0.483	0.014	0.014	0.006	---	---	1.94	1965
1966	---	---	1.76	0.652	0.243	0.011	0.007	0.012	0.019	0.371	---	---	0.386	1966
1967	---	---	0.002	12.7	2.63	0.046	0.003	0	0.002	0.222	---	---	1.92	1967
1968	---	---	0.990	0.202	0.003	0	0	0.138	0.081	0.052	---	---	0.184	1968
1969	---	---	0	37.3	5.79	0.467	0.784	0.085	0	0.277	---	---	5.51	1969
1970	---	---	0.212	12.7	27.2	3.35	0.506	0.013	0	0.111	---	---	5.51	1970
1971	---	---	0	25.6	2.01	0.145	0.605	0.024	0	0.096	---	---	3.50	1971
1972	---	---	7.00	2.01	0.930	1.15	0.107	0.032	0.002	0	---	---	1.41	1972
1973	---	---	0.004	0.033	0.058	0.176	0.017	0.002	0	0	---	---	0.036	1973
1974	---	---	0	39.0	20.4	2.14	0.201	3.07	0.471	0.046	---	---	8.09	1974
1975	---	---	0.032	21.5	20.0	1.60	0.511	0.020	0.007	0.001	---	---	5.43	1975
1976	---	---	6.11	49.3	2.71	4.89	1.61	0.755	0.113	0.113	---	---	8.08	1976
1977	---	---	0.010	0.104	0.507	0.015	0.146	0.003	0	0	---	---	0.099	1977
1978	---	---	1.08	4.10	0.632	0.066	0.018	0.001	0	0	---	---	0.729	1978
1979	---	---	0	19.4	20.2	1.53	4.46	0.051	0	0	---	---	5.69	1979
1980	---	---	0.016	1.74	0	0.001	0.005	0	0	0	---	---	0.216	1980
1981	---	---	0.017	0.003	0	0	0	0	0	0	---	---	0.003	1981
1982	---	---	0	28.5	3.76	1.63	3.96	0.224	0	0	---	---	4.69	1982
MEAN	---	---	1.11	11.5	4.62	1.98	1.30	0.242	0.202	0.180	---	---	2.70	MEAN

LOCATION - LAT 50 11 29 N DRAINAGE AREA, 2 990 km^2
LONG 104 59 08 W REGULATED

REMARKS - RECORDS WERE COLLECTED AT SE16-14-22-W2 FROM 1944-73, AND AT NE17-14-22-W2 FROM 1974-75

MOOSE JAW RIVER NEAR BOULEAU - STATION NO. 05JE004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	2.55 ON JUN 17	0 ON MAR 1 *	---	1944
1945	---	1.56 ON JUL 25	0 ON MAR 1	---	1945
1946	---	21.7 ON MAR 26	0 ON MAR 1	---	1946
1947	---	44.2 ON APR 12	0B ON MAR 1	---	1947
1948	---	151 ON APR 23	0B ON MAR 1	---	1948
1949	---	10.3 B ON APR 5	0B ON MAR 1	---	1949
1950	---	53.5 ON APR 19	0B ON MAR 1	---	1950
1951	---	30.9 ON MAY 2	0B ON MAR 1	---	1951
1952	---	45.6 ON APR 7	0B ON MAR 1	---	1952
1953	98.5 AT 22:00 CST ON JUN 6	95.7 ON JUN 6	0B ON MAR 1	137 000	1953
1954	---	18.8 ON SEP 17	0B ON MAR 1	38 200	1954
1955	---	91.7 ON MAY 7	0B ON MAR 1	169 000	1955
1956	82.1 AT 02:00 CST ON APR 14	75.9 ON APR 13	0B ON MAR 1	80 200	1956
1957	---	10.2 B ON MAR 31	0B ON MAR 1	12 200	1957
1958	15.9 B AT 10:30 CST ON APR 1	15.7 B ON APR 1	0 ON MAR 1	10 600	1958
1959	10.3 AT 12:00 CST ON JUL 2	10.1 ON JUL 2	0B ON MAR 1	9 300	1959
1960	---	42.5 ON APR 1	0B ON MAR 1	84 000	1960
1961	---	9.00 B ON MAR 19	0B ON MAR 1	5 550	1961
1962	---	14.0 B ON MAR 29	0B ON MAR 1	13 200	1962
1963	---	12.3 ON JUL 15	0B ON MAR 1	16 600	1963
1964	---	8.24 B ON APR 5	0B ON MAR 1	7 860	1964
1965	---	21.1 ON MAY 31	0B ON MAR 1	41 100	1965
1966	---	5.44 B ON MAR 21	0B ON MAR 1	8 180	1966
1967	45.0 AT 13:30 CST ON APR 11	44.7 ON APR 11	0B ON MAR 1	40 700	1967
1968	---	2.14 B ON MAR 20	0B ON MAR 1	3 900	1968
1969	140 AT 05:00 CST ON APR 12	139 ON APR 12	0B ON MAR 1	116 000	1969
1970	---	70.5 ON MAY 7	0B ON MAR 1	117 000	1970
1971	73.3 AT 04:00 CST ON APR 10	70.8 ON APR 10	0B ON MAR 1	74 100	1971
1972	24.9 AT 12:00 CST ON MAR 23	24.9 ON MAR 23	0B ON MAR 1	29 900	1972
1973	0.351 AT 16:05 CST ON JUN 10	0.348 ON JUN 10	0B ON MAR 1	759	1973
1974	180 AT 20:30 CST ON APR 20 *	162 ON APR 20 *	0B ON MAR 1	171 000	1974
1975	66.8 AT 14:45 CST ON APR 23	66.3 ON APR 23	0B ON MAR 1	115 000	1975
1976	107 AT 06:14 CST ON APR 5	106 ON APR 4	0B ON MAR 1	171 000	1976
1977	9.12 AT 04:06 CST ON MAY 24	5.80 ON MAY 23	0B ON MAR 1	2 100	1977
1978	22.8 AT 05:32 CST ON MAR 31	22.1 ON MAR 31	0B ON MAR 1	15 400	1978
1979	73.9 AT 10:49 CST ON APR 22	73.1 ON APR 22	0B ON MAR 1	120 000	1979
1980	---	3.85 B ON APR 5	0B ON MAR 1	4 570	1980
1981	0.061B AT 07:10 CST ON MAR 21	0.055B ON MAR 21	0B ON MAR 1	53.8	1981
1982	108 AT 10:00 CST ON APR 17	105 ON APR 17	0B ON MAR 1	99 300	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		57 100	MEAN

MOOSE MOUNTAIN CREEK ABOVE KISBEY IRRIGATION PROJECT - STATION NO. 05NC003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1960	---	---	0	1.56	0.267	0.186	0.187	0.003	0	0	---	---	0.272	1960
1961	---	---	0.031	0.120	0.144	0.053	0.001	0	0	0.007	---	---	0.044	1961
1962	---	---	0	0.122	0.110	0.098	0.019	0.001	0.004	0.002	---	---	0.044	1962
1963	---	---	0.133	0.110	0.111	0.134	0.165	0.031	0.013	0.008	---	---	0.088	1963
1964	---	---	0	0.757	0.273	0.430	0.110	0.017	0.012	0.023	---	---	0.200	1964
1965	---	---	0	0.597	0.284	0.147	0.111	0.110	0.041	0.060	---	---	0.168	1965
1966	---	---	0.384	0.923	0.203	0.126	0.027	0.010	0.007	0.005	---	---	0.209	1966
1967	---	---	0	1.24	0.822	0.304	0.111	0.014	0.002	0.010	---	---	0.311	1967
1968	---	---	0.420	0.145	0.140	0.059	0.006	0.014	0.026	0.020	---	---	0.104	1968
1969	---	---	0	8.67	2.38	0.621	0.336	0.198	0.015	0.107	---	---	1.52	1969
1970	---	---	0	2.96	4.19	1.83	0.782	0.589	0.396	0.361	0.376	0.150	1.38	1970
1971	0.010	0	0.039	6.69	1.43	0.526	0.728	0.010	0.015	0.114	0.133	0.070	1.18	1971
1972	0	0	1.74	2.13	1.10	0.327	0.091	0.102	0.038	0.064	0.081	0.023	0.696	1972
1973	---	---	0.145	0.245	0.238	0.342	0.055	0.008	0.055	0.112	---	---	0.149	1973
MEAN	0.005	0	0.207	1.88	0.835	0.370	0.195	0.079	0.045	0.064	0.197	0.081	0.455	MEAN

LOCATION - LAT 49 41 06 N LONG 102 47 46 W DRAINAGE AREA, 3 290 km^2 REGULATED

MOOSE MOUNTAIN CREEK ABOVE KISBEY IRRIGATION PROJECT - STATION NO. 05NC003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1960	9.23 AT 08:30 CST ON APR 7	9.09 ON APR 7	0B ON MAR 1 *	5 760	1960
1961	---	0.348 ON MAY 14	0 ON MAR 1	937	1961
1962	---	0.609B ON APR 19	0B ON MAR 1	931	1962
1963	1.19 AT 01:30 CST ON MAR 28	0.991 ON MAR 28	0 ON MAR 1	1 860	1963
1964	---	2.24 A ON APR 8	0B ON MAR 1	4 230	1964
1965	4.90 E AT 12:00 CST ON APR 16	2.96 E ON APR 16	0B ON MAR 1	3 550	1965
1966	---	3.88 B ON APR 4	0B ON MAR 1	4 420	1966
1967	4.62 B AT 19:15 CST ON APR 4	3.85 B ON APR 5	0B ON MAR 1	6 580	1967
1968	---	1.44 B ON MAR 18	0B ON MAR 1	2 210	1968
1969	29.7 A AT 15:30 CST ON APR 11 *	29.4 A ON APR 11 *	0B ON MAR 1	32 200	1969
1970	8.30 AT 18:00 CST ON MAY 7	8.27 ON MAY 7	0B ON MAR 1	29 300	1970
1971	23.9 B AT 22:40 CST ON APR 9	18.9 B ON APR 10	0B ON MAR 1	24 900	1971
1972	---	8.81 B ON MAR 21	0B ON MAR 1	14 700	1972
1973	0.640 AT 09:45 CST ON JUN 6	0.617 ON JUN 7	0B ON MAR 1	3 160	1973
	A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		9 620	MEAN

MOOSE MOUNTAIN CREEK BELOW KISBEY IRRIGATION PROJECT - STATION NO. 05NC004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1960	---	---	0	1.11	0.380	0.203	0.058	0	0	0	---	---	0.216	1960
1961	---	---	0	0.004	0.081	0.002	0	0	0	0	---	---	0.011	1961
1962	---	---	0	0	0	0.019	0	0	0	0	---	---	0.002	1962
1963	---	---	0	0.059	0.014	0.059	0.409	0.089	0.008	0	---	---	0.080	1963
1964	---	---	0	0.821	0.530	0.397	0.149	0.027	0	0	---	---	0.239	1964
1965	---	---	0	0.157	0.497	0.240	0.087	0.005	0.003	0.001	---	---	0.124	1965
1966	---	---	0.005	1.50	0.158	0.087	0.003	0	0	0	---	---	0.216	1966
1967	---	---	0	0.385	0.725	0.005	0.001	0	0	0	---	---	0.140	1967
1968	---	---	0.166	0.226	0.047	0.036	0	0.008	0	0.003	---	---	0.060	1968
1969	---	---	0	8.67	2.26	0.272	0.279	0.101	0.012	0.007	---	---	1.43	1969
1970	---	---	0	1.90	4.73	1.40	0.441	0.073	0.109	0.318	0.260	0.086	1.12	1970
1971	0	0	0	5.93	2.08	0.342	0.337	0.102	0	0.026	0.070	0.008	1.09	1971
1972	0	0	0.820	2.55	1.20	0.771	0.115	0.002	0	0	0.001	0	0.677	1972
1973	---	---	0.027	0.156	0.179	0.157	0.015	0	0.005	0.054	---	---	0.074	1973
MEAN	0	0	0.073	1.68	0.920	0.285	0.135	0.029	0.010	0.029	0.110	0.031	0.391	MEAN

LOCATION - LAT 49 37 02 N DRAINAGE AREA, 3 600 km²
LONG 102 35 33 W REGULATED

MOOSE MOUNTAIN CREEK BELOW KISBEY IRRIGATION PROJECT - STATION NO. 05NC004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1960	---	5.86 ON APR 10	0B ON MAR 1 *	4 570	1960
1961	0.144 AT 08:00 CST ON MAY 11	0.136 ON MAY 11	0 ON MAR 1	234	1961
1962	0.119 AT 13:00 CST ON JUN 20	0.113 ON JUN 19	0 ON MAR 1	49.3	1962
1963	2.20 AT 09:00 CST ON JUL 19	2.14 ON JUL 19	0 ON MAR 1	1 690	1963
1964	1.61 AT 24:00 CST ON APR 24	1.59 ON APR 24	0B ON MAR 1	5 050	1964
1965	1.41 AT 15:00 CST ON MAY 6	1.32 ON MAY 6	0B ON MAR 1	2 620	1965
1966	3.82 AT 08:30 CST ON APR 4	2.92 ON APR 4	0B ON MAR 1	4 570	1966
1967	1.65 AT 20:00 CST ON APR 30	1.50 ON MAY 1	0B ON MAR 1	2 950	1967
1968	1.32 AT 17:00 CST ON MAR 28	1.20 ON MAR 28	0B ON MAR 1	1 280	1968
1969	21.0 B AT 11:44 CST ON APR 15 *	20.7 B ON APR 14 *	0B ON MAR 1	30 300	1969
1970	7.25 AT 21:50 CST ON MAY 12	6.99 ON MAY 13	0B ON MAR 1	23 800	1970
1971	14.5 AT 13:00 CST ON APR 13	14.0 ON APR 13	0B ON MAR 1	23 100	1971
1972	9.15 B AT 12:29 CST ON MAR 27	6.09 B ON MAR 27	0B ON MAR 1	14 300	1972
1973	0.244 AT 11:50 CST ON JUN 4	0.238 ON JUN 4	0B ON MAR 1	1 560	1973
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		8 290	MEAN

MOOSE MOUNTAIN CREEK BELOW MOOSE MOUNTAIN LAKE - STATION NO. 05NC001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1959	---	---	0.006	0.116	0.204	0.036	0.009	0.006	0.012	0.024	---	---	0.052	1959
1960	---	---	0.021	0.453	0.025	0.019	0.009	0.006	0.004	0.006	---	---	0.067	1960
1961	---	---	0	0.005	0.015	0.010	0.002	0	0.012	0.014	---	---	0.007	1961
1962	---	---	0	0.016	0.006	0.009	0.002	0.001	0	0	---	---	0.004	1962
1963	---	---	0.007	0.008	0.009	0.008	0.004	0.002	0.004	0.003	---	---	0.006	1963
1964	---	---	0	0.375	0.028	0.024	0.016	0.009	0.004	0.004	---	---	0.057	1964
1965	---	---	0	0.044	0.017	0.009	0.005	0.003	0.010	0.007	---	---	0.012	1965
1966	---	---	0.335	0.200	0.072	0.040	0.026	0.022	0.024	0.064	---	---	0.098	1966
1967	---	---	0.076	0.925	0.566	0.113	0.028	0.016	0.011	0.016	---	---	0.217	1967
1968	---	---	0.310	0.030	0.028	0.012	0.014	0.018	0.010	0.011	---	---	0.055	1968
1969	---	---	0	5.12	0.989	0.115	0.087	0.016	0.013	0.014	---	---	0.783	1969
1970	---	---	0	2.42	2.73	1.12	0.888	0.640	0.176	0.195	---	---	1.02	1970
1971	---	---	0.114	5.60	1.04	0.225	0.152	0.013	0.017	0.015	---	---	0.884	1971
1972	---	---	1.12	1.12	0.420	0.084	0.021	0.030	0.016	0.012	---	---	0.352	1972
1973	---	---	0.160	0.093	0.015	0.047	0.013	0.010	0.076	0.013	---	---	0.053	1973
1974	---	---	0	7.03	2.94	0.444	0.001	0.025	0.002	0.011	---	---	1.29	1974
1975	---	---	0.003	11.2	8.70	1.04	0.149	0.017	0.062	0.016	---	---	2.63	1975
1976	---	---	0.027	14.3	2.16	1.58	0.720	0.270	0.033	0.028	---	---	2.35	1976
1977	---	---	0.122	0.523	0.393	0.108	0.023	0.009	0.050	0.589	0.027	---	0.227	1977
1978	---	---	0.230	0.435	0.337	0.141	0.106	0.021	0.023	0.018	---	---	0.163	1978
1979	---	---	0	5.64	5.27	0.570	0.031	0.009	0.016	0.017	---	---	1.44	1979
1980	---	---	0.215	0.967	0.141	0.021	0.008	0.079	0.012	0.010	---	---	0.180	1980
1981	---	---	0.009	0.013	0.019	0.022	0.005	0.008	0.002	0.009	---	---	0.011	1981
1982	---	---	0.012	1.43	0.694	0.053	0.232	0.581	0.049	0.085	---	---	0.390	1982
MEAN	---	---	0.115	2.42	1.12	0.244	0.106	0.075	0.027	0.049	0.027	---	0.515	MEAN

LOCATION - LAT 49 52 23 N DRAINAGE AREA, 2 310 km²
LONG 103 00 54 W REGULATED

MOOSE MOUNTAIN CREEK BELOW MOOSE MOUNTAIN LAKE - STATION NO. 05NC001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1959	---	0.648 ON MAY 2	0 B ON MAR 1 *	1 090	1959
1960	---	3.91 B ON APR 4	0 B ON MAR 1	1 420	1960
1961	---	0.082 ON SEP 9	0 B ON MAR 1	154	1961
1962	---	0.068B ON APR 4	0 B ON MAR 1	89.7	1962
1963	---	0.031B ON MAR 23	0 B ON MAR 1	117	1963
1964	---	3.99 B ON APR 4	0 B ON MAR 1	1 200	1964
1965	---	0.187 ON APR 14	0 B ON MAR 1	248	1965
1966	---	3.65 B ON MAR 31	0 B ON MAR 1	2 070	1966
1967	---	1.52 B ON APR 22	0 B ON MAR 1	4 610	1967
1968	---	2.80 B ON MAR 8	0 B ON MAR 1	1 150	1968
1969	---	14.2 B ON APR 11	0 B ON MAR 1	16 600	1969
1970	---	6.82 ON MAY 2	0 B ON MAR 1	21 600	1970
1971	---	9.88 B ON APR 8	0 B ON MAR 1	18 700	1971
1972	---	2.81 B ON MAR 28	0 B ON MAR 1	7 430	1972
1973	---	0.442B ON MAR 18	0 B ON MAR 1	1 120	1973
1974	---	21.8 ON APR 21	0 B ON MAR 1	27 300	1974
1975	---	46.2 ON APR 23 *	0.001 ON JUL 28	55 700	1975
1976	29.7 AT 21:21 CST ON APR 9 *	29.4 ON APR 9	0.011 ON OCT 23	49 900	1976
1977	---	0.900E ON APR 15	0.001 ON AUG 7	4 810	1977
1978	2.33 B AT 07:58 CST ON MAR 29	2.07 B ON MAR 29	0 B ON MAR 1	3 460	1978
1979	19.5 B AT 02:00 CST ON APR 22	18.6 B ON APR 22	0 B ON MAR 1	30 400	1979
1980	3.37 B AT 08:39 CST ON MAR 30	2.57 B ON MAR 30	0 B ON MAR 1	3 810	1980
1981	0.138 AT 17:03 CST ON OCT 30	0.093 ON JUN 15	0 ON JUL 29	229	1981
1982	8.53 B AT 08:12 CST ON APR 14	7.85 B ON APR 14	0 ON JUN 13	8 260	1982
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		10 900	MEAN

MOOSE MOUNTAIN CREEK NEAR GLENAVON - STATION NO. 05NC005

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1971	---	---	0.010	3.00	0.474	0.115	0.067	0.017	0	0	---	---	---	1971
MEAN	---	---	0.010	3.00	0.474	0.115	0.067	0.017	0	0	---	---	---	MEAN

LOCATION - LAT 50 06 20 N LONG 103 08 25 W DRAINAGE AREA, 1 020 km^2 NATURAL FLOW

MOOSE MOUNTAIN CREEK NEAR OXBOW - STATION NO. 05ND004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1913	---	---	---	---	---	---	---	---	0.090	0.129	0.142	0.065	---	1913
1914	---	---	---	6.34	3.01	2.02	0.540	0.076	0.111	0.036	---	---	---	1914
1915	---	---	0.002	0.267	0.236	0.236	0.228	0.013	0	0	---	---	0.123	1915
1916	---	---	---	---	3.75	1.40	0.811	0.138	0.003	0.148	---	---	---	1916
1917	---	---	---	---	4.93	0.988	0.311	0.003	0.001	0	---	---	---	1917
1933	---	---	---	1.04	0.391	0.128	0	0	0	---	---	---	---	1933
1934	---	---	---	1.05	0.152	0	0	0	0	---	---	---	---	1934
1935	---	---	---	0.797	0.286	0.171	0.975	0.024	---	---	---	---	---	1935
1936	---	---	---	---	1.17	0.083	0	0	0	---	---	---	---	1936
1937	---	---	---	---	0.017	0	0	0	0	---	---	---	---	1937
1938	---	---	---	0.169	0.017	0	0.011	0	0	---	---	---	---	1938
1939	---	---	---	1.43	0.047	0	0.032	0	0	---	---	---	---	1939
1940	---	---	---	0.029	0.025	0	0	0	0	---	---	---	---	1940
1941	---	---	---	0.591	0.076	0.057	0	0	0	---	---	---	---	1941
1942	---	---	---	---	0.430	0.192	0.057	0.249	0.122	0.071	---	---	---	1942
1943	---	---	---	12.4	1.48	0.762	0.253	0.045	0	0	---	---	---	1943
1944	---	---	---	0.414	0.320	0.789	0.655	0.264	0.076	0.045	---	---	---	1944
1945	---	---	---	0.202	0.105	0.288	0.599	0.069	0.050	0.073	---	---	---	1945
1946	---	---	---	3.38	0.378	0.268	0.101	---	---	---	---	---	---	1946
1947	---	---	---	17.5	3.62	3.22	0.984	0.226	0.078	0.078	---	---	---	1947
1948	---	---	---	---	9.54	0.604	0.198	0.069	0.001	0	---	---	---	1948
1949	---	---	---	4.79	0.424	0.494	0.064	0.063	0	0	---	---	---	1949
1950	---	---	---	6.81	1.78	0.680	0.454	0.837	0.098	0.109	---	---	---	1950
1951	---	---	---	8.93	3.72	0.505	0.141	0.040	0.100	0.238	---	---	---	1951
1952	---	---	---	2.20	0.501	0.276	0.244	0.012	0.112	0.093	---	---	---	1952
1953	---	---	---	6.79	1.88	4.20	1.85	0.405	0.095	0.061	---	---	---	1953
1954	---	---	---	2.26	1.95	8.90	3.45	0.660	1.04	1.13	1.24	---	---	1954
1955	---	---	---	22.0	18.2	6.49	3.21	0.984	0.580	0.813	---	---	---	1955
1956	---	---	0.952	21.7	6.29	2.29	1.59	1.23	0.202	0.452	---	---	4.29	1956
1957	---	---	3.00	5.90	2.20	0.926	0.253	0.664	0.184	0.089	---	---	1.64	1957
1958	---	---	3.65	6.61	0.453	0.044	0.004	0	0	0	---	---	1.33	1958
1959	---	---	0.678	0.171	0.134	0.123	0.060	0.007	0.009	0.026	---	---	0.157	1959
1960	---	---	0.189	6.98	0.591	0.259	0.035	0.001	0	0	---	---	0.990	1960
1961	---	---	0.054	0.024	0.074	0.117	0	0	0	0	---	---	0.033	1961
1962	---	---	0.077	0.071	0.003	0.018	0.001	0	0	0	---	---	0.021	1962
1963	---	---	1.61	0.138	0.152	0.253	0.313	0.128	0.139	0.008	---	---	0.344	1963
1964	---	---	0.001	3.57	1.02	0.244	0.166	0.013	0	0	---	---	0.619	1964
1965	---	---	0	1.24	0.895	0.655	0.652	0.309	0.162	0.033	---	---	0.492	1965
1966	---	---	2.99	3.61	0.755	0.166	0.028	0	0	0	---	---	0.941	1966
1967	---	---	0.014	1.17	0.862	0.144	0.007	0	0	0	---	---	0.273	1967
1968	---	---	1.46	0.304	0.097	0.006	0	0.002	0.001	0	---	---	0.235	1968
1969	---	---	0	26.2	2.53	0.282	1.55	0.306	0.017	0.101	---	---	3.82	1969
1970	---	---	0.146	8.32	8.12	1.70	1.31	0.099	0.006	0.274	---	---	2.49	1970
1971	0	0	0.352	8.94	2.99	0.621	0.662	0.032	0.012	0.045	0.038	0.002	1.69	1971
1972	0	0	7.17	7.25	1.91	1.17	0.119	0.123	0.023	0.005	0.005	0	2.21	1972
1973	0	0	0.524	0.272	0.252	0.241	0.018	0	0	0.021	0.059	0.012	0.166	1973
1974	---	---	0	22.8	7.94	1.44	0.287	0.034	0.011	0	---	---	4.02	1974
1975	---	---	0	17.4	19.1	4.97	0.717	0.854	2.30	0.682	---	---	5.72	1975
1976	---	---	0.377	51.5	6.36	2.86	1.81	0.588	0.152	0.045	0.087	---	7.84	1976
1977	---	---	0.152	0.812	0.753	0.363	0.016	0	0	0.042	0.244	---	0.266	1977
1978	---	---	0.661	2.65	1.09	0.431	0.227	0.012	0.041	0.019	---	---	0.636	1978
1979	---	---	0	15.6	9.66	1.78	0.352	0.013	0	0	---	---	3.40	1979
1980	---	---	0.034	3.48	0.440	0.036	0.001	0	0.004	0.001	---	---	0.492	1980
1981	---	0.295	0.008	0.070	0.040	0.004	0	0	0	0	---	---	0.025	1981
1982	---	---	0	11.7	1.37	0.242	0.061	0.026	0	0.006	---	---	1.64	1982
MEAN	0	0.074	0.864	6.83	2.49	1.00	0.470	0.163	0.110	0.108	0.259	0.020	1.64	MEAN

LOCATION - LAT 49 13 58 N DRAINAGE AREA, 6 050 km²
LONG 102 13 41 W REGULATED

MOOSE MOUNTAIN CREEK NEAR OXBOW - STATION NO. 05ND004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1913	---	---	---	---	1913
1914	---	---	---	---	1914
1915	---	0.487 ON JUL 13	0 ON MAR 1 *	2 600	1915
1916	---	---	---	---	1916
1917	---	---	0 ON OCT 13	---	1917
1933	---	---	0 ON JUN 29	---	1933
1934	---	---	0 ON JUN 1	---	1934
1935	---	---	0 ON JUN 28	---	1935
1936	---	---	0 ON JUN 23	---	1936
1937	---	---	0 ON MAY 13	---	1937
1938	---	---	0 ON MAY 16	---	1938
1939	---	37.9 B ON MAR 25	0 ON MAY 30	---	1939
1940	---	0.193 ON APR 15	0 B ON APR 1	---	1940
1941	---	2.41 ON APR 2	0 ON JUN 25	---	1941
1942	---	---	---	---	1942
1943	---	---	---	---	1943
1944	---	---	---	---	1944
1945	---	---	---	---	1945
1946	---	80.1 ON MAR 27	0 ON AUG 8	---	1946
1947	---	---	---	---	1947
1948	---	86.7 ON APR 21	0 ON SEP 4	---	1948
1949	---	---	---	---	1949
1950	---	---	---	---	1950
1951	---	---	---	---	1951
1952	---	---	---	---	1952
1953	---	---	---	---	1953
1954	---	---	---	---	1954
1955	---	---	---	---	1955
1956	---	67.7 ON APR 12	0 B ON MAR 1	90 900	1956
1957	---	20.7 B ON MAR 23	0 B ON MAR 1	34 800	1957
1958	---	35.7 B ON MAR 31	0 B ON MAR 1	28 200	1958
1959	5.41B AT 18:30 CST ON MAR 19	3.77 ON MAR 20	0 B ON MAR 1	3 210	1959
1960	---	44.2 B ON APR 5	0 B ON MAR 1	21 000	1960
1961	3.82E AT 12:00 CST ON JUN 1	1.34 E ON JUN 1	0 B ON MAR 1	706	1961
1962	3.11 AT 01:00 CST ON MAR 31	1.13 ON MAR 31	0 ON MAR 1	447	1962
1963	---	12.5 B ON MAR 23	0 B ON MAR 1	7 290	1963
1964	16.1 B AT 21:00 CST ON APR 3	11.9 B ON APR 4	0 B ON MAR 1	13 100	1964
1965	15.5 AT 05:00 CST ON JUL 22	10.2 B ON APR 13	0 B ON MAR 1	10 400	1965
1966	40.2 B AT 18:00 CST ON MAR 31	33.1 B ON MAR 31	0 ON MAR 1	19 900	1966
1967	8.30B AT 15:30 CST ON APR 9	5.52 B ON APR 9	0 B ON MAR 1	5 780	1967
1968	8.92B AT 00:30 CST ON MAR 19	4.84 B ON MAR 19	0 ON MAR 1	4 980	1968
1969	---	113 B ON APR 10	0 B ON MAR 1	80 800	1969
1970	47.6 AT 13:00 CST ON APR 30	40.8 ON APR 30	0 B ON MAR 1	52 700	1970
1971	33.7 B AT 16:26 CST ON APR 8	23.9 B ON APR 8	0 B ON MAR 1	35 800	1971
1972	---	42.2 B ON MAR 22	0 B ON MAR 1	46 900	1972
1973	2.01B AT 14:37 CST ON MAR 13	1.80 B ON MAR 13	0 B ON MAR 1	3 510	1973
1974	146 AT 06:41 CST ON APR 18	123 ON APR 18	0 B ON MAR 1	85 100	1974
1975	80.4 AT 14:23 CST ON APR 29	75.6 ON APR 29	0 B ON MAR 1	121 000	1975
1976	215 AT 07:58 CST ON APR 9 *	181 ON APR 9 *	0.020 ON OCT 16	166 000	1976
1977	1.94 AT 17:52 CST ON APR 15	1.87 ON APR 15	0 ON JUL 20	5 620	1977
1978	17.3 B AT 22:36 CST ON MAR 31	10.8 B ON APR 1	0 B ON MAR 1	13 500	1978
1979	99.8 B AT 09:30 CST ON APR 21	88.3 B ON APR 21	0 B ON MAR 1	72 100	1979
1980	---	16.0 B ON APR 2	0 B ON MAR 1	10 400	1980
1981	---	0.370B ON MAR 1	0 ON JUN 3	533	1981
1982	116 AT 10:20 CST ON APR 15	99.5 B ON APR 15	0 B ON MAR 1	34 800	1982
				34 700	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

MORIN CREEK NEAR MEADOW LAKE - STATION NO. 06AD008

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1965	---	---	---	0.968	0.367	---	---	---	---	---	---	---	---	1965
1968	---	---	0.725	---	---	---	---	---	---	---	---	---	---	1968
1970	---	---	---	2.60	---	---	---	---	---	---	---	---	---	1970
1976	---	---	0.005	0.758	0.119	0.024	0.004	0.001	0	0	---	---	0.112	1976
1977	---	---	0	0.300	0.328	0.169	0.030	0.005	0.010	0.004	---	---	0.105	1977
1978	---	---	0	1.01	2.01	0.211	0	0	0	0	---	---	0.403	1978
1979	---	---	0	1.35	0.924	0.214	0.006	0	0	0	---	---	0.309	1979
1980	---	---	0	0.739	0.005	0	0	0	0	0	---	---	0.091	1980
1981	---	---	0.019	0.160	0.086	0.001	0	0	0	0	---	---	0.028	1981
1982	---	---	0	1.45	0.467	0	0	0	0	0	---	---	0.236	1982
MEAN	---	---	0.094	1.04	0.533	0.088	0.006	0.001	0.001	0.001	---	---	0.183	MEAN

LOCATION - LAT 54 09 55 N, LONG 108 34 38 W
DRAINAGE AREA, 164 km^2
NATURAL FLOW

REMARKS - PRIOR TO 1978, DATA COLLECTED APPROX. 2.0 km UPSTREAM IN SE02-60-18-W3

MORIN CREEK NEAR MEADOW LAKE - STATION NO. 06AD008

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1965	---	---	---	---	1965
1968	---	---	---	---	1968
1970	---	---	---	---	1970
1976	---	2.83 B ON APR 4	0B ON MAR 1 *	2 370	1976
1977	---	1.54 B ON APR 9	0B ON MAR 1	2 220	1977
1978	---	5.66 B ON APR 11	0B ON MAR 1	8 530	1978
1979	---	6.83 B ON APR 26	0B ON MAR 1	6 540	1979
1980	---	4.20 ON APR 14	0B ON MAR 1	1 930	1980
1981	0.328B AT 08:50 CST ON APR 2	0.327B ON APR 2	0B ON MAR 1	590	1981
1982	8.94 AT 20:23 CST ON APR 23 *	8.35 ON APR 24 *	0B ON MAR 1	5 000	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		3 880	MEAN

MORRISON DITCH NEAR EASTEND - STATION NO. 11AC043

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1918	---	---	---	---	---	---	---	---	---	---	---	---	---	1918
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
1920	---	---	0	0	0	0.066	0	0	0	0	---	---	0.008	1920
1921	---	---	0	0	0	0.054	0	0	0	0	---	---	0.007	1921
1922	---	---	0	0	0	0	0	0	0	0	---	---	0	1922
1923	---	---	0	0	0	0	0	0	0	0	---	---	0	1923
1924	---	---	0	0	0	0	0	0	0	0	---	---	0	1924
1925	---	---	0	0	0	0	0	0	0	0	---	---	0	1925
1926	---	---	0	0	0	0	0	0	0	0	---	---	0	1926
1927	---	---	0	0	0	0	0	0	0	0	---	---	0	1927
1928	---	---	0	0	0	0	0	0	0	0	---	---	0	1928
1929	---	---	0	0	0	0	0	0	0	0	---	---	0	1929
1930	---	---	0	0	0	0	0	0	0	0	---	---	0	1930
1931	---	---	0	0	0	0	0	0	0	0	---	---	0	1931
1932	---	---	0	0	0	0	0	0	0	0	---	---	0	1932
1933	---	---	0	0	0	0	0	0	0	0	---	---	0	1933
1934	---	---	0	0	0	0	0	0	0	0	---	---	0	1934
1935	---	---	0	0	0	0	0	0	0	0	---	---	0	1935
1936	---	---	0	0	0	0	0	0	0	0	---	---	0	1936
1937	---	---	0	0	0	0	0	0	0	0	---	---	0	1937
MEAN	---	---	0	0	0	0.007	0	0	0	0	---	---	0.001	MEAN

LOCATION - LAT 49 27 40 N
LONG 108 42 10 W REGULATED

MORRISON DITCH NEAR EASTEND - STATION NO. 11AC043

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1918	---	0.082 ON JUN 12	0.082 ON JUN 12	---	1918
1919	---	---	0 ON MAY 31 *	---	1919
1920	---	0.164 ON JUN 13 *	0 ON MAR 1	170	1920
1921	---	0.142 ON JUN 13	0 ON MAR 1	139	1921
1922	---	0 ON MAR 1	0 ON MAR 1	0	1922
1923	---	0 ON MAR 1	0 ON MAR 1	0	1923
1924	---	0 ON MAR 1	0 ON MAR 1	0	1924
1925	---	0 ON MAR 1	0 ON MAR 1	0	1925
1926	---	0 ON MAR 1	0 ON MAR 1	0	1926
1927	---	0 ON MAR 1	0 ON MAR 1	0	1927
1928	---	0 ON MAR 1	0 ON MAR 1	0	1928
1929	---	0 ON MAR 1	0 ON MAR 1	0	1929
1930	---	0 ON MAR 1	0 ON MAR 1	0	1930
1931	---	0 ON MAR 1	0 ON MAR 1	0	1931
1932	---	0 ON MAR 1	0 ON MAR 1	0	1932
1933	---	0 ON MAR 1	0 ON MAR 1	0	1933
1934	---	0 ON MAR 1	0 ON MAR 1	0	1934
1935	---	0 ON MAR 1	0 ON MAR 1	0	1935
1936	---	0 ON MAR 1	0 ON MAR 1	0	1936
1937	---	0 ON MAR 1	0 ON MAR 1	0	1937
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		17	MEAN

MOSQUITO CREEK NEAR PAMBRUN - STATION NO. 05JB007

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1978	---	---	0.351	0.165	0.066	0.017	0.056	0	0	0	---	---	0.082	1978
1979	---	---	0.731	0.595	0.080	0.001	0	0	0	0	---	---	0.176	1979
1980	---	---	0.496	0.027	0	0	0	0	0	0	---	---	0.066	1980
1981	---	---	0.009	0.001	0	0	0	0	0	0	---	---	0.001	1981
1982	---	---	0.575	0.660	0.063	0.108	0.027	0	0	0	---	---	0.178	1982
MEAN	---	---	0.432	0.290	0.042	0.025	0.017	0	0	0	---	---	0.101	MEAN

LOCATION - LAT 49 58 37 N LONG 107 26 13 W DRAINAGE AREA, 124 km² NATURAL FLOW

MOSQUITO CREEK NEAR PAMBRUN - STATION NO. 05JB007

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1978	6.51B AT 02:49 CST ON MAR 27	3.60 B ON MAR 27	0B ON MAR 1 *	1 780	1978
1979	---	3.91 B ON MAR 19	0B ON MAR 1	3 720	1979
1980	---	2.28 B ON MAR 28	0B ON MAR 1	1 400	1980
1981	---	0.052B ON MAR 1	0B ON MAR 21	28.4	1981
1982	7.56B AT 06:18 CST ON MAR 30 *	5.18 B ON MAR 30 *	0B ON MAR 1	3 770	1982
				2 130	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

MOSQUITO CREEK NEAR VANGUARD - STATION NO. 05JB005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1974	---	---	0	1.87	---	---	---	---	---	---	---	---	---	1974
1975	---	---	0	1.41	0.270	0.001	0	0	0	0	---	---	0.207	1975
1976	---	---	1.76	0.128	0	0	0	0	0	0	---	---	0.238	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
MEAN	---	---	0.440	0.852	0.090	0	0	0	0	0	---	---	0.148	MEAN

LOCATION - LAT 49 55 51 N LONG 107 20 50 W DRAINAGE AREA, 250 km² NATURAL FLOW

MOSQUITO CREEK NEAR VANGUARD - STATION NO. 05JB005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1974	---	---	---	---	1974
1975	14.2B AT 14:30 CST ON APR 22 *	11.2B ON APR 22	0B ON MAR 1 *	4 400	1975
1976	---	14.2B ON MAR 19 *	0B ON MAR 1	5 040	1976
1977	0 AT 00:00 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1977
				3 150	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

MUDDY LAKE INFLOW NEAR REVENUE - STATION NO. 05GB004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1971	---	---	0	1.97	0.012	0.002	0.026	0	0	0	---	---	0.246	1971
1972	---	---	0.204	0.464	0	0	0	0.002	0	0	---	---	0.083	1972
1973	---	---	0.148	0.003	0	0	0	0	0	0	---	---	0.019	1973
1974	---	---	0	0.734	0.004	0	0	0	0	0	---	---	0.090	1974
1975	---	---	0	0.309	0.004	0	0.001	0	0	0	---	---	0.038	1975
1976	---	---	0	0.839	0.002	0	0.023	0	0	0	---	---	0.106	1976
1977	---	---	0	0	0.080	0.004	0	0	0	0	---	---	0.011	1977
1978	---	---	0.010	0.094	0.019	0	0	0	0	0	---	---	0.015	1978
1979	---	---	0.006	0.202	0	0	0.033	0	0	0	---	---	0.030	1979
1980	---	---	0.335	0.146	0	0	0	0	0	0	---	---	0.060	1980
1981	---	---	0.054	0.005	0	0	0	0	0	0	---	---	0.007	1981
1982	---	---	0	0.104	0.001	0.005	0	0	0	0	---	---	0.013	1982
MEAN	---	---	0.063	0.406	0.010	0.001	0.007	0	0	0	---	---	0.060	MEAN

LOCATION - LAT 52 13 50 N LONG 109 02 13 W DRAINAGE AREA, 252 km² NATURAL FLOW

MUDDY LAKE INFLOW NEAR REVENUE - STATION NO. 05GB004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1971	53.2 AT 20:20 CST ON APR 10 *	16.3 ON APR 10 *	0B ON MAR 1 *	5 220	1971
1972	4.73 AT 22:45 CST ON APR 6	3.62 ON APR 6	0B ON MAR 1	1 750	1972
1973	2.00 B AT 16:37 CST ON MAR 18	1.23 B ON MAR 18	0B ON MAR 1	395	1973
1974	---	12.3 ON APR 19	0B ON MAR 1	1 910	1974
1975	4.81 AT 00:00 CST ON APR 22	2.83 ON APR 22	0B ON MAR 1	814	1975
1976	---	10.5 ON APR 6	0B ON MAR 1	2 250	1976
1977	2.20 AT 03:20 CST ON MAY 23	1.13 ON MAY 23	0 ON MAR 1	224	1977
1978	0.578 AT 12:53 CST ON APR 24	0.445 ON APR 24	0B ON MAR 1	320	1978
1979	1.60 AT 09:20 CST ON APR 19	1.29 ON APR 19	0B ON MAR 1	628	1979
1980	8.84 B AT 22:57 CST ON MAR 29	8.57 B ON MAR 29	0B ON MAR 1	1 280	1980
1981	0.744 AT 01:47 CST ON MAR 29	0.401 ON MAR 29	0B ON MAR 1	157	1981
1982	1.63 AT 10:47 CST ON APR 18	1.09 B ON APR 18	0B ON MAR 1	284	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		1 270	MEAN

MUDJATIK RIVER NEAR FORCIER LAKE - STATION NO. 06BC001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1971	---	---	---	---	---	---	---	---	12.7	13.0	11.8	9.61	---	1971
1972	8.63	8.43	8.68	11.1	45.2	26.3	23.6	18.7	16.1	24.0	24.4	14.3	19.2	1972
1973	12.5	12.2	12.0	14.5	26.8	24.0	85.7	55.2	31.1	31.0	28.1	19.9	29.6	1973
1974	14.2	11.8	11.9	33.6	53.2	53.8	53.7	54.7	45.9	40.4	33.9	27.2	36.4	1974
1975	17.4	14.8	14.2	23.4	37.8	35.5	41.1	35.8	41.9	38.9	29.0	13.3	28.7	1975
1976	13.0	10.9	10.8	25.6	28.4	27.5	50.4	67.2	73.6	43.4	35.5	25.3	34.4	1976
1977	---	---	---	---	---	---	---	---	40.4	41.4	---	---	---	1977
1978	14.8	12.0	11.3	19.0	59.3R	52.4	31.8	33.7	41.2	45.5	36.1	19.9	31.5R	1978
1979	14.7	12.9	13.2	14.2	57.7	58.2	36.6	27.9	28.6	32.8	27.3	18.4	28.6	1979
1980	11.9	12.1	12.3	27.5	29.8	19.3	18.6	22.3	28.1	28.7	25.5	15.3 R	20.6R	1980
1981	12.1	12.4	13.7	20.5	35.1	26.0	19.0	12.9	10.4	11.3	10.4	9.81	16.2	1981
1982	7.00	6.23	6.39	13.9	52.5	51.4	34.5	35.2	30.1	24.6	19.3	15.1	24.8	1982
MEAN	12.6	11.4	11.4	20.3	42.6R	37.4	39.5	36.4	33.0	31.3	25.6	17.1 R	27.0	MEAN

LOCATION - LAT 56 05 30 N DRAINAGE AREA, 5 940 km^2
LONG 107 35 30 W NATURAL FLOW

R - REVISED SINCE JAN 1980

MUDJATIK RIVER NEAR FORCIER LAKE - STATION NO. 06BC001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1971	---	---	---	---	1971
1972	---	65.1B ON MAY 3	7.93B ON FEB 15	606 000	1972
1973	113 AT 14:35 CST ON JUL 18 *	113 ON JUL 18 *	11.9 B ON JAN 14	935 000	1973
1974	73.6 AT 04:18 CST ON APR 28	73.3 ON APR 28	11.6 B ON MAR 13	1 150 000	1974
1975	48.1 AT 03:51 CST ON JUL 20	46.7 ON JUL 20	12.3 B ON DEC 8	903 000	1975
1976	83.8 AT 07:44 CST ON SEP 8	83.0 ON SEP 7	10.0 B ON FEB 18	1 090 000	1976
1977	---	---	---	---	1977
1978	---	71.0RE ON MAY 13	10.8 B ON MAR 12	995 000R	1978
1979	---	88.0E ON MAY 26	12.4 B ON FEB 16	904 000	1979
1980	43.0 AT 12:00 CST ON APR 23	41.7 ON APR 24	10.8 B ON JAN 17	652 000R	1980
1981	37.3 AT 18:58 CST ON MAY 13	37.2 ON MAY 13	7.33B ON OCT 23	510 000	1981
1982	57.5 AT 03:53 CST ON MAY 23	57.5 ON MAY 23	5.80B ON FEB 20 *	782 000	1982
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980		853 000R	MEAN

MULE CREEK AT GUNN'S RANCH NEAR MUNMOLA - STATION NO. 11AC014

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1914	---	---	---	---	0.003	0.037	0.011	0.004	0.013	0.025	---	---	---	1914
1915	---	---	---	0.256	0.039	0.057	0.038	0.011	0.011	0.016	---	---	---	1915
1916	---	---	---	---	---	---	---	0.040	0.008	0.063	---	---	---	1916
MEAN	---	---	---	0.256	0.021	0.047	0.025	0.018	0.011	0.035	---	---	---	MEAN

LOCATION - LAT 49 25 46 N DRAINAGE AREA, 205 km^2
LONG 108 14 00 W NATURAL FLOW

NULL EAST DITCH - STATION NO. 11AB051

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	0	0	0	0	0	0	0	0	---	---	0	1915
MEAN	---	---	0	0	0	0	0	0	0	0	---	---	0	MEAN

LOCATION - LAT 49 34 30 N
LONG 109 48 30 W REGULATED

REMARKS - NO WATER WAS DIVERTED FROM 1915-23

NULL EAST DITCH - STATION NO. 11AB051

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	0 ON MAR 1 *	0 ON MAR 1 *	0	1915
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		0	MEAN

NULL WEST DITCH - STATION NO. 11AB052

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	0	0	0	0	0	0	0	0	---	---	0	1915
MEAN	---	---	0	0	0	0	0	0	0	0	---	---	0	MEAN

LOCATION - LAT 49 34 30 N
LONG 109 49 00 W REGULATED

REMARKS - NO WATER WAS DIVERTED FROM 1915-23

NULL WEST DITCH - STATION NO. 11AB052

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	0 ON MAR 1 *	0 ON MAR 1 *	0	1915
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		0	MEAN

MULLNER CREEK NEAR VERNDALE - STATION NO. 05KA005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1919	---	---	---	---	0.028	0.006	0.004	0	0	---	---	---	---	1919
1921	---	---	---	---	0.072	0.115	0.083	0.046	0.028	0.007	---	---	---	1921
1922	---	---	0	0.026	0.079	0.077	0.056	0.057	0.024	0.002	---	---	0.040	1922
1923	---	---	0	0.004	0	0.009	0.007	0.003	0.002	0.001	---	---	0.003	1923
1924	---	---	0	0.019	0.013	0.008	0	0	0	0	---	---	0.005	1924
1925	---	---	0.002	0.009	0	0.004	0.001	0	0	0	---	---	0.002	1925
1926	---	---	0.002	0	0.002	---	---	---	---	---	---	---	---	1926
MEAN	---	---	0.001	0.012	0.028	0.037	0.025	0.018	0.009	0.002	---	---	0.013	MEAN

LOCATION - LAT 52 34 00 N
LONG 105 07 00 W DRAINAGE AREA, 648 km^2
NATURAL FLOW

MULLNER CREEK NEAR VERNDALE - STATION NO. 05KA005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1919	---	---	0B ON APR 6 *	---	1919
1921	---	---	0 ON OCT 15	---	1921
1922	---	0.113 ON MAY 26 *	0B ON MAR 1	847	1922
1923	---	0.023 ON APR 17	0B ON MAR 1	71.8	1923
1924	---	0.051 ON APR 18	0B ON MAR 1	104	1924
1925	---	0.051B ON APR 4	0B ON MAR 1	41.3	1925
1926	---	---	0B ON MAR 1	---	1926
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		266	MEAN

MASHLYN CANAL NEAR CONSUL - STATION NO. 11AB018

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	---	---	---	---	---	---	---	---	---	1911
1912	---	---	0	0	0	0	0.026	0.022	0	0	---	---	0.006	1912
1913	---	---	---	---	---	---	---	---	---	---	---	---	---	1913
1914	---	---	0	0.055	0.275	0.128	0	0	0	0	---	---	0.057	1914
1915	---	---	0	0.071	0.103	0.068	0	0	0	0	---	---	0.030	1915
1916	---	---	0	0	0	0.020	0.054	0	0	0	---	---	0.009	1916
1917	---	---	0	0	0	0.088	0.138	0	0	0	---	---	0.028	1917
1918	---	---	0	0	0.003	0.162	0.032	0	0	0	---	---	0.024	1918
1919	---	---	0	0.013	0.134	0.132	0	0	0	0	---	---	0.035	1919
1920	---	---	0	0.066	0.233	0.196	0.030	0	0	0	---	---	0.065	1920
1921	---	---	0	0.127	0.201	0.380	0.032	0	0	0	---	---	0.092	1921
1922	---	---	0	0	0.014	0.155	0.009	0	0	0	---	---	0.022	1922
1923	---	---	0	0	0.206	0.075	0.001	0	0	0	---	---	0.035	1923
1924	---	---	0	0.032	0.176	0.111	0.007	0	0	0	---	---	0.041	1924
1925	---	---	0	0.057	0.160	0.094	0	0	0	0	---	---	0.039	1925
1926	---	---	0	0.048	0.139	0.096	0	0	0	0	---	---	0.035	1926
1927	---	---	0	0	0.043	0.002	0	0	0	0	---	---	0.006	1927
1928	---	---	0	0.003	0.103	0.111	0.004	0	0	0	---	---	0.027	1928
1929	---	---	0	0.006	0.074	0.097	0	0	0	0	---	---	0.022	1929
1930	---	---	0	0.002	0.147	0.151	0.013	0	0	0	---	---	0.039	1930
1931	---	---	0	0.024	0.045	0.024	0	0	0	0	---	---	0.012	1931
1942	---	---	0.105	0.447	0.360	0	0	0	0	0	---	---	0.114	1942
1944	---	---	0	0.281	0.136	0.135	0	0	0	0	---	---	0.068	1944
1946	---	---	0.204	0.156	0.159	0.093	0	0	0	0	---	---	0.076	1946
1947	---	---	0	0.292	0.091	0.187	0	0	0	0	---	---	0.070	1947
1948	---	---	0	0.297	0.351	0.218	0.045	0	0	0	---	---	0.113	1948
1949	---	---	0	0.181	0.244	0.190	0.108	0	0	0	---	---	0.090	1949
1950	---	---	0	0.212	0.256	0.154	0.063	0.083	0	0	---	---	0.096	1950
1951	---	---	0	0.128	0.510	0.028	0.012	0	0	0	---	---	0.085	1951
1952	---	---	0	0.923	0	0.090	0.082	0	0	0	---	---	0.134	1952
1953	---	---	0.016	0.449	0.286	0.034	0	0.001	0.054	0	---	---	0.104	1953
1954	---	---	0	0.243	0.204	0.011	0.025	0.048	0	0	---	---	0.066	1954
1955	---	---	0.008	0.613	0.076	0.002	0.005	0.002	0	0	---	---	0.087	1955
1956	---	---	0	0.177	0.369	0.227	0.015	0	0	0	0.013	---	0.098	1956
1957	---	---	0.023	0.377	0.413	0.251	0.003	0.182	0.093	0	---	---	0.167	1957
1958	---	---	0.010	0.406	0.246	0.140	0.023	0.066	0.003	0.010	---	---	0.112	1958
1959	---	---	0.003	0.427	0.405	0.403	0.012	0	0	0	---	---	0.155	1959
1960	---	---	0.233	0.703	0.039	0.296	0.017	0.075	0	0	---	---	0.168	1960
1961	---	---	0.140	0.333	0.260	0	0	0	0	0.006	---	---	0.092	1961
1962	---	---	0.175	0.434	0	0.131	0	0.001	0	0.019	---	---	0.094	1962
1963	---	---	0.296	0.427	0.111	0	0.061	0	0	0	---	---	0.111	1963
1964	---	---	0.003	0.668	0.156	0.089	0	0	0	0.025	---	---	0.116	1964
1965	---	---	0	0.500	0.139	0	0.101	0	0	0	---	---	0.092	1965
1966	---	---	0.133	0.285	0.158	0.059	0.062	0.052	0	0	---	---	0.093	1966
1967	---	---	0	0.375	0.300	0.133	0.208	0.028	0.026	0	---	---	0.133	1967
1968	---	---	0.164	0.594	0.214	0	0.082	0	0.018	0	---	---	0.133	1968
1969	---	---	0	0.382	0.171	0.029	0.141	0.033	0	0.030	---	---	0.098	1969
1970	---	---	0	0.338	0.465	0.093	0.167	0	0.020	0.023	---	---	0.138	1970
1971	---	---	0	0.266	0.454	0	0.214	0	0	0	---	---	0.117	1971
1972	---	---	0.267	0.375	0.168	0	0.167	0	0	0	---	---	0.122	1972
1973	---	---	0.302	0.360	0.111	0	0.181	0.001	0	0	---	---	0.119	1973
1974	---	---	0	0.506	0.225	0.154	0.131	0.006	0	0	---	---	0.127	1974
1975	---	---	0	0.272	0.350	0.148	0.189	0.001	0	0	---	---	0.120	1975
1976	---	---	0.154	0.387	0.199	0	0.215	0	0	0	---	---	0.119	1976
1977	---	---	0.102	0.379	0.313	0.037	0.210	0	0	0	---	---	0.130	1977
1978	---	---	0	0.578	0.033	0.130	0	0	0	0	---	---	0.091	1978
1979	---	---	0.147	0.657	0.245	0.001	0.191	0.021	0	0	---	---	0.157	1979
1980	---	---	0.058	0.675	0.292	0.002	0.133	0	0	0	---	---	0.144	1980
1981	---	---	0.319	0.217	0.352	0.001	0	0	0	0	---	---	0.111	1981
1982	---	---	0	0.380	0.398	0	0	0	0	0	---	---	0.097	1982
MEAN	---	---	0.049	0.279	0.195	0.096	0.055	0.011	0.004	0.002	0.013	---	0.086	MEAN

LOCATION - LAT 49 13 50 N
LONG 109 33 30 W REGULATED

INTERNATIONAL GAUGING STATION

NASHLYN CANAL NEAR CONSUL - STATION NO. 11AB018

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	---	0 ON AUG 5 *	---	1911
1912	---	0.096 ON AUG 3	0 ON MAR 1	129	1912
1913	---	0.113 ON JUN 17	0.113 ON JUN 17	---	1913
1914	---	0.323 ON MAY 9	0 ON MAR 1	1 210	1914
1915	---	0.263 ON MAY 14	0 ON MAR 1	634	1915
1916	---	0.173 ON JUN 28	0 ON MAR 1	196	1916
1917	---	0.300 ON JUN 20	0 ON MAR 1	597	1917
1918	---	0.244 ON JUN 13	0 ON MAR 1	513	1918
1919	---	0.227 ON JUN 13	0 ON MAR 1	733	1919
1920	---	0.425 ON JUN 9	0 ON MAR 1	1 380	1920
1921	---	0.524 ON JUN 21	0 ON MAR 1	1 940	1921
1922	---	0.249 ON JUN 16	0 ON MAR 1	463	1922
1923	---	0.382 ON MAY 17	0 ON MAR 1	747	1923
1924	---	0.218 ON JUN 13	0 ON MAR 1	858	1924
1925	---	0.212 ON APR 28	0 ON MAR 1	822	1925
1926	---	0.139E ON MAY 1	0 ON MAR 1	745	1926
1927	---	0.331 ON MAY 23	0 ON MAR 1	119	1927
1928	---	0.224 ON MAY 17	0 ON MAR 1	582	1928
1929	---	0.119E ON JUN 8	0 ON MAR 1	464	1929
1930	---	0.229 ON JUN 1	0 ON MAR 1	826	1930
1931	---	0.045E ON MAY 1	0 ON MAR 1	245	1931
1942	---	0.858 ON MAY 12	0 ON MAR 1	2 400	194
1944	---	0.351 ON APR 20	0 ON MAR 1	1 440	1944
1946	---	0.204E ON MAR 1	0 ON JUL 1	1 620	1946
1947	---	0.292E ON APR 1	0 ON MAR 1	1 490	1947
1948	---	0.351E ON MAY 1	0 ON MAR 1	2 400	1948
1949	---	0.244E ON MAY 1	0 ON MAR 1	1 900	1949
1950	---	0.629 ON APR 24	0 ON MAR 1	2 030	1950
1951	---	1.23 ON MAY 4	0 ON MAR 1	1 810	1951
1952	---	2.41 ON APR 14 *	0 B ON MAR 1	2 840	1952
1953	---	0.708 ON APR 30	0 B ON MAR 1	2 200	1953
1954	---	0.697 ON MAY 9	0 ON MAR 1	1 400	1954
1955	---	1.21 ON APR 15	0 B ON MAR 1	1 840	1955
1956	---	0.532 ON MAY 13	0 ON MAR 1	2 070	1956
1957	---	0.838 ON MAY 3	0 B ON MAR 1	3 540	1957
1958	---	0.895 ON APR 2	0 ON MAR 1	2 370	1958
1959	---	0.966 ON APR 16	0 B ON MAR 1	3 290	1959
1960	---	0.963 ON APR 4	0 B ON MAR 1	3 560	1960
1961	---	0.569 ON MAY 5	0 ON MAR 1	1 950	1961
1962	---	1.26 ON MAR 27	0 B ON MAR 1	1 990	1962
1963	---	1.17 ON APR 8	0 ON APR 25	2 360	1963
1964	---	1.23 ON APR 11	0 ON MAR 1	2 450	1964
1965	---	1.24 ON APR 19	0 B ON MAR 1	1 940	1965
1966	---	0.988 ON MAR 30	0 B ON MAR 1	1 980	1966
1967	---	1.20 ON MAY 6	0 B ON MAR 1	2 820	1967
1968	---	0.841 ON APR 14	0 ON MAR 1	2 820	1968
1969	---	0.980 ON APR 11	0 B ON MAR 1	2 07[illegible]	1969
1970	---	1.08 ON JUL 24	0 ON MAR 1	2 920	1970
1971	---	0.838 ON APR 28	0 ON MAR 1	2 480	1971
1972	---	0.920B ON MAR 27	0 ON MAR 1	2 590	1972
1973	---	0.776B ON MAR 29	0 B ON MAR 1	2 530	1973
1974	---	0.773 ON APR 30	0 B ON MAR 1	2 680	1974
1975	---	0.869 ON MAY 7	0 B ON MAR 1	2 530	1975
1976	---	0.881 ON APR 4	0 ON MAR 1	2 520	1976
1977	---	0.872 ON MAY 17	0 ON MAR 1	2 750	1977
1978	---	1.00 B ON APR 11	0 B ON MAR 1	1 930	1978
1979	---	0.989 ON MAY 29	0 B ON MAR 1	3 320	1979
1980	---	1.07 ON APR 23	0 B ON MAR 1	3 050	1980
1981	---	0.936 ON APR 29	0 ON MAR 1	2 360	1981
1982	---	1.40 ON APR 22	0 B ON MAR 1	2 040	1982
				1 820	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

NEEDHAM DITCH NEAR PIAPOT - STATION NO. 05HA017

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	---	---	---	---	---	---	---	---	---	1911
1912	---	---	---	---	---	---	---	---	---	---	---	---	---	1912
1916	---	---	---	---	---	---	0.049	---	---	---	---	---	---	1916
1917	---	---	---	---	---	---	---	---	---	---	---	---	---	1917
1918	---	---	---	---	---	---	---	---	---	---	---	---	---	1918
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
1920	---	---	---	---	---	---	---	---	---	---	---	---	---	1920
MEAN	---	---	---	---	---	---	0.049	---	---	---	---	---	---	MEAN

LOCATION - LAT 49 55 54 N
LONG 109 08 17 W
REGULATED

NEEDHAM DITCH NEAR PIAPOT - STATION NO. 05NA017

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	---	0R ON JUL 20 *	---	1911
1912	---	---	0R ON JUN 19	---	1912
1916	---	---	0 ON JUL 1	---	1916
1917	---	---	0R ON MAY 19	---	1917
1918	---	---	0R ON MAY 2	---	1918
1919	---	---	0 ON APR 24	---	1919
1920	---	---	0 ON JUN 18	---	1920
MEAN	---	---	---	---	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

NEWTON LAKE MAIN CANAL - STATION NO. 11AC054

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1937	---	---	0	0.075	0.443	0.242	0.005	0	0	0	---	---	0.095	1937
1938	---	---	0.036	0.265	0.468	0.417	0.066	0.128	0.089	0.135	0.038	---	0.200	1938
1939	---	---	0	0.017	0.319	0.232	0.533	0.420	0.083	0.070	---	---	0.211	1939
1940	---	---	0	0	0.084	0.097	1.20	0.283	0.192	0.662	---	---	0.318	1940
1941	---	---	0	0	0.261	0.561	0.709	0.236	0.167	0.190	---	---	0.266	1941
1942	---	---	0	0.044	0.218	0.878	0.722	0.533	0.146	0.088	---	---	0.328	1942
1943	---	---	0	0.034	0.378	1.11	0.718	0.338	0.155	0.076	---	---	0.350	1943
1944	---	---	0	0.008	0.429	0.846	0.644	0.493	0.359	0.262	---	---	0.331	1944
1945	---	---	0	0.007	0.334	0.857	0.918	0.566	0.161	0.007	---	---	0.356	1945
1946	---	---	0	0.173	0.977	0.853	0.778	0.255	0.012	0	---	---	0.382	1946
1947	---	---	0	0.002	0.696	0.340	1.22	0.316	0	0	---	---	0.324	1947
1948	---	---	0	0	0.443	0.911	0.833	0.684	0.279	0.025	---	---	0.397	1948
1949	---	---	0	0.149	1.16	0.801	0.229	0.082	0.035	0.018	---	---	0.308	1949
1950	---	---	0	0.036	0.238	1.02	1.09	0.452	0.073	0.016	---	---	0.366	1950
1951	---	---	0	0	0.323	1.09	1.15	0.608	0	0.035	---	---	0.401	1951
1952	---	---	0	0	0	0.687	0.901	0.182	0.090	0	---	---	0.232	1952
1953	---	---	0.081	0.003	0.312	0.106	0.804	0.468	0.101	0.081	---	---	0.236	1953
1954	---	---	0	0	0.187	0.531	1.13	0.387	0.016	0.006	---	---	0.284	1954
1955	---	---	0.003	0.023	0.005	1.21	0.200	0.065	0.114	0.076	---	---	0.210	1955
1956	---	---	0	0	0.355	1.17	0.604	0.493	0.044	0.862	---	---	0.340	1956
1957	---	---	0	0	0.864	1.19	0.576	0.480	0.106	0	---	---	0.401	1957
1958	---	---	0	0	1.19	0.981	0.756	0.909	0.025	0	---	---	0.485	1958
1959	---	---	0	0	0.929	1.05	0.663	0.763	0.001	0	---	---	0.427	1959
1960	---	---	0	0	0.148	1.59	0.781	0.552	0.016	0	---	---	0.384	1960
1961	---	---	0	0	0.467	1.26	0.299	0.067	0	0	---	---	0.259	1961
1962	---	---	0	0	1.16	0.533	0.435	0.308	0.022	0	---	---	0.309	1962
1963	---	---	0	0	0.059	1.60	0.930	0.654	0	0	---	---	0.404	1963
1964	---	---	0	0	0.477	1.34	0.239	0	0	0	---	---	0.255	1964
1965	---	---	0	0	0.433	0.865	0.552	0.898	0.037	0	---	---	0.389	1965
1966	---	---	0	0	0.731	1.14	0.812	1.01	0	0	---	---	0.463	1966
1967	---	---	0	0	0	1.39	1.57	0.411	0	0	---	---	0.421	1967
1968	---	---	0	0	1.16	0.815	1.54	0.355	0	0	---	---	0.486	1968
1969	---	---	0	0	0.077	1.52	0	1.69	0.122	0	---	---	0.424	1969
1970	---	---	0	0	0.705	0.820	0.558	1.30	0	0	---	---	0.425	1970
1971	---	---	0	0	0.810	1.14	1.05	0.603	0	0	---	---	0.451	1971
1972	---	---	0	0	0.651	1.37	1.42	0.263	0	0	---	---	0.464	1972
1973	---	---	0	0	1.30	0.381	1.31	0.341	0	0	---	---	0.420	1973
1974	---	---	0	0	0	1.87	1.14	0.565	0	0	---	---	0.486	1974
1975	---	---	0	0	0.076	1.28	1.22	0.189	0	0	---	---	0.345	1975
1976	---	---	0	0	1.08	0.881	0.877	0.525	0	0	---	---	0.422	1976
1977	---	---	0	0	1.48	0.371	0.686	0.777	0	0	---	---	0.418	1977
1978	---	---	0	0	0.561	0.882	0.398	1.08	0	0	---	---	0.366	1978
1979	---	---	0	0	0.574	1.03	1.01	0.464	0	0	---	---	0.385	1979
1980	---	---	0	0	1.80	0.036	1.46	0.197	0	0	---	---	0.442	1980
1981	---	---	0	0.206	1.66	0.006	0	0	0	0	---	---	0.236	1981
1982	---	---	0	0	0.847	0.960	0.546	0.905	0	0	---	---	0.408	1982
MEAN	---	---	0.003	0.023	0.584	0.867	0.767	0.485	0.053	0.038	0.038	---	0.353	MEAN

LOCATION - LAT 49 18 18 N
LONG 107 48 18 W

REGULATED SINCE 1937

INTERNATIONAL GAUGING STATION

NEWTON LAKE MAIN CANAL - STATION NO. 11AC054

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1937	---	1.50 ON MAY 5	0 ON MAR 1 *	2 020	1937
1938	---	0.824 ON MAY 30	0 ON MAR 1	4 230	1938
1939	---	1.17 ON JUL 16	0 ON MAR 1	4 460	1939
1940	---	2.10 ON JUL 19	0 ON MAR 1	6 720	1940
1941	---	1.04 ON JUN 29	0 ON MAR 1	5 630	1941
1942	---	1.47 ON JUL 27	0 ON MAR 1	6 940	1942
1943	---	1.68 ON JUN 1	0 ON MAR 1	7 410	1943
1944	---	1.64 A ON MAY 28	0 ON MAR 1	7 000	1944
1945	---	1.70 ON MAY 31	0 ON MAR 1	7 540	1945
1946	---	1.37 ON APR 30	0 ON MAR 1	8 070	1946
1947	---	2.15 ON MAY 20	0 ON MAR 1	6 870	1947
1948	---	2.21 ON JUN 1	0 ON MAR 1	8 400	1948
1949	---	1.50 ON MAY 7	0 ON MAR 1	6 520	1949
1950	---	2.07 ON JUN 5	0 ON MAR 1	7 740	1950
1951	---	2.55 ON JUN 2	0 ON MAR 1	8 490	1951
1952	---	2.52 ON JUN 27	0 ON MAR 1	8 910	1952
1953	---	1.76 ON MAR 28	0 ON MAR 1	5 000	1953
1954	---	1.87 ON JUL 21	0 ON MAR 1	6 010	1954
1955	---	2.24 ON JUN 18	0 ON MAR 1	4 430	1955
1956	---	1.67 ON JUN 10	0 ON MAR 1	7 200	1956
1957	---	1.93 ON JUN 7	0 ON MAR 1	8 490	1957
1958	---	2.32 ON MAY 23	0 ON MAR 1	10 300	1958
1959	---	1.78 ON JUN 20	0 ON MAR 1	9 040	1959
1960	---	2.04 ON JUN 7	0 ON MAR 1	8 120	1960
1961	---	2.10 ON MAY 31	0 ON MAR 1	5 480	1961
1962	---	2.15 ON JUL 13	0 ON MAR 1	6 550	1962
1963	---	2.19 ON JUN 17	0 ON MAR 1	8 560	1963
1964	---	2.35 ON JUN 5	0 ON MAR 1	5 400	1964
1965	---	1.87 ON JUN 9	0 ON MAR 1	7 380	1965
1966	---	2.60 ON AUG 1	0 ON MAR 1	9 790	1966
1967	---	2.67 ON JUN 7	0 ON MAR 1	8 900	1967
1968	---	2.68 ON MAY 24	0 ON MAR 1	10 300	1968
1969	---	2.86 ON JUN 5	0 ON MAR 1	8 960	1969
1970	---	2.70 ON MAY 31	0 ON MAR 1	8 980	1970
1971	---	2.83 ON JUN 2	0 ON MAR 1	9 540	1971
1972	---	2.83 ON JUN 1	0 ON MAR 1	9 820	1972
1973	---	2.78 ON MAY 26	0 ON MAR 1	8 890	1973
1974	---	3.37 ON JUN 15	0 ON MAR 1	9 430	1974
1975	---	3.11 ON JUN 7	0 ON MAR 1	7 300	1975
1976	---	3.45 ON MAY 26 *	0 ON MAR 1	8 930	1976
1977	---	2.92 ON MAY 14	0 ON MAR 1	8 840	1977
1978	---	2.86 ON JUN 4	0 ON MAR 1	7 750	1978
1979	---	3.25 ON JUL 27	0 ON MAR 1	8 150	1979
1980	---	3.09 ON MAY 17	0 ON MAR 1	9 350	1980
1981	---	2.63 ON MAY 9	0 ON MAR 1	5 000	1981
1982	---	3.12 ON MAY 27	0 ON MAR 1	8 650	1982
				7 470	MEAN

A - MANUAL GAUGE
(SEE REFERENCE INDEX)

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

NORBURY CREEK NEAR SPIRITWOOD - STATION NO. 06AE001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1964	---	---	---	0.075	---	---	---	---	---	---	---	---	---	1964
1965	---	---	---	1.42	0.422	---	---	---	---	---	---	---	---	1965
1968	---	---	0.229	0.115	---	---	---	---	---	---	---	---	---	1968
1969	---	---	---	3.04	0.718	---	---	---	---	---	---	---	---	1969
1970	---	---	---	1.99	0.877	---	---	---	---	---	---	---	---	1970
1974	---	---	---	2.87	2.32	---	---	---	---	---	---	---	---	1974
1975	---	---	0	0.411	0.909	0.449	0.028	0	0	0	---	---	0.224	1975
1976	---	---	0	0.120	0.027	0	0	0	0	0	---	---	0.018	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0	0.735	0.202	0.015	0	0	0	0	---	---	0.117	1978
1979	---	---	0	0.875	2.31	0.146	0.001	0	0	0	---	---	0.417	1979
1980	---	---	0	0.276	0.004	0	0	0	0	0	---	---	0.034	1980
1981	---	---	0.020	0.819	0.179	0	0	0	0	0	---	---	0.125	1981
1982	---	---	0	0.394	0.075	0.005	0	0	0	0	---	---	0.058	1982
MEAN	---	---	0.028	0.939	0.670	0.077	0.004	0	0	0	---	---	0.124	MEAN

LOCATION - LAT 53 21 17 W DRAINAGE AREA, 432 km^2
LONG 107 28 01 W NATURAL FLOW

HORBURY CREEK NEAR SPIRITWOOD - STATION NO. 05AE001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1964	---	---	---	---	1964
1965	---	---	---	---	1965
1968	---	1.27 ON MAR 28	0B ON MAR 1 *	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1974	---	---	---	---	1974
1975	---	2.04 ON MAY 2	0B ON MAR 1	4 730	1975
1976	---	0.408 ON APR 9	0B ON MAR 1	382	1976
1977	---	0 B ON MAR 1	0B ON MAR 1	0	1977
1978	---	1.99 B ON APR 12	0B ON MAR 1	2 490	1978
1979	---	7.70 E ON APR 28 *	0B ON MAR 1	8 830	1979
1980	1.78B AT 15:28 CST ON APR 16	1.65 B ON APR 16	0B ON MAR 1	729	1980
1981	1.90 AT 21:19 CST ON APR 20 *	1.88 ON APR 20	0B ON MAR 1	2 650	1981
1982	1.17B AT 15:26 CST ON APR 20	1.14 B ON APR 20	0B ON MAR 1	1 230	1982
				2 630	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

NORTH SASKATCHEWAN RIVER AT PRINCE ALBERT - STATION NO. 05GG001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1910	---	---	---	---	---	---	435	394	357	---	---	---	---	1910
1911	---	---	---	---	---	420	735	727	466	219	102	73.6	---	1911
1912	42.6	44.8	44.7	231	319	421	1 000	851	631	284	139	65.6	341	1912
1913	47.1	44.9	56.2	463	344	540	742	711	413	201	85.7	51.6	310	1913
1914	34.6	33.7	36.7	123	375	860	834	412	292	220	106	71.8	285	1914
1915	49.8	46.9	48.3	256	198	709	1 710	796	425	217	110	63.4	388	1915
1916	40.3	31.7	36.6	210	265	683	932	710	652	327	174	89.1	347	1916
1917	62.3	57.0	50.4	246	747	855	635	406	287	196	114	40.9	309	1917
1918	53.2	47.3	49.0	246	216	447	479	352	231	180	78.0	39.7	202	1918
1919	34.0	34.6	24.7	155	154	216	336	424	319	126	58.7	45.7	161	1919
1920	41.1	35.5	36.6	107	894	693	828	502	252	150	93.1	42.6	308	1920
1921	27.0	31.7	27.4	402	437	484	476	406	208	100	63.0	39.6	226	1921
1922	24.5	22.1	28.7	146	318	413	403	447	318	161	75.0	21.7	199	1922
1923	25.2	23.8	23.6	98.3	178	745	828	582	384	197	95.8	77.4	273	1923
1924	28.9	43.1	49.4	110	337	373	453	441	325	148	63.1	53.2	203	1924
1925	42.8	38.8	36.0	508	306	478	491	682	509	293	112	71.8	295	1925
1926	48.5	34.8	51.3	283	204	281	485	329	732	339	155	74.3	252	1926
1927	42.9	41.6	62.0	296	631	601	827	618	400	242	107	59.1	329	1927
1928	77.4	48.9	68.9	292	269	747	970	508	265	132	63.9	45.7	291	1928
1929	34.1	27.5	39.2	119	226	531	264	302	199	119	56.4	37.5	163	1929
1930	33.9	35.7	43.8	161	194	410	504	394	251	124	50.4	38.4	188	1930
1931	27.6	26.3	31.8	112	155	336	651	434	301	142	74.1	51.1	196	1931
1932	42.6	34.1	30.0	278	408	815	487	401	321	145	57.0	46.1	255	1932
1933	46.5	39.5	31.5	142	507	494	497	353	294	110	52.7	41.5	219	1933
1934	38.1	42.7	56.7	224	268	462	335	302	215	128	68.9	42.5	182	1934
1935	20.7	23.9	30.6	130	355	497	808	591	270	138	81.0	58.6	252	1935
1936	35.6	30.6	26.6	379	583	527	358	351	242	118	59.3	40.3	230	1936
1937	19.7	19.1	24.6	122	153	307	455	352	200	153	93.5	32.2	162	1937
1938	27.8	23.9	38.4	166	124	421	638	401	359	191	79.1	48.1	211	1938
1939	39.6	34.0	40.1	166	184	304	502	348	228	127	82.4	48.7	173	1939
1940	29.8	27.1	27.2	243	398	321	361	310	258	182	69.1	39.9	186	1940
1941	27.1	29.5	25.2	124	82.9	201	367	308	231	138	75.9	20.9	136	1941
1942	20.7	23.7	25.4	125	128	508	725	529	363	188	81.8	62.0	213	1942
1943	54.5	43.2	43.8	477	280	398	661	425	248	151	78.7	32.0	242	1943
1944	24.1	29.3	33.3	171	161	1 050	---	---	---	192	84.6	31.3	---	1944
1945	30.3	36.4	38.7	90.7	173	402	410	333	259	197	72.7	60.1	176	1945
1946	48.5	43.9	52.7	203	160	628	562	320	239	126	69.0	41.3	208	1946
1947	37.9	35.2	34.1	281	325	457	509	366	278	191	96.5	70.7	224	1947
1948	50.6	41.6	39.6	196	1 510	946	572	563	304	151	62.8	38.2	375	1948
1949	40.0	33.0	38.4	168	153	254	303	355	211	105	47.5	28.0	145	1949
1950	19.5	26.6	27.4	180	183	429	605	378	234	130	51.5	33.0	189	1950
1951	33.3	26.8	26.0	385	539	410	580	406	328	163	77.6	60.3	254	1951
1952	44.1	38.7	37.0	465	254	711	824	502	259	178	98.6	40.5	288	1952
1953	29.9	31.9	39.3	113	371	710	674	521	409	156	88.7	43.6	267	1953
1954	34.1	37.3	38.5	90.8	468	1 110	744	676	1 110	353	157	96.7	411	1954
1955	54.8	60.0	43.7	412	560	626	561	336	215	122	45.3	31.9	257	1955
1956	33.5	31.5	29.1	491	501	529	486	393	259	163	80.2	38.7	253	1956
1957	35.3	25.6	27.1	222	425	418	305	293	239	156	103	53.8	193	1957
1958	36.9	40.1	36.8	348	354	571	695	392	267	133	81.7	28.1	250	1958
1959	25.1	32.2	30.4	156	140	485	627	384	230	182	86.2	52.8	204	1959
1960	28.7	38.6	37.6	293	217	349	673	397	181	143	71.0	30.9	206	1960
1961	36.0	33.0	31.0	163	190	540	363	513	251	115	51.7	25.8	193	1961
1962	45.8	45.4	53.0	223	261	431	539	461	240	121	103	67.6	217	1962
1963	47.1	56.8	76.0	502	391	462	540	405	256	143	57.5	49.5	250	1963
1964	57.5	62.6	62.2	178	359	617	623	271	206	271	104	76.5	241	1964
1965	51.2	51.7	95.3	455	498	945	1 330	558	325	331	126	98.8	408	1965
1966	88.2	97.0	81.9	299	269	383	601	566	300	198	89.6	73.8	255	1966
1967	74.8	86.1	81.0	69.9	381	621	557	327	228	148	73.1	42.4	225	1967
1968	46.1	76.0	149	241	146	346	405	461	261	164	97.9	57.8	204	1968
1969	70.0	75.9	57.8	441	343	399	737	496	269	163	72.5	68.5	267	1969
1970	61.2	65.7	75.9	327	290	479	568	334	187	93.1	61.7	56.8	217	1970
1971	64.4	51.8	50.1	390	407	601	574	531	213	127	67.1	53.9	262	1971
1972	61.0	56.5	60.9	369	321	584	854	407	161	173	92.2	62.8	268	1972
1973	99.0	91.9	112	348	406	398	399	251	216	184	111	103	227	1973
1974	107	158	132	765 R	1 140	606	546	282	250	219	151	124	374R	1974
1975	112	126	120	197	442	266	242	148	137	101	69.7	81.8	171	1975
1976	110	122	122	285	217	212	219	253	217	173	122	97.4	179	1976
1977	106	106	101	225	295	437	270	258	268	214	126	105	210	1977
1978	117	134	112	316	274	523	529	270	309	220	177	140	260	1978
1979	97.7	123	161	314	526	279	273	210	155	121	112	73.6	204	1979
1980	90.4	117	135	410	231	707	555	280	244	217	174	129	274	1980
1981	122	109	117	287	364	400	328	613	259	182	177	150	260	1981
1982	104	105	93.0	219	439	293	746	305	206	218	140	129	251	1982
MEAN	50.6	51.8	55.4	259 R	350	515	585	429	300	175	91.5	59.9	244	MEAN

LOCATION - LAT 53 12 10 N
LONG 105 46 06 W

DRAINAGE AREA, 131 000 km²
REGULATED SINCE 1962

R - REVISED SINCE JAN 1980

NORTH SASKATCHEWAN RIVER AT PRINCE ALBERT - STATION NO. 05GG001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1910	---	---	---	---	1910
1911	---	---	---	---	1911
1912	2 070 AT 16:00 CST ON JUL 14	1 980 ON JUL 14	41.3B ON JAN 17	10 800 000	1912
1913	---	1 010 ON AUG 21	38.2B ON JAN 15	9 770 000	1913
1914	---	1 790 ON JUN 14	24.1B ON JAN 19	8 960 000	1914
1915	5 660 AT 13:00 CST ON JUL 2 *	5 300 ON JUL 2 *	36.2B ON JAN 1	12 200 000	1915
1916	---	1 510 ON JUN 27	28.6B ON FEB 15	11 000 000	1916
1917	---	1 540 ON MAY 23	29.4B ON DEC 27	9 770 000	1917
1918	---	926 ON JUN 22	29.4B ON NOV 19	6 380 000	1918
1919	---	527A ON APR 23	22.7B ON MAR 21	5 090 000	1919
1920	---	1 570A ON MAY 14	26.3B ON DEC 31	9 740 000	1920
1921	---	1 130B ON APR 22	19.3B ON JAN 3	7 140 000	1921
1922	719 AT 20:00 CST ON AUG 25	682 ON AUG 25	12.7B ON DEC 19	6 290 000	1922
1923	1 670 AT 08:00 CST ON JUN 30	1 640 ON JUN 30	12.6B ON JAN 6	8 610 000	1923
1924	767 AT 06:00 CST ON JUL 12	765 ON JUL 12	19.8B ON JAN 22	6 400 000	1924
1925	1 670A AT 12:30 CST ON AUG 23	1 620A ON AUG 23	32.0B ON FEB 21	9 300 000	1925
1926	---	1 350 ON SEP 9	27.3B ON FEB 23	7 950 000	1926
1927	---	1 650 ON APR 30	34.0B ON JAN 24	10 400 000	1927
1928	---	1 570 ON JUN 24	37.7B ON DEC 31	9 220 000	1928
1929	---	1 340 ON JUN 11	25.2B ON FEB 26	5 150 000	1929
1930	---	685 ON JUL 24	30.3B ON JAN 20	5 910 000	1930
1931	---	1 050 ON JUL 9	24.3B ON JAN 19	6 190 000	1931
1932	2 230 AT 06:15 CST ON JUN 10	2 160 ON JUN 10	24.6B ON MAR 16	8 060 000	1932
1933	---	954 ON JUN 25	27.7B ON MAR 11	6 890 000	1933
1934	---	756 ON JUN 8	22.7B ON JAN 7	5 750 000	1934
1935	---	1 560 ON JUL 16	11.2B ON JAN 23 *	7 950 000	1935
1936	---	1 620B ON APR 23	15.0B ON DEC 30	7 260 000	1936
1937	---	770 ON JUL 24	12.9B ON JAN 18	5 110 000	1937
1938	---	940 ON JUL 11	19.5B ON FEB 12	6 640 000	1938
1939	---	790 ON JUL 4	31.1B ON MAR 1	5 450 000	1939
1940	---	1 180B ON APR 23	23.7B ON FEB 20	5 890 000	1940
1941	---	487 ON JUL 6	11.3B ON DEC 26	4 300 000	1941
1942	---	1 230 ON JUL 20	13.0B ON JAN 4	7 350 000	1942
1943	---	1 180B ON APR 20	19.8B ON DEC 20	7 630 000	1943
1944	---	---	---	---	1944
1945	---	620 ON JUN 8	25.1B ON JAN 6	5 550 000	1945
1946	---	1 070 ON JUN 30	36.8B ON DEC 4	6 570 000	1946
1947	---	796 ON JUN 18	31.7B ON FEB 26	7 070 000	1947
1948	---	2 090 ON MAY 31	19.4B ON NOV 25	11 900 000	1948
1949	---	762 ON JUL 29	12.7B ON DEC 30	4 570 000	1949
1950	---	1 190 ON JUN 23	12.3B ON JAN 2	5 960 000	1950
1951	---	991 ON MAY 10	22.7B ON MAR 23	8 010 000	1951
1952	3 030 AT 15:00 CST ON JUN 29	2 970 ON JUN 29	31.7B ON DEC 27	9 110 000	1952
1953	1 190 AT 21:15 CST ON JUN 10	1 120 ON JUN 11	19.0B ON JAN 10	8 410 000	1953
1954	3 060 AT 16:00 CST ON JUN 12	2 790 ON JUN 12	12.4B ON JAN 23	13 000 000	1954
1955	---	951B ON APR 13	15.7B ON DEC 10	8 090 000	1955
1956	---	1 800B ON APR 21	18.0B ON DEC 26	7 990 000	1956
1957	---	623 ON JUN 18	19.8B ON FEB 2	6 070 000	1957
1958	1 330 AT 14:30 CST ON JUL 6	1 270 ON JUL 7	14.4B ON DEC 13	7 870 000	1958
1959	1 270 AT 20:00 CST ON JUL 4	1 190 ON JUL 5	15.7B ON JAN 25	6 430 000	1959
1960	1 010 AT 20:00 CST ON JUL 9	1 010 ON JUL 9	19.0B ON DEC 21	6 500 000	1960
1961	799 AT 17:00 CST ON AUG 7	799 ON AUG 7	14.2B ON DEC 20	6 100 000	1961
1962	767 AT 12:00 CST ON JUL 21	759 ON JUL 21	22.4B ON APR 6	6 840 000	1962
1963	1 160 AT 12:00 CST ON APR 22	1 110 ON APR 22	22.8B ON JAN 22	7 880 000	1963
1964	1 270 AT 09:00 CST ON JUN 27	1 250 ON JUN 27	45.9B ON DEC 31	7 630 000	1964
1965	2 520 AT 20:00 CST ON JUL 4	2 460A ON JUL 4	28.3B ON JAN 2	12 900 000	1965
1966	1 310 AT 15:00 CST ON JUL 12	1 280 ON JUL 12	50.1B ON DEC 20	8 050 000	1966
1967	883 AT 03:00 CST ON JUN 26	875 ON JUN 26	28.3B ON DEC 19	7 090 000	1967
1968	603 AT 20:00 CST ON AUG 16	589 ON AUG 16	38.8B ON JAN 4	6 460 000	1968
1969	1 590 AT 16:00 CST ON JUL 13	1 570 ON JUL 13	38.8B ON NOV 25	8 430 000	1969
1970	1 270 AT 10:00 CST ON JUN 24	1 250 ON JUN 24	29.7B ON DEC 6	6 850 000	1970
1971	1 140 AT 01:10 CST ON JUN 17	1 110 ON JUN 17	39.6B ON DEC 24	8 260 000	1971
1972	2 380 AT 14:32 CST ON JUL 2	2 340 ON JUL 2	47.0B ON DEC 17	8 460 000	1972
1973	646 AT 18:02 CST ON JUL 3	620 ON JUL 3	74.5B ON NOV 21	7 170 000	1973
1974	4 050RB AT 06:00 CST ON APR 23	3 880RB ON APR 23	82.7B ON NOV 30	11 800 000R	1974
1975	790 AT 13:33 CST ON MAY 1	787 ON MAY 1	30.0B ON NOV 25	5 370 000	1975
1976	668 AT 13:11 CST ON APR 14	629B ON APR 14	52.7B ON DEC 21	5 660 000	1976
1977	929 AT 13:20 CST ON JUN 6	915 ON JUN 6	51.0B ON DEC 6	6 610 000	1977
1978	---	889A ON JUL 19	71.4B ON NOV 17	8 220 000	1978
1979	---	1 060B ON MAY 3	55.3B ON DEC 31	6 440 000	1979
1980	1 630 AT 16:53 CST ON JUN 12	1 580 ON JUN 12	56.6B ON JAN 1	8 650 000	1980
1981	1 170 AT 04:33 CST ON AUG 2	1 150 ON AUG 2	86.4B ON FEB 19	8 210 000	1981
1982	1 730 AT 00:18 CST ON JUL 13	1 680 ON JUL 13	68.2B ON MAR 10	7 920 000	1982
				7 700 000R	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

NORTH SASKATCHEWAN RIVER NEAR DEER CREEK - STATION NO. 05EF001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1917	---	---	---	---	---	---	618	379	271	189	111	48.6	---	1917
1918	56.1	46.9	45.5	206	202	506	463	381	266	161	61.6	36.1	203	1918
1919	35.8	30.7	27.9	119	174	279	334	428	282	99.3	56.0	40.7	160	1919
1920	36.9	27.1	29.8	66.2	784	610	759	500	232	131	74.2	38.7	276	1920
1921	36.1	33.0	33.7	251	335	435	416	373	165	96.4	---	---	---	1921
1922	---	---	---	---	288	424	421	498	277	126	---	---	---	1922
1944	---	---	---	---	217	1 110	697	589	329	180	---	---	---	1944
1945	---	---	37.9	76.4	215	420	423	346	244	191	---	---	---	1945
1946	---	---	43.4	175	163	760	516	319	233	114	---	---	---	1946
1947	---	---	51.4	225	358	487	544	348	267	179	---	---	---	1947
1948	---	---	39.3	151	1 340	813	559	590	274	135	---	---	---	1948
1949	---	---	30.3	109	148	238	383	317	176	87.6	60.0	19.8	---	1949
1950	23.2	25.7	28.8	90.9	159	509	551	355	214	104	44.7	33.1	179	1950
1951	28.8	26.7	27.4	219	469	407	660	384	299	154	97.4	56.2	232	1951
1952	45.7	44.1	39.5	346	230	871	712	486	246	151	73.0	31.9	273	1952
1953	31.1	41.2	39.3	99.5	364	769	637	559	307	129	78.6	38.2	259	1953
1954	31.7	40.0	43.1	109	476	1 030	688	822	817	280	139	59.7	379	1954
1955	47.7	55.9	47.3	280	433	579	582	276	179	92.4	39.6	30.3	218	1955
1956	35.0	31.6	29.8	341	321	508	488	378	220	115	67.7	36.8	215	1956
1957	40.9	23.6	27.4	196	394	414	311	291	233	148	102	50.9	187	1957
1958	47.0	37.8	41.6	238	388	575	720	373	240	114	---	---	---	1958
1969	---	---	---	---	271	396	723	481	251	133	77.8	78.2	---	1969
1970	74.7	70.9	72.8	237	231	506	492	291	148	79.8	52.5	74.3	195	1970
1971	62.3	55.1	55.2	353	273	628	565	458	187	115	86.2	49.7	241	1971
1972	65.3	64.8	86.9	283	271	774	681	333	145	155	88.6	73.4	252	1972
1973	75.5	109	113	279	364	360	294	214	170	150	115	75.8	193	1973
1974	72.8	133	103	626	696	487	440	216	215	193	153	151	291	1974
1975	124	111	108	218	278	219	204	139	126	96.2	75.1	114	151	1975
1976	109	130	132	222	194	207	193	257	209	165	142	129	174	1976
1977	114	98.6	100	179	294	416	239	251	241	188	94.3	136	196	1977
1978	122	132	94.4	216	263	544	496	248	304	212	173	142	246	1978
1979	111	127	199	218	347	226	237	187	140	111	97.1	89.1	175	1979
1980	98.3	123	150	352	214	828	474	254	237	180	159	102	264	1980
1981	111	99.6	126	227	388	317	434	512	230	168	163	140	244	1981
1982	103	96.4	95.9	269	285	287	774	214	189	195	128	122	231	1982
MEAN	66.9	69.8	67.7	225	348	528	504	373	245	146	96.6	74.0	226	MEAN

LOCATION - LAT 53 31 00 N DRAINAGE AREA, 57 000 km²
LONG 109 36 40 W REGULATED SINCE 1962

REMARKS - RECORDS FOR 1917-22 AND 1944-58 COLLECTED IN NW16-53-25-W3

NORTH SASKATCHEWAN RIVER NEAR DEER CREEK - STATION NO. 05EF001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1917	---	---	---	---	1917
1918	---	920 ON JUN 18	31.4B ON DEC 22	6 410 000	1918
1919	---	549 ON JUN 27	24.5B ON FEB 19	5 040 000	1919
1920	---	1 480 ON MAY 11	23.7B ON FEB 13	8 720 000	1920
1921	---	748 ON MAY 26	28.0B ON MAR 25	---	1921
1922	---	801 ON AUG 21	---	---	1922
1944	3 480 AT 21:20 MST ON JUN 17 *	3 110 ON JUN 17 *	---	---	1944
1945	---	677 ON JUN 4	---	---	1945
1946	---	1 290 ON JUN 26	---	---	1946
1947	---	784 ON JUN 15	---	---	1947
1948	---	1 830 ON MAY 25	---	---	1948
1949	---	804 ON JUL 24	---	---	1949
1950	---	1 120 ON JUN 19	11.4B ON DEC 6 *	5 650 000	1950
1951	---	1 020 ON MAY 5	20.6B ON DEC 31	7 330 000	1951
1952	3 310 AT 14:00 MST ON JUN 26	3 090 ON JUN 26	21.4B ON DEC 4	8 640 000	1952
1953	1 280 AT 04:00 MST ON JUN 7	1 240 ON JUN 7	16.0B ON JAN 22	8 170 000	1953
1954	3 230 AT 03:00 MST ON JUN 10	3 000 ON JUN 10	20.1B ON JAN 17	12 000 000	1954
1955	---	912 ON JUN 17	11.8B ON DEC 2	6 860 000	1955
1956	---	1 250B ON APR 17	12.3B ON DEC 12	6 790 000	1956
1957	660 AT 14:45 MST ON JUN 13	651 ON JUN 13	19.2B ON FEB 28	5 890 000	1957
1958	1 390 AT 09:30 MST ON JUL 2	1 330 ON JUL 2	---	---	1958
1969	1 570 AT 16:00 CST ON JUL 9	1 550 ON JUL 9	---	---	1969
1970	---	1 360A ON JUN 20	25.6B ON NOV 27	6 140 000	1970
1971	1 100 AT 08:26 CST ON JUN 10	1 080 ON JUN 10	32.6B ON DEC 17	7 610 000	1971
1972	3 170 AT 11:59 CST ON JUN 29	3 030 ON JUN 29	42.5B ON DEC 8	7 970 000	1972
1973	623 AT 04:49 CST ON JUN 29	580 ON JUL 5	49.0B ON NOV 7	6 100 000	1973
1974	---	1 660A ON APR 25	44.7B ON JAN 18	9 170 000	1974
1975	481 AT 01:44 CST ON MAY 10	456 ON MAY 10	32.3B ON NOV 23	4 770 000	1975
1976	442 AT 20:11 CST ON AUG 22	439 ON AUG 22	57.5B ON DEC 13	5 510 000	1976
1977	954 AT 02:05 CST ON JUN 2	920 ON JUN 2	29.4B ON NOV 21	6 190 000	1977
1978	951 AT 09:48 CST ON JUL 15	943 ON JUL 15	67.7B ON NOV 27	7 750 000	1978
1979	877B AT 02:00 CST ON MAY 1	711B ON MAY 1	53.0B ON NOV 9	5 500 000	1979
1980	2 010 AT 14:42 CST ON JUN 8	1 890 ON JUN 8	48.0B ON DEC 9	8 340 000	1980
1981	1 180 AT 22:48 CST ON JUL 28	1 150 ON JUL 28	72.3B ON FEB 13	7 700 000	1981
1982	2 100 AT 08:25 CST ON JUL 8	2 030 ON JUL 8	63.9B ON MAR 4	7 280 000	1982
				7 150 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

NORTH SASKATCHEWAN RIVER NEAR NORTH BATTLEFORD - STATION NO. 05EG001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1912	36.4	39.7	41.1	238	337	474	959	765	492	229	110	55.1	316	1912
1913	34.5	44.0	55.6	272	274	565	654	612	336	182	100	61.2	267	1913
1914	33.8	32.2	36.8	144	345	879	734	387	243	197	119	48.7	268	1914
1915	47.5	41.6	49.4	212	---	---	---	---	---	---	---	52.5	---	1915
1916	36.1	32.4	37.4	155	220	663	842	672	583	278	165	76.5	314	1916
1917	61.2	51.4	44.6	271	628	618	578	441	315	---	---	---	---	1917
1967	---	---	---	---	---	755	582	333	209	123	---	---	---	1967
1968	---	---	---	---	158	388	488	490	272	172	---	---	---	1968
MEAN	41.6	40.2	44.2	215	327	620	691	529	350	197	124	58.8	291	MEAN

LOCATION - LAT 52 45 32 N DRAINAGE AREA, 69 900 km²
LONG 108 18 48 W REGULATED SINCE 1962

NORTH SASKATCHEWAN RIVER NEAR NORTH BATTLEFORD - STATION NO. 05EG001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1912	---	1 860 ON JUL 12 *	33.7B ON JAN 16	10 000 000	1912
1913	---	1 360 ON JUN 17	28.6 ON JAN 11	8 420 000	1913
1914	---	1 820 ON JUN 11	23.4 ON JAN 11 *	8 450 000	1914
1915	---	---	35.4 ON MAR 18	---	1915
1916	---	1 470 ON JUN 25	30.3 ON FEB 11	9 940 000	1916
1917	---	1 310 ON MAY 21	---	---	1917
1967	---	1 140 ON JUN 23	---	---	1967
1968	---	722 ON AUG 13	---	---	1968
				9 200 000	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

NOTUKEU CREEK ABOVE ADMIRAL RESERVOIR - STATION NO. 05JB004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1975	---	---	0.019	1.07	0.847	0.042	0.002	0	0.001	0.002	---	---	0.247	1975
1976	---	---	2.60	0.207	0.012	0.410	0.108	0.066	0.034	0.036	---	---	0.437	1976
1977	---	0.016	0.046	0.060	0.017	0	0	0	0	0	---	---	0.015	1977
1978	---	---	0.973	0.166	0.017	0	0	0	0.001	0	---	---	0.146	1978
1979	---	---	1.22	0.363	0.134	0.001	0.005	0.002	0.038	0	---	---	0.221	1979
1980	---	---	0.286	0.063	0	0.018	0.003	0	0	0.048	---	---	0.053	1980
1981	---	0.090	0.027	0.008	0.003	0.082	0.007	0	0	0	---	---	0.016	1981
1982	---	0.335	1.12	1.45	0.168	0.321	0.069	0	0	0.008	---	---	0.390	1982
MEAN	---	0.147	0.786	0.423	0.150	0.109	0.024	0.009	0.009	0.012	---	---	0.191	MEAN

LOCATION - LAT 49 42 32 N DRAINAGE AREA, 453 km²
LONG 108 07 31 W NATURAL FLOW

NOTUKEU CREEK ABOVE ADMIRAL RESERVOIR - STATION NO. 05JB004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1975	13.7 AT 19:45 CST ON APR 21	9.32 ON APR 22	0B ON MAR 1 *	5 220	1975
1976	48.1 E AT 14:40 CST ON MAR 19 *	27.2 E ON MAR 19 *	0 ON MAY 27	9 250	1976
1977	0.680B AT 21:09 CST ON APR 5	0.278B ON MAR 7	0 ON JUN 7	326	1977
1978	---	3.99 B ON MAR 26	0B ON MAR 1	3 090	1978
1979	---	6.50 B ON MAR 17	0B ON MAR 1	4 670	1979
1980	---	0.828B ON MAR 28	0B ON MAR 3	1 120	1980
1981	0.848 AT 12:48 CST ON JUN 14	0.670 ON JUN 14	0 ON APR 28	333	1981
1982	14.4 B AT 17:14 CST ON APR 11	7.34 B ON APR 11	0 ON AUG 8	8 260	1982
				4 030	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD
E - ESTIMATED

NOTUKEU CREEK NEAR GRAVELBOURG - STATION NO. 05JB003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1923	---	---	0.030	5.26	0.610	9.80	7.96	0.325	0.099	0.128	---	---	3.00	1923
1924	---	---	0.011	2.40	0.366	0.477	0.115	0.404	0.015	0	---	---	0.468	1924
1925	---	---	10.3	24.0	1.46	0.635	0.222	0.043	---	---	---	---	---	1925
1936	---	---	---	10.3	0.585	0.093	---	---	---	---	---	---	---	1936
1940	---	---	---	19.5	---	---	---	---	---	---	---	---	---	1940
1944	---	---	0.066	6.86	0.508	0.678	---	---	---	---	---	---	---	1944
1945	---	---	4.50	0.757	0.373	0.268	---	---	---	---	---	---	---	1945
1946	---	---	4.57	0.660	0.099	0.002	---	---	---	---	---	---	---	1946
1947	---	---	0	7.63	0.657	0.305	---	---	---	---	---	---	---	1947
1948	---	---	3.88	7.50	1.10	0.063	---	---	---	---	---	---	---	1948
1949	---	---	0.688	1.77	0.109	0.021	---	---	---	---	---	---	---	1949
1950	---	---	0	16.2	2.17	0.680	---	---	---	---	---	---	---	1950
1951	---	---	0	21.1	6.84	0.672	---	---	---	---	---	---	---	1951
1952	---	---	0	50.7	2.37	0.237	---	---	---	---	---	---	---	1952
1953	---	---	0.581	15.2	2.38	4.06	---	---	---	---	---	---	---	1953
1954	---	---	0.303	13.7	2.04	1.32	---	---	---	---	---	---	---	1954
1955	---	---	0.260	19.3	4.56	0.693	---	---	---	---	---	---	---	1955
1956	---	---	0.912	3.21	1.05	0.279	---	---	---	---	---	---	---	1956
1957	---	---	2.85	2.87	0.575	0.191	0.081	0.020	0.001	0.001	---	---	0.820	1957
1958	---	---	0.465	13.2	0.531	0.071	0.079	0.018	0	0	---	---	1.76	1958
1959	---	---	1.91	0.128	0.040	0.006	0.045	0	0	0	---	---	0.269	1959
1960	---	---	7.36	3.36	0.432	1.09	0.496	0.064	0.001	0	---	---	1.60	1960
1961	---	---	2.15	0.464	0.105	0.028	0	0	0	0	---	---	0.345	1961
1962	---	---	0.074	7.82	0.353	0.238	0.431	0.800	0.024	0.010	---	---	1.20	1962
1963	---	---	4.57	1.97	0.094	1.44	0.118	0.080	0.046	0.423	---	---	1.09	1963
1964	---	---	0.095	0.646	0.182	0.002	0	0	0	0	---	---	0.114	1964
1965	---	---	0	11.5	1.88	0.447	1.10	0.324	0.172	0.119	---	---	1.92	1965
1966	---	---	12.6	2.99	0.892	0.215	0.199	0.089	0.025	0.038	---	---	2.14	1966
1967	---	---	0.151	24.8	6.26	1.12	0.313	0.055	0.032	0.097	---	---	4.04	1967
1968	---	---	4.03	0.263	0.058	0.053	0.017	0.020	0.093	0.029	---	---	0.576	1968
1969	---	---	0.052	17.2	2.73	0.888	2.57	0.516	0.180	0.163	---	---	3.00	1969
1970	---	---	3.02	19.0	2.17	1.08	0.436	0.085	0.014	0.017	---	---	3.18	1970
1971	---	---	0.016	11.8	1.30	0.343	0.221	0.008	0	0	---	---	1.68	1971
1972	---	---	0.356	0.231	0.058	0.095	0.018	0.128	0.001	0	---	---	0.111	1972
1973	---	---	0.418	0.167	0.050	0.002	0	0	0	0	---	---	0.080	1973
1974	---	---	0.024	21.0	5.68	1.51	0.096	0.335	0.306	0.006	---	---	3.57	1974
MEAN	---	---	1.94	10.2	1.45	0.831	0.691	0.158	0.050	0.052	---	---	1.55	MEAN

LOCATION - LAT 49 55 50 N DRAINAGE AREA, @ 230 km²
LONG 106 33 00 W REGULATED

NOTUKEU CREEK NEAR GRAVELBOURG - STATION NO. 05JB003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1923	---	52.1 ON JUL 1	0 B ON MAR 1 *	63 500	1923
1924	---	15.3 ON APR 13	0 B ON MAR 1	9 900	1924
1925	---	127 E ON MAR 30	0 B ON MAR 1	---	1925
1936	---	40.2 ON APR 16	---	---	1936
1940	---	59.5 ON APR 23	---	---	1940
1944	---	30.9 ON APR 8	0 B ON MAR 1	---	1944
1945	---	26.1 B ON MAR 19	0 B ON MAR 1	---	1945
1946	---	14.0 ON MAR 19	0 B ON MAR 1	---	1946
1947	---	28.6 ON APR 9	0 B ON MAR 1	---	1947
1948	---	18.6 ON APR 22	0 B ON MAR 1	---	1948
1949	---	5.52 ON APR 6	0 B ON MAR 1	---	1949
1950	---	65.7 ON APR 22	0 B ON MAR 1	---	1950
1951	---	142 B ON APR 13	0 B ON MAR 1	---	1951
1952	---	193 E ON APR 10 *	0 B ON MAR 1	---	1952
1953	---	57.8 ON APR 6	---	---	1953
1954	---	48.4 ON APR 16	---	---	1954
1955	---	45.3 B ON APR 7	---	---	1955
1956	---	5.95B ON APR 11	---	---	1956
1957	---	19.6 B ON MAR 29	0 ON AUG 29	17 400	1957
1958	---	51.5 ON APR 7	0 ON AUG 12	37 300	1958
1959	---	6.00B ON MAR 12	0 ON MAY 14	5 680	1959
1960	37.7 AT 15:30 ON MAR 28	37.1 ON MAR 28	0 B ON MAR 1	33 900	1960
1961	6.68B AT 06:00 ON MAR 23	6.31B ON MAR 23	0 B ON MAR 1	7 310	1961
1962	23.7 AT 21:00 MST ON APR 9	23.6 ON APR 10	0 B ON MAR 1	25 400	1962
1963	17.6 AT 19:30 MST ON MAR 29	17.1 ON MAR 29	0 B ON MAR 1	23 100	1963
1964	---	1.33 ON APR 12	0 B ON MAR 1	2 420	1964
1965	56.9 ON APR 19	54.7 ON APR 19	0 B ON MAR 1	40 600	1965
1966	---	43.9 B ON MAR 23	0.006 ON SEP 20	45 300	1966
1967	118 AT 02:00 CST ON APR 16 *	111 ON APR 16	0 ON AUG 28	85 600	1967
1968	---	9.88 ON MAR 8	0 ON JUL 19	12 200	1968
1969	67.4 B AT 03:00 CST ON APR 11	60.3 B ON APR 11	0 B ON MAR 1	63 400	1969
1970	---	49.6 ON APR 13	0 B ON MAR 1	67 400	1970
1971	37.9 AT 11:30 CST ON APR 13	37.9 ON APR 13	0 B ON MAR 1	35 500	1971
1972	---	2.67B ON MAR 26	0 B ON MAR 1	2 340	1972
1973	---	1.62B ON MAR 17	0 ON MAY 17	1 690	1973
1974	---	56.9 ON APR 14	0 B ON MAR 1	75 400	1974
				32 800	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

NOTUKEU CREEK NEAR VANGUARD - STATION NO. 05JB001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1914	---	---	---	---	---	---	---	0.056	0.061	0.121	0.085	0.042	---	1914
1915	0	0	0.205	1.18	0.736	0.558	0.282	0.146	0.060	0.099	0.061	0.024	0.406	1915
1916	0	0	16.7	7.36	1.15	1.57	7.17	0.692	0.564	0.498	0.336	0.039	4.47	1916
1917	0	0	0	21.9	2.33	0.462	0.207	0.110	0.067	0.077	0.140	0.037	3.09	1917
1918	0	0	15.1	0.961	0.362	0.131	0.029	0.011	0.001	0	0.007	0.006	2.09	1918
1919	0	0	0.014	2.28	0.177	0.020	0.003	0	0	0	0	0	0.306	1919
1920	0	0	9.54	1.80	0.491	0.780	0.227	0.034	0.012	0.023	0.007	0.001	1.62	1920
1921	0	0.003	1.18	0.828	0.272	0.503	0.075	0.055	0.112	0.119	0.037	0.011	0.392	1921
1922	0	0	2.33	11.7	0.714	0.350	0.253	0.041	0.040	0.031	0.030	0.006	1.90	1922
1923	0	0	---	---	---	---	---	---	---	---	---	---	---	1923
1940	---	---	---	19.3	---	---	---	---	---	---	---	---	---	1940
1944	---	---	0.459	6.35	0.366	0.454	---	---	---	---	---	---	---	1944
1945	---	---	4.57	0.402	0.258	---	---	---	---	---	---	---	---	1945
1946	---	---	3.40	0.444	0.087	0.135	---	---	---	---	---	---	---	1946
1947	---	---	1.75	4.13	0.377	0.662	---	---	---	---	---	---	---	1947
1948	---	---	4.68	4.72	0.711	2.236	---	---	---	---	---	---	---	1948
1949	---	---	1.05	1.10	0.095	0.019	---	---	---	---	---	---	---	1949
1950	---	---	0	23.8	1.15	0.464	---	---	---	---	---	---	---	1950
1951	---	---	0.014	22.2	4.08	0.919	---	---	---	---	---	---	---	1951
1952	---	---	0.035	66.7	1.40	0.443	---	---	---	---	---	---	---	1952
1953	---	---	10.2	7.63	1.91	4.49	---	---	---	---	---	---	---	1953
1954	---	---	0.158	15.4	1.18	1.86	---	---	---	---	---	---	---	1954
1955	---	---	2.29	20.4	3.57	0.449	---	---	---	---	---	---	---	1955
1956	---	---	1.27	2.30	0.765	0.240	---	---	---	---	---	---	---	1956
1957	---	---	5.24	1.38	0.519	0.339	0.144	0.071	0.019	0.065	---	---	0.976	1957
1958	---	---	3.08	13.3	0.527	0.478	0.217	0.064	0.015	0.018	---	---	2.18	1958
1959	---	---	1.94	0.131	0.062	0.070	0.065	0.028	0.017	0.042	---	---	0.297	1959
1960	---	---	11.0	1.25	0.285	0.965	0.297	0.317	0.026	0.107	---	---	1.80	1960
1961	---	---	1.80	0.542	0.266	0.143	0.076	0.036	0.093	0.080	---	---	0.381	1961
1962	---	---	1.67	6.67	0.132	0.157	0.723	0.053	0.054	0.123	---	---	1.18	1962
1963	---	---	2.67	0.879	0.250	1.52	0.215	0.088	0.019	0.577	---	---	0.777	1963
1964	---	---	0.077	0.331	0.076	0.121	0.198	0.082	0.012	0	---	---	0.112	1964
1965	---	---	0	16.3	1.25	0.660	1.18	0.372	0.289	0.356	---	---	2.51	1965
1966	---	---	14.8	1.70	0.951	0.351	0.256	0.154	0.124	0.043	---	---	2.31	1966
1967	---	---	1.06	22.2	5.72	1.42	0.569	0.151	0.114	0.122	---	---	3.87	1967
1968	---	---	3.34	0.239	0.145	0.191	0.099	0.140	0.045	0.018	---	---	0.531	1968
1969	---	---	0.142	19.1	1.97	0.721	2.36	0.540	0.247	0.243	---	---	3.12	1969
1970	---	---	4.00	16.6	1.40	1.07	0.108	0.005	0.049	0.080	---	---	2.63	1970
1971	---	---	0.058	11.6	1.07	0.371	0.197	0.126	0.020	0.014	---	---	1.65	1971
1972	---	---	0.325	0.209	0.220	0.237	0.028	0.145	0.093	0.105	---	---	0.170	1972
1973	---	---	0.501	0.072	0.035	0.037	0.015	0.009	0.010	0	---	---	0.085	1973
1974	---	---	1.53	13.8	5.04	0.845	0.323	0.374	0.219	0.139	---	---	2.76	1974
1975	---	---	0.046	5.52	5.13	0.262	0.142	0.304	0.071	0.493	---	---	1.49	1975
1976	---	---	18.4	6.99	0.737	1.65	1.18	0.628	0.050	0.063	---	---	3.72	1976
1977	---	---	0.135	0.139	0.223	0.056	0.001	0	0	0	---	---	0.069	1977
1978	---	---	4.55	5.93	0.900	0.318	1.03	0.097	0.113	0.053	---	---	1.62	1978
1979	---	---	4.40	8.62	2.06	0.349	0.172	0.079	0.016	0.027	---	---	1.95	1979
1980	---	---	1.70	1.69	0.273	0.094	0.081	0.009	0.012	0.065	---	---	0.490	1980
1981	---	---	0.196	0.344	0.072	0.059	0.167	0.038	0.017	0.027	---	---	0.115	1981
1982	---	---	2.11	9.57	0.971	1.62	1.86	0.212	0.103	0.125	---	---	2.05	1982
MEAN	0	0	3.40	8.46	1.12	0.627	0.587	0.150	0.079	0.113	0.078	0.018	1.56	MEAN

LOCATION - LAT 49 55 03 N DRAINAGE AREA, 3 530 km²
LONG 107 11 08 W REGULATED

NOTUKEU CREEK NEAR VANGUARD - STATION NO. 05JB001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1914	---	---	0 E ON AUG 1 *	---	1914
1915	---	5.66 ON APR 5	0 B ON MAR 1	8 600	1915
1916	---	63.7 B ON MAR 29	0 B ON MAR 1	94 700	1916
1917	---	95.1 ON APR 11	[illegible] ON MAR 1	65 400	1917
1918	---	78.4 ON MAR 20	0 B ON MAR 1	44 300	1918
1919	---	10.2 B ON APR 4	0 B ON MAR 1	6 480	1919
1920	---	78.2 B ON MAR 23	0 B ON MAR 1	34 400	1920
1921	---	3.43 B ON MAR 27	0 ON JUL 24	8 300	1921
1922	---	64.6 B ON APR 4	0 B ON MAR 1	40 200	1922
1923	---	0 ON 5(: 0	900 000 ON 5(: 0	---	1923
1940	112 AT 18:00 MST ON APR 16	106 ON APR 16	0 B ON MAR 23	---	1940
1944	42.5 B AT 17:30 MST ON APR 3	41.9 B ON APR 3	0 B ON MAR 1	---	1944
1945	28.9 B AT 18:00 MST ON MAR 14	28.9 B ON MAR 14	0 B ON MAR 1	---	1945
1946	20.1 AT 18:00 MST ON MAR 14	19.3 ON MAR 14	0 B ON MAR 1	---	1946
1947	10.3 AT 14:00 MST ON APR 13	10.2 ON APR 13	0 B ON MAR 1	---	1947
1948	26.6 AT 09:00 MST ON APR 18	26.1 ON APR 18	0 B ON MAR 1	---	1948
1949	---	4.30 B ON MAR 31	0 B ON MAR 1	---	1949
1950	113 AT 17:00 MST ON APR 17	110 ON APR 17	0 B ON MAR 1	---	1950
1951	85.0 B AT 06:30 MST ON APR 7	81.6 B ON APR 7	0 B ON MAR 1	---	1951
1952	227 E AT 16:00 MST ON APR 7 *	208 E ON APR 7 *	0 B ON MAR 1	---	1952
1953	88.3 AT 18:00 MST ON MAR 30	86.7 ON MAR 30	0 B ON MAR 1	---	1953
1954	63.4 AT 15:30 MST ON APR 9	63.4 ON APR 9	---	---	1954
1955	84.1 AT 08:15 MST ON APR 2	81.8 ON APR 2	---	---	1955
1956	6.60B AT 10:00 MST ON MAR 24	6.20 B ON MAR 21	0 B ON MAR 1	---	1956
1957	32.3 B AT 16:00 MST ON MAR 24	31.7 B ON MAR 24	0.008 ON SEP 30	20 600	1957
1958	85.2 AT 08:30 MST ON APR 2	82.7 ON APR 2	0 ON OCT 6	46 100	1958
1959	6.12B AT 04:00 MST ON MAR 2	4.81 B ON MAR 2	0.008 ON SEP 24	6 300	1959
1960	61.2 B AT 20:00 CST ON MAR 22	55.8 B ON MAR 23	0 B ON MAR 1	38 000	1960
1961	5.83B AT 14:30 CST ON MAR 17	5.01 B ON MAR 17	0 ON JUL 7	8 050	1961
1962	29.4 B AT 17:30 CST ON APR 6	24.1 B ON APR 7	0 B ON MAR 1	25 100	1962
1963	18.5 B AT 22:30 CST ON MAR 25	16.0 ON MAR 26	0 ON SEP 2	16 500	1963
1964	---	0.906 ON JUL 20	0 B ON MAR 1	2 360	1964
1965	118 AT 12:30 CST ON APR 13	90.3 ON APR 14	0 B ON MAR 1	53 100	1965
1966	---	69.9 B ON MAR 16	0.008 ON SEP 12	49 000	1966
1967	---	92.9 ON APR 12	0.028B ON MAR 1	82 000	1967
1968	---	6.91 B ON MAR 10	0 ON MAY 24	11 200	1968
1969	104 B AT 20:30 CST ON APR 6	89.2 B ON APR 6	0.062 ON OCT 23	66 100	1969
1970	83.8 B AT 15:00 CST ON APR 8	73.9 B ON APR 8	0 ON JUL 22	55 700	1970
1971	43.6 AT 00:24 CST ON APR 10	42.5 ON APR 9	0.009 ON SEP 14	35 000	1971
1972	1.60B AT 05:59 CST ON MAR 17	1.38 B ON MAR 21	0 B ON MAR 1	3 600	1972
1973	1.33B AT 22:20 CST ON MAR 9	1.21 B ON MAR 9	0 ON MAY 31	1 800	1973
1974	39.1 B AT 22:51 CST ON MAR 31	32.8 B ON MAR 31	0.057B ON MAR 1	58 400	1974
1975	30.9 AT 04:45 ON APR 25	29.2 ON APR 25	0 ON JUL 24	31 500	1975
1976	---	112 B ON MAR 22	0.012 ON SEP 17	78 800	1976
1977	2.31 AT 02:25 CST ON MAY 18	0.980 ON MAY 18	0 ON APR 28	1 470	1977
1978	---	21.2 B ON MAR 30	0 ON AUG 12	34 300	1978
1979	28.4 B AT 08:12 CST ON APR 12	27.1 B ON APR 12	0 B ON MAR 1	41 300	1979
1980	8.67 AT 10:41 CST ON APR 17	8.15 ON APR 17	0 ON MAY 28	10 400	1980
1981	---	3.58 ON APR 6	0 ON JUN 5	2 430	1981
1982	40.6 B AT 06:54 CST ON APR 15	33.8 B ON APR 15	0.006 ON AUG 11	43 400	1982
				33 100	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

OLDMAN RIVER NEAR GOLDFIELDS - STATION NO. 07MC001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1935	---	---	---	---	---	---	---	---	---	---	5.06	3.48	---	1935
1936	2.16	2.00	1.86	---	---	---	---	---	---	---	---	---	---	1936
MEAN	2.16	2.00	1.86	---	---	---	---	---	---	---	5.06	3.48	---	MEAN

LOCATION - LAT 59 29 40 N LONG 108 03 50 W
DRAINAGE AREA, 934 km^2
NATURAL FLOW

OLDMAN RIVER NEAR GOLDFIELDS - STATION NO. 07MC001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1935	---	---	---	---	1935
1936	---	2.35B ON JAN 3 *	1.53B ON MAR 25 *	---	1936
				---	MEAN

B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

OPUNTIA LAKE WEST INFLOW - STATION NO. 05GC007

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1960	---	---	0.061	0.010	0	0	0	0	0	0	---	---	0.009	1960
1961	---	---	0.019	0.001	0	0	0	0	0	0	---	---	0.003	1961
1962	---	---	0	0.245	0.001	0	0	0	0	0	---	---	0.030	1962
1963	---	---	0.111	0.068	0	0.004	0.014	0	0	0	---	---	0.028	1963
1964	---	---	0.026	0.054	0	0	0	0	0	0	---	---	0.010	1964
1965	---	---	0	0.808	0.001	0	0	0	0	0	---	---	0.099	1965
1966	---	---	0.180	0.210	0	0	0	0	0	0	---	---	0.049	1966
1967	---	---	0	0.325	0.077	0	0	0	0	0	---	---	0.050	1967
1968	---	---	0.077	0	0	0	0	0	0	0	---	---	0.010	1968
1969	---	---	0	1.29	0.004	0	0	0	0	0	---	---	0.159	1969
1970	---	---	0	1.10	0	0.285	0.176	0.001	0	0	---	---	0.192	1970
1971	---	---	0	0.551	0	0	0	0	0	0	---	---	0.067	1971
1972	---	---	0.058	0.074	0	0	0	0.002	0	0	---	---	0.017	1972
1973	---	---	0.018	0.005	0	0	0	0	0	0	---	---	0.003	1973
1974	---	---	0	0.605	0.002	0	0	0.005	0	0	---	---	0.075	1974
1975	---	---	0	0.370	0.010	0	0	0	0	0	---	---	0.087	1975
1976	---	---	0.033	0.225	0	0	0	0	0	0	---	---	0.032	1976
1977	---	---	0	0	0.048	0	0	0	0	0	---	---	0.006	1977
1978	---	---	0.215	0.076	0	0	0.010	0	0	0	---	---	0.038	1978
1979	---	---	0.060	0.116	0	0	0	0	0	0	---	---	0.022	1979
1980	---	---	0.017	0.013	0	0	0.001	0	0	0	---	---	0.004	1980
1981	---	---	0.045	0	0	0.025	0	0	0	0	---	---	0.009	1981
1982	---	---	0	0.103	0.003	0.062	0.193	0	0	0	---	---	0.045	1982
MEAN	---	---	0.040	0.272	0.006	0.016	0.017	0	0	0	---	---	0.043	MEAN

LOCATION - LAT 51 47 15 N DRAINAGE AREA, 94.5 km²
LONG 108 37 30 W NATURAL FLOW

OPUNTIA LAKE WEST INFLOW - STATION NO. 05GC007

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1960	---	0.311B ON MAR 25	0B ON MAR 1 *	188	1960
1961	0.612 AT 14:00 CST ON MAR 26	0.119 ON MAR 25	0B ON MAR 1	53.6	1961
1962	---	2.45 B ON APR 6	0B ON MAR 1	637	1962
1963	3.06 B AT 10:45 CST ON MAR 29	1.06 B ON MAR 29	0E ON MAR 1	512	1963
1964	---	0.433A ON APR 3	0B ON MAR 1	209	1964
1965	---	3.94 B ON APR 15	0B ON MAR 1	2 100	1965
1966	---	3.85 ON APR 1	0B ON MAR 1	1 030	1966
1967	3.09 AT 10:30 CST ON APR 28	2.00 ON APR 28	0B ON MAR 1	1 050	1967
1968	2.16 B AT 14:00 CST ON MAR 2	0.552B ON MAR 2	0 ON MAR 12	205	1968
1969	17.3 AT 16:45 CST ON APR 12 *	11.3 ON APR 12 *	0 ON MAR 1	3 360	1969
1970	11.3 AT 19:00 CST ON APR 11	9.26 ON APR 11	0B ON MAR 1	4 060	1970
1971	6.31 AT 11:59 CST ON APR 8	4.16 ON APR 8	0B ON MAR 1	1 430	1971
1972	0.906B AT 20:57 CST ON APR 1	0.479B ON MAR 25	0B ON MAR 1	354	1972
1973	---	0.144B ON MAR 20	0B ON MAR 1	60.1	1973
1974	9.12 AT 18:00 CST ON APR 19	7.08 B ON APR 19	0B ON MAR 1	1 590	1974
1975	---	1.50 ON APR 20	0B ON MAR 1	985	1975
1976	1.95 AT 11:15 CST ON APR 6	1.36 ON APR 6	0B ON MAR 1	671	1976
1977	2.33 AT 18:54 CST ON MAY 19	0.564 ON MAY 19	0 ON MAR 1	128	1977
1978	3.28 B AT 12:09 CST ON MAR 29	2.13 B ON MAR 29	0B ON MAR 1	801	1978
1979	2.03 AT 19:08 CST ON APR 19	1.34 ON APR 19	0B ON MAR 1	460	1979
1980	0.952 AT 16:31 CST ON MAR 31	0.321B ON MAR 31	0B ON MAR 1	80.5	1980
1981	4.65 AT 01:07 CST ON JUN 7	0.690 ON JUN 7	0B ON MAR 1	188	1981
1982	4.82 AT 05:16 CST ON JUL 2	2.75 ON JUL 2	0B ON MAR 1	953	1982
				918	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

OSCAR CREEK NEAR KRYDOR - STATION NO. 05GD002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	---	---	---	---	---	---	---	---	---	---	---	1968
1969	---	---	0	1.35	---	---	---	---	---	---	---	---	---	1969
1970	---	---	0	1.23	---	---	---	---	---	---	---	---	---	1970
1971	---	---	0	---	---	---	---	---	---	---	---	---	---	1971
1972	---	---	0	2.29	---	---	---	---	---	---	---	---	---	1972
1973	---	---	---	---	---	---	---	---	---	---	---	---	---	1973
1974	---	---	---	---	---	---	---	---	---	---	---	---	---	1974
1976	---	---	---	---	---	---	---	---	---	---	---	---	---	1976
1977	---	---	---	---	---	---	---	---	---	---	---	---	---	1977
1978	---	---	0.049	0.151	0.123	0.049	0.003	0.012	0.022	0.042	---	---	0.056	1978
1979	---	---	0.021	0.398	0.987	0.164	0.019	0.006	0.008	0.127	---	---	0.217	1979
1980	---	---	0.012	0.182	0.006	0.009	0.005	0.005	0.003	0.015	---	---	0.029	1980
1981	---	---	0.038	0.103	0.030	0.028	0.071	0.043	0.003	0.003	---	---	0.039	1981
1982	---	---	0.045	0.176	0.039	0.095	0.078	0.044	0.003	0.007	---	---	0.060	1982
MEAN	---	---	0.018	0.735	0.237	0.069	0.035	0.022	0.008	0.039	---	---	0.080	MEAN

LOCATION - LAT 52 46 27 N DRAINAGE AREA, 240 km²
LONG 107 07 41 W NATURAL FLOW

OSCAR CREEK NEAR KRYDOR - STATION NO. 05GD002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	---	0 B ON MAR 1 *	---	1968
1969	---	4.36 ON APR 13	0 B ON MAR 1	---	1969
1970	---	3.23 ON APR 27	0 B ON MAR 1	---	1970
1971	---	---	0 B ON MAR 1	---	1971
1972	---	5.95 ON APR 13 *	0 B ON MAR 1	---	1972
1973	---	---	0 B ON MAY 2	---	1973
1974	---	---	0 ON APR 1	---	1974
1976	---	---	0 B ON MAR 10	---	1976
1977	---	---	0 B ON MAR 2	---	1977
1978	---	0.314 ON APR 10	0 ON JUL 13	1 190	1978
1979	1.59 AT 08:40 CST ON MAY 17	1.55 B ON APR 25	0 ON JUL 19	4 580	1979
1980	---	0.769B ON APR 15	0.001 ON AUG 24	617	1980
1981	---	0.233 ON AUG 4	0 ON AUG 15	830	1981
1982	1.85 AT 19:56 CST ON AUG 5 *	0.819B ON APR 15	0 ON MAY 7	1 280	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		1 700	MEAN

OTHERSIDE RIVER AT OUTLET OF MERCREDI LAKE - STATION NO. 07LE004

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1976	---	---	---	---	---	---	15.2 R	16.2 R	17.5 R	20.4 R	18.4 R	12.8 R	---	1976
1977	10.5 R	10.6 R	10.9 R	18.7 R	24.8R	24.2R	21.3 R	20.2 R	24.8 R	20.4 R	17.9 R	12.6 R	18.1R	1977
1978	11.7 R	11.5 R	11.1 R	12.4 R	26.3R	20.2R	16.3 R	16.4 R	19.8 R	18.4 R	15.3 R	13.7 R	16.1R	1978
1979	12.6	12.0	11.7	11.9	22.0	20.2	13.5	12.2	13.1	17.7	16.1	10.3	14.5	1979
1980	10.5	10.9	11.5	15.7	14.4	10.7	9.47	9.02	9.42	10.8	10.5	7.40	10.9	1980
1981	8.09	7.78	8.57	9.97	25.7	14.5	11.3	8.14	7.15	8.91	9.89	8.45	10.7	1981
1982	4.91	4.47	4.70	6.88	29.4	15.8	10.5	10.8	13.5	13.0	10.7	8.77	11.2	1982
MEAN	9.72R	9.54R	9.75R	12.6 R	23.8R	17.6R	13.9 R	13.3 R	15.0 R	15.7 R	14.1 R	10.6 R	13.6	MEAN

LOCATION - LAT 58 55 40 N, LONG 107 29 20 W; DRAINAGE AREA, 2 700 km^2; NATURAL FLOW

R - REVISED SINCE JAN 1980

OTHERSIDE RIVER AT OUTLET OF MERCREDI LAKE - STATION NO. 07LE004

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1976	---	22.6R ON OCT 21	---	---	1976
1977	31.5R AT 17:56 CST ON MAY 3	31.0R ON MAY 3	9.96RB ON FEB 3	571 000R	1977
1978	---	30.7RE ON MAY 10	10.9 RB ON MAR 11	508 000R	1978
1979	33.6 AT 16:31 CST ON MAY 24	33.4 ON MAY 24	9.82B ON DEC 19	456 000	1979
1980	22.6 AT 00:08 CST ON APR 27	22.5 ON APR 27	6.34 ON DEC 26	343 000	1980
1981	31.9 AT 16:52 CST ON MAY 12	31.6 ON MAY 12	6.12B ON DEC 31	338 000	1981
1982	38.3 AT 17:21 CST ON MAY 7 *	38.0 ON MAY 7 *	4.14 ON MAR 4 *	352 000	1982
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1930		428 000R	MEAN

OVERFLOWING RIVER NEAR HUDSON BAY - STATION NO. 05LD003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1965	---	---	---	---	6.11	---	---	---	---	---	---	---	---	1965
1972	---	---	---	---	14.1	5.69	---	---	---	---	---	---	---	1972
1973	---	---	---	---	6.60	---	---	---	---	---	---	---	---	1973
1974	---	---	---	8.48	10.9	4.19	---	---	---	---	---	---	---	1974
1975	---	---	0.256	2.73	7.31	4.29	1.21	0.511	1.21	0.938	---	---	2.30	1975
1976	---	---	0.080	1.74	0.947	4.16	1.50	0.962	0.280	0.249	---	---	1.23	1976
1977	---	---	0.003	1.02	1.06	0.334	0.220	0.638	1.11	0.937	---	---	0.663	1977
1978	---	---	0	1.31	3.12	1.24	0.510	1.72	2.02	2.14	---	---	1.51	1978
1979	---	---	0.123	2.06	10.3	4.08	0.384	0.038	0.144	0.493	---	---	2.21	1979
1980	---	---	0.100	1.12	0.301	0.240	1.11	0.908	0.590	1.11	---	---	0.684	1980
1981	---	---	0.115	0.704	0.733	0.295	0.410	0.571	0.228	1.92	---	---	0.625	1981
1982	---	---	0	0.907	1.41	2.71	1.07	0.638	0.584	1.03	---	---	1.04	1982
MEAN	---	---	0.085	1.79	5.24	2.72	0.802	0.748	0.771	1.10	---	---	1.28	MEAN

LOCATION - LAT 53 01 51 N, LONG 102 18 58 W; DRAINAGE AREA, 349 km^2; NATURAL FLOW

OVERFLOWING RIVER NEAR HUDSON BAY - STATION NO. 05LD003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1965	---	---	---	---	1965
1972	---	---	---	---	1972
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	---	11.0 ON APR 30	0.142B ON MAR 1	48 700	1975
1976	11.0 AT 20:15 CST ON JUN 25	10.5 ON JUN 26	0.004 ON SEP 28	26 000	1976
1977	---	2.41A ON APR 19	0.003B ON MAR 1	14 000	1977
1978	7.11 AT 11:47 CST ON MAY 1	6.99 ON MAY 1	0 B ON MAR 1 *	31 900	1978
1979	25.5 E AT 20:35 CST ON MAY 18 *	24.1 A ON MAY 18 *	0.002 ON SEP 2	46 800	1979
1980	2.63 AT 14:05 CST ON APR 21	2.43 ON APR 21	0.003 ON JUN 23	14 500	1980
1981	4.14 AT 13:00 CST ON OCT 13	3.81 ON OCT 15	0.024 ON JUL 13	13 200	1981
1982	7.53 AT 02:06 CST ON JUN 2	6.99 ON JUN 2	0 B ON MAR 1	22 000	1982
				27 100	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

OXARAT CREEK AT WYLIE'S RANCH - STATION NO. 11AC009

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR APR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	---	---	0.100	0.060	0.055	---	---	---	1909
1910	---	---	---	0.154	0.071	0.042	0.023	0.020	0.019	0.018	---	---	0.049	1910
1911	---	---	---	0.350	0.116	0.062	0.042	0.025	0.047	0.023	---	---	0.094	1911
1912	---	---	---	---	0.226	0.132	0.053	0.032	0.031	0.015	---	---	---	1912
1913	---	---	---	0.778	0.129	0.130	0.058	0.032	0.020	0.022	---	---	0.165	1913
1914	---	---	---	0.215	0.085	0.065	0.022	0.015	0.010	0.024	---	---	0.062	1914
1915	---	---	---	0.964	0.112	0.070	0.062	0.040	0.031	0.026	---	---	0.184	1915
1916	---	---	0.892	0.269	0.168	0.408	0.195	0.072	0.060	0.042	---	---	0.172	1916
1917	---	---	---	---	1.29	0.014	0.032	0.007	0	0	---	---	---	1917
1918	---	---	---	0.599	0.042	0.011	0.003	0.010	0.007	0.007	---	---	0.095	1918
1919	---	---	0.001	0.077	0.005	0.003	0.001	0.002	0.015	0.014	---	---	0.017	1919
MEAN	---	---	0.447	0.426	0.224	0.094	0.049	0.032	0.027	0.022	---	---	0.105	MEAN

LOCATION - LAT 49 29 48 N, LONG 109 35 47 W
DRAINAGE AREA, 140 km^2
NATURAL FLOW

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1916 AND 1918

OXARAT CREEK AT WYLIE'S RANCH - STATION NO. 11AC009

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR APR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1909	---	---	---	---	1909
1910	---	0.340 ON APR 1	0.018 ON JUL 8	912	1910
1911	---	0.535 ON APR 7	0.023 ON AUG 13	1 740	1911
1912	---	---	---	---	1912
1913	---	1.42 E ON APR 1	0.018 ON SEP 14	3 050	1913
1914	---	0.552 ON APR 5	0.007 ON JUL 29	1 140	1914
1915	---	7.36 ON APR 3 *	0.015 ON OCT 27	3 410	1915
1916	---	0.906 ON JUN 13	0.037 ON OCT 16	3 190	1916
1917	---	---	0 ON JUN 6 *	---	1917
1918	---	2.46 ON APR 10	0 ON JUL 25	1 760	1918
1919	---	0.530E ON APR 3	0 ON JUL 4	308	1919
				1 940	MEAN

E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

PAGATO RIVER AT OUTLET OF PAGATO LAKE - STATION NO. 06EA007

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1973	---	---	---	---	---	---	---	---	---	---	3.93	4.47	---	1973
1974	4.01	3.35	2.54	3.08	9.78	9.27	7.51	5.53	4.75	4.15	3.83	3.64	5.14	1974
1975	3.04	2.67	2.09	1.95	5.17	11.4	14.0	10.3	5.07	3.25	2.31	2.31	5.32	1975
1976	2.57	2.16	1.83	1.90	2.21	5.17	23.8	25.2	11.9	7.25	6.23	5.11	8.00	1976
1977	3.73	2.92	2.39	4.11	12.1	21.0	11.4	5.44	3.26	2.77	2.43	2.72	6.20	1977
1978	2.55	2.11	1.56	1.46	3.91	6.30	4.64	5.09	8.93	9.92	7.63	5.28	4.96	1978
1979	3.60	2.66	2.28	1.85	3.26	6.51	5.73	4.05	3.84	4.80	5.71	4.96	4.11	1979
1980	3.63	2.81	2.32	2.47	3.47	2.72	2.30	2.62	3.60	7.03	7.55	5.58	3.85	1980
1981	3.96	2.79	2.36	2.11	5.52	7.45	4.78	2.34	1.57	0.891	0.813	0.601	2.93	1981
1982	0.020	0	0	2.16	7.61	14.1	10.0	12.7	12.8	7.00	3.64	2.51	6.05	1982
MEAN	3.01	2.39	1.93	2.34	5.89	9.32	9.35	8.14	6.15	5.23	4.41	3.72	5.17	MEAN

LOCATION - LAT 56 06 40 N, LONG 102 30 30 W
DRAINAGE AREA, 960 km^2
NATURAL FLOW

PAGATO RIVER AT OUTLET OF PAGATO LAKE - STATION NO. 06EA007

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1973	---	---	---	---	1973
1974	11.4 AT 03:36 CST ON MAY 22	11.3 ON MAY 21	2.14 ON MAR 26	162 000	1974
1975	15.7 AT 00:54 CST ON JUL 2	14.6 ON JUL 26	1.71 ON APR 3	168 000	1975
1976	31.7 AT 01:10 CST ON AUG 3 *	31.4 ON AUG 3 *	1.68 ON APR 7	253 000	1976
1977	24.1 AT 23:34 CST ON JUN 3	23.4 ON JUN 8	2.10 ON APR 11	196 000	1977
1978	10.6 AT 19:41 CST ON OCT 14	10.4 ON OCT 14	1.33 ON APR 7	156 000	1978
1979	7.30 AT 16:39 CST ON JUN 25	7.04 ON JUN 20	1.70 ON APR 13	130 000	1979
1980	8.94 AT 10:16 CST ON NOV 7	8.53 ON OCT 31	1.90 ON APR 13	122 000	1980
1981	8.21 AT 22:19 CST ON JUN 28	7.96A ON JUN 27	0.134B ON OCT 25	92 500	1981
1982	17.0 AT 19:55 CST ON AUG 21	17.0 ON AUG 21	0 B ON JAN 5 *	191 000	1982
				163 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

PAGE CREEK NEAR IFFLEY - STATION NO. 05EG008

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1971	---	---	---	---	---	---	---	---	---	---	---	---	---	1971
1973	---	---	---	---	0.363	---	---	---	---	---	---	---	---	1973
1974	---	---	---	---	1.08	---	---	---	---	---	---	---	---	1974
1975	---	---	0	0.738	0.697	0.217	0.021	0.008	0.029	0.041	---	---	0.216	1975
1976	---	---	0	0.277	0.082	0.029	0.098	0.031	0.001	0	---	---	0.064	1976
1977	---	---	0	0.105	0.093	0.097	0	0	0	0	---	---	0.037	1977
1978	---	---	0	0.731	0.477	0.104	0	0	0	0	---	---	0.163	1978
1979	---	---	0	3.24	2.90	0.118	0.003	0	0	0	---	---	0.778	1979
1980	---	---	0	0.821	0.083	0.001	0.005	0.023	0.002	0.013	---	---	0.116	1980
1981	---	---	0.083	2.53	0.380	0.066	0.011	0.008	0	0.010	---	---	0.380	1981
1982	---	---	0.013	1.19	0.380	0.117	0.475	0.253	0.108	0.034	---	---	0.319	1982
MEAN	---	---	0.012	1.20	0.654	0.094	0.077	0.040	0.018	0.012	---	---	0.259	MEAN

LOCATION - LAT 52 56 26 N, LONG 108 05 17 W DRAINAGE AREA, 922 km^2 NATURAL FLOW

PAGE CREEK NEAR IFFLEY - STATION NO. 05EG008

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1971	---	5.18 ON APR 17	---	---	1971
1973	---	1.29 B ON APR 14	---	---	1973
1974	---	---	---	---	1974
1975	---	2.59 ON APR 28	0 B ON MAR 1 *	4 580	1975
1976	---	0.949B ON APR 11	0 B ON MAR 1	1 360	1976
1977	---	0.566B ON APR 14	0 B ON MAR 1	774	1977
1978	---	2.34 ON APR 12	0 B ON MAR 1	3 440	1978
1979	---	16.0 E ON MAY 1 *	0 B ON MAR 1	16 500	1979
1980	2.66 AT 18:03 CST ON APR 19	2.60 ON APR 19	0 B ON MAR 1	2 470	1980
1981	4.42 AT 17:47 CST ON APR 2 *	3.81 ON APR 2	0 ON JUN 26	8 040	1981
1982	---	3.25 E ON APR 23	0.006B ON MAR 25	6 750	1982
				5 490	MEAN

B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

PARSONAGE DITCH NEAR BATTLE CREEK - STATION NO. 11AB053

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	0	0	0	0	0	0	0	0	---	---	0	1915
MEAN	---	---	0	0	0	0	0	0	0	0	---	---	0	MEAN

LOCATION - LAT 49 31 30 N, LONG 109 51 00 W REGULATED

REMARKS - NO WATER WAS DIVERTED FROM 1915-37

PARSONAGE DITCH NEAR BATTLE CREEK - STATION NO. 11AB053

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	0 ON MAR 1 *	0 ON MAR 1 *	0	1915
				0	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

PASQUIA RIVER AT HIGHWAY NO. 9 - STATION NO. 05KJ014

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1973	---	---	---	---	---	---	---	---	---	0.420	---	---	---	1973
1974	---	---	0.086	1.34	4.72	1.48	0.390	0.786	1.27	0.780	---	---	1.36	1974
1975	---	---	0.048	0.564	4.81	2.75	0.390	0.664	0.459	0.286	---	---	1.25	1975
1976	---	---	0.015	0.798	0.389	2.46	0.858	0.448	0.151	0.212	---	---	0.661	1976
1977	---	---	0.005	0.919	1.80	0.220	0.187	0.501	0.410	0.301	---	---	0.543	1977
1978	---	---	0	0.437	2.20	1.17	0.456	1.34	0.894	0.924	---	---	0.928	1978
1979	---	---	0.010	0.109	4.04	1.48	0.250	0.034	0.085	0.192	---	---	0.778	1979
1980	---	---	0.002	0.773	0.249	0.061	0.477	0.224	0.276	0.484	---	---	0.313	1980
1981	---	---	0	0.126	0.795	0.485	1.01	0.206	0.213	1.18	---	---	0.489	1981
1982	---	---	0	0.581	1.38	1.11	0.386	0.149	0.614	0.469	---	---	0.582	1982
MEAN	---	---	0.018	0.627	2.26	1.24	0.489	0.484	0.486	0.515	---	---	0.767	MEAN

LOCATION - LAT 53 15 20 N, LONG 102 06 15 W. DRAINAGE AREA, 74.3 km². NATURAL FLOW

PASQUIA RIVER AT HIGHWAY NO. 9 - STATION NO. 05KJ014

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1973	---	---	---	---	1973
1974	13.3 AT 21:11 CST ON MAY 27	9.60 ON MAY 28	0.022B ON APR 12	28 700	1974
1975	---	14.7 E ON MAY 20 *	0.01B ON APR 19	26 400	1975
1976	11.9 AT 13:23 CST ON JUN 24	11.3 ON JUN 24	0.014B ON MAR 1	14 000	1976
1977	7.39 AT 15:37 CST ON MAY 16	5.72 ON MAY 16	0.003B ON MAR 1	11 500	1977
1978	---	6.91B ON MAY 4	0 B ON MAR 1 *	19 700	1978
1979	15.7 AT 20:46 CST ON MAY 25 *	14.0 ON MAY 25	0.001 ON SEP 1	16 400	1979
1980	---	4.11B ON APR 22	0.001B ON MAR 1	6 620	1980
1981	9.40 AT 08:03 CST ON JUL 16	6.47 ON JUL 16	0 B ON MAR 1	10 400	1981
1982	5.17 AT 00:21 CST ON JUN 2	4.76B ON APR 30	0 B ON MAR 1	12 300	1982
				16 200	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

PATTERSON DITCH NEAR BATTLE CREEK - STATION NO. 11AB054

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1919	---	---	0	0	0.022	0.011	0	0	0	0	---	---	0.004	1919
1920	---	---	0	0.065	0	0	0	0	0	0	---	---	0.008	1920
1921	---	---	0.008	0.001	0	0	0.003	0	0	0	---	---	0.002	1921
1922	---	---	0	0.025	0.016	0	0	0	0	0	---	---	0.005	1922
1923	---	---	0	0	0.047	0	0	0	0	0	---	---	0.006	1923
1924	---	---	0	0	0	0	0.004	0.005	0.006	0	---	---	0.002	1924
1925	---	---	0	0.007	0	0	0	0	0	0	---	---	0.001	1925
1926	---	---	0	0	0	0	0	0	0	0	---	---	0	1926
1927	---	---	0	0.026	0	0	0	0	0	0	---	---	0.003	1927
1928	---	---	0	0	0	0	0	0	0	0	---	---	0	1928
1929	---	---	0	0	0	0	0	0	0	0	---	---	0	1929
1930	---	---	0	0	0	0	0	0	0	0	---	---	0	1930
1931	---	---	0	0	0.013	0.094	0	0	0	0	---	---	0.013	1931
MEAN	---	---	0.001	0.010	0.008	0.008	0.001	0	0	0	---	---	0.003	MEAN

LOCATION - LAT 49 26 00 N, LONG 109 50 30 W. REGULATED

PATTERSON DITCH NEAR BATTLE CREEK - STATION NO. 11AB054

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1919	---	0.059 ON MAY 12	0 ON MAR 1 *	88.1	1919
1920	---	0.351 ON APR 14 *	0 ON MAR 1	168	1920
1921	---	0.130 ON MAR 11	0 ON MAR 1	33.5	1921
1922	---	0.286 ON APR 30	0 ON MAR 1	106	1922
1923	---	0.113 ON MAY 17	0 ON MAR 1	125	1923
1924	---	0.031 ON JUL 28	0 ON MAR 1	38.9	1924
1925	---	0.207 ON APR 6	0 ON MAR 1	17.9	1925
1926	---	0 ON MAR 1	0 ON MAR 1	0	1926
1927	---	0.278 ON APR 27	0 ON MAR 1	66.6	1927
1928	---	0 ON MAR 1	0 ON MAR 1	0	1928
1929	---	0 ON MAR 1	0 ON MAR 1	0	1929
1930	---	0 ON MAR 1	0 ON MAR 1	0	1930
1931	---	0.311 ON JUN 14	0 ON MAR 1	280	1931
				71.1	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

PEARSE DITCH NEAR RAVENSCRAG - STATION NO. 11AC047

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1913	---	---	---	---	---	---	---	---	---	---	---	---	---	1913
1914	---	---	---	---	---	---	---	---	---	---	---	---	---	1914
1915	---	---	---	---	0	0	0	---	---	---	---	---	---	1915
1916	---	---	---	---	0	0	0	---	---	---	---	---	---	1916
1917	---	---	---	---	---	---	---	---	---	---	---	---	---	1917
1920	---	---	---	---	---	---	---	---	---	---	---	---	---	1920
1921	---	---	0	0	0	0.012	0.009	0	0	0	---	---	0.003	1921
1922	---	---	0	0	0.001	0.020	0.014	0	0	0	---	---	0.004	1922
1923	---	---	0	0	0.007	0.063	0.026	0	0	0	---	---	0.012	1923
1924	---	---	0	0	0.010	0.025	0.017	0	0	0	---	---	0.006	1924
1925	---	---	0	0	0.010	0.033	0.005	0	0	0	---	---	0.006	1925
1926	---	---	0	0	0.006	0.026	0.020	0	0	0	---	---	0.006	1926
1927	---	---	0	0	0	0.009	0.043	0	0	0	---	---	0.006	1927
1928	---	---	0	0	0.019	0.034	0	0	0	0	---	---	0.007	1928
1929	---	---	0	0	0	0.039	0.026	0	0	0	---	---	0.008	1929
1930	---	---	0	0	0.005	0.034	0.018	0	0	0	---	---	0.007	1930
1931	---	---	0	0	0.004	0.015	0	0	0	0	---	---	0.002	1931
MEAN	---	---	0	0	0.005	0.024	0.014	0	0	0	---	---	0.006	MEAN

LOCATION - LAT 49 32 10 N
LONG 109 01 30 W REGULATED

PEARSE DITCH NEAR RAVENSCRAG - STATION NO. 11AC047

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1913	---	0.021 ON JUN 18	0.021 ON JUN 18	---	1913
1914	---	0.037 ON JUN 26	0.037 ON JUN 26	---	1914
1915	---	---	0 ON MAY 1 *	---	1915
1916	---	---	0 ON MAY 1	---	1916
1917	---	---	0 ON JUL 25	---	1917
1920	---	---	0 ON OCT 13	---	1920
1921	---	0.034 ON JUL 26	0 ON MAR 1	54.4	1921
1922	---	0.031 ON MAY 31	0 ON MAR 1	90.5	1922
1923	---	0.088 ON JUN 14	0 ON MAR 1	253	1923
1924	---	0.071 ON JUN 7	0 ON MAR 1	135	1924
1925	---	0.091 ON MAY 30	0 ON MAR 1	124	1925
1926	---	0.093 ON JUL 1	0 ON MAR 1	136	1926
1927	---	0.133 ON JUL 4 *	0 ON MAR 1	137	1927
1928	---	0.091 ON JUN 19	0 ON MAR 1	138	1928
1929	---	0.079 ON JUN 18	0 ON MAR 1	169	1929
1930	---	0.059 ON JUN 20	0 ON MAR 1	151	1930
1931	---	0.028 ON MAY 28	0 ON MAR 1	51.0	1931
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		131	MEAN

PELLETIER CREEK NEAR DUNCAIRN - STATION NO. 05HD029

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	0.337	0.375	0.208	0.168	0.066	0.067	0.170	0.120	---	---	0.188	1944
1945	---	---	0.499	0.162	0.069	0.032	0.005	0.010	0.011	0.035	---	---	0.103	1945
1946	---	---	0.478	0.095	0.035	0.029	0.016	0.014	0.019	0.039	---	---	0.091	1946
1947	---	---	0.084	0.443	0.052	0.083	0.236	0.199	0.048	0.022	---	---	0.145	1947
1948	---	---	0.071	0.420	0.143	0.059	0.022	0.021	0.003	0.016	---	---	0.094	1948
1949	---	---	0.096	0.119	0.044	0.027	0.038	0	0.004	0.018	---	---	0.043	1949
1950	---	---	0.037	1.01	0.070	0.062	0.073	0.014	0.010	0.031	---	---	0.161	1950
1951	---	---	0	0.659	0.432	0.197	0.065	0	0.098	0.075	---	---	0.189	1951
1952	---	---	0.140	3.04	0.501	0.086	0.057	0.048	0.051	0.028	---	---	0.487	1952
1953	---	---	0.424	0.240	0.331	0.321	0.203	0.128	0.178	0.025	---	---	0.231	1953
1954	---	---	0.057	0.609	0.124	0.277	0.040	0.021	0.043	0.040	---	---	0.150	1954
MEAN	---	---	0.202	0.652	0.183	0.122	0.075	0.047	0.058	0.041	---	---	0.171	MEAN

LOCATION - LAT 50 06 20 N DRAINAGE AREA, 190 km^2
LONG 107 57 20 W REGULATED

PELLETIER CREEK NEAR DUNCAIRN - STATION NO. 05HD029

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	2.55 B ON MAR 31	0.023 ON AUG 14	3 990	1944
1945	---	2.18 B ON MAR 11	0 B ON MAR 1 *	2 190	1945
1946	---	2.83 B ON MAR 12	0.003 ON JUL 28	1 930	1946
1947	---	1.05 B ON APR 10	0 B ON MAR 1	3 080	1947
1948	---	1.27 B ON APR 18	0 B ON MAR 1	1 980	1948
1949	---	0.351 ON APR 8	0 B ON MAR 1	912	1949
1950	---	4.42 B ON APR 14	0 B ON MAR 1	3 400	1950
1951	---	1.67 B ON APR 25	0 B ON MAR 1	4 010	1951
1952	---	10.7 ON APR 15 *	0.011 ON OCT 23	10 300	1952
1953	---	3.71 B ON MAR 30	0 B ON MAR 1	4 890	1953
1954	---	3.06 B ON APR 9	0.006 ON JUL 25	3 170	1954
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		3 620	MEAN

PETAIGAN RIVER BELOW PETAIGAN SCHOOL - STATION NO. 05KD002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1955	---	---	0	24.0	4.52	0.043	0.012	0	0	0	---	---	3.52	1955
1956	---	---	0	0.281	14.0	0.038	0.017	0	0	0	---	---	1.81	1956
1957	---	---	0	6.60	0.812	0.011	0	0	0	0	---	---	0.913	1957
1958	---	---	0	2.45	0.042	0	0	0	0	0	---	---	0.305	1958
1959	---	---	0	2.96	0.125	0.008	0.001	0	0	0	---	---	0.380	1959
1960	---	---	0	3.81	0.141	0.028	0	0	0	0	---	---	0.488	1960
1961	---	---	0	1.30	0.019	0.001	0	0	0	0	---	---	0.162	1961
MEAN	---	---	0	5.91	2.81	0.018	0.004	0	0	0	---	---	1.08	MEAN

LOCATION - LAT 53 31 00 N DRAINAGE AREA, 466 km^2
LONG 103 32 00 W NATURAL FLOW

PETAIGAN RIVER BELOW PETAIGAN SCHOOL - STATION NO. 05KD002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1955	---	52.4B ON APR 6	0B ON MAR 1 *	74 500	1955
1956	---	80.7 ON MAY 6 *	0B ON MAR 1	38 400	1956
1957	---	49.0 ON APR 24	0B ON MAR 1	19 300	1957
1958	---	22.6 ON APR 7	0B ON MAR 1	6 450	1958
1959	---	22.3 ON APR 12	0 ON MAR 1	8 040	1959
1960	---	19.7 ON APR 15	0B ON MAR 1	10 300	1960
1961	---	12.7 ON APR 18	0B ON MAR 1	3 420	1961
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		22 900	MEAN

PHEASANT CREEK NEAR ABERNETHY - STATION NO. 05JL005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1946	---	---	---	0.048	0.006	0	0	0	0	0	---	---	---	1946
1947	---	---	0	4.17	0.248	0.920	0.179	0	0	0	---	---	0.677	1947
1948	---	---	0	2.83	0.349	0.005	0	0	0	0	---	---	0.392	1948
1949	---	---	0	0.235	0	0	0	0	0	0	---	---	0.029	1949
1950	---	---	0.010	1.30	0.023	0	0	0	0	0	---	---	0.164	1950
1951	---	---	0	1.06	0.487	0.142	0	0	0	0	---	---	0.209	1951
1952	---	---	0.558	1.58	0.115	0	0	0	0	0	---	---	0.278	1952
1953	---	---	0.667	1.81	0.178	0.535	0.093	0.427	0.018	0.012	---	---	0.463	1953
1954	---	---	0	2.77	0.504	1.67	3.88	0.556	1.43	0.681	---	---	1.43	1954
1955	---	---	0.052	7.21	9.34	0.922	2.30	0.474	0.001	0.002	---	---	2.53	1955
1956	---	---	0	10.1	4.36	0.401	0.112	0.006	0.059	0.019	---	---	1.86	1956
1957	---	---	0.350	3.57	0.113	0.009	0.001	0.013	0.002	0.006	---	---	0.500	1957
1958	---	---	0.388	0.335	0.121	0.085	0.001	0	0	0	---	---	0.116	1958
1959	---	---	0.029	0.031	0.008	0	0	0	0	0	---	---	0.009	1959
1960	---	---	0	1.89	0.050	0.017	0.001	0	0	0	---	---	0.240	1960
1961	---	---	0	0	0	0	0	0	0	0	---	---	0	1961
1962	---	---	0	0.567	0	0	0	0	0	0	---	---	0.070	1962
1963	---	---	0.036	0	0	0	0.243	0.003	0	0	---	---	0.036	1963
1964	---	---	0.012	1.16	0.169	0.008	0	0	0	0	---	---	0.166	1964
1965	---	---	0	0.668	0.108	0.077	0.001	0	0	0	---	---	0.105	1965
1966	---	---	0.250	1.19	0.055	0.016	0.118	0	0	0	---	---	0.201	1966
1967	---	---	0	2.21	0.597	0.002	0	0	0	0	---	---	0.347	1967
1968	---	---	0.750	0.262	0.004	0	0	0	0	0	---	---	0.127	1968
1969	---	---	0	3.43	0.029	0.004	0.006	0	0	0	---	---	0.425	1969
1970	---	---	0	1.60	0.390	0.039	0	0	0	0	---	---	0.250	1970
1971	---	---	0	3.34	0.306	0.019	0.189	0	0	0	---	---	0.468	1971
1972	---	---	0.305	1.26	0.345	0.006	0	0	0	0	---	---	0.238	1972
1973	---	---	0.025	0.003	0.006	0.007	0.041	0	0	0	---	---	0.010	1973
1974	---	---	0	5.10	1.21	0.305	0.001	0.001	0.003	0.008	---	---	0.816	1974
1975	---	---	0	5.88	1.87	0.190	0.012	0.001	0.002	0.005	---	---	0.983	1975
1976	---	---	0.003	10.1	0.252	2.76	0.441	0	0	0	---	---	1.67	1976
1977	---	---	0.008	0.014	0.024	0.002	0.005	0	0	0	---	---	0.007	1977
1978	---	---	0.593	0.664	0.098	0.123	0.065	0.006	0	0.001	---	---	0.193	1978
1979	---	---	0.015	3.76	1.11	0.079	0	0	0	0	---	---	0.613	1979
1980	---	---	0.033	1.48	0.001	0	0	0	0	0	---	---	0.186	1980
1981	---	---	0.002	0.001	0.002	0.001	0.025	0.057	0	0	---	---	0.011	1981
1982	---	---	0.002	1.14	0.005	0	0.005	0	0	0	---	---	0.141	1982
MEAN	---	---	0.114	2.24	0.608	0.226	0.208	0.042	0.041	0.020	---	---	0.443	MEAN

LOCATION - LAT 50 44 00 N DRAINAGE AREA, 1 150 km²
LONG 103 19 41 W REGULATED

PHEASANT CREEK NEAR ABERNETHY - STATION NO. 05JL005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1946	---	---	0 ON MAY 30 *	---	1946
1947	---	16.1 ON APR 16	0B ON MAR 1	14 300	1947
1948	---	13.5 ON APR 21	0B ON MAR 1	8 290	1948
1949	---	2.44 ON APR 5	0B ON MAR 1	608	1949
1950	---	9.06 B ON APR 17	0B ON MAR 1	3 470	1950
1951	---	2.44 B ON APR 9	0B ON MAR 1	4 420	1951
1952	---	6.29 B ON MAR 29	0B ON MAR 1	5 900	1952
1953	---	14.6 B ON MAR 31	0B ON MAR 1	9 810	1953
1954	---	20.6 ON JUL 11	0B ON MAR 1	30 300	1954
1955	---	26.6 E ON MAY 4	0B ON MAR 1	53 700	1955
1956	---	36.8 ON APR 15	0B ON MAR 1	39 400	1956
1957	---	12.2 B ON APR 6	0B ON MAR 1	10 600	1957
1958	2.83 B AT 12:30 CST ON MAR 29	2.44 B ON MAR 29	0B ON MAR 1	2 460	1958
1959	---	0.113B ON MAR 25	0B ON MAR 1	180	1959
1960	---	9.94 A ON APR 7	0B ON MAR 1	5 070	1960
1961	---	0.003A ON MAR 22	0B ON MAR 1	0.52	1961
1962	8.10 AT 18:00 CST ON APR 16	3.68 ON APR 16	0B ON MAR 1	1 470	1962
1963	7.16 AT 19:00 CST ON JUL 9	3.34 ON JUL 10	0B ON MAR 1	756	1963
1964	4.56 B AT 03:00 CST ON APR 6	3.68 B ON APR 5	0B ON MAR 1	3 520	1964
1965	---	6.91 A ON APR 13	0 ON MAR 1	2 220	1965
1966	---	8.24 ON APR 2	0B ON MAR 1	4 260	1966
1967	10.8 AT 22:00 CST ON APR 16	10.5 ON APR 17	0B ON MAR 1	7 350	1967
1968	---	3.51 ON MAR 26	0B ON MAR 1	2 700	1968
1969	19.1 AT 20:00 CST ON APR 11	16.0 ON APR 12	0B ON MAR 1	9 000	1969
1970	11.5 AT 22:00 CST ON APR 6	9.34 ON APR 7	0B ON MAR 1	5 290	1970
1971	19.5 B AT 18:04 CST ON APR 9	14.9 ON APR 10	0B ON MAR 1	9 920	1971
1972	4.73 B AT 07:38 CST ON APR 11	4.05 B ON APR 11	0B ON MAR 1	5 040	1972
1973	0.614 AT 13:14 CST ON JUL 3	0.439 ON JUL 4	0B ON MAR 1	218	1973
1974	38.2 AT 11:12 CST ON APR 19	36.0 ON APR 19	0B ON MAR 1	17 300	1974
1975	34.8 AT 09:15 CST ON APR 29	31.7 ON APR 29	0B ON MAR 1	20 800	1975
1976	49.0 AT 14:00 CST ON APR 9 *	47.3 B ON APR 9 *	0B ON MAR 1	35 200	1976
1977	0.229 AT 04:47 CST ON JUL 13	0.088 ON MAY 21	0B ON MAR 1	141	1977
1978	7.08 B AT 21:19 CST ON MAR 27	4.50 B ON MAR 31	0B ON MAR 1	4 080	1978
1979	26.1 B AT 21:07 CST ON APR 20	19.2 B ON APR 21	0B ON MAR 1	13 000	1979
1980	9.51 B AT 21:47 CST ON APR 4	6.98 B ON APR 5	0B ON MAR 1	3 930	1980
1981	0.660 AT 15:04 CST ON JUL 30	0.239 ON JUL 31	0 ON MAY 20	236	1981
1982	12.7 B AT 21:06 CST ON APR 12	10.3 B ON APR 13	0B ON MAR 1	2 980	1982
				9 390	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

PHEASANT CREEK NEAR BLACKWOOD - STATION NO. 05JL003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1941	---	---	0.018	0.887	0.089	0.007	0.002	0.006	0.003	0	---	---	0.124	1941
1942	---	---	0.068	2.67	0.075	0.064	0.086	0.029	---	---	---	---	---	1942
1943	---	---	0.114	3.77	0.303	0.071	0.016	0.019	0.004	0.003	---	---	0.528	1943
1944	---	---	0	0.309	0.011	0.014	---	---	---	---	---	---	---	1944
1945	---	---	0.008	0.006	0.004	0	0	0	0	0	---	---	0.002	1945
MEAN	---	---	0.042	1.53	0.096	0.031	0.026	0.014	0.002	0.001	---	---	0.218	MEAN

LOCATION - LAT 50 35 00 N, LONG 103 28 00 W DRAINAGE AREA, 1 400 km² NATURAL FLOW

PHEASANT CREEK NEAR BLACKWOOD - STATION NO. 05JL003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1941	---	3.20 ON APR 9	0B ON MAR 1 *	2 630	1941
1942	---	12.3 ON APR 4 *	0B ON MAR 1	---	1942
1943	---	12.3 ON APR 5	0 ON MAR 1	11 200	1943
1944	---	---	0B ON MAR 1	---	1944
1945	---	0.008B ON MAR 1	0 ON MAY 26	46.6	1945
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		4 630	MEAN

PIAPOT CREEK NEAR PIAPOT - STATION NO. 05HA062

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1908	---	---	---	---	---	---	---	0.039	0.019	0.026	---	---	---	1908
1909	---	---	---	---	0.468	1.11	0.483	0.099	0.076	0.076	---	---	---	1909
1910	---	---	---	0.120	0.030	0.022	0.018	0.022	0.027	0.025	---	---	---	1910
1911	---	---	---	---	0.162	0.098	0.126	0.056	0.153	0.107	---	---	---	1911
1912	---	---	---	---	0.520	0.292	0.111	0.105	0.063	0.074	---	---	---	1912
1913	---	---	---	1.50	0.182	0.051	0.020	0.012	0.012	0.020	---	---	---	1913
1914	---	---	---	0.178	0.044	0.015	0.002	0.001	0.021	0.081	---	---	---	1914
1915	---	---	---	0.185	0.064	0.262	0.327	0.063	0.078	0.104	---	---	---	1915
1916	---	---	0.610	0.309	0.628	0.969	0.675	0.253	0.081	0.159	---	---	0.458	1916
1917	---	---	---	1.73	0.997	0.148	0.024	0.026	0.034	0.044	---	---	---	1917
1918	---	---	---	0.628	0.205	0.044	0.021	0.011	0.011	0.031	---	---	---	1918
1919	---	---	0.068	0.308	0.110	0.016	0.004	0.001	0.007	0.020	---	---	0.066	1919
1936	---	---	0.028	0.229	0.039	0.014	---	---	---	---	---	---	---	1936
1963	---	---	0.035	0.012	0.001	0.010	0.032	0.001	0	0	---	---	0.011	1963
1964	---	---	0.012	0.052	0.189	0.052	0.001	0	0.011	0.029	---	---	0.043	1964
1965	---	---	0.014	0.934	0.313	0.129	0.241	0.019	0.090	0.046	---	---	0.221	1965
1966	---	---	0.266	0.254	0.144	0.171	0.037	0.043	0.015	0.024	---	---	0.119	1966
1967	---	---	0.668	0.426	0.977	0.078	0.016	0.008	0.025	0.024	---	---	0.279	1967
1968	---	---	0.319	0.108	0.069	0.050	0.007	0.015	0.025	0.017	---	---	0.076	1968
1969	---	---	0.365	0.668	0.231	0.024	0.060	0.008	0.005	0.040	---	---	0.174	1969
1970	---	---	0.003	0.508	0.600	0.230	0.063	0.008	0.015	0.024	---	---	0.181	1970
1971	---	0.099	0.118	0.407	0.142	0.120	0.004	0	0.008	0.014	---	---	0.101	1971
1972	---	---	0.106	0.026	0.183	0.013	0.012	0.004	0.004	0.021	---	---	0.046	1972
1973	---	---	0.043	0.125	0.089	0.123	---	---	---	---	---	---	---	1973
MEAN	---	0.099	0.190	0.435	0.278	0.175	0.109	0.036	0.035	0.046	---	---	0.148	MEAN

LOCATION - LAT 49 54 45 N, LONG 109 15 40 W DRAINAGE AREA, 122 km² REGULATED

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1971

PIAPOT CREEK NEAR PIAPOT - STATION NO. 05HA062

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1908	---	---	0 ON JUL 24 *	---	1908
1909	---	15.6 ON JUN 21 *	---	---	1909
1910	---	---	---	---	1910
1911	---	---	---	---	1911
1912	---	---	---	---	1912
1913	---	3.94 ON APR 1	---	---	1913
1914	---	0.821B ON MAR 16	---	---	1914
1915	---	2.10 ON JUN 1	---	---	1915
1916	---	13.9 ON JUL 27	0.048 ON SEP 20	9 690	1916
1917	---	3.88 ON APR 22	---	---	1917
1918	---	3.54 ON MAR 25	---	---	1918
1919	---	0.736 ON APR 19	0 ON JUN 26	1 400	1919
1936	1.31 ON APR 12	1.31 ON APR 12	---	---	1936
1963	---	0.314 ON JUL 1	0 ON MAY 5	243	1963
1964	---	1.24 ON MAY 8	0 B ON MAR 16	922	1964
1965	---	2.23 ON APR 29	0 B ON MAR 16	4 680	1965
1966	---	0.753B ON MAR 13	0 ON AUG 4	2 520	1966
1967	---	2.27 ON MAY 18	0 ON SEP 2	5 910	1967
1968	---	0.453B ON MAR 6	0 ON JUN 7	1 610	1968
1969	---	3.31 ON APR 7	0 ON AUG 14	3 690	1969
1970	---	2.44 ON MAY 5	0 B ON MAR 1	3 830	1970
1971	---	0.903B ON MAR 30	0 B ON MAR 24	2 140	1971
1972	3.11 AT 21:15 CST ON MAY 26 *	2.06 ON MAY 27	0 B ON MAR 1	981	1972
1973	---	---	---	---	1973
				3 130	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

PINTO CREEK NEAR WOODROW - STATION NO. 05JA004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1975	---	---	0	3.50	2.23	0.021	0	0	0	0	---	---	0.714	1975
1976	---	---	16.5	1.94	0.037	0	0	0	0	0	---	---	2.33	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	9.76	3.87	0.113	0.152	0.472	0.029	0.623	0.033	---	---	1.89	1978
1979	---	---	5.08	5.95	0.986	0.049	0.002	0	0	0	---	---	1.50	1979
1980	---	---	1.36	1.91	0.006	0	0	0	0	0	---	---	0.407	1980
1981	---	---	0.201	0.002	0	0	0	0	0	0	---	---	0.026	1981
1982	---	0	5.65	8.29	0.334	1.02	0.037	0.031	0	0	---	---	1.91	1982
MEAN	---	0	4.82	3.18	0.463	0.155	0.064	0.008	0.078	0.004	---	---	1.10	MEAN

LOCATION - LAT 49 39 53 N LONG 106 43 30 W DRAINAGE AREA, 1 870 km^2 NATURAL FLOW

PINTO CREEK NEAR WOODROW - STATION NO. 05JA004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1975	21.7 AT 15:45 CST ON APR 27	17.2 ON APR 27	0B ON MAR 1 *	15 100	1975
1976	138 AT 11:04 CST ON MAR 23 *	111 ON MAR 23 *	0B ON MAR 1	49 200	1976
1977	0 B AT 00:00 CST ON MAR 1	0 B ON MAR 1	0B ON MAR 1	0	1977
1978	56.6 AT 12:11 CST ON MAR 26	54.9 ON MAR 26	0B ON MAR 1	39 800	1978
1979	26.7B AT 13:28 CST ON MAR 22	25.2 B ON MAR 22	0B ON MAR 1	31 800	1979
1980	14.8 AT 19:32 CST ON APR 1	12.2 ON APR 2	0B ON MAR 1	8 600	1980
1981	---	1.15B ON MAR 1	0 ON APR 19	546	1981
1982	27.4 AT 06:21 CST ON APR 3	25.0 ON APR 2	0B ON MAR 1	40 300	1982
				23 200	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

PIPESTONE CREEK ABOVE MOOSOMIN RESERVOIR - STATION NO. 05ME003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1960	---	---	0	4.41	0.567	0.380	0.003	0	0	0	---	---	0.659	1960
1961	---	---	0	0.014	0.007	0	0	0	0	0	---	---	0.003	1961
1962	---	---	0	0.100	0.007	0	0	0	0	0	---	---	0.013	1962
1963	---	---	0.882	0.210	0.081	0.470	0.322	0.220	0.001	0.009	---	---	0.275	1963
1964	---	---	0	1.62	0.584	0.004	0.008	0	0	0.002	---	---	0.274	1964
1965	---	---	0	3.74	0.519	0.830	0.158	0.046	0.336	0.284	---	---	0.729	1965
1966	---	---	0.370	2.55	0.947	0.288	0.200	0.068	0.079	0.089	---	---	0.569	1966
1967	---	---	0	3.03	0.932	0.065	0	0	0	0	---	---	0.496	1967
1968	---	---	0.630	0.186	0.049	0.004	0	0	0	0	---	---	0.109	1968
1969	---	---	0	8.12	0.918	0.062	0.195	0	0	0	---	---	1.14	1969
1970	---	---	0	4.62	3.94	0.531	0.147	0.091	0.004	0	---	---	1.16	1970
1971	---	---	0	2.69	0.821	0.337	0.199	0.001	0	0	---	---	0.499	1971
1972	---	---	2.03	3.02	0.712	0.277	0.205	0.037	0	0	---	---	0.782	1972
1973	---	---	0.133	0.115	0.185	0.217	0.141	0.016	0.042	0.019	---	---	0.109	1973
MEAN	---	---	0.289	2.46	0.734	0.248	0.113	0.034	0.033	0.029	---	---	0.487	MEAN

LOCATION - LAT 50 09 07 N LONG 101 50 07 W DRAINAGE AREA, 2 750 km^2 NATURAL FLOW

PIPESTONE CREEK ABOVE MOOSOMIN RESERVOIR - STATION NO. 05NE003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1960	---	24.7 ON APR 10	0B ON MAR 1 *	13 900	1960
1961	---	0.028E ON APR 4	0 ON MAR 1	53.2	1961
1962	---	0.244B ON APR 17	0B ON MAR 1	278	1962
1963	---	4.45 B ON MAR 25	0B ON MAR 1	5 820	1963
1964	---	7.45 B ON APR 9	0B ON MAR 1	5 790	1964
1965	---	28.9 ON APR 15	0B ON MAR 1	15 400	1965
1966	---	6.74 B ON APR 2	0B ON MAR 1	12 000	1966
1967	---	11.4 B ON APR 10	0B ON MAR 1	10 500	1967
1968	---	1.42 B ON MAR 8	0B ON MAR 1	2 310	1968
1969	---	34.5 B ON APR 12 *	0B ON MAR 1	24 100	1969
1970	---	17.3 B ON APR 11	0B ON MAR 1	24 600	1970
1971	---	8.01 B ON APR 7	0B ON MAR 1	10 600	1971
1972	---	9.91 B ON MAR 22	0B ON MAR 1	16 600	1972
1973	---	0.408B ON MAR 19	0B ON MAR 1	2 300	1973
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		10 300	MEAN

PIPESTONE CREEK NEAR MOOSOMIN - STATION NO. 05NE001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1958	---	---	0.107	5.48	0.480	0.042	0.102	0.055	0.251	0.556	---	---	0.871	1958
1959	---	---	0.092	0	0	0	0.015	0.100	0.177	0	---	---	0.048	1959
1960	---	---	0.507	5.55	0.222	0.704	0.366	0.216	0.250	1.85	---	---	1.20	1960
1961	---	---	0.322	0.093	0.021	0.001	0	0.030	0.047	0.018	---	---	0.067	1961
1962	---	---	0.041	0.068	0.007	0	0	0	0	0.004	---	---	0.015	1962
1963	---	---	0.015	0.264	0.205	0.521	0.442	0.130	0.167	0.186	---	---	0.240	1963
1964	---	---	0.051	3.22	1.51	0.111	0.074	0	0.009	0.415	---	---	0.669	1964
1965	---	---	0.120	6.07	0.370	0.654	0.197	0.016	0.963	0.346	---	---	1.07	1965
1966	---	---	1.07	6.26	1.21	0.502	0.201	0.029	0.105	0.104	---	---	1.17	1966
1967	---	---	0.482	5.04	1.71	0.078	0.008	0	0.248	0.016	---	---	0.937	1967
1968	---	---	1.01	0.456	0.088	0.040	0	0.134	0.076	0	---	---	0.226	1968
1969	---	---	0.795	16.2	1.02	0.133	2.36	0.063	0.022	0.132	---	---	2.55	1969
1970	---	---	0.172	8.37	6.94	0.607	0.321	0.284	0.475	0.409	---	---	2.19	1970
1971	---	---	0.145	3.97	0.261	0.196	0.452	0.067	0.238	0.125	---	---	0.673	1971
1972	---	---	4.03	5.37	0.488	0.304	0.076	0.164	0.314	0.399	---	---	1.39	1972
1973	---	---	0.159	0.235	0.053	0.143	0.097	0.063	0.261	0.554	---	---	0.195	1973
1974	---	---	0.451	18.6	7.54	1.53	0.217	0.028	0.137	0.461	---	---	3.58	1974
1975	---	---	0.331	11.2	10.0	3.36	0.123	0.198	5.65	3.38	---	---	4.25	1975
1976	---	---	0.540	53.9	4.34	8.59	1.15	0.464	2.06	1.36	---	---	8.90	1976
1977	---	---	0.301	0.735	0.151	0.037	0.002	0	0.637	0.163	---	---	0.251	1977
1978	---	---	0.147R	4.40 R	0.044R	0.040R	0.031R	0.187R	0.244R	0.293R	---	---	0.662R	1978
1979	---	---	0.165R	9.75 R	5.56 R	0.750R	0.243R	0.096R	0.203R	0.444R	---	---	2.13 R	1979
1980	---	---	0.133	2.62	0.093	0.148	0.172	0.014	0.060	0.142	---	---	0.416	1980
1981	---	---	0.519	0.153	0.009	0.077	0.012	0.009	0.013	0.167	0.152	---	0.120	1981
1982	---	---	0.014	5.52	0.718	0.084	0.108	0.146	0.128	0.377	---	---	0.875	1982
MEAN	---	---	0.469R	6.94 R	1.72 R	0.746R	0.271R	0.100R	0.509R	0.476R	0.152	---	1.39	MEAN

LOCATION - LAT 50 02 40 N LONG 101 40 33 W DRAINAGE AREA, 3 650 km^2 REGULATED R - REVISED SINCE JAN 1980

PIPESTONE CREEK NEAR MOOSOMIN - STATION NO. 05NE001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1958	---	21.3 ON APR 3	0 ON MAY 20 *	18 400	1958
1959	---	3.11 ON AUG 25	0 ON MAR 25	1 010	1959
1960	---	22.7 ON APR 11	0 ON MAY 3	25 400	1960
1961	---	0.552 ON APR 5	0 ON MAY 27	1 420	1961
1962	---	0.283E ON MAR 25	0 ON MAR 1	313	1962
1963	---	0.691 ON JUL 6	0 B ON MAR 1	5 080	1963
1964	---	10.4 B ON APR 12	0 ON MAY 1	14 200	1964
1965	---	22.0 ON APR 16	0 ON AUG 23	22 700	1965
1966	---	20.0 ON APR 2	0.006 ON AUG 20	24 800	1966
1967	---	16.1 ON APR 12	0 ON APR 8	19 900	1967
1968	---	2.65 ON MAR 19	0 ON MAR 1	4 780	1968
1969	---	71.1 ON APR 14	0 B ON MAR 1	54 000	1969
1970	---	31.7 ON MAY 1	0 B ON MAR 1	46 300	1970
1971	---	12.9 ON APR 11	0.037 ON OCT 16	14 200	1971
1972	---	18.7 ON MAR 23	0.057 ON JUL 14	29 300	1972
1973	---	0.980 ON OCT 20	0.006 ON JUL 21	4 130	1973
1974	71.4 AT 04:09 CST ON APR 20	70.5 ON APR 20	0.024E ON SEP 3	75 800	1974
1975	46.7 AT 08:42 CST ON APR 26	46.2 ON APR 30	0.113E ON AUG 10	90 000	1975
1976	186 AT 15:56 CST ON APR 10 *	176 ON APR 10 *	0.085E ON JUL 10	189 000	1976
1977	1.59 AT 14:09 CST ON APR 17	1.31 ON APR 17	0 ON JUL 6	5 300	1977
1978	---	11.0 RE ON APR 6	0.003R ON JUN 22	14 000R	1978
1979	49.9 RB AT 14:41 CST ON APR 24	48.9 RB ON APR 24	0.041R ON SEP 26	45 200R	1979
1980	11.1 AT 02:51 CST ON APR 10	9.90 ON APR 9	0.001 ON JUL 9	8 810	1980
1981	---	1.42 ON MAR 1	0.001 ON MAY 31	2 550	1981
1982	26.6 AT 23:32 CST ON APR 17	25.6 ON APR 16	0.012B ON MAR 1	18 500	1982
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980		29 400R	MEAN

PIPESTONE CREEK NEAR ROSE VALLEY - STATION NO. 05LA004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1966	---	---	---	6.75	3.54	---	---	---	---	---	---	---	---	1966
1967	---	---	---	1.64	4.97	---	---	---	---	---	---	---	---	1967
1968	---	---	0.437	1.14	---	---	---	---	---	---	---	---	---	1968
1969	---	---	---	4.09	---	---	---	---	---	---	---	---	---	1969
1970	---	---	---	3.67	---	---	---	---	---	---	---	---	---	1970
1971	---	---	---	5.88	---	---	---	---	---	---	---	---	---	1971
1972	---	---	---	---	5.46	---	---	---	---	---	---	---	---	1972
1973	---	---	---	0.858	0.931	1.49	---	---	---	---	---	---	---	1973
1976	---	---	0	7.68	1.48	0.698	0.425	0	0	0	---	---	1.27	1976
1977	---	---	0	1.95	0.576	0.151	0	0	0	0	---	---	0.330	1977
1978	---	---	0.008	3.15	0.597	0.076	0.161	0.125	0.010	0.015	---	---	0.511	1978
1979	---	---	0	7.45	12.4	1.39	0.167	0.041	0	0	---	---	2.68	1979
1980	---	---	0	1.98	0.312	0.002	0	0	0	0	---	---	0.282	1980
1981	---	---	0.066	2.49	0.126	0	0	0	0	0	---	---	0.329	1981
1982	---	---	0	1.24	0.537	0.178	0.029	0	0	0	---	---	0.245	1982
MEAN	---	---	0.064	3.57	2.81	0.498	0.112	0.024	0.001	0.002	---	---	0.807	MEAN

LOCATION - LAT 52 17 21 N, LONG 103 40 20 W DRAINAGE AREA, 841 km² NATURAL FLOW

PIPESTONE CREEK NEAR ROSE VALLEY - STATION NO. 05LA004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1972	---	---	---	---	1972
1973	---	---	---	---	1973
1976	---	17.6 ON APR 15	0B ON MAR 1 *	26 800	1976
1977	7.11 AT 03:55 CST ON APR 15	7.02 ON APR 15	0B ON MAR 1	6 990	1977
1978	---	6.06A ON APR 14	0B ON MAR 1	10 800	1978
1979	44.9 AT 01:51 CST ON APR 29 *	44.1 ON APR 29 *	0B ON MAR 1	56 700	1979
1980	5.23 AT 16:14 CST ON APR 15	5.06 ON APR 16	0B ON MAR 1	5 960	1980
1981	---	6.20E ON APR 3	0B ON MAR 1	6 970	1981
1982	4.59B AT 18:08 CST ON APR 18	4.44B ON APR 18	0B ON MAR 1	5 200	1982
				17 100	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

PIPESTONE RIVER BELOW ROTARIU LAKE - STATION NO. 07LD003

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1978	---	---	---	---	5.91R	4.73R	3.97R	4.05R	4.49R	4.78R	4.14R	3.67R	---	1978
1979	3.55R	3.54 R	3.56 R	3.72R	5.37R	4.76R	4.34R	3.78R	3.74R	4.01R	3.81R	3.24R	3.95R	1979
1980	3.18R	3.29 R	2.94 R	3.70R	3.57R	2.94R	2.92R	3.14R	2.83R	3.11R	2.58R	1.99R	3.01R	1980
1981	1.81R	1.70 R	2.64	2.86	5.31	3.47	2.77	2.32	1.86	1.77	1.84	1.84	2.52R	1981
1982	1.23	0.990	0.981	1.55	3.87	3.75	3.48	4.43	3.66	2.80	2.39	2.15	2.62	1982
MEAN	2.44R	2.38 R	2.53 R	2.96R	4.81R	3.93R	3.50R	3.54R	3.32R	3.29R	2.95R	2.58R	3.03	MEAN

LOCATION - LAT 58 14 15 N, LONG 106 07 45 W DRAINAGE AREA, 963 km² NATURAL FLOW R - REVISED SINCE JAN 1980

PIPESTONE RIVER BELOW ROTARIU LAKE - STATION NO. 07LD003

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1978	6.69R AT 16:24 CST ON MAY 8	6.60R ON MAY 8	---	---	1978
1979	6.76R AT 11:22 CST ON MAY 20 *	6.75R ON MAY 20 *	3.05 R ON DEC 22	125 000R	1979
1980	4.94R AT 16:10 CST ON APR 27	4.89R ON APR 27	1.76 R ON DEC 15	95 300R	1980
1981	6.08 AT 18:20 CST ON MAY 10	6.08A ON MAY 10	1.63 RB ON FEB 13	79 500R	1981
1982	4.90 AT 13:28 CST ON AUG 13	4.90 ON AUG 12	0.975B ON MAR 2 *	82 600	1982
				95 600R	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980

POLLOCK EAST DITCH NEAR SOUTH FORK - STATION NO. 05HD012

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1912	---	---	---	---	---	0.008	0.005	---	---	---	---	---	---	1912
1913	---	---	---	---	0.003	0.028	0.005	---	---	---	---	---	---	1913
1915	---	---	---	---	---	0.025	0.009	---	---	---	---	---	---	1915
1919	---	---	---	---	0.010	0.045	0.006	---	---	---	---	---	---	1919
1920	---	---	---	---	0.010	0.025	0.004	---	---	---	---	---	---	1920
1921	---	---	---	---	---	0.012	0.012	---	---	---	---	---	---	1921
1922	---	---	---	---	---	0.004	0.011	0.001	---	---	---	---	---	1922
1923	---	---	---	---	---	0.004	0.008	0.002	---	---	---	---	---	1923
MEAN	---	---	---	---	0.008	0.019	0.008	0.002	---	---	---	---	---	MEAN

LOCATION - LAT 49 34 35 N
LONG 108 46 27 W REGULATED

POLLOCK WEST DITCH FROM CYPRESS CREEK - STATION NO. 05HA051

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	---	---	---	---	---	---	---	---	---	---	---	1915
1916	---	---	---	0.018	0.027	---	---	---	---	---	---	---	---	1916
1917	---	---	---	---	0.007	0.013	0.006	0.025	---	---	---	---	---	1917
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
MEAN	---	---	---	0.018	0.017	0.013	0.006	0.025	---	---	---	---	---	MEAN

LOCATION - LAT 49 44 02 N
LONG 109 37 55 W REGULATED

POLLOCK WEST DITCH FROM CYPRESS CREEK - STATION NO. 05HA051

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	---	0 ON JUL 12 *	---	1915
1916	---	---	0 ON APR 1	---	1916
1917	---	---	0 ON MAY 1	---	1917
1919	---	---	0 ON JUN 21	---	1919
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

PONASS CREEK NEAR PONASS LAKE - STATION NO. 05HA008

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR APR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1919	---	---	---	0	0	0	0	0	0	0	---	---	0	1919
1920	---	---	---	0	0	0	0	0	0	0	---	---	0	1920
1921	---	---	---	---	0	0.005	0.025	0.026	0.019	0.021	---	---	---	1921
1922	---	---	---	0.088	0.087	0.060	0.049	0.033	0.025	0.005	---	---	0.050	1922
1923	---	---	---	0.034	0.027	0.029	0.049	0.048	0.025	0.008	---	---	0.031	1923
MEAN	---	---	---	0.031	0.023	0.019	0.025	0.021	0.014	0.007	---	---	0.020	MEAN

LOCATION - LAT 52 11 18 N DRAINAGE AREA, 250 km^2
LONG 103 59 11 W NATURAL FLOW

PONASS CREEK NEAR PONASS LAKE - STATION NO. 05HA008

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR APR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1919	---	0 E ON APR 1	0E ON APR 1 *	0	1919
1920	---	0 E ON APR 1	0E ON APR 1	0	1920
1921	---	---	0 ON APR 29	---	1921
1922	---	0.193 ON MAY 17 *	0B ON APR 1	920	1922
1923	---	0.122B ON APR 19	0B ON APR 1	583	1923
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		376	MEAN

PORCUPINE RIVER AT OUTLET OF GROVE LAKE - STATION NO. 07LC003

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1973	---	---	---	---	---	---	---	---	---	---	21.8	18.1	---	1973
1974	---	---	---	---	---	---	37.1	55.0	65.5	56.7	49.5	46.5	---	1974
1975	42.7	---	---	---	---	---	85.4	68.2	51.0	44.9	---	---	---	1975
1976	---	---	---	---	---	132	84.8	55.0	49.9	53.5	54.2	44.8	---	1976
1977	39.8	39.0	33.9	43.0	138	198	199	165	159	121	94.8	72.5	108	1977
1978	56.9	46.5	37.6	33.7	73.1	110	99.1	84.0	74.1	73.8	61.0	49.3	66.7	1978
1979	41.2	33.6	29.8	26.5	49.0	110	72.3	47.1	35.3	34.5	33.7	27.5	45.0	1979
1980	22.8	19.0	16.9	26.9	71.4	64.8	58.4	48.7	52.2	58.4	54.1	39.5	48.5	1980
1981	33.3	29.9	28.3	27.2	75.7	103	87.6	66.8	57.0	50.1	45.9	40.9	53.4	1981
1982	35.3	32.2	27.4	25.0	119	147	96.7	71.1	83.4	80.8	57.9	47.4	68.8	1982
MEAN	38.9	33.4	29.0	30.4	87.0	123	90.5	73.4	69.7	63.7	52.5	42.9	64.4	MEAN

LOCATION - LAT 59 26 40 N DRAINAGE AREA, 7 300 km²
LONG 104 21 40 W NATURAL FLOW

PORCUPINE RIVER AT OUTLET OF GROVE LAKE - STATION NO. 07LC003

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	---	---	---	---	1975
1976	---	---	---	---	1976
1977	224 AT 14:00 CST ON JUN 29 *	222 ON JUN 27 *	32.0E ON MAR 21	3 420 000	1977
1978	121 AT 14:52 CST ON JUN 4	120 ON JUN 5	32.0 ON APR 24	2 100 000	1978
1979	125 AT 17:40 CST ON JUN 6	125 ON JUN 6	25.0 ON DEC 29	1 420 000	1979
1980	79.8 AT 18:52 CST ON MAY 10	79.3 ON MAY 12	16.1 ON MAR 23 *	1 410 000	1980
1981	121 AT 15:05 CST ON JUN 2	120 ON JUN 2	26.3 ON APR 19	1 690 000	1981
1982	170 AT 22:44 CST ON JUN 3	169 ON JUN 3	24.3 ON APR 7	2 170 000	1982
				2 040 000	MEAN

E - ESTIMATED

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

PRAIRIE RIVER NEAR PRAIRIE RIVER - STATION NO. 05LB010

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1959	---	---	---	1.43	---	---	---	---	---	---	---	---	---	1959
1962	---	---	---	---	3.94	---	---	---	---	---	---	---	---	1962
1963	---	---	---	1.91	---	---	---	---	---	---	---	---	---	1963
1964	---	---	---	---	1.66	---	---	---	---	---	---	---	---	1964
1965	---	---	---	---	4.12	---	---	---	---	---	---	---	---	1965
1967	---	---	---	---	5.56	---	---	---	---	---	---	---	---	1967
1968	---	---	0.010	0.800	---	---	---	---	---	---	---	---	---	1968
1969	---	---	---	2.32	---	---	---	---	---	---	---	---	---	1969
1970	---	---	---	1.05	---	---	---	---	---	---	---	---	---	1970
1971	---	---	---	3.49	---	---	---	---	---	---	---	---	---	1971
1974	---	---	---	---	7.46	---	---	---	---	---	---	---	---	1974
1975	---	---	0	1.73	3.31	2.32	0.685	0.071	0.627	0.567	---	---	1.16	1975
1976	---	---	0.034	1.28	0.524	1.36	0.501	0.090	0	0	---	---	0.469	1976
1977	---	---	0.003	0.574	0.758	0.222	0.002	0.010	1.14	0.705	---	---	0.424	1977
1978	---	---	0.042	1.87	3.04	0.897	0.230	1.87	2.44	2.50	---	---	1.61	1978
1979	---	---	0.076	2.45	9.49	4.15	0.317	0.032	0.008	0.385	---	---	2.11	1979
1980	---	---	0.016	1.17	0.158	0.065	0.271	1.40	1.44	1.88	---	---	0.799	1980
1981	---	---	0.238	1.03	0.889	0.183	0.153	0.157	0.170	0.798	---	---	0.453	1981
1982	---	---	0.004	1.48	2.02	3.27	0.243	0.326	0.471	0.496	---	---	1.03	1982
MEAN	---	---	0.047	1.61	3.30	1.56	0.300	0.495	0.787	0.916	---	---	1.01	MEAN

LOCATION - LAT 52 49 01 N DRAINAGE AREA, 323 km²
LONG 102 59 49 W NATURAL FLOW

REMARKS - STATION LOCATED IN NW32-44-07-W2 FOR THE PERIOD 1959-74

PRAIRIE RIVER NEAR PRAIRIE RIVER - STATION NO. 05LB010

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1959	---	---	---	---	1959
1962	---	---	---	---	1962
1963	---	---	---	---	1963
1964	---	---	---	---	1964
1965	---	---	---	---	1965
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1974	---	---	---	---	1974
1975	---	5.78 ON APR 30	0 B ON MAR 1 *	24 500	1975
1976	---	5.35 ON JUN 26	0 ON AUG 19	9 910	1976
1977	---	2.50 ON MAY 28	0.001E ON JUL 11	8 980	1977
1978	7.90 AT 10:21 CST ON MAY 7	7.73 ON MAY 7	0.031B ON APR 9	34 100	1978
1979	24.3 AT 09:09 CST ON MAY 18 *	23.0 ON MAY 18 *	0.001E ON AUG 26	44 700	1979
1980	5.39B AT 21:53 CST ON APR 13	4.02 ON AUG 18	0.001 ON JUN 11	16 900	1980
1981	1.98 AT 17:17 CST ON APR 20	1.80 ON APR 29	0.010 ON SEP 23	9 580	1981
1982	15.1 AT 02:04 CST ON JUN 1	14.6 ON MAY 31	0 B ON MAR 1	21 800	1982
				21 300	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

QU'APPELLE RIVER ABOVE BUFFALO POUND LAKE - STATION NO. 05JG004

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1935	---	---	---	---	---	---	---	---	---	0	---	---	---	1935
1936	---	---	---	---	0.766	0.148	---	---	---	---	---	---	---	1936
1944	---	---	0.006	0.099	0.063	0.083	0.011	0	0	0	---	---	---	1944
1945	---	---	0.003	0.002	0	0	0	0	0	0	---	---	---	1945
1946	---	---	2.67	0.082	0.001	0	0	0	0	0	---	---	---	1946
1947	---	---	0	1.94	0.130	0.013	0.011	0	0	0	---	---	---	1947
1948	---	---	0	5.20	0.711	0.051	0.026	0.006	0	0	---	---	---	1948
1949	---	---	0.009	0.060	0	0	0	0.124	0.001	0	---	---	---	1949
1950	---	---	0.138	8.70	0.908	0.200	0.011	0	0	0	---	---	---	1950
1951	---	---	0	3.40	2.55	0.537	0.368	0.143	0.307	0.178	---	---	---	1951
1952	---	---	0.047	7.74	1.16	0.473	0.142	0.080	0.021	0.005	---	---	---	1952
1953	---	---	1.82	2.46	0.767	0.389	0.029	0.007	0.001	0	---	---	---	1953
1954	---	---	0.024	0.149	0.062	0.170	0.284	0.050	0.184	0.116	---	---	---	1954
1955	---	---	1.17	8.73	4.35	0.224	0.471	0.013	0.141	0.229	---	---	---	1955
1956	---	---	0	9.42	1.33	0.133	0.011	0	0	0.041	---	---	---	1956
1957	---	---	3.39	1.97	0.569	0.185	0.154	0.030	0	0.094	---	---	---	1957
1958	---	---	3.17	3.16	0.118	0.001	0.558	0.249	0.918	1.71	---	---	---	1958
1959	---	---	1.74	0.859	0.030	0.377	1.43	1.60	3.05	0.977	---	---	---	1959
1960	---	---	2.34	9.02	0.312	0.065	0.464	2.22	0.404	0.032	---	---	---	1960
1961	---	---	0.136	0.459	2.47	2.39	2.65	2.58	2.80	0.215	---	---	---	1961
1962	---	---	0.551	0.516	0.013	2.24	2.28	2.30	2.43	0.110	---	---	---	1962
1963	---	---	0.747	1.27	2.71	2.80	2.15	0.261	2.48	1.98	---	---	---	1963
1964	---	---	0	0.293	0.170	0.007	0	2.24	2.48	2.52	2.02	0.077	---	1964
1965	---	---	0	4.36	0.551	0.153	0.018	0	0	0	---	---	---	1965
1966	---	---	1.58	0.193	0.031	0.002	0.011	0.010	0	0	---	---	---	1966
1967	---	---	0	3.36	1.21	0.840	5.06	5.39	5.63	5.71	5.61	4.45	---	1967
1968	4.05	0.620	3.22	2.26	3.01	3.55	3.30	1.46	0.045	0.034	7.00	4.46	2.76	1968
1969	5.54	2.67	0.009	12.2	0.057	0	2.78	1.26	3.80	0.262	2.37	3.10	2.82	1969
1970	2.34	0.775	2.52	7.93	1.04	0.922	0.714	0.436	0.069	0.016	2.40	2.62	1.81	1970
1971	0.962	2.60	0.114	5.25	0.157	0.664	0.138	0.020	0.088	1.28	2.47	1.86	1.28	1971
1972	1.27	1.28	1.14	1.01	4.20	2.27	5.37	4.10	1.68	0.359	3.68	2.21	2.39	1972
1973	1.10	0.128	0.805	5.79	6.36	1.80	4.73	5.05	1.03	2.04	1.71	0.981	2.65	1973
1974	1.00	0.344	0.068	22.8	5.24	0.465	0.029	0.248	0.400	0.053	3.07	2.23	2.98	1974
1975	1.25	0.928	0.051	3.39	0.310	0.630	0.376	1.34	2.41	1.68	1.31	1.24	1.24	1975
1976	1.15	0.322	2.65	4.35	0.118	0.228	0.170	0.257	2.85	1.39	1.68	1.32	1.37	1976
1977	1.11	1.04	1.08	1.39	2.63	3.52	2.35	2.54	3.20	3.39	1.67	1.13	2.09	1977
1978	1.05	0.990	0.515	1.63	0.576	0.634	2.28	3.37	3.76	2.11	1.43	1.13	1.62	1978
1979	0.935	1.01	1.33	3.93	0.519	0.316	0.471	3.08	3.65	1.87	1.36	1.13	1.63	1979
1980	1.10	1.09	1.22	0.927	0.735	5.45	5.85	5.16	3.46	1.88	1.65	1.48	2.50	1980
1981	1.56	1.40	1.04	3.98	9.39	10.6	10.3	7.87	5.09	0.858	0.974	0.953	4.52	1981
1982	0.943	0.988	0.824	13.7	0.770	0.750	1.07	1.29	3.42	2.28	1.82	1.23	2.41	1982
MEAN	1.69	1.08	0.926	4.20	1.40	1.08	1.44	1.40	1.43	0.835	2.46	1.86	2.27	MEAN

LOCATION - LAT 50 47 00 N DRAINAGE AREA, 2 630 km^2
LONG 105 49 31 W REGULATED SINCE 1958

QU'APPELLE RIVER ABOVE BUFFALO POUND LAKE - STATION NO. 05JG004

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1935	---	---	---	---	1935
1936	---	---	---	---	1936
1944	---	0.481B ON APR 7	0 B ON MAR 1 *	---	1944
1945	---	0.020 ON MAR 30	0 ON MAR 1	---	1945
1946	---	13.7 ON MAR 24	0 ON MAR 1	---	1946
1947	---	9.85 B ON APR 11	0 B ON MAR 1	---	1947
1948	---	22.3 B ON APR 20	0 ON MAR 1	---	1948
1949	---	2.52 ON AUG 24	0 B ON MAR 1	---	1949
1950	---	34.3 ON APR 15	0 B ON MAR 1	---	1950
1951	---	17.1 ON APR 27	0 B ON MAR 1	---	1951
1952	---	17.0 B ON APR 6	0 B ON MAR 1	---	1952
1953	---	19.8 B ON MAR 30	0 B ON MAR 1	---	1953
1954	---	2.80 ON JUL 12	0 B ON MAR 12	---	1954
1955	---	20.4 A ON APR 4	0 B ON MAR 1	---	1955
1956	---	27.2 B ON APR 14	0 B ON MAR 1	---	1956
1957	28.2 B AT 21:00 CST ON MAR 21	25.5 B ON MAR 22	0 B ON MAR 1	---	1957
1958	25.8 B AT 01:00 CST ON MAR 28	23.2 B ON MAR 28	0 ON JUN 6	---	1958
1959	11.2 B AT 18:00 CST ON MAR 23	7.99 B ON MAR 23	0 B ON MAR 1	---	1959
1960	28.3 B AT 16:00 CST ON APR 5	28.1 B ON APR 5	0.011 ON JUL 23	---	1960
1961	3.57 AT 08:00 CST ON JUL 31	3.40 ON JUL 31	0 B ON MAR 1	---	1961
1962	5.07B AT 12:00 CST ON MAR 27	3.77 B ON MAR 27	0 B ON MAR 1	---	1962
1963	6.37B AT 01:00 CST ON MAR 23	4.93 ON JUL 1	0 B ON MAR 1	---	1963
1964	3.20 AT 15:00 CST ON SEP 2	2.89 ON SEP 2	0 B ON MAR 1	---	1964
1965	21.0 B AT 21:30 CST ON APR 11	19.4 B ON APR 11	0 B ON MAR 1	---	1965
1966	13.2 B AT 20:00 CST ON MAR 17	11.0 B ON MAR 17	0 B ON MAR 1	---	1966
1967	11.6 B AT 09:00 CST ON APR 18	11.2 B ON APR 18	0 B ON MAR 1	---	1967
1968	18.1 B AT 02:30 CST ON NOV 21	11.0 B ON NOV 15	0 ON OCT 10	87 100	1968
1969	77.6 AT 19:30 CST ON APR 10	72.8 ON APR 10	0 B ON FEB 2	88 900	1969
1970	39.1 B AT 01:00 CST ON APR 8	38.2 B ON APR 8	0 B ON MAR 4	57 200	1970
1971	27.1 B AT 07:14 CST ON APR 10	24.6 B ON APR 10	0 ON MAY 9	40 300	1971
1972	9.74 AT 07:05 CST ON MAY 24	9.68 ON MAY 24	0 B ON MAR 20	75 500	1972
1973	8.27 AT 15:17 CST ON APR 4	7.96 ON MAY 9	0 B ON FEB 6	83 500	1973
1974	144 AT 21:18 CST ON APR 20 *	107 ON APR 20 *	0.005B ON FEB 17	93 900	1974
1975	14.6 B AT 01:59 CST ON APR 14	13.3 B ON APR 14	0.002 ON MAY 23	39 000	1975
1976	---	24.6 B ON APR 1	0.011 ON MAY 28	43 400	1976
1977	8.44 AT 17:50 CST ON JUL 29	4.13 ON MAY 26	0.238 ON APR 29	66 000	1977
1978	4.30 AT 17:11 CST ON SEP 10	3.99 ON SEP 10	0.071B ON MAR 1	51 200	1978
1979	26.0 B AT 06:39 CST ON APR 21	18.5 B ON APR 20	0.050B ON APR 6	51 400	1979
1980	8.46 AT 15:09 CST ON JUL 1	8.41 ON JUL 1	0.067 ON APR 25	79 100	1980
1981	16.4 AT 05:32 CST ON JUL 21	13.1 ON JUL 21	0.038B ON OCT 27	143 000	1981
1982	83.6 B AT 07:30 CST ON APR 14	75.6 B ON APR 14	0.032 ON JUN 25	76 000	1982
				71 700	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

QU'APPELLE RIVER ABOVE EYEBROW LAKE - STATION NO. 05JG010

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1958	---	---	1.16	0.457	0.043	0.033	1.34	0.012	1.94	0.897	---	---	---	1958
1959	---	---	0.674	0.115	0.425	1.13	2.45	3.45	2.14	0.338	---	---	---	1959
MEAN	---	---	0.917	0.286	0.234	0.582	1.90	1.73	2.04	0.618	---	---	---	MEAN

LOCATION - LAT 50 58 50 N LONG 106 17 15 W DRAINAGE AREA, 584 km^2 REGULATED

QU'APPELLE RIVER ABOVE EYEBROW LAKE - STATION NO. 05JG010

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1958	---	8.78B ON MAR 28 *	0 B ON MAR 16 *	---	1958
1959	---	5.83B ON MAR 24	0.028B ON MAR 1	---	1959
				---	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

QU'APPELLE RIVER AT HYDE - STATION NO. 05JM013

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1956	---	---	5.94	49.8	66.6	35.8	25.0	18.0	8.31	4.13	2.44	4.48	26.7	1956
1957	4.46	4.34	6.51	25.8	24.0	10.7	2.98	2.19	1.25	3.77	1.10	0.171	9.60	1957
1958	0.044	0.012	1.24	9.39	1.80	0.037	0.015	0.061	0.077	0.019	0.215	0.025	1.56	1958
1959	0	0.065	0.407	1.66	0.349	0.217	0.265	0.013	0.049	0.177	0.061	0.038	0.389	1959
1960	0.062	0.053	0.075	15.5	7.55	2.80	1.60	0.210	0.047	0.033	0.029	0.017	3.44	1960
1961	0.021	0.019	2.72	1.18	0.235	0.029	0.002	0	0	0.006	0.023	0.028	0.524	1961
1962	0.053	0.021	0.024	5.72	0.318	1.23	0.027	0.010	0.007	0.034	0.036	0.051	0.904	1962
1963	---	---	---	0.168	0.134	0.164	0.592	2.03	0.532	0.074	0.089	0.058	---	1963
1964	0.025	0.024	0.021	5.95	2.92	0.578	0.186	0.038	0.043	0.026	0.083	0.111	1.20	1964
1965	0.100	0.083	0.087	3.91	0.868	2.55	2.83	1.23	0.459	0.427	0.198	0.073	1.54	1965
1966	0.028	0.033	0.922	7.84	3.65	0.859	1.23	0.233	0.016	0.030	0.061	0.042	1.83	1966
1967	0.041	0.040	0.051	11.6	10.4	2.85	0.342	0.007	0	0.026	0.111	0.603	3.14	1967
1968	1.56	1.60	4.61	4.69	1.88	0.679	0.065	0.920	2.42	0.739	1.18	0.864	1.99	1968
1969	0.528	0.461	1.18	28.5	27.3	16.9	7.84	2.42	2.68	4.03	2.80	4.00	11.3	1969
1970	3.43	3.18	2.84	18.8	27.5	28.0	17.6	7.61	3.54	7.23	6.78	5.51	14.1	1970
1971	4.37	3.41	5.99	36.5	32.6	7.50	1.62	0.535	0.583	3.95	4.69	5.55	11.1	1971
1972	3.79	4.14	10.8	15.0	6.89	0.659	0.192	1.45	1.83	2.17	3.41	4.98	4.86	1972
1973	---	---	3.61	2.84	2.76	2.99	3.87	1.16	0.976	0.669	---	---	2.36	1973
1974	---	---	2.33	33.1	68.4	46.7	31.2	24.8	22.1	18.0	---	---	30.8	1974
1975	---	---	6.17	31.1	54.9	31.4	19.8	13.8	13.0	11.9	---	---	22.7	1975
1976	---	---	5.16	82.6	44.8	32.1	21.7	14.4	9.99	9.48	---	---	27.3	1976
1977	---	---	3.04	3.29	3.32	1.90	---	---	---	---	---	---	---	1977
1978	---	---	1.04	8.39	4.73	2.73	1.27	0.239	0.076	0.178	---	---	2.31	1978
1979	---	---	1.13	29.2	31.2	19.8	6.11	1.95	1.77	2.23	---	---	11.6	1979
1980	---	---	2.29	16.0	2.16	0.497	0.541	0.899	0.456	1.90	---	---	3.06	1980
1981	---	---	2.40	1.02	0.807	1.14	4.37	0.812	1.48	1.44	---	---	1.69	1981
1982	---	---	0.694	25.6	28.1	11.9	3.31	2.47	2.85	7.75	---	---	10.3	1982
MEAN	1.23	1.17	2.74	17.6	16.9	9.73	5.94	3.75	2.87	3.09	1.37	1.56	8.25	MEAN

LOCATION - LAT 50 38 29 N LONG 102 55 03 W DRAINAGE AREA, 44 100 km² REGULATED

QU'APPELLE RIVER AT HYDE - STATION NO. 05JM013

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1956	---	131 B ON APR 17	3.09 ON OCT 30	565 000	1956
1957	---	31.7 ON APR 27	0.963 ON SEP 28	203 000	1957
1958	---	19.7 B ON APR 3	0 ON JUN 14 *	33 000	1958
1959	7.33 AT 01:00 CST ON APR 5	6.23 ON APR 4	0 ON MAR 15	8 230	1959
1960	---	28.1 ON APR 11	0.014 ON MAR 5	72 800	1960
1961	17.0 AT 01:00 CST ON MAR 26	15.9 ON MAR 25	0 ON JUL 11	11 100	1961
1962	20.2 AT 03:00 CST ON APR 11	20.0 ON APR 11	0 ON OCT 1	19 100	1962
1963	---	---	---	---	1963
1964	---	19.9 B ON APR 8	0.011 ON AUG 20	25 400	1964
1965	19.2 AT 23:00 CST ON APR 13	18.4 ON APR 14	0.079 ON MAR 1	32 500	1965
1966	---	18.0 B ON APR 1	0.006 ON SEP 16	38 800	1966
1967	---	23.3 B ON APR 18	0 ON AUG 25	66 400	1967
1968	---	16.0 B ON MAR 31	0.037 ON JUL 30	42 200	1968
1969	89.5 AT 02:30 CST ON APR 13	84.1 ON APR 13	0.643 ON SEP 9	239 000	1969
1970	47.6 AT 19:17 CST ON APR 12	46.7 ON APR 12	1.91 ON SEP 14	299 000	1970
1971	89.5 AT 10:19 CST ON APR 11	86.9 ON APR 11	0.280 ON SEP 25	235 000	1971
1972	---	25.2 B ON MAR 25	0.014E ON JUL 16	103 000	1972
1973	10.9 AT 15:42 CST ON JUL 5	10.7 ON JUL 5	0.198 ON OCT 2	50 000	1973
1974	128 AT 00:00 CST ON APR 21	122 ON APR 21	1.95 B ON MAR 16	651 000	1974
1975	99.1 AT 17:48 CST ON APR 20	94.9 ON MAY 2	4.90 B ON MAR 25	481 000	1975
1976	214 AT 15:02 CST ON APR 10 *	206 ON APR 10 *	4.08 B ON MAR 14	579 000	1976
1977	5.38B AT 17:33 CST ON APR 11	4.70 ON MAY 10	---	---	1977
1978	16.2 B AT 19:46 CST ON APR 7	14.9 B ON APR 7	0.010 ON SEP 11	49 000	1978
1979	---	152 B ON APR 23	0.355 ON OCT 16	246 000	1979
1980	54.5 AT 15:00 CST ON APR 8	53.2 ON APR 8	0.243 ON JUN 21	64 700	1980
1981	17.5 AT 19:00 CST ON JUL 16	16.2 ON JUL 16	0.271 ON AUG 28	35 800	1981
1982	109 AT 18:29 CST ON APR 16	96.8 ON APR 17	0.468B ON MAR 9	218 000	1982
				175 000	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

QU'APPELLE RIVER AT MARIEVAL - STATION NO. 05JM011

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1956	---	---	---	---	69.4	37.9	24.9	17.4	8.56	5.55	---	---	---	1956
MEAN	---	---	---	---	69.4	37.9	24.9	17.4	8.56	5.55	---	---	---	MEAN

LOCATION - LAT 50 34 50 N LONG 102 38 40 W DRAINAGE AREA, 45 100 km² REGULATED

DATA CONTRIBUTED BY - PRAIRIE FARM REHABILITATION ADMINISTRATION

QU'APPELLE RIVER AT TANTALLON - STATION NO. 05JM003

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1919	---	---	---	---	---	---	---	0.487	0.470	---	---	---	---	1919
1920	---	---	0.015	15.0	13.1	9.71	4.21	1.88	0.852	0.652	---	---	---	1920
1921	---	---	---	10.9	8.10	4.16	3.61	1.85	1.73	2.45	2.03	---	---	1921
1922	---	---	---	31.4	51.4	31.9	19.6	10.4	8.09	6.41	5.01	---	---	1922
1923	---	---	---	---	40.7	20.9	---	---	---	---	---	---	---	1923
1924	---	---	---	---	18.8	14.1	7.39	3.79	2.00	2.85	---	---	---	1924
1925	---	---	---	55.3	32.0	15.9	7.09	3.95	3.32	2.41	---	---	---	1925
1926	---	---	---	5.38	6.00	4.92	2.16	0.364	0.882	1.18	---	---	---	1926
1927	---	---	---	---	43.3	30.7	16.9	10.4	10.7	10.7	---	---	---	1927
1928	---	---	---	29.2	22.7	20.9	18.7	5.68	3.02	2.47	---	---	---	1928
1929	---	---	---	---	4.02	4.09	1.19	0.199	0.138	0.215	---	---	---	1929
1930	---	---	---	---	8.48	4.63	2.81	0.651	0.262	0.300	---	---	---	1930
1931	---	---	---	---	2.18	0.882	0.247	0.248	---	---	---	---	---	1931
1942	---	---	---	---	---	---	0.357	4.87	3.17	---	---	---	---	1942
1943	---	---	---	29.6	23.9	12.4	5.67	1.84	1.40	0.595	---	---	---	1943
1944	---	---	---	2.24	1.61	4.45	1.13	0.427	1.05	0.786	---	---	---	1944
1945	---	---	---	1.52	1.86	0.836	1.25	0.273	0.241	0.467	---	---	---	1945
1946	---	---	---	8.18	1.57	0.731	4.21	0.228	0.575	0.475	---	---	---	1946
1947	---	---	---	22.0	28.4	18.3	11.1	0.828	1.62	0.935	---	---	---	1947
1948	---	---	---	14.9	39.1	17.9	6.37	0.619	0.164	0.160	---	---	---	1948
1949	---	---	---	2.84	0.609	1.94	0.380	0.280	0.260	0.613	0.699	---	---	1949
1950	---	---	---	6.68	4.01	2.76	2.51	2.19	0.379	0.575	0.484	0.514	---	1950
1951	0.675	0.393	0.892	9.77	10.2	7.73	4.49	0.634	0.578	0.960	0.717	0.701	3.15	1951
1952	0.699	0.665	0.987	15.2	6.45	2.92	1.36	0.340	0.979	0.586	0.547	0.356	2.58	1952
1953	0.320	0.456	1.12	26.5	13.4	17.5	13.7	6.87	4.19	2.62	1.88	2.01	7.55	1953
1954	1.54	1.94	2.52	12.3	15.0	39.7	65.8	29.5	13.9	19.5	13.8	9.73	18.9	1954
1955	7.98	6.59	6.75	67.5	135	65.0	48.3	36.6	26.8	22.3	15.3	9.46	37.5	1955
1956	8.15	7.64	6.44	59.4	86.7	44.1	30.5	21.9	14.3	7.93	6.19	3.95	24.8	1956
1957	4.40	3.88	8.96	32.3	29.9	15.1	2.97	1.85	2.68	4.20	3.90	1.95	9.35	1957
1958	0.334	0.229	0.693	2.70	6.01	0.277	0.557	0.236	0.316	0.326	0.395	0.028	1.02	1958
1959	0.014	0	1.08	0.962	0.429	0.588	0.194	0.004	0.077	0.365	0.329	0.393	0.371	1959
1960	0.285	0.232	0.508	19.4	13.0	3.93	1.27	0.560	0.138	0.057	0.236	0.173	3.31	1960
1961	0.202	0.022	0.079	0.904	0.709	0.391	0.017	0	0	0	0	0	0.194	1961
1962	0	0	0	1.08	0.862	1.52	0.603	0.120	0.007	0	0	0	0.349	1962
1963	0	0	0.624	1.28	1.55	4.21	4.34	3.12	2.14	1.33	0.490	0.074	1.60	1963
1964	0	0	0	6.20	7.69	1.68	0.556	0.187	0.107	0.053	3.111	0.010	1.38	1964
1965	0	0	0	12.0	3.71	3.70	2.42	0.748	0.573	0.566	0.337	0.233	2.02	1965
1966	0.121	0.052	1.43	21.8	5.34	2.69	1.42	0.902	0.135	0.155	0.225	0.100	2.85	1966
1967	0.070	0.064	0.272	15.2	19.0	5.82	0.351	0.139	0.062	0.208	2.69	1.75	3.81	1967
1968	0.332	0.500	2.71	10.1	1.77	0.912	0.319	0.778	0.209	0.159	0.849	0.780	1.61	1968
1969	1.35	1.76	2.19	21.9	30.2	23.6	13.9	1.90	2.98	5.60	5.46	4.05	9.59	1969
1970	3.54	3.69	3.68	16.5	27.0	29.2	21.9	13.4	3.80	8.20	10.1	6.27	12.3	1970
1971	4.02	3.19	5.11	24.2	35.4	19.2	2.81	0.839	2.13	6.55	6.14	4.65	9.54	1971
1972	4.92	4.96	7.86	22.3	5.65	2.04	0.625	1.55	2.13	3.00	2.91	4.29	5.17	1972
1973	6.04	3.23	3.96	1.42	1.63	3.68	3.80	1.57	0.770	1.40	1.74	2.82	2.67	1973
1974	3.05	3.08	2.69	21.8	68.1	60.9	33.3	26.1	23.9	20.7	16.5	11.4	24.4	1974
MEAN	2.00	1.77	2.42	17.3	19.9	13.1	8.46	4.47	3.26	3.36	3.54	2.63	7.75	MEAN

LOCATION - LAT 50 31 58 N DRAINAGE AREA, 49 200 km²
LONG 101 50 30 W REGULATED

QU'APPELLE RIVER AT TANTALLON - STATION NO. 05JM003

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1919	---	---	---	---	1919
1920	---	---	---	---	1920
1921	---	---	---	---	1921
1922	---	---	---	---	1922
1923	---	55.8 ON MAY 13	---	---	1923
1924	---	---	---	---	1924
1925	---	---	---	---	1925
1926	---	---	---	---	1926
1927	---	---	---	---	1927
1928	---	---	---	---	1928
1929	---	---	---	---	1929
1930	---	---	---	---	1930
1931	---	---	0 ON JUL 22 *	---	1931
1942	---	---	---	---	1942
1943	---	35.4 ON APR 22	---	---	1943
1944	---	6.03B ON APR 9	0 B ON APR 1	---	1944
1945	---	4.70 ON APR 27	---	---	1945
1946	---	31.4 E ON JUL 11	---	---	1946
1947	---	39.6 ON APR 30	---	---	1947
1948	---	62.0 ON MAY 7	---	---	1948
1949	---	6.80B ON APR 6	---	---	1949
1950	---	21.8 B ON APR 18	---	---	1950
1951	---	16.4 ON MAY 5	0.255 ON AUG 20	99 300	1951
1952	---	19.1 B ON APR 7	0.113 ON AUG 18	81 600	1952
1953	---	32.6 ON APR 22	0.283B ON JAN 10	238 000	1953
1954	---	75.0 ON JUL 21	1.27 B ON JAN 28	596 000	1954
1955	---	240 ON MAY 10 *	6.09 B ON FEB 10	1 180 000	1955
1956	---	157 ON APR 24	3.11 B ON DEC 17	783 000	1956
1957	---	37.4 ON APR 17	0.878B ON DEC 31	295 000	1957
1958	---	10.4 ON MAY 3	0 B ON DEC 17	32 000	1958
1959	---	3.37 ON JUN 16	0 B ON JAN 1	11 700	1959
1960	26.5 B AT 16:45 CST ON APR 8	26.2 ON APR 28	0 E ON OCT 28	105 000	1960
1961	---	1.31B ON APR 11	0 B ON FEB 15	6 100	1961
1962	---	2.53A ON JUN 16	0 A ON JAN 1	11 000	1962
1963	9.54 AT 10:30 CST ON JUN 25	8.21 ON JUN 25	0 B ON JAN 1	50 600	1963
1964	---	14.2 B ON APR 11	0 B ON JAN 1	43 800	1964
1965	---	28.9 ON APR 13	0 ON JAN 1	63 600	1965
1966	---	26.7 B ON APR 3	0.028B ON FEB 23	89 800	1966
1967	---	25.9 ON MAY 1	0.003 ON SEP 16	120 000	1967
1968	---	15.3 A ON APR 12	0.062 ON SEP 24	50 900	1968
1969	43.2 AT 21:00 CST ON APR 27	41.9 ON APR 27	0.736B ON JAN 1	302 000	1969
1970	31.4 AT 20:30 CST ON APR 30	30.9 ON APR 30	3.11 ON SEP 11	389 000	1970
1971	42.5 AT 00:00 CST ON APR 28	42.5 ON APR 28	0.450 ON SEP 4	301 000	1971
1972	---	37.4 B ON APR 12	0.391 ON JUL 21	163 000	1972
1973	---	8.95B ON JAN 6	0.362 ON SEP 20	84 400	1973
1974	83.9 AT 14:04 CST ON MAY 23 *	83.3 ON MAY 23	2.29 B ON MAR 26	769 000	1974
				244 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

QU'APPELLE RIVER BELOW CRAVEN DAM - STATION NO. 05JK002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1926	---	---	---	---	---	---	---	---	---	---	0.020	0.017	---	1926
1927	0.017	0.024	0.291	26.3	16.8	14.7	7.16	4.20	1.95	---	---	---	---	1927
1944	---	---	---	0.678	0.006	0.008	0.012	0.029	0.070	0.003	---	---	---	1944
1945	---	---	0.006	0.200	0.014	0	0.001	0.005	0.005	0.008	---	---	---	1945
1946	---	---	0.666	0.143	0.211	0.483	0.136	0.013	0.365	0.023	---	---	---	1946
1947	---	---	0.057	19.7	2.55	0.155	0.031	0.496	0.016	0.012	---	---	---	1947
1948	---	---	0	11.0	18.2	0.856	0.180	0.217	0.132	0.173	---	---	---	1948
1949	---	---	0.015	1.57	0.524	0.353	0.102	0.074	0.025	0.021	---	---	---	1949
1950	---	---	0.079	3.69	0.372	0.004	0.031	0.009	0.001	0.021	---	---	---	1950
1951	---	---	0	6.74	7.90	0.536	0.253	0.283	0.098	0.040	---	---	---	1951
1952	---	---	0.009	6.13	0.109	0.013	0.226	0.136	0.022	0.003	---	---	---	1952
1953	---	---	0.662	0.630	0	2.36	4.16	0.282	0.039	0.130	---	---	---	1953
1954	---	---	0.202	0.332	0.384	4.12	4.92	5.47	5.89	5.84	---	---	---	1954
1955	4.97	5.15	5.30	21.4	41.6	35.2	30.3	23.2	16.8	13.8	11.9	7.99	18.2	1955
1956	5.30	4.98	5.30	29.1	28.9	23.9	20.7	4.80	1.62	0.807	5.55	5.49	11.4	1956
1957	6.66	5.90	10.1	20.1	13.7	2.45	0.688	0.413	0.975	1.18	0.693	0.462	5.26	1957
1958	0.287	0.346	1.58	5.25	0.712	0.952	0.497	0.193	0.081	0.337	0.090	0.057	0.861	1958
1959	0.057	0.057	0.331	6.20	0.341	0.651	0.725	0.045	0.118	0.115	0.099	0.066	0.728	1959
1960	0.081	0.091	0.773	13.4	1.25	2.51	3.59	1.49	0.156	0.280	0.585	0.459	2.05	1960
1961	0.325	0.245	1.10	4.87	0.541	0.163	0.163	0.130	0.091	0.069	0.063	0.116	0.652	1961
1962	0.075	0.041	0.210	2.52	0.062	0.050	0.164	0.151	0.026	0.021	0.048	0.161	0.292	1962
1963	0.098	0.059	0.183	1.65	0.351	0.888	2.36	0.771	0.325	0.458	0.506	0.272	0.663	1963
1964	0.155	0.221	0.287	1.19	0.998	0.426	0.572	0.133	0.125	0.113	0.151	0.173	0.379	1964
1965	0.149	0.157	0.218	2.47	0.644	2.61	0.393	0.305	0.186	0.046	0.063	0.564	0.647	1965
1966	0.825	0.529	1.85	1.43	0.156	0.563	0.419	0.274	0.197	0.298	0.045	0.052	0.554	1966
1967	0.056	0.042	0.024	13.2	0.956	0.256	0.256	0.291	0.403	2.58	3.91	3.21	2.09	1967
1968	2.56	3.30	3.21	0.154	1.08	1.08	0.851	1.07	0.199	0.082	0.352	0.360	1.19	1968
1969	0.492	1.42	0.410	33.3	17.1	4.55	4.06	3.91	3.19	4.40	4.15	3.37	6.69	1969
1970	3.60	2.09	2.05	23.0	27.2	18.8	5.15	4.01	6.36	7.44	7.51	4.20	9.29	1970
1971	3.88	2.71	4.01	35.4	7.35	0.133	0.195	2.03	1.75	7.69	7.31	5.63	6.49	1971
1972	4.24	2.72	4.91	6.82	0.306	1.40	2.67	3.02	2.50	2.57	3.82	1.93	3.07	1972
1973	1.33	1.86	2.46	3.29	2.93	3.36	2.26	1.97	1.40	3.41	2.80	2.53	2.47	1973
1974	1.84	1.27	1.31	48.1	49.1	36.9	26.7	23.2	19.5	15.0	14.0	10.5	20.7	1974
1975	7.80	5.71	5.17	19.0	37.0	20.1	16.8	13.1	12.1	8.68	7.07	4.59	13.1	1975
1976	3.06	2.70	6.54	60.4	21.3	20.8	17.3	12.5	11.8	9.63	6.53	4.00	14.7	1976
1977	2.33	2.21	2.21	0.458	1.57	2.07	1.65	1.24	0.954	1.10	1.48	1.50	1.56	1977
1978	0.963	0.998	1.35	3.66	0.895	0.453	0.518	0.349	0.214	0.085	1.64	1.84	1.08	1978
1979	1.05	1.20	2.74	14.6	23.9	10.3	3.79	3.18	3.16	4.98	6.06	3.92	6.59	1979
1980	2.69	1.78	1.99	2.42	0.333	1.24	2.23	2.43	1.77	1.79	1.62	1.12	1.78	1980
1981	1.21	1.75	1.57	2.70	2.91	2.97	2.58	1.26	0.844	1.06	1.49	1.45	1.81	1981
1982	1.23	0.920	1.10	27.7	13.5	2.82	3.62	3.23	3.68	10.2	10.2	7.59	7.15	1982
MEAN	2.00	1.74	1.80	12.0	8.59	5.53	4.21	3.00	2.48	2.68	3.44	2.54	5.05	MEAN

LOCATION - LAT 50 42 20 N DRAINAGE AREA, 33 600 km²
LONG 104 47 50 W REGULATED

QU'APPELLE RIVER BELOW CRAVEN DAM - STATION NO. 05JK002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1926	---	---	---	---	1926
1927	---	39.9 ON APR 14	---	---	1927
1944	---	---	0 ON MAY 12 *	---	1944
1945	---	---	0 B ON MAR 1	---	1945
1946	---	4.81B ON MAR 25	---	---	1946
1947	---	29.4 ON APR 11	---	---	1947
1948	---	37.9 ON MAY 1	0 B ON MAR 1	---	1948
1949	---	5.95 ON MAY 31	0 B ON MAR 1	---	1949
1950	---	13.3 B ON APR 18	0 B ON MAR 1	---	1950
1951	---	13.1 B ON APR 22	0 B ON MAR 1	---	1951
1952	---	22.5 B ON APR 5	0 B ON MAR 1	---	1952
1953	---	11.5 B ON MAR 31	0 B ON MAR 1	---	1953
1954	---	12.5 ON AUG 29	0.037 ON MAY 17	---	1954
1955	---	49.0 ON MAY 6	4.76 B ON JAN 1	575 000	1955
1956	---	48.7 ON APR 22	0.609 ON OCT 31	361 000	1956
1957	---	23.0 B ON APR 6	0.283B ON DEC 31	166 000	1957
1958	---	10.3 ON APR 7	0.014 ON SEP 16	27 200	1958
1959	---	18.4 ON APR 26	0.023 ON AUG 18	23 000	1959
1960	---	25.6 ON APR 6	0.048 ON OCT 24	6[illegible] 700	1960
1961	13.5 AT 07:00 CST ON APR 13	12.9 ON APR 11	0.025B ON NOV 5	20 600	1961
1962	11.4 AT 08:30 CST ON APR 29	11.2 ON APR 28	0 ON OCT 3	9 210	1962
1963	10.0 AT 10:00 CST ON APR 11	9.51 ON APR 11	0.048B ON FEB 9	20 900	1963
1964	---	10.6 ON APR 30	0.085 ON OCT 26	12 000	1964
1965	---	13.2 B ON APR 16	0 ON NOV 2	20 400	1965
1966	9.97B AT 09:30 CST ON MAR 31	9.80B ON MAR 31	0.031 ON NOV 4	17 500	1966
1967	30.3 AT 12:00 CST ON APR 19	30.3 ON APR 20	0.011B ON MAR 10	65 800	1967
1968	10.1 AT 08:00 CST ON MAR 7	8.95 ON MAR 7	0.042 ON OCT 8	37 600	1968
1969	84.7 AT 01:00 CST ON APR 17	82.7 ON APR 17	0.037B ON MAR 25	211 000	1969
1970	36.2 AT 00:30 CST ON APR 12	34.8 ON APR 12	0.187B ON APR 4	293 000	1970
1971	65.1 AT 21:23 CST ON APR 14	64.3 ON APR 14	0.051 ON JUL 13	205 000	1971
1972	12.7 AT 10:32 CST ON APR 13	12.5 ON APR 13	0.130 ON MAY 4	97 200	1972
1973	7.50 AT 01:15 CST ON APR 15	7.14 ON APR 15	0.147 ON APR 20	77 900	1973
1974	142 AT 05:46 CST ON APR 24 *	141 ON APR 24 *	0.779B ON FEB 14	653 000	1974
1975	53.5 AT 15:47 CST ON MAY 2	53.2 ON MAY 3	3.37 B ON APR 9	414 000	1975
1976	90.6 AT 10:37 CST ON APR 8	89.8 ON APR 8	2.21 B ON FEB 2	464 000	1976
1977	6.48 AT 11:40 CST ON MAY 30	5.89 ON MAR 15	0.026 ON MAY 4	49 300	1977
1978	17.1 B AT 05:37 CST ON APR 9	16.9 B ON APR 9	0.040 ON OCT 28	34 000	1978
1979	38.3 AT 09:30 CST ON APR 28	38.3 ON APR 28	0.862B ON FEB 14	208 000	1979
1980	8.34B AT 12:00 CST ON APR 7	7.66B ON APR 7	0.203 ON MAY 8	56 400	1980
1981	6.65 AT 08:50 CST ON APR 3	5.78 ON APR 3	0.429 ON OCT 9	57 200	1981
1982	63.0 AT 14:49 CST ON APR 22	62.1 ON APR 22	0.440B ON MAR 27	226 000	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		160 000	MEAN

QU'APPELLE RIVER BELOW EYEBROW LAKE - STATION NO. 05JG011

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1961	---	---	0.015	0.166	1.86	2.32	2.50	2.17	2.65	0.065	---	---	1.47	1961
1962	---	---	0.016	0.076	0.061	2.26	2.43	2.33	2.37	0.069	---	---	1.20	1962
1963	---	---	0.553	0.799	1.84	2.36	2.12	0.290	2.34	1.70	---	---	1.50	1963
MEAN	---	---	0.195	0.347	1.25	2.31	2.35	1.60	2.45	0.611	---	---	1.39	MEAN

LOCATION - LAT 50 54 30 N LONG 106 08 00 W DRAINAGE AREA, 1 550 km^2 REGULATED

QU'APPELLE RIVER BELOW EYEBROW LAKE - STATION NO. 05JG011

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1961	---	3.03 ON SEP 18	0B ON MAR 1 *	31 000	1961
1962	---	2.63 ON JUL 15	0B ON MAR 1	25 300	1962
1963	---	4.13 ON MAR 24 *	0E ON MAR 1	31 700	1963
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		29 300	MEAN

QU'APPELLE RIVER BELOW KATEPWA LAKE - STATION NO. 05JL001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1955	---	---	---	17.3	44.8	40.0	35.0	26.4	---	---	---	---	---	1955
1956	---	---	---	22.9	46.7	28.8	22.2	16.2	6.59	1.61	---	---	---	1956
1966	---	---	---	---	---	---	---	---	0.008	0.002	---	---	---	1966
1967	---	---	0	2.81	12.4	2.98	0.375	0.059	0.009	0.035	0.375	1.42	---	1967
1968	1.67	1.95	5.10	1.53	0.976	0.358	0.644	1.48	1.64	0.456	0.666	0.585	1.42	1968
1969	0.611	1.26	1.14	10.9	30.8	14.7	6.98	2.05	3.31	4.28	2.82	4.76	7.00	1969
1970	3.56	3.50	2.81	9.69	27.4	26.8	17.3	6.34	3.42	6.81	7.25	5.63	10.1	1970
1971	4.68	3.84	4.53	20.6	33.6	3.55	0.829	0.480	0.669	4.41	5.65	6.68	7.48	1971
1972	5.63	4.38	4.79	9.92	3.45	0.226	0.310	1.69	2.00	2.11	4.42	4.28	3.59	1972
1973	3.04	2.40	2.28	2.23	1.80	2.43	2.79	0.761	0.552	1.31	3.27	3.86	2.23	1973
1974	3.83	2.87	2.21	10.2	65.6	42.7	31.9	26.1	23.9	20.1	16.7	12.0	21.5	1974
1975	9.33	7.41	6.14	17.8	46.8	29.7	22.7	14.9	13.7	11.5	8.51	6.15	16.3	1975
1976	5.03	4.54	4.66	49.6	40.3	25.7	22.3	14.5	9.73	9.06	7.94	5.90	16.6	1976
1977	3.81	2.80	2.45	2.38	2.70	1.57	0.849	0.495	0.510	0.326	0.097	0.145	1.50	1977
1978	1.01	1.49	1.92	4.13	4.24	2.31	0.866	0.158	0.093	0.058	1.71	3.47	1.79	1978
1979	2.04	1.50	1.67	9.81	27.9	15.9	4.98	2.02	1.89	3.00	---	---	---	1979
1980	---	---	2.81	6.55	1.62	0.380	0.390	0.630	0.355	2.15	5.61	2.29	---	1980
1981	1.96	1.62	1.68	0.471	0.555	1.52	2.05	0.856	1.49	1.28	2.35	2.29	1.51	1981
1982	1.29	0.641	0.837	11.5	29.0	8.95	1.29	2.42	2.90	7.88	6.33	7.47	6.75	1982
MEAN	3.39	2.87	2.81	11.7	23.4	13.8	9.65	6.53	4.04	4.24	4.78	4.46	7.52	MEAN

LOCATION - LAT 50 39 41 N LONG 103 36 02 W DRAINAGE AREA, 40 600 km² REGULATED

QU'APPELLE RIVER BELOW KATEPWA LAKE - STATION NO. 05JL001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1955	---	---	---	---	1955
1956	---	55.8 ON MAY 12	0 B ON MAR 20 *	---	1956
1966	---	---	E ON SEP 5	---	1966
1967	---	16.1 ON MAY 18	0 E ON MAR 1	---	1967
1968	6.71 AT 14:30 CST ON MAR 20	6.71 ON MAR 15	0.014E ON OCT 20	45 000	1968
1969	38.6 AT 12:00 CST ON MAY 9	37.9 ON MAY 7	0 ON AUG 17	221 000	1969
1970	37.9 AT 17:20 CST ON MAY 31	34.0 ON JUN 1	1.03 ON SEP 11	318 000	1970
1971	46.4 AT 13:05 CST ON MAY 6	44.7 ON MAY 6	0 ON SEP 16	236 000	1971
1972	13.2 AT 00:34 CST ON APR 27	13.0 ON APR 26	0 ON JUN 12	114 000	1972
1973	8.95 AT 10:39 CST ON JUL 2	7.39 ON JUL 2	0.178 ON SEP 20	70 200	1973
1974	80.7 AT 14:30 CST ON MAY 8 *	79.9 ON MAY 9 *	2.02 ON MAR 12	678 000	1974
1975	55.8 AT 18:42 CST ON APR 30	55.5 ON MAY 1	5.41 ON DEC 22	513 000	1975
1976	75.6 AT 08:11 CST ON APR 10	75.3 ON APR 10	1.05 ON MAR 17	526 000	1976
1977	---	4.81B ON JAN 1	0.037B ON NOV 18	47 300	1977
1978	8.86 AT 13:16 CST ON MAR 31	7.82B ON MAR 31	0.031A ON OCT 27	56 300	1978
1979	33.7 AT 18:55 CST ON JUN 1	32.3 ON MAY 17	1.05 E ON OCT 10	---	1979
1980	15.9 B AT 23:00 CST ON APR E	15.0 ON APR 7	0.034 ON SEP 20	---	1980
1981	6.03 AT 05:32 CST ON JUL 16	5.35 ON JUN 26	0.193 ON AUG 26	47 600	1981
1982	33.8 AT 12:03 CST ON MAY 10	33.6 ON MAY 10	0.418 ON JUL 14	213 000	1982
				237 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

QU'APPELLE RIVER BELOW LOON CREEK - STATION NO. 05JK007

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1955	---	---	5.23	21.7	43.9	38.1	26.6	23.5	---	---	---	---	---	1955
1956	---	---	---	29.6	32.7	23.4	21.2	9.57	2.75	1.71	---	---	---	1956
1968	---	---	---	1.10	0.210	0.955	0.713	1.17	0.245	0.051	---	---	---	1968
1969	---	---	0.581	25.6	22.6	6.22	3.97	3.35	3.02	3.72	---	---	---	1969
1970	---	---	2.87	18.2	28.0	22.9	8.96	4.33	5.41	7.33	7.32	4.32	---	1970
1971	3.70	3.01	3.31	29.6	14.7	0.546	0.202	1.43	1.44	6.09	7.59	6.24	6.48	1971
1972	4.52	3.00	3.91	11.6	2.01	1.41	2.49	3.15	2.53	3.06	3.77	2.36	3.65	1972
1973	1.73	1.75	2.78	2.98	2.84	3.72	2.21	1.99	1.49	2.95	2.33	1.91	2.39	1973
1974	1.83	1.56	1.10	36.7	51.1	37.3	28.2	24.1	20.2	15.0	12.3	8.41	19.9	1974
1975	7.45	5.91	4.89	16.2	41.6	22.1	20.6	13.9	13.9	9.69	7.05	4.73	14.1	1975
1976	4.02	3.02	3.42	55.9	25.6	18.7	19.7	13.2	11.4	9.92	7.42	3.95	14.7	1976
1977	2.56	2.25	2.85	2.15	1.06	2.80	1.82	1.41	0.957	1.18	1.40	1.41	1.82	1977
1978	0.997	0.988	1.12	4.63	1.34	0.501	0.439	0.302	0.234	0.158	1.22	1.63	1.13	1978
1979	1.25	0.994	1.41	7.96	27.0	12.9	4.66	3.16	3.24	4.38	5.90	4.25	6.46	1979
1980	2.48	1.80	1.80	6.76	0.532	0.954	2.07	2.33	1.77	1.91	1.49	0.920	2.06	1980
1981	1.18	1.30	1.39	1.64	3.41	3.01	2.73	1.44	0.870	0.986	1.74	1.10	1.73	1981
1982	0.972	0.791	1.10	17.3	22.0	3.92	3.45	3.08	3.29	7.06	7.30	6.55	6.42	1982
MEAN	2.72	2.20	2.52	17.0	18.9	11.7	8.82	6.55	4.55	4.70	5.14	3.68	6.74	MEAN

LOCATION - LAT 50 47 11 N LONG 104 17 21 W DRAINAGE AREA, 36 500 km² REGULATED

QU'APPELLE RIVER BELOW LOON CREEK - STATION NO. 05JK007

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1955	---	52.1 E ON MAY 6	---	---	1955
1956	---	49.3 ON APR 25	---	---	1956
1968	---	---	0 ON OCT 19 *	---	1968
1969	---	70.2 ON APR 20	---	---	1969
1970	---	33.4 ON APR 22	---	---	1970
1971	62.0 AT 20:00 CST ON APR 19	60.9 ON APR 19	0 ON JUN 17	204 000	1971
1972	22.5 AT 10:30 CST ON APR 12	22.1 ON APR 12	0.697 ON MAY 20	115 000	1972
1973	6.29 AT 23:58 CST ON MAR 28	5.69 ON MAR 31	0.187 ON MAY 8	75 500	1973
1974	165 AT 22:42 CST ON APR 26 *	162 ON APR 26 *	0.467B ON MAR 22	627 000	1974
1975	60.9 AT 10:43 CST ON MAY 9	60.0 ON MAY 9	4.22 B ON APR 10	443 000	1975
1976	73.9 AT 23:27 CST ON APR 9	73.1 ON APR 9	2.78 B ON FEB 24	464 000	1976
1977	4.93 AT 02:25 CST ON MAY 27	4.67B ON MAR 17	0.122 ON MAY 17	57 300	1977
1978	---	13.0 B ON APR 10	0.091 ON OCT 23	35 500	1978
1979	38.5 AT 22:12 CST ON MAY 3	38.5 ON MAY 3	0.610B ON FEB 22	204 000	1979
1980	19.8 B AT 19:55 CST ON APR 6	16.8 B ON APR 7	0.087 ON JUN 2	65 100	1980
1981	6.09 AT 03:09 CST ON MAY 2	5.72 ON MAY 2	0.162 ON APR 26	54 700	1981
1982	51.0 AT 21:50 CST ON APR 25	50.9 ON APR 27	0.357B ON JAN 30	203 000	1982
				212 000	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

QU'APPELLE RIVER BELOW MOOSE JAW RIVER - STATION NO. 05JG007

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	0	0.151	0.165	1.04	0.250	0.055	0.092	0.143	---	---	---	1944
1945	---	---	0.251	0.177	0.029	0.089	0.039	0.004	0.055	0.083	---	---	---	1945
1946	---	---	1.76	1.95	0.239	0.460	0.897	0.561	0.256	0.019	---	---	---	1946
1947	---	---	0.219	14.4	6.53	0.770	1.56	1.12	0.906	0.187	---	---	---	1947
1948	---	---	0.131	14.3	36.8	9.26	2.03	0.577	1.09	2.92	---	---	---	1948
1949	---	---	0.162	1.60	0.178	0.059	0.181	0.115	0.063	0.083	---	---	---	1949
1950	---	---	0.503	7.33	7.33	0.997	0.322	0.203	0.023	0.006	---	---	---	1950
1951	---	---	0	13.7	21.5	4.57	4.99	0.200	2.71	0.438	---	---	---	1951
1952	---	---	0.590	27.4	9.34	0.243	0.455	0.164	0.140	3.75	---	---	---	1952
1953	---	---	0.930	2.10	0.933	32.2	30.2	2.63	0.171	0.084	---	---	---	1953
1954	---	---	0.138	0.211	0.161	2.05	0.791	0.957	7.08	3.97	---	---	---	1954
1955	---	---	0.578	30.8	42.4	10.7	8.48	2.99	0.571	0.169	---	---	---	1955
1956	---	---	3.14	37.9	20.3	2.99	1.87	0.358	0.157	0.165	---	---	---	1956
1957	---	---	1.74	5.90	2.21	0.280	0.139	0.112	0.085	0.112	---	---	---	1957
1958	---	---	1.18	4.99	0.551	0.110	0.094	0.043	0.023	0.005	---	---	---	1958
1959	---	---	0.837	0.366	0.187	0.459	0.336	0.014	0.104	0.706	---	---	---	1959
1960	---	---	4.98	27.3	5.95	2.78	5.19	0.125	0.008	0.059	---	---	---	1960
1961	---	---	2.34	0.775	0.058	0.002	0.004	0	0.002	0.009	---	---	---	1961
1962	---	---	0.815	5.28	0.158	0.484	0.170	0.074	0.013	0.007	---	---	---	1962
1963	---	---	0.770	1.71	0.088	0.941	5.48	1.50	0.073	0.117	---	---	---	1963
1964	---	---	0.118	2.22	0.549	0.384	0.099	0.057	0.026	0	---	---	---	1964
1965	---	---	0	6.61	5.93	8.19	2.69	0.253	0.167	0.012	---	---	---	1965
1966	---	---	5.41	2.39	0.485	0.171	0.268	0.317	0.153	0.005	---	---	---	1966
1967	---	---	0.525	20.3	9.41	0.437	0.291	0.187	2.31	3.72	3.76	3.92	---	1967
1968	4.84	5.57	7.15	3.99	3.02	2.09	1.15	1.47	0.688	0.539	2.19	3.40	3.00	1968
1969	3.58	5.05	1.86	47.6	20.7	3.28	1.89	0.428	0.233	0.998	1.60	2.08	7.40	1969
1970	1.65	4.44	3.85	29.5	37.5	8.34	1.56	0.112	0.031	0.229	1.31	0.982	7.46	1970
1971	0.752	1.09	1.12	35.3	6.49	1.14	0.724	0.223	0.200	0.358	1.01	0.896	4.08	1971
1972	0.813	0.732	5.84	3.97	0.702	1.55	2.81	3.28	0.445	0.154	0.858	0.730	1.83	1972
1973	0.561	0.816	1.15	4.52	5.60	2.75	1.29	2.04	1.42	1.03	0.901	0.642	1.90	1973
1974	0.900	1.03	0.748	82.0	62.4	15.2	0.944	2.99	1.43	0.340	1.23	1.27	14.2	1974
1975	0.780	0.802	0.796	24.2	35.7	2.47	3.00	0.241	0.460	0.487	0.599	0.428	5.86	1975
1976	0.503	0.657	10.5	73.9	11.6	6.75	3.64	1.15	0.164	0.423	0.587	0.651	9.14	1976
1977	0.583	0.787	0.568	0.321	2.90	2.04	1.18	0.585	0.522	0.694	1.16	0.632	0.999	1977
1978	0.461	0.500	1.68	7.26	1.27	0.375	0.494	0.565	0.289	0.431	0.970	0.904	1.26	1978
1979	0.518	0.858	1.77	20.8	28.5	2.90	4.34	0.346	0.512	0.679	0.815	0.675	5.25	1979
1980	0.667	0.637	1.07	3.36	1.11	1.08	2.18	2.34	2.03	1.16	0.901	0.651	1.43	1980
1981	0.783	0.892	1.03	3.60	6.92	7.50	8.64	6.24	1.59	1.02	0.874	0.817	3.35	1981
1982	0.727	0.574	0.909	42.1	16.5	6.11	4.81	2.37	1.12	1.06	0.457	0.596	6.43	1982
MEAN	1.21	1.63	1.72	15.7	10.4	3.67	2.70	0.949	0.703	0.676	1.20	1.20	4.91	MEAN

LOCATION - LAT 50 34 40 N DRAINAGE AREA, 12 700 km^2
LONG 105 16 00 W REGULATED

QU'APPELLE RIVER BELOW MOOSE JAW RIVER - STATION NO. 05JG007

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	4.47 ON JUN 17	0 B ON MAR 1 *	---	1944
1945	---	0.821B ON MAR 22	0 B ON MAR 1	---	1945
1946	---	9.32 B ON MAR 15	0 B ON MAR 1	---	1946
1947	---	22.3 ON APR 15	0 B ON MAR 1	---	1947
1948	---	55.2 ON APR 26	0 B ON MAR 1	---	1948
1949	---	3.14 ON APR 18	0 B ON MAR 1	---	1949
1950	---	21.0 ON APR 25	0 ON SEP 7	---	1950
1951	---	25.5 ON MAY 16	0 B ON MAR 1	---	1951
1952	---	34.5 ON APR 13	0 B ON MAR 1	---	1952
1953	---	57.2 ON JUN 10	0.028B ON MAR 1	---	1953
1954	---	16.2 ON SEP 21	0.057B ON MAR 28	---	1954
1955	62.3 AT 08:00 CST ON MAY 10	60.6 ON MAY 10	0.057B ON MAR 9	---	1955
1956	---	61.7 ON APR 22	0.014B ON MAR 1	---	1956
1957	13.2 B AT 11:00 CST ON APR 9	10.9 B ON APR 8	0.028B ON MAR 1	---	1957
1958	12.4 AT 13:00 CST ON APR 5	12.1 ON APR 6	0 ON SEP 24	---	1958
1959	4.50B AT 17:30 CST ON MAR 15	3.62 B ON MAR 15	0 B ON MAR 1	---	1959
1960	39.1 AT 22:00 CST ON APR 5	38.2 ON APR 5	0 B ON MAR 1	---	1960
1961	---	6.91 B ON MAR 19	0 ON JUN 11	---	1961
1962	15.9 B AT 21:00 CST ON APR 3	14.9 B ON APR 3	0 B ON MAR 1	---	1962
1963	11.4 AT 24:00 CST ON JUL 12	9.91 A ON JUL 20	0.003 ON SEP 8	---	1963
1964	8.18B AT 02:00 CST ON APR 11	7.73 B ON APR 11	0 ON JUL 11	---	1964
1965	17.0 B AT 21:30 CST ON APR 20	17.0 B ON APR 21	0 B ON MAR 1	---	1965
1966	19.3 AT 22:30 CST ON MAR 15	16.8 ON MAR 15	0 B ON MAR 1	---	1966
1967	36.8 AT 07:00 CST ON APR 19	36.8 ON APR 19	0 B ON MAR 1	---	1967
1968	13.0 AT 02:30 CST ON MAR 6	12.1 ON MAR 6	0.025 ON OCT 5	94 900	1968
1969	144 AT 16:30 CST ON APR 13	136 ON APR 13	0 ON SEP 5	233 000	1969
1970	64.8 AT 13:23 CST ON MAY 11	64.3 ON MAY 11	0.001 ON SEP 7	235 000	1970
1971	76.7 B AT 03:26 CST ON APR 13	72.8 B ON APR 13	0.008 ON SEP 14	129 000	1971
1972	21.6 B AT 04:31 CST ON MAR 27	20.7 B ON MAR 27	0 ON SEP 18	57 900	1972
1973	11.0 AT 23:36 CST ON MAY 9	10.5 ON MAY 10	0.408B ON DEC 27	59 800	1973
1974	286 AT 08:54 CST ON APR 21 *	278 ON APR 21 *	0.244 ON OCT 20	447 000	1974
1975	81.0 AT 03:02 CST ON APR 27	79.9 ON APR 27	0.034 ON AUG 31	185 000	1975
1976	102 AT 14:12 CST ON APR 8	99.7 ON APR 7	0.085 ON SEP 30	289 000	1976
1977	14.0 AT 16:30 CST ON MAY 28	12.9 ON MAY 28	0.088 ON SEP 1	31 500	1977
1978	20.6 AT 11:35 CST ON APR 6	20.1 ON APR 6	0.037 ON OCT 11	39 800	1978
1979	71.6 AT 01:54 CST ON APR 27	71.2 ON APR 26	0.061 ON SEP 5	166 000	1979
1980	8.10B AT 23:13 CST ON APR 9	6.62 B ON APR 11	0.500B ON DEC 18	45 300	1980
1981	11.5 AT 14:39 CST ON JUL 19	10.7 ON APR 25	0.659B ON FEB 28	105 000	1981
1982	114 AT 23:13 CST ON APR 19	111 ON APR 20	0.102B ON NOV 20	203 000	1982
MEAN				155 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

QU'APPELLE RIVER BELOW ROUND LAKE - STATION NO. 05JH008

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1955	---	---	---	56.9	112	62.0	47.3	32.7	---	---	---	---	---	1955
1956	---	---	---	---	81.7	43.9	28.8	19.4	12.4	6.53	---	---	---	1956
MEAN	---	---	---	56.9	96.9	53.0	38.1	26.1	12.4	6.53	---	---	---	MEAN

LOCATION - LAT 50 30 30 N LONG 102 15 31 W DRAINAGE AREA, 47 100 km^2 REGULATED

DATA CONTRIBUTED BY - PRAIRIE FARM REHABILITATION ADMINISTRATION

QU'APPELLE RIVER BELOW ROUND LAKE - STATION NO. 05JH008

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1955	---	189E ON MAY 9 *	---	---	1955
1956	---	122 ON APR 24	---	---	1956
MEAN				---	MEAN

E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

QU'APPELLE RIVER NEAR LUMSDEN - STATION NO. 05JF001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	---	3.54	1.21	0.365	0.907	---	---	0.079	---	1911
1912	0.021	0.010	0.446	11.2	14.8	4.48	2.45	0.966	0.828	0.668	0.471	0.077	3.04	1912
1913	0.031	0.071	1.72	12.1	2.32	1.31	1.33	0.884	0.437	0.259	0.212	0.108	1.73	1913
1914	0.032	0	0.052	2.44	0.941	0.667	0.560	0.214	0.154	0.169	0.124	0.067	0.451	1914
1915	0.022	0.002	0.002	0.254	0.318	0.217	0.167	0.074	0.104	0.264	0.107	0.058	0.133	1915
1916	0.015	0.005	0.005	39.5	15.4	7.01	3.20	1.43	0.946	0.926	0.808	0.192	5.75	1916
1917	0.026	0.020	0.026	31.1	15.9	4.62	2.15	1.02	0.717	0.705	0.500	0.038	4.72	1917
1918	0.002	0.012	8.57	5.57	3.05	1.14	0.306	0.191	0.111	0.184	0.176	0.126	1.63	1918
1919	0.120	0.032	0.042	4.94	1.40	0.220	0.122	0.024	0.035	0.090	0.061	0.021	0.589	1919
1920	0.004	0.001	2.49	12.4	8.87	1.97	0.557	0.211	0.193	0.254	0.143	0.104	2.26	1920
1921	0.003	0.061	0.434	1.23	1.33	0.632	1.88	0.373	0.398	0.536	0.292	0.119	0.612	1921
1922	0.047	0.013	4.21	40.1	17.6	8.24	3.64	1.40	0.727	0.559	0.444	0.225	6.42	1922
1923	0.150	0.084	0.552	14.6	5.45	---	---	---	---	---	---	---	---	1923
1928	---	---	---	15.9	4.56	2.68	2.23	0.706	0.505	0.274	---	---	---	1928
1929	---	---	0.224	0.608	0.376	0.403	0.203	0.061	0.063	0.112	---	---	---	1929
1930	---	---	1.22	9.09	0.788	0.443	0.310	0.184	0.256	0.279	---	---	---	1930
1931	---	---	0.324	1.69	---	---	---	---	---	---	---	---	---	1931
1944	---	---	0	0.531	0.811	1.13	0.541	0.270	0.258	0.276	---	---	---	1944
1945	---	---	0.535	0.741	0.341	0.418	0.276	0.153	0.187	0.343	---	---	---	1945
1946	---	---	3.74	2.21	0.765	0.629	1.25	---	---	---	---	---	---	1946
1947	---	---	0.096	31.9	11.0	2.24	1.78	1.66	1.83	0.417	---	---	---	1947
1948	---	---	0.151	27.6	49.6	14.9	2.00	0.831	0.948	3.54	---	---	---	1948
1949	---	---	0.276	2.69	1.04	0.849	0.445	0.415	0.294	0.340	---	---	---	1949
1950	---	---	0.727	11.3	9.12	1.64	0.886	0.482	0.286	0.371	---	---	---	1950
1951	---	---	0.113	21.3	30.0	6.27	6.13	0.170	3.30	1.30	---	---	---	1951
1952	---	---	0.198	35.6	13.5	0.785	0.752	0.366	0.416	3.17	---	---	---	1952
1953	---	---	1.88	8.63	2.32	25.3	29.6	6.49	1.63	0.873	---	---	---	1953
1954	---	---	0.570	2.91	1.81	5.01	1.84	1.93	7.87	4.76	---	---	---	1954
1955	---	---	0.685	88.9	69.5	19.2	15.6	5.16	1.27	0.620	---	---	---	1955
1956	---	---	2.74	61.5	38.6	5.28	3.40	1.19	0.633	0.700	---	---	---	1956
1957	---	---	6.11	14.6	3.31	0.877	0.547	0.513	0.412	0.454	---	---	---	1957
1958	---	---	1.98	8.06	1.35	0.488	0.418	0.361	0.411	0.474	---	---	---	1958
1959	---	---	1.53	0.725	0.626	0.927	0.525	0.285	0.513	0.858	---	---	---	1959
1960	---	---	4.93	37.4	8.27	6.53	5.80	0.300	0.218	0.334	---	---	---	1960
1961	---	---	2.66	1.54	0.954	0.523	0.429	0.248	0.335	0.235	---	---	---	1961
1962	---	---	0.982	7.53	0.935	1.34	0.768	0.661	0.327	0.589	---	---	---	1962
1963	---	---	1.11	2.15	1.01	1.61	5.73	1.99	0.754	0.786	---	---	---	1963
1964	---	---	0.425	2.68	1.17	1.18	1.62	0.609	0.584	0.443	---	---	---	1964
1965	---	---	0.250	11.7	7.02	13.9	4.88	0.885	0.638	0.217	---	---	---	1965
1966	---	---	8.21	9.30	1.76	0.931	0.374	0.598	0.818	0.539	---	---	---	1966
1967	---	---	0.507	33.3	7.21	1.09	0.560	0.809	2.62	4.10	4.07	4.08	---	1967
1968	5.04	6.45	9.16	5.90	4.00	2.37	1.51	2.55	1.69	1.14	2.87	3.37	3.83	1968
1969	4.04	5.59	3.36	71.3	26.6	4.19	2.69	1.17	1.05	1.16	1.96	1.99	10.4	1969
1970	2.15	4.82	3.37	41.5	46.9	13.6	2.61	0.648	1.28	0.590	1.28	1.13	9.99	1970
1971	1.08	1.20	1.66	61.4	11.4	2.12	1.83	0.675	0.408	0.378	1.50	1.18	7.02	1971
1972	1.14	1.06	8.21	9.35	2.03	2.21	3.30	3.84	1.22	0.580	1.08	0.909	2.91	1972
1973	0.904	1.01	1.76	4.64	6.00	3.99	2.80	2.35	1.98	1.53	1.18	1.61	2.49	1973
1974	1.56	1.34	1.34	127	94.8	24.6	2.62	3.06	2.63	0.820	1.46	1.64	21.9	1974
1975	1.41	0.931	1.34	35.5	69.3	10.4	6.08	1.53	1.79	1.44	0.981	1.07	11.1	1975
1976	1.20	0.991	7.16	117	19.5	20.7	7.45	2.51	1.29	1.07	1.05	1.17	15.0	1976
1977	0.905	1.46	1.57	1.12	3.75	3.14	2.39	1.17	1.00	1.25	1.59	1.16	1.71	1977
1978	0.926	0.680	2.63	12.3	2.96	1.80	1.18	1.30	1.43	0.903	1.59	1.40	2.41	1978
1979	1.24	1.49	3.23	28.1	44.5	5.21	5.86	0.947	0.996	1.25	1.19	1.25	7.98	1979
1980	1.06	1.10	2.43	10.2	1.88	1.75	3.03	2.99	2.84	1.77	1.04	0.970	2.58	1980
1981	1.27	1.51	1.27	4.57	7.94	8.59	10.0	7.39	2.66	3.36	1.47	1.42	4.23	1981
1982	1.10	0.925	1.11	78.3	28.6	8.25	5.95	3.87	2.01	1.99	1.01	1.03	11.1	1982
MEAN	0.944	1.14	2.04	21.7	13.4	4.88	3.07	1.33	1.08	0.947	1.06	0.950	5.46	MEAN

LOCATION - LAT 50 39 16 N DRAINAGE AREA, 18 200 km²
LONG 104 51 06 W REGULATED

REMARKS - A DISCHARGE ESTIMATED AT 142 m³/s OCCURRED IN 1904

QU'APPELLE RIVER NEAR LUMSDEN - STATION NO. 05JF001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	---	---	---	1911
1912	---	25.0 ON MAY 17	0.007 ON MAR 7	96 100	1912
1913	---	22.9 ON APR 1	0 B ON JAN 12 *	54 500	1913
1914	---	5.30 ON APR 17	0 B ON FEB 2	14 200	1914
1915	---	0.530 ON APR 13	0 B ON FEB 16	4 190	1915
1916	---	68.2 ON APR 22	0.001B ON MAR 1	181 000	1916
1917	---	59.5 E ON APR 16	0 B ON DEC 24	149 000	1917
1918	---	27.9 ON MAR 22	0 B ON JAN 6	51 500	1918
1919	---	9.32 ON APR 23	0 ON JUL 24	18 600	1919
1920	---	20.3 B ON APR 21	0.001B ON JAN 13	71 700	1920
1921	---	3.40 ON APR 23	0 B ON JAN 12	19 300	1921
1922	---	72.8 B ON APR 7	0 B ON FEB 25	203 000	1922
1923	---	24.7 B ON APR 13	0.059B ON FEB 14	---	1923
1928	---	41.6 ON APR 2	---	---	1928
1929	---	1.33 ON JUN 17	0 B ON MAR 1	---	1929
1930	---	19.5 B ON APR 5	0.057B ON MAR 1	---	1930
1931	---	---	---	---	1931
1944	---	2.83 ON JUN 18	0 B ON MAR 1	---	1944
1945	---	1.90 B ON MAR 24	0 B ON MAR 1	---	1945
1946	---	13.6 B ON MAR 22	---	---	1946
1947	---	48.1 ON APR 20	0.057B ON MAR 1	---	1947
1948	---	95.7 ON MAY 1	0.142B ON MAR 1	---	1948
1949	---	8.21 ON APR 19	0.113B ON MAR 21	---	1949
1950	---	26.1 ON APR 27	0.170B ON MAR 1	---	1950
1951	---	44.2 ON MAY 4	0.040 ON AUG 22	---	1951
1952	---	44.5 B ON APR 6	0.113B ON MAR 1	---	1952
1953	---	35.7 ON JUL 8	0.057B ON MAR 1	---	1953
1954	---	15.1 ON SEP 23	0.388 ON AUG 20	---	1954
1955	---	91.5 ON MAY 6	0.311B ON MAR 1	---	1955
1956	119 AT 12:00 CST ON APR 21	119 ON APR 21	0.198B ON MAR 1	---	1956
1957	---	26.9 B ON APR 6	0.170B ON MAR 1	---	1957
1958	17.2 AT 10:00 CST ON APR 9	17.1 ON APR 9	0.198B ON MAR 23	---	1958
1959	3.68B AT 16:30 CST ON MAR 18	3.57 B ON MAR 18	0.246 ON AUG 27	---	1959
1960	---	49.8 B ON APR 5	0.057 ON AUG 26	---	1960
1961	11.6 RB AT 18:00 CST ON MAR 20	10.7 B ON MAR 21	0.164 ON OCT 14	---	1961
1962	19.9 B AT 11:00 CST ON APR 8	18.6 B ON APR 8	0.023B ON MAR 15	---	1962
1963	10.1 AT 09:00 CST ON JUL 13	9.74 ON JUL 22	0.102B ON MAR 1	---	1963
1964	8.50 AT 09:30 CST ON APR 26	7.31 ON APR 26	0.320B ON MAR 1	---	1964
1965	28.6 B AT 09:00 CST ON APR 16	27.9 B ON APR 15	0.071 ON OCT 28	---	1965
1966	27.4 B AT 12:00 CST ON APR 2	25.8 B ON APR 2	0.028 ON NOV 1	---	1966
1967	---	64.8 ON APR 19	0.235 ON SEP 3	---	1967
1968	20.1 B AT 09:00 CST ON MAR 8	18.9 B ON MAR 7	0.368 ON OCT 7	121 000	1968
1969	193 ON APR 16	187 ON APR 16	0.340B ON OCT 29	327 000	1969
1970	---	63.7 ON MAY 17	0.343 ON OCT 24	316 000	1970
1971	130 AT 22:00 CST ON APR 14	124 ON APR 14	0.082 ON OCT 15	221 000	1971
1972	23.3 B AT 11:00 CST ON MAR 27	23.2 B ON MAR 27	0.256 ON OCT 28	92 100	1972
1973	11.0 AT 18:47 CST ON MAY 11	10.6 ON MAY 11	0.631B ON JAN 8	78 400	1973
1974	442 AT 06:19 CST ON APR 25 *	436 ON APR 25 *	0.532 ON OCT 16	690 000	1974
1975	128 AT 17:50 CST ON MAY 3	127 ON MAY 1	0.371 ON OCT 21	349 000	1975
1976	168 AT 15:55 CST ON APR 8	167 ON APR 8	0.388 ON OCT 6	472 000	1976
1977	14.2 AT 00:30 CST ON MAY 30	12.8 ON MAY 30	0.348 ON OCT 7	53 900	1977
1978	26.8 B AT 21:34 CST ON APR 6	25.9 B ON APR 7	0.136 ON OCT 22	76 200	1978
1979	94.2 AT 08:42 CST ON APR 28	94.1 ON APR 28	0.270 ON SEP 8	252 000	1979
1980	24.4 B AT 06:09 CST ON APR 10	23.5 B ON APR 10	0.543B ON DEC 20	81 500	1980
1981	13.6 AT 02:03 CST ON JUL 21	12.8 ON JUL 21	0.777B ON MAR 22	133 000	1981
1982	219 AT 16:31 CST ON APR 21	210 ON APR 21	0.482B ON MAR 25	351 000	1982
				172 000	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

QU'APPELLE RIVER NEAR WELBY - STATION NO. 05JM001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1942	---	---	---	---	---	---	0.698	5.37	3.96	---	---	---	---	1942
1943	---	---	---	39.5	27.2	16.2	6.87	2.67	1.90	0.922	---	---	---	1943
1944	---	---	---	3.56	2.11	6.18	2.15	0.798	1.62	1.23	---	---	---	1944
1945	---	---	---	3.71	3.41	2.09	2.11	0.470	0.535	0.762	---	---	---	1945
1946	---	---	---	11.7	2.72	1.34	6.90	0.642	0.854	1.02	---	---	---	1946
1947	---	---	---	28.3	34.8	25.1	15.2	1.97	1.76	1.46	---	---	---	1947
1948	---	---	---	22.6	44.0	18.4	8.16	1.08	0.384	0.583	---	---	---	1948
1949	---	---	---	7.94	1.81	5.14	1.16	0.586	0.433	0.870	1.13	---	---	1949
1950	---	---	---	11.1	6.33	3.93	3.92	2.46	1.03	0.826	0.776	0.493	---	1950
1951	0.610	0.553	0.726	13.8	11.8	8.58	5.28	1.12	0.925	1.58	1.24	0.809	3.92	1951
1952	0.478	0.579	0.798	18.7	7.67	4.07	1.73	0.862	1.30	0.982	0.771	0.534	3.18	1952
1953	0.458	0.600	1.25	27.8	15.0	20.7	14.8	9.53	5.43	4.17	3.42	2.80	8.84	1953
1954	1.87	2.22	2.95	18.4	18.4	47.0	74.1	33.7	16.0	21.0	15.6	10.3	21.9	1954
1955	7.99	7.01	6.80	78.7	141	68.6	51.8	38.3	27.4	---	---	---	---	1955
1974	---	---	3.20	33.7	70.1	61.7	33.1	25.7	23.3	19.9	16.2	12.6	---	1974
1975	9.61	8.61	7.42	30.9	78.5	45.9	22.6	14.7	16.5	14.9	13.0	7.65	22.6	1975
1976	6.46	5.92	5.92	106	70.3	41.9	27.2	16.9	9.06	11.6	9.55	8.26	26.5	1976
1977	5.48	4.11	3.46	2.43	2.89	3.04	2.13	0.784	0.373	2.67	4.84	2.36	2.87	1977
1978	0.923	0.364	0.596	7.45	5.35	4.07	2.59	1.02	0.273	1.96	4.15	1.65	2.54	1978
1979	1.21	1.33	1.51	21.9	54.9	26.9	7.27	3.33	2.39	3.49	5.84	6.58	11.4	1979
1980	5.49	3.70	2.76	11.8	4.09	0.880	0.502	0.321	0.201	3.55	6.88	3.14	3.60	1980
1981	1.75	2.77	2.89	1.22	0.954	0.992	0.191	0.940	1.61	3.72	5.54	3.20	2.14	1981
1982	1.55	1.06	1.63	14.1	28.0	16.4	3.77	3.38	2.04	8.36	8.17	6.20	7.92	1982
MEAN	3.38	2.99	2.99	23.2	28.7	19.5	12.8	7.24	5.19	5.03	6.47	4.76	9.78	MEAN

LOCATION - LAT 50 29 28 N LONG 101 33 28 W DRAINAGE AREA, 50 800 km²
REGULATED

QU'APPELLE RIVER NEAR WELBY - STATION NO. 05JM001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1942	---	---	---	---	1942
1943	---	64.8 ON APR 9	---	---	1943
1944	---	10.6 ON JUN 29	0 B ON APR 1 *	---	1944
1945	---	14.2 B ON MAR 28	---	---	1945
1946	---	43.0 B ON MAR 30	---	---	1946
1947	---	56.9 ON JUN 29	---	---	1947
1948	---	78.2 ON APR 24	---	---	1948
1949	---	33.7 B ON APR 10	---	---	1949
1950	---	37.4 ON APR 19	---	---	1950
1951	---	23.2 B ON APR 12	0.538B ON FEB 1	124 000	1951
1952	---	34.5 ON APR 8	0.311B ON JAN 20	101 000	1952
1953	---	52.1 ON APR 5	0.425B ON JAN 1	279 000	1953
1954	---	92.0 ON JUL 1	1.56 B ON JAN 17	691 000	1954
1955	---	251 ON MAY 11 *	---	---	1955
1974	---	99.1 B ON APR 17	---	---	1974
1975	102 AT 14:13 CST ON MAY 6	99.4 ON MAY 7	6.40 B ON MAR 30	713 000	1975
1976	168 AT 00:48 CST ON APR 18 *	167 B ON APR 9	4.64 B ON MAR 1	839 000	1976
1977	7.96 AT 15:13 CST ON NOV 8	7.96 ON NOV 8	0.204 ON AUG 30	90 600	1977
1978	10.3 AT 04:52 CST ON APR 15	10.0 ON APR 15	0.144B ON MAR 16	79 900	1978
1979	82.8 B AT 21:39 CST ON APR 24	80.5 B ON APR 24	1.04 B ON JAN 14	361 000	1979
1980	19.2 AT 16:01 CST ON APR 20	19.0 ON APR 20	0.103 ON AUG 1	114 000	1980
1981	7.66 AT 14:10 CST ON NOV 4	7.44 ON NOV 4	0.033 ON JUL 28	67 600	1981
1982	44.6 B AT 15:56 CST ON APR 16	40.2 B ON APR 16	0.993B ON FEB 9	250 000	1982
				309 000	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

QUILL CREEK NEAR QUILL LAKE - STATION NO. 05HA020

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1963	---	---	0.133	0.119	---	---	---	---	---	---	---	---	---	1963
1964	---	---	---	0.164	---	---	---	---	---	---	---	---	---	1964
1966	---	---	0.001	1.61	---	---	---	---	---	---	---	---	---	1966
1967	---	---	---	0.946	1.09	---	---	---	---	---	---	---	---	1967
1968	---	---	---	0.212	---	---	---	---	---	---	---	---	---	1968
1969	---	---	---	1.59	---	---	---	---	---	---	---	---	---	1969
1970	---	---	---	1.97	0.890	---	---	---	---	---	---	---	---	1970
1971	---	---	---	1.02	---	---	---	---	---	---	---	---	---	1971
1972	---	---	---	---	0.874	---	---	---	---	---	---	---	---	1972
1973	---	---	0.033	0.008	0	0.128	0.118	0.010	0	0	---	---	0.037	1973
1974	---	---	0	3.21	1.01	0.154	0.008	0.020	0.015	0.016	---	---	0.547	1974
1975	---	---	0	3.78	2.23	0.075	0.006	0	0	0	---	---	0.756	1975
1976	---	---	0	1.76	0.053	0.195	0.092	0.001	0	0	---	---	0.258	1976
1977	---	---	0	0.262	0.069	0.019	0	0	0	0	---	---	0.043	1977
1978	---	---	0.017	1.40	0.046	0	0.013	0	0	0	---	---	0.181	1978
1979	---	---	0	4.15	1.77	0.051	0	0	0	0	---	---	0.739	1979
1980	---	---	0	1.38	0.017	0	0	0	0	0	---	---	0.171	1980
1981	---	0	0.009	0.001	0	0	0	0	0	0	---	---	0.001	1981
1982	---	---	0	0.173	0	0.014	0	0	0	0	---	---	0.023	1982
MEAN	---	0	0.016	1.32	0.619	0.064	0.024	0.003	0.002	0.002	---	---	0.276	MEAN

LOCATION - LAT 52 00 11 N LONG 104 14 50 W DRAINAGE AREA, 274 km²
NATURAL FLOW

QUILL CREEK NEAR QUILL LAKE - STATION NO. 05MA020

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1963	---	0.708 ON MAR 25	0 ON MAR 1 *	---	1963
1964	---	---	---	---	1964
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	0B ON APR 1	---	1971
1972	---	---	---	---	1972
1973	0.496 AT 16:48 CST ON JUN 6	0.467 ON JUN 6	0B ON MAR 1	784	1973
1974	17.4 B AT 18:20 CST ON APR 20	16.3 ON APR 21	0B ON MAR 1	11 600	1974
1975	22.2 AT 00:09 CST ON APR 29 *	21.2 ON APR 29 *	0B ON MAR 1	16 000	1975
1976	11.3 AT 04:44 CST ON APR 9	9.85 ON APR 9	0B ON MAR 1	5 470	1976
1977	2.49 AT 13:25 CST ON APR 9	1.50 ON APR 9	0B ON MAR 1	914	1977
1978	3.79 B AT 04:44 CST ON APR 9	3.17 B ON APR 9	0B ON MAR 1	3 830	1978
1979	18.4 B AT 04:05 CST ON APR 24	17.4 B ON APR 24	0B ON MAR 1	15 700	1979
1980	6.93 AT 01:52 CST ON APR 14	6.68 ON APR 14	0B ON MAR 1	3 620	1980
1981	0.078 AT 06:48 CST ON MAR 27	0.071 ON MAR 27	0B ON MAR 1	26.9	1981
1982	1.61 AT 11:15 CST ON APR 16	0.939B ON APR 16	0B ON MAR 1	484	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		5 840	MEAN

RABBIT CREEK NEAR MAKWA - STATION NO. 06AD005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAY TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1933	---	---	---	---	2.31	2.51	0.566	0.171	0.423	---	---	---	---	1933
1934	---	---	---	---	0.999	0.504	0.716	0.124	0.012	0.013	---	---	0.396	1934
1935	---	---	---	---	0.737	0.152	0.032	0.003	0.004	0.042	---	---	0.163	1935
1936	---	---	---	---	0.110	0.108	0.040	0	0	0.005	---	---	0.044	1936
1937	---	---	---	---	0.773	0.277	0.093	0.057	0	0	---	---	0.200	1937
1938	---	---	---	---	0.076	0.035	0.018	0.004	0	0	---	---	0.022	1938
1939	---	---	---	---	0.260	0.194	0.152	0.011	---	---	---	---	---	1939
1940	---	---	---	---	0.008	0.012	0.001	0	0	0	---	---	0.003	1940
MEAN	---	---	---	---	0.659	0.474	0.202	0.046	0.063	0.010	---	---	0.138	MEAN

LOCATION - LAT 54 03 29 N, LONG 108 51 07 W DRAINAGE AREA, 290 km^2, NATURAL FLOW

RABBIT CREEK NEAR MAKWA - STATION NO. 06AD005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAY TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1933	---	5.21 ON MAY 28 *	0 ON AUG 31 *	---	1933
1934	---	2.58 ON MAY 1	0.006 ON SEP 7	6 300	1934
1935	---	1.62 ON MAY 1	0 ON AUG 6	2 580	1935
1936	---	0.136 ON JUN 18	0 ON JUL 28	697	1936
1937	---	1.19 ON MAY 17	0 ON JUL 3	3 190	1937
1938	---	0.088 ON MAY 10	0 ON JUL 31	352	1938
1939	---	---	0 ON AUG 17	---	1939
1940	---	0.023 ON JUN 1	0 ON JUL 9	53.5	1940
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		2 200	MEAN

RADOUGA CREEK NEAR BLAINE LAKE - STATION NO. 05GE001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1964	---	---	0	0.047	---	---	---	---	---	---	---	---	---	1964
1965	---	---	0	0.118	0.005	---	---	---	---	---	---	---	---	1965
1966	---	---	0	0.083	0.005	---	---	---	---	---	---	---	---	1966
1967	---	---	0	0.301	0	---	---	---	---	---	---	---	---	1967
1968	---	---	0.002	---	---	---	---	---	---	---	---	---	---	1968
1969	---	---	0	0.649	---	---	---	---	---	---	---	---	---	1969
1972	---	---	---	---	---	---	---	---	---	---	---	---	---	1972
1974	---	---	0	0.087	0.033	---	---	---	---	---	---	---	---	1974
1975	---	---	0	0.425	1.24	1.31	0.859	0.442	0.106	0.075	---	---	0.556	1975
1976	---	---	0	0.440	0.207	0.013	0.011	0	0	0	---	---	0.083	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0	0.003	0	0	0	0	0	0	---	---	0	1978
1979	---	---	0	0.462	0.423	0.105	0.010	0	0	0	---	---	0.124	1979
1980	---	---	0	0.014	0	0	0	0	0	0	---	---	0.002	1980
1981	---	---	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	0	0	0	0	0	0	0	---	---	0	1982
MEAN	---	---	0	0.166	0.159	0.179	0.110	0.055	0.013	0.009	---	---	0.096	MEAN

LOCATION - LAT 52 41 37 N, LONG 106 52 26 W DRAINAGE AREA, 1 150 km^2, NATURAL FLOW

RADOUGA CREEK NEAR BLAINE LAKE - STATION NO. 05GE001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1964	---	---	0B ON MAR 1 *	---	1964
1965	---	0.496 ON APR 21	0B ON MAR 1	---	1965
1966	---	0.181 ON APR 7	0B ON MAR 1	---	1966
1967	---	---	0B ON MAR 1	---	1967
1968	---	---	0B ON MAR 1	---	1968
1969	---	2.10 ON APR 15	0B ON MAR 1	---	1969
1972	---	---	0 ON APR 30	---	1972
1974	---	0.283 ON APR 21	0B ON MAR 1	---	1974
1975	---	1.56 ON JUN 5	0B ON MAR 1	11 800	1975
1976	---	1.10 ON APR 11	0B ON MAR 1	1 760	1976
1977	---	0 ON MAR 1	0 ON MAR 1	0	1977
1978	---	0.009 ON APR 5	0B ON MAR 1	7.17	1978
1979	---	2.28 ON APR 26 *	0B ON MAR 1	2 630	1979
1980	---	0.250 ON APR 14	0B ON MAR 1	35.7	1980
1981	---	0.002B ON MAR 17	0B ON MAR 1	0.95	1981
1982	0B AT 00:01 CST ON MAR 1 *	0 ON MAR 1	0 ON MAR 1	0	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		2 030	MEAN

RANCH CREEK NEAR ANNAHEIM - STATION NO. 05NA013

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	---	---	---	---	---	---	0	0	---	---	---	1968
1969	---	---	0	0.669	0	0	0	0	0	0	---	---	0.082	1969
1970	---	---	0	0.578	0.017	0	0	0	0	0	---	---	0.073	1970
MEAN	---	---	0	0.624	0.009	0	0	0	0	0	---	---	0.078	MEAN

LOCATION - LAT 52 19 05 N DRAINAGE AREA, 40.4 km^2
LONG 104 49 57 W NATURAL FLOW

RANCH CREEK NEAR ANNAHEIM - STATION NO. 05NA013

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	---	---	---	1968
1969	---	3.37B ON APR 10 *	0B ON MAR 1 *	1 730	1969
1970	---	2.66 ON APR 13	0B ON MAR 1	1 550	1970
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		1 640	MEAN

RANCH CREEK NEAR ANNAHEIM - STATION NO. 05NA014

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1971	---	---	0	0.836	0.023	0.016	0.104	0.019	0	0	---	---	0.123	1971
1972	---	---	0	1.64	0.267	0.003	0	0	0	0	---	---	0.232	1972
1973	---	---	0.011	0.007	0.009	0.106	0.002	0	0	0	---	---	0.016	1973
1974	---	---	0	1.35	0.170	0.018	0	0.009	0.007	0.005	---	---	0.192	1974
1975	---	---	0	0.905	0.209	0.018	0	0	0	0	---	---	0.139	1975
1976	---	---	0	0.865	0.008	0.031	0.027	0	0	0	---	---	0.116	1976
1977	---	---	0.003	0.012	0.003	0	0	0	0	0	---	---	0.002	1977
1978	---	---	0.122	0.375	0.008	0.005	0	0	0	0	---	---	0.063	1978
1979	---	---	0	1.45	0.186	0.005	0	0	0	0	---	---	0.202	1979
1980	---	---	0	0.929	0.001	0	0	0	0	0	---	---	0.114	1980
1981	---	---	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0.010	0.266	0.009	0.004	0.624	0.017	0.004	0.004	---	---	0.118	1982
MEAN	---	---	0.012	0.720	0.073	0.017	0.063	0.008	0.001	0.001	---	---	0.110	MEAN

LOCATION - LAT 52 20 45 N DRAINAGE AREA, 69.7 km^2
LONG 104 48 40 W NATURAL FLOW

RANCH CREEK NEAR ANNAHEIM - STATION NO. 05MA014

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1971	5.78 AT 19:00 CST ON APR 14	5.47 ON APR 14	0B ON MAR 1 *	2 600	1971
1972	9.32 B AT 07:33 CST ON APR 17	7.02 B ON APR 15	0B ON MAR 1	4 920	1972
1973	0.756 AT 20:24 CST ON JUN 4	0.476 ON JUN 5	0B ON MAR 1	350	1973
1974	11.3 AT 00:04 CST ON APR 20 *	8.24 B ON APR 19 *	0B ON MAR 1	4 070	1974
1975	6.65 AT 09:14 CST ON APR 20	4.53 ON APR 20	0B ON MAR 1	2 950	1975
1976	5.24 AT 22:39 CST ON APR 8	5.10 ON APR 9	0B ON MAR 1	2 420	1976
1977	0.278 AT 07:14 CST ON APR 8	0.099 ON APR 8	0B ON MAR 1	46.7	1977
1978	---	2.07 B ON MAR 30	0B ON MAR 1	1 330	1978
1979	8.99 B AT 10:00 CST ON APR 22	6.64 ON APR 24	0B ON MAR 1	4 270	1979
1980	6.35 B AT 10:00 CST ON APR 11	4.51 B ON APR 11	0B ON MAR 1	2 410	1980
1981	0.011 AT 13:45 CST ON MAR 29	0.004 ON MAR 29	0B ON MAR 1	0.60	1981
1982	7.72 AT 04:37 CST ON JUL 15	5.99 ON JUL 15	0B ON MAR 1	2 480	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		2 320	MEAN

RAPID RIVER AT OUTLET OF LAC LA RONGE - STATION NO. 06CB002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1959	29.2	28.6	27.4	27.9	30.7	36.6	41.8	39.0	36.0	31.9	30.0	29.4	32.4	1959
1960	28.7	28.1	26.9	27.8	31.2	44.3	49.3	47.2	43.3	37.4	34.2	32.7	36.0	1960
1961	32.6	31.7	32.0	32.9	36.0	42.4	39.6	36.1	29.8	26.1	24.5	24.2	32.3	1961
1962	24.0	24.0	23.3	23.1	24.4	31.1	31.4	28.9	24.3	22.3	20.3	19.4	24.7	1962
1963	19.3	19.1	18.7	18.6	19.1	22.3	32.4	35.9	35.2	32.5	29.7	27.3	25.9	1963
1964	26.9	26.8	26.6	26.1	27.7	29.0	26.1	23.9	24.5	25.9	25.1	24.3	26.1	1964
1965	24.9	24.9	25.0	24.7	28.3	33.9	39.1	41.4	39.5	37.7	36.4	36.3	32.7	1965
1966	37.1	36.7	35.3	34.4	33.9	37.0	43.6	47.5	44.9	41.3	36.2	36.3	38.7	1966
1967	36.1	36.1	35.4	34.1	34.3	39.0	44.1	46.0	40.3	41.3	36.2	36.0	38.3	1967
MEAN	28.8	28.4	27.8	27.7	29.5	35.1	38.6	38.4	35.3	32.9	30.3	29.5	31.9	MEAN

LOCATION - LAT 55 19 43 N DRAINAGE AREA, 15 500 km^2
LONG 104 32 38 W REGULATED SINCE 1966

RAPID RIVER AT OUTLET OF LAC LA RONGE - STATION NO. 06CB002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1959	---	42.5E ON JUL 13	26.6 ON MAR 9	1 020 000	1959
1960	---	49.8 ON JUL 10 *	24.6 ON MAR 27	1 140 000	1960
1961	---	43.6 ON JUN 5	24.1 ON NOV 5	1 020 000	1961
1962	---	34.0E ON JUN 26	19.1 ON DEC 2	779 000	1962
1963	---	36.8 ON AUG 15	18.3 ON APR 29 *	817 000	1963
1964	---	30.6 ON MAY 24	23.2E ON AUG 15	825 000	1964
1965	---	41.9 ON AUG 1	24.4 ON FEB 1	1 030 000	1965
1966	---	48.1E ON AUG 27	33.4 ON MAY 15	1 220 000	1966
1967	---	47.0 ON AUG 6	33.4E ON APR 22	1 210 000	1967
	E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		1 010 000	MEAN

RED DEER RIVER NEAR ARCHERWILL - STATION NO. 05LA005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1966	---	---	---	---	11.6	---	---	---	---	---	---	---	---	1966
1967	---	---	---	---	---	3.52	---	---	---	---	---	---	---	1967
1969	---	---	---	3.21	---	---	---	---	---	---	---	---	---	1969
1972	---	---	---	---	27.1	---	---	---	---	---	---	---	---	1972
1974	---	---	---	6.22	26.2	12.1	---	---	---	---	---	---	---	1974
1975	---	---	0	4.66	23.1	6.68	0.058	0.010	0.005	0.085	---	---	4.32	1975
1976	---	---	0	6.67	7.35	0.462	2.62	0.489	0.032	0.006	---	---	2.20	1976
1977	---	---	0	1.25	1.42	0.219	0.010	0	0.001	0	---	---	0.361	1977
1978	---	---	0	1.20	1.79	1.75	0.426	0.049	0.067	0.043	---	---	0.661	1978
1979	---	---	0	4.01	30.4	5.24	1.97	0.269	0.011	0.006	---	---	5.26	1979
1980	---	---	0	0.910	1.23	0.014	0.009	0.026	0.003	0.116	---	---	0.288	1980
1981	---	---	0.015	0.726	1.02	0.276	0.135	0.025	0.017	0.046	---	---	0.281	1981
1982	---	---	0	0.363	0.379	0.482	0.648	0.324	0.216	0.117	---	---	0.316	1982
MEAN	---	---	0.002	2.82	12.0	3.07	0.735	0.152	0.044	0.042	---	---	1.71	MEAN

LOCATION - LAT 52 26 06 N DRAINAGE AREA, 1 870 km^2
LONG 103 41 49 W REGULATED

RED DEER RIVER NEAR ARCHERWILL - STATION NO. 05LA005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1969	---	---	---	---	1969
1972	---	---	---	---	1972
1974	---	---	---	---	1974
1975	---	32.8 ON MAY 5	0B ON MAR 1 *	91 400	1975
1976	---	23.6 ON APR 27	0B ON MAR 1	46 600	1976
1977	---	2.47 ON APR 21	0B ON MAR 1	7 650	1977
1978	6.20 AT 21:07 CST ON MAY 5	5.86 ON APR 26	0B ON MAR 1	14 000	1978
1979	44.2 AT 17:54 CST ON MAY 5 *	43.4 ON MAY 6 *	0B ON MAR 1	111 000	1979
1980	2.21 AT 14:46 CST ON APR 29	2.03 ON APR 29	0B ON MAR 1	6 100	1980
1981	6.32 AT 20:41 CST ON MAY 17	3.78 ON MAY 18	0B ON MAR 1	5 960	1981
1982	8.01 AT 23:38 CST ON JUL 22	5.94 ON JUL 23	0B ON MAR 1	6 690	1982
				36 200	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

RED DEER RIVER NEAR ERWOOD - STATION NO. 05LC001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1954	---	---	---	---	183	288	78.1	48.2	71.3	51.0	---	---	---	1954
1955	---	---	---	---	232	50.8	14.6	4.20	1.54	2.60	---	---	---	1955
1956	---	---	---	19.0	156	47.0	32.0	7.29	5.04	4.02	---	---	---	1956
1957	---	---	1.42	108	126	24.3	7.54	2.22	3.33	1.56	---	---	---	1957
1958	---	---	0.870	23.0	11.9	6.13	8.09	0.664	3.28	7.23	---	---	---	1958
1959	---	---	0.584	23.7	23.6	12.3	19.8	3.15	9.56	12.3	---	---	---	1959
1960	---	---	1.82	85.3	74.6	42.0	9.63	4.19	0.322	0.833	---	---	---	1960
1961	---	---	2.82	13.2	14.6	2.47	0.141	0.067	0.021	0.253	---	---	---	1961
1962	---	---	0	32.9	34.3	4.59	0.719	0.418	1.76	1.63	---	---	---	1962
1963	---	---	0.221	18.1	6.99	5.21	7.23	2.14	2.77	1.67	---	---	---	1963
1964	---	---	---	---	46.7	3.58	1.91	1.91	9.65	8.48	---	---	---	1964
1965	---	---	0.453	26.3	50.4	121	47.0	14.4	10.4	10.9	---	---	---	1965
1966	---	---	0.816	90.7	79.5	60.8	38.7	13.6	7.21	4.53	---	---	---	1966
1967	---	---	1.53	4.98	132	25.8	3.89	3.17	0.235	0.756	---	---	---	1967
1968	---	---	3.22	19.0	11.4	14.4	24.5	7.44	9.94	5.79	---	---	---	1968
1969	---	---	1.12	59.6	16.3	4.51	2.64	1.92	0.629	9.46	---	---	---	1969
1970	---	---	1.01	34.8	81.4	34.6	50.9	6.33	2.69	6.70	---	---	---	1970
1971	---	---	1.12	75.2	27.9	9.56	10.4	5.52	1.62	11.2	---	---	---	1971
1972	---	---	0.970	105	164	23.2	7.09	2.34	0.987	2.11	---	---	---	1972
1973	---	---	0.248	15.0	20.9	60.7	51.1	9.79	3.40	2.99	2.62	2.26	---	1973
1974	1.34	1.33	1.41	84.2	149	55.8	8.57	6.68	11.8	11.5	4.04	2.50	28.3	1974
1975	2.20	2.20	2.24	51.4	110	50.7	12.7	2.99	5.64	9.89	4.07	1.61	21.4	1975
1976	1.28	1.69	1.33	64.9	25.9	63.0	29.0	5.38	1.21	1.58	0.418	0.096	16.2	1976
1977	0.075	0.033	0.040	8.82	11.8	5.06	2.39	5.21	10.4	7.46	3.90	1.86	4.77	1977
1978	0.770	0.322	0.292	54.0	39.8	11.2	5.37	13.8	11.3	15.9	9.61	2.44	13.8	1978
1979	0.919	0.372	0.458	75.3	177	78.5	10.5	1.95	0.846	1.33	2.52	1.57	29.4	1979
1980	0.710	0.865	0.900	22.6	6.45	1.31	4.60	6.18	6.74	9.00	1.97	0.831	5.18	1980
1981	0.289	0.109	1.89	11.1	9.35	3.62	4.16	2.37	0.670	10.2	6.83	0.514	4.28	1981
1982	0.158	0.070	0.135	20.4	16.4	26.2	4.29	3.20	2.29	3.55	0.861	0.290	6.48	1982
MEAN	0.860	0.777	1.08	43.9	70.3	39.2	17.2	6.44	6.78	7.46	3.68	1.40	14.4	MEAN

LOCATION - LAT 52 51 36 N LONG 102 11 39 W DRAINAGE AREA, 11 000 km^2 NATURAL FLOW

REMARKS - STATION LOCATED IN SE11-45-02-W2 PRIOR TO AUG 1975

RED DEER RIVER NEAR ERWOOD - STATION NO. 05LC001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1954	---	479 ON JUN 11 *	---	---	1954
1955	---	476 E ON MAY 8	---	---	1955
1956	---	238 ON MAY 13	---	---	1956
1957	---	368 ON APR 24	0.934 ON AUG 24	---	1957
1958	---	36.5 ON APR 7	0.113B ON MAR 1	---	1958
1959	---	87.2 ON JUN 30	0.283B ON MAR 1	---	1959
1960	---	192 ON APR 21	0.127 ON SEP 29	---	1960
1961	---	25.9 ON APR 22	0.011 ON SEP 15	---	1961
1962	---	184 ON APR 23	0 B ON MAR 1 *	---	1962
1963	---	36.0B ON APR 15	0.162B ON MAR 1	---	1963
1964	---	---	---	---	1964
1965	---	391 ON JUN 5	0.453B ON MAR 1	---	1965
1966	---	345 ON APR 16	0.799B ON MAR 1	---	1966
1967	---	220 ON MAY 7	0 ON SEP 8	---	1967
1968	---	106 ON JUL 2	0.957B ON MAR 20	---	1968
1969	---	163 ON APR 14	0.345 ON AUG 27	---	1969
1970	---	163 A ON MAY 4	1.01 B ON MAR 1	---	1970
1971	---	227 B ON APR 17	0.705 ON SEP 14	---	1971
1972	462 AT 06:55 CST ON APR 27 *	439 ON APR 27	0.374 ON SEP 14	---	1972
1973	116 AT 17:12 CST ON JUL 7	115 ON JUL 7	0.028B ON MAR 1	---	1973
1974	---	314 E ON APR 22	1.16 B ON JAN 16	893 000	1974
1975	265 AT 21:03 CST ON APR 22	206 ON APR 23	0.770B ON DEC 14	674 000	1975
1976	171 AT 08:58 CST ON JUN 26	168 ON JUN 26	0.011B ON NOV 30	512 000	1976
1977	---	21.2B ON APR 20	0.018B ON FEB 11	150 000	1977
1978	178 A AT 19:00 CST ON APR 22	176 A ON APR 22	0.122B ON MAR 20	434 000	1978
1979	311 B AT 22:27 CST ON APR 22	283 ON APR 24	0.275B ON FEB 12	927 000	1979
1980	87.5B AT 00:47 CST ON APR 15	65.3B ON APR 15	0.167B ON DEC 31	164 000	1980
1981	18.9 AT 12:26 CST ON OCT 20	18.8 ON OCT 20	0.036B ON FEB 19	135 000	1981
1982	70.0 AT 11:26 CST ON JUN 2	69.5 ON JUN 2	0.057B ON FEB 28	304 000	1982
				455 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

RED DEER RIVER NEAR HUDSON BAY - STATION NO. 05LC002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1913	---	---	---	---	---	---	---	---	---	---	---	---	---	1913
1914	1.98	1.42	0.850	51.0	85.2	29.8	7.59	2.20	2.25	2.35	1.70	0.708	15.6	1914
1915	0.028	0	0.028	7.80	3.76	4.30	20.1	4.55	2.29	2.25	1.02	0.192	3.89	1915
1916	---	---	---	---	170	181	58.0	26.4	10.5	15.3	12.7	---	---	1916
1917	---	---	---	19.8	150	60.0	47.2	7.39	4.69	2.82	---	---	---	1917
1918	---	---	---	18.4	13.2	33.9	36.2	20.9	5.56	6.69	---	---	---	1918
1919	---	---	---	17.6	38.7	24.7	24.4	14.9	13.7	---	---	---	---	1919
1950	---	---	---	---	---	---	---	20.3	4.27	4.93	---	---	---	1950
1951	---	---	---	---	88.5	30.6	25.7	17.1	36.7	51.2	10.9	---	---	1951
1952	---	---	---	---	63.6	22.5	18.4	8.96	3.17	3.00	3.24	---	---	1952
1953	---	---	---	29.6	61.5	92.1	109	58.3	61.8	13.5	10.1	---	---	1953
MEAN	1.00	0.710	0.439	24.0	74.7	53.2	38.3	21.6	15.7	11.7	6.97	1.60	9.75	MEAN

LOCATION - LAT 52 49 05 N, LONG 102 22 07 W
DRAINAGE AREA, 10 900 km^2
NATURAL FLOW

RED DEER RIVER NEAR HUDSON BAY - STATION NO. 05LC002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1913	---	---	---	---	1913
1914	---	112 ON MAY 11	0.708B ON DEC 1	493 000	1914
1915	---	51.0 ON JUL 18	0 B ON FEB 1 *	123 000	1915
1916	---	---	---	---	1916
1917	---	261 ON MAY 6 *	---	---	1917
1918	---	97.7 ON JUN 30	---	---	1918
1919	---	96.6 ON MAY 17	---	---	1919
1950	---	---	---	---	1950
1951	---	353 ON MAY 2	---	---	1951
1952	---	154 ON MAY 8	---	---	1952
1953	---	237 ON JUN 28	---	---	1953
				308 000	MEAN

B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

RED DEER RIVER NEAR STEEN - STATION NO. 05LB005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1965	---	---	0	4.35	6.39	11.6	9.70	5.63	2.38	1.50	---	---	5.18	1965
1966	---	---	0.180	17.6	20.6	11.3	5.59	3.90	1.92	1.08	---	---	7.73	1966
1967	---	---	0.411	1.99	26.1	7.76	2.26	1.06	0.882	0.856	---	---	4.72	1967
1968	---	---	0.683	5.86	2.46	0.826	0.483	0.495	0.635	0.600	---	---	1.44	1968
1969	---	---	0.079	11.8	6.90	1.89	0.587	0.313	0.075	0.533	---	---	2.73	1969
1970	---	---	0.136	8.59	19.3	7.45	3.33	0.851	0.055	0.080	---	---	4.96	1970
1971	---	---	0.130	6.46	8.02	1.98	7.00	1.08	0.291	0.096	---	---	3.14	1971
1972	---	---	0.212	18.8	45.2	6.32	2.19	0.659	0.183	0.961	---	---	9.33	1972
1973	---	---	0.104	0.554	1.35	8.14	15.9	4.98	0.977	0.458	---	---	4.06	1973
1974	---	---	0.423	19.3	50.1	22.7	2.75	1.26	1.52	1.50	---	---	12.4	1974
1975	---	---	0.589	11.5	43.5	13.4	1.71	0.225	0.044	0.462	---	---	8.93	1975
1976	---	---	0.135	16.7	12.5	3.45	5.84	1.50	0.116	0.121	---	---	5.03	1976
1977	---	---	0.001	3.17	2.47	1.71	0.403	0.199	0.153	0.154	---	---	1.02	1977
1978	---	---	0.078	6.47	5.96	2.40	1.07	0.352	0.159	0.293	---	---	2.09	1978
1979	---	---	0.133	8.17	46.9	14.2	3.41	0.710	0.508	0.139	---	---	9.38	1979
1980	---	---	0.072	3.62	2.92	0.460	0.330	0.028	0.029	0.070	---	---	0.911	1980
1981	---	---	0.263	1.03	1.85	0.830	0.108	0.067	0.078	0.192	---	---	0.551	1981
1982	---	---	0.029	3.95	2.67	1.96	0.654	0.144	0.427	0.112	---	---	1.23	1982
MEAN	---	---	0.203	8.28	16.8	6.58	3.52	1.30	0.535	0.463	---	---	4.71	MEAN

LOCATION - LAT 52 39 16 N DRAINAGE AREA, 3 800 km²
LONG 103 30 56 W REGULATED

RED DEER RIVER NEAR STEEN - STATION NO. 05LB005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1965	---	19.9 ON JUN 29	0 B ON MAR 1 *	110 000	1965
1966	---	42.0 B ON APR 16	0.107B ON MAR 1	168 000	1966
1967	---	42.5 B ON MAY 6	0 E ON SEP 4	100 000	1967
1968	---	11.0 B ON APR 14	0.057B ON MAR 7	30 500	1968
1969	---	26.2 B ON APR 12	0.008 ON SEP 16	57 900	1969
1970	---	30.3 B ON APR 24	0 ON SEP 13	105 000	1970
1971	---	19.5 ON JUL 26	0.014 ON OCT 30	66 500	1971
1972	103 AT 16:59 CST ON APR 28 *	102 ON APR 28 *	0 ON SEP 13	197 000	1972
1973	---	29.7 ON JUL 5	0.093B ON MAR 1	86 000	1973
1974	---	72.2 ON MAY 2	0.323B ON APR 8	263 000	1974
1975	64.6 AT 09:20 CST ON APR 30	64.3 ON MAY 3	0 ON AUG 26	189 000	1975
1976	32.3 AT 18:00 CST ON APR 29	31.7 ON APR 29	0.051E ON SEP 17	106 000	1976
1977	---	5.24B ON APR 14	0 B ON MAR 1	21 700	1977
1978	18.9 B AT 06:41 CST ON APR 22	17.5 ON APR 25	0 ON SEP 9	44 200	1978
1979	66.3 AT 20:25 CST ON MAY 4	66.2 ON MAY 5	0.005 ON SEP 29	197 000	1979
1980	6.87 AT 23:00 CST ON APR 23	6.74 ON APR 26	0 ON AUG 3	19 300	1980
1981	6.65 AT 05:27 CST ON MAY 19	5.41 ON MAY 19	0.010E ON JUL 19	11 700	1981
1982	12.2 B AT 10:15 CST ON APR 19	9.93B ON APR 20	0 ON OCT 8	26 000	1982
				99 700	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD
E - ESTIMATED

REINDEER RIVER AT OUTLET OF REINDEER LAKE - STATION NO. 06DB002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1938	---	---	---	---	---	---	---	---	---	189	220	229	---	1938
1939	246	241	235	233	207	297	309	429	449	407	375	361	316	1939
1940	387	331	305	286	264	289	265	257	242	268	281	245	281	1940
1941	250	248	241	234	197	206	182	226	213	236	240	248	226	1941
1942	266	267	268	247	245	203	147	191	247	322	296	311	251	1942
1943	308	328	337	308	238	189	161	166	206	234	218	271	242	1943
1944	232	253	251	201	178	146	173	152	197	347	307	305	229	1944
1945	300	293	287	286	294	289	292	293	295	294	295	296	293	1945
1946	291	286	279	294	288	298	307	548	845	270	227	274	351	1946
1947	273	270	267	265	232	633	805	289	232	83.1	219	346	326	1947
1948	437	429	414	405	404	661	771	481	289	291	292	292	431	1948
1949	290	288	284	282	290	309	718	788	721	421	412	413	436	1949
1950	408	403	394	387	393	415	417	416	364	295	296	297	374	1950
1951	296	311	311	306	313	329	419	421	414	313	306	302	337	1951
1952	303	340	334	288	271	264	135	120	122	144	214	215	229	1952
1953	247	262	274	297	297	299	300	300	299	301	301	301	290	1953
1954	300	297	295	291	291	298	322	512	395	293	291	250	320	1954
1955	209	223	291	289	125	217	219	219	217	398	414	408	269	1955
1956	401	395	387	379	260	220	171	130	176	170	187	206	256	1956
1957	228	233	230	196	112	0	0	22.5	134	202	218	288	155	1957
1958	286	283	280	277	282	289	293	292	293	294	293	293	288	1958
1959	291	288	284	280	281	422	508	502	496	454	280	280	364	1959
1960	278	275	271	211	221	390	689	641	618	446	299	273	385	1960
1961	226	291	288	287	291	285	216	218	261	277	300	364	275	1961
1962	401	413	408	401	361	306	317	380	375	344	315	353	362	1962
1963	391	436	425	415	265	272	219	232	284	309	367	371	331	1963
1964	416	413	446	416	328	213	241	295	416	385	384	383	361	1964
1965	380	416	421	413	285	279	283	284	284	282	283	282	324	1965
1966	330	344	413	353	322	288	256	257	257	331	285	294	311	1966
1967	395	400	394	386	306	259	275	247	214	286	427	443	335	1967
1968	502	551	522	504	420	398	373	401	384	376	389	440	438	1968
1969	480	462	450	439	351	303	323	361	309	270	347	399	374	1969
1970	444	441	456	455	395	290	48.4	0	0	24.6	63.2	142	229	1970
1971	152	30.0	31.5	32.9	36.1	43.6	401	507	391	329	346	428	229	1971
1972	466	479	477	475	325	305	312	312	313	312	327	427	377	1972
1973	475	483	500	487	391	192	156	159	159	158	161	161	289	1973
1974	194	256	310	334	222	377	247	286	328	216	218	220	267	1974
1975	271	363	380	468	443	323	335	437	432	324	214	283	356	1975
1976	367	382	406	314	265	261	217	305	661	627	434	433	389	1976
1977	483	513	502	434	352	725	859	848	543	426	427	473	549	1977
1978	538	525	484	455	391	292	207	213	403	542	433	431	409	1978
1979	460	493	482	470	460	291	148	127	228	308	308	385	346	1979
1980	421	475	482	435	314	403	411	449	397	390	388	447	417	1980
1981	443	432	422	374	275	210	199	263	372	424	434	420	355	1981
1982	403	383	333	254	119	20.5	0	35.8	70.4	164	376	449	216	1982
MEAN	344	353	353	337	286	295	310	318	331	306	305	326	322	MEAN

LOCATION - LAT 56 14 00 N
LONG 103 09 00 W

DRAINAGE AREA, 60 500 km²
REGULATED SINCE 1929

DATA CONTRIBUTED BY -
CHURCHILL RIVER POWER COMPANY

REINDEER RIVER AT OUTLET OF REINDEER LAKE - STATION NO. 06DB002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1938	---	---	---	---	1938
1939	---	558 ON SEP 3	175 ON MAY 8	9 970 000	1939
1940	---	371 ON FEB 26	217 ON JUL 30	8 900 000	1940
1941	---	467 ON AUG 10	161 ON MAY 19	7 140 000	1941
1942	---	371 ON NOV 14	143 ON JUL 8	7 910 000	1942
1943	---	348 ON MAR 19	109 ON AUG 1	7 640 000	1943
1944	---	399 ON OCT 6	116 ON JUN 9	7 230 000	1944
1945	---	326 ON SEP 23	269 ON AUG 19	9 230 000	1945
1946	---	923 ON AUG 28 *	222 ON NOV 12	11 100 000	1946
1947	---	867 ON JUN 24	74.8 ON OCT 12	10 300 000	1947
1948	---	818 ON JUN 17	283 ON SEP 16	13 600 000	1948
1949	---	807 ON JUL 17	280 ON APR 2	13 700 000	1949
1950	---	422 ON JUL 10	286 ON SEP 23	11 800 000	1950
1951	---	428 ON AUG 19	294 ON JAN 11	10 600 000	1951
1952	---	343 ON JAN 29	115 ON JUL 8	7 230 000	1952
1953	---	306 ON JUL 22	215 ON JAN 1	9 140 000	1953
1954	---	725 ON JUL 31	208 ON DEC 17	10 100 000	1954
1955	---	428 ON OCT 10	0 ON MAY 10 *	8 490 000	1955
1956	---	405 ON JAN 1	79.6E ON AUG 14	8 110 000	1956
1957	---	289 ON NOV 30	0 ON MAY 28	4 880 000	1957
1958	---	303 ON SEP 13	276 ON APR 11	9 080 000	1958
1959	---	518 ON JUL 29	271 ON OCT 30	11 500 000	1959
1960	---	719 ON JUL 7	198 E ON APR 6	12 200 000	1960
1961	---	371 ON DEC 5	212 ON JUL 9	8 670 000	1961
1962	---	422 ON JAN 14	286 ON MAY 16	11 400 000	1962
1963	---	442 ON JAN 25	205 ON JUL 7	10 500 000	1963
1964	---	493 ON SEP 20	204 ON JUN 10	11 400 000	1964
1965	---	428 ON FEB 7	268 ON MAY 4	10 200 000	1965
1966	---	416 ON FEB 26	247 ON JUN 16	9 810 000	1966
1967	---	487 ON DEC 29	210 ON SEP 22	10 600 000	1967
1968	---	561 ON FEB 3	362 ON OCT 4	13 900 000	1968
1969	---	484 ON JAN 1	251 ON OCT 12	11 800 000	1969
1970	---	470 ON APR 16	0 ON JUL 25	7 210 000	1970
1971	---	648 ON JUL 23	29.2 ON JAN 31	7 220 000	1971
1972	---	498 ON JAN 16	292 ON MAY 10	11 900 000	1972
1973	---	510 ON FEB 23	73.9 ON JUN 13	9 120 000	1973
1974	---	428 ON JUN 6	161 ON JAN 1	8 420 000	1974
1975	---	476 ON MAR 28	212 ON NOV 12	11 200 000	1975
1976	---	665 ON SEP 20	212 ON JUL 3	12 300 000	1976
1977	---	875 ON JUL 27	323 ON MAY 5	17 300 000	1977
1978	---	654 ON SEP 22	202 ON JUN 15	12 900 000	1978
1979	---	503 ON JAN 19	122 ON JUL 11	10 900 000	1979
1980	---	500 ON FEB 9	266 ON APR 29	13 200 000	1980
1981	---	474 ON NOV 15	183 ON MAY 29	11 200 000	1981
1982	---	459 ON NOV 28	0 ON JUN 19	6 820 000	1982
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		10 200 000	MEAN

E - ESTIMATED

RICHARDSON DITCH NEAR CONSUL - STATION NO. 11AB058

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1910	---	---	---	---	---	---	---	---	---	---	---	---	---	1910
1911	---	---	---	---	---	---	---	---	---	---	---	---	---	1911
1912	---	---	0	0	0	0	0	0	0	0	---	---	0	1912
1916	---	---	0	0	0	0	0	0	0	0	---	---	0	1916
1917	---	---	0	0	0	0	0	0	0	0	---	---	0	1917
1918	---	---	0	0	0	0.035	0.021	0	0	0.001	---	---	0.007	1918
1919	---	---	0	0	0.056	0.033	0	---	---	---	---	---	---	1919
1920	---	---	0	0	0.013	0.025	0.032	0	0	0	---	---	0.009	1920
1921	---	---	0	0	0	---	---	---	0	0	---	---	---	1921
1922	---	---	0	0	0	0	0	0	0	0	---	---	0	1922
1923	---	---	0	0	0	0	0	0	0	0	---	---	0	1923
1924	---	---	0	0	0	0	0	0	0	0	---	---	0	1924
1925	---	---	0	0	0	0	0	0	0	0	---	---	0	1925
1926	---	---	0	0	0	0	0	0	0	0	---	---	0	1926
1927	---	---	0	0	0	0	0	0	0	0	---	---	0	1927
1928	---	---	0	0	0	0	0	0	0	0	---	---	0	1928
1929	---	---	0	0	0	0	0	0	0	0	---	---	0	1929
1930	---	---	0	0	0	0	0	0	0	0	---	---	0	1930
1931	---	---	0	0	0	0	0	0	0	0	---	---	0	1931
1932	---	---	0	0	0	0	0	0	0	0	---	---	0	1932
1933	---	---	0	0	0	0	0	0	0	0	---	---	0	1933
1935	---	---	0	0	0	0	0	0	0	0	---	---	0	1935
1946	---	---	0	0	0.031	0.142	0.059	0.020	0	0	---	---	0.031	1946
1947	---	---	0	0	0	0.152	0.122	0.002	0	0	---	---	0.034	1947
1948	---	---	0	0	0	0	0.257	0	0	0	---	---	0.032	1948
1949	---	---	0	0.094	0.494	0.318	0.257	0.018	0	0	---	---	0.148	1949
1950	---	---	0	0	0.033	0.107	0.241	0.021	0	0	---	---	0.050	1950
1951	---	---	0	0	0	0.064	0.139	0.116	0	0	---	---	0.040	1951
1952	---	---	0	0	0	0.083	0.094	0.087	0	0	---	---	0.033	1952
1953	---	---	0	0	0	0.006	0.319	0.143	0.006	0	---	---	0.060	1953
1954	---	---	0	0	0.012	0.272	0.204	0.205	0	0	---	---	0.087	1954
1955	---	---	0	0	0.004	0.302	0.061	0.229	0.034	0.001	---	---	0.078	1955
1956	---	---	0	0	0.035	0.560	0.143	0.244	0.001	0.023	---	---	0.125	1956
1957	---	---	0	0.029	0.407	0.066	0.420	0.228	0.001	0	---	---	0.145	1957
1958	---	---	0	0	0.353	0.358	0.336	0.227	0	0	---	---	0.160	1958
1959	---	---	0	0	0.357	0.086	0.281	0.234	0	0	---	---	0.121	1959
1960	---	---	0	0.003	0.203	0.267	0.531	0.087	0	0.005	---	---	0.137	1960
1961	---	---	0	0	0.386	0.163	0.501	0.001	0	0	---	---	0.132	1961
1962	---	---	0	0	0.412	0.094	0	0	0	0	---	---	0.064	1962
1963	---	---	0	0	0.627	0.011	0	0	0	0	---	---	0.081	1963
1964	---	---	0	0	0.363	0.205	0.001	0	0	0	---	---	0.071	1964
1965	---	---	0	0	0.295	0.180	0.014	0.289	0.001	0	---	---	0.098	1965
1966	---	---	0	0	0.275	0.243	0.195	0.153	0.006	0.006	---	---	0.110	1966
1967	---	---	0	0	0	0.550	0.343	0.230	0.003	0	---	---	0.180	1967
1968	---	---	0.001	0.001	0.547	0.001	0.556	0.025	0.001	0.001	---	---	0.183	1968
1969	---	---	0	0.001	0.385	0.097	0.455	0.184	0	0	---	---	0.141	1969
1970	---	---	0	0	0.571	0.390	0.419	0.002	0.001	0	---	---	0.173	1970
1971	---	---	0	0	0.526	0	0.670	0.020	0	0	---	---	0.154	1971
1972	---	---	0	0	0.579	0	0.639	0.011	0	0	---	---	0.156	1972
1973	---	---	0	0	0.622	0	0.623	0.049	0	0	---	---	0.164	1973
1974	---	---	0	0	0.002	0.680	0.531	0.011	0	0	---	---	0.152	1974
1975	---	---	0.001	0.001	0.001	0.585	0.426	0.037	0.001	0.001	---	---	0.131	1975
1976	---	---	0	0	0.566	0.002	0.357	0.042	0.001	0.001	---	---	0.123	1976
1977	---	---	0	0.002	0.640	0	0.532	0.001	0.003	0.001	---	---	0.149	1977
1978	---	---	0	0.001	0.077	0.497	0	0	0.001	0.001	---	---	0.071	1978
1979	---	---	0	0	0.163	0.391	0.351	0.003	0.004	0.004	---	---	0.114	1979
1980	---	---	0	0	0.596	0.002	0.393	0.003	0.003	0.002	---	---	0.126	1980
1981	---	---	0	0.150	0.463	0.002	0.002	0.002	0	0	---	---	0.078	1981
1982	---	---	0	0	0.001	0.570	0	0	0	0	---	---	0.070	1982
MEAN	---	---	0	0.005	0.177	0.135	0.188	0.053	0.001	0.001	---	---	0.072	MEAN

LOCATION - LAT 49 21 50 N
LONG 109 32 12 W REGULATED

INTERNATIONAL GAUGING STATION

RICHARDSON DITCH NEAR CONSUL - STATION NO. 11AB058

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1910	---	0.057 ON JUL 6	0.015 ON JUL 22	---	1910
1911	---	0.040 ON JUN 3	0.008 ON AUG 4	---	1911
1912	---	0 ON MAR 1	0 ON MAR 1 *	0	1912
1916	---	0 ON MAR 1	0 ON MAR 1	0	1916
1917	---	0 ON MAR 1	0 ON MAR 1	0	1917
1918	---	0.116E ON JUN 15	0 ON MAR 1	146	1918
1919	---	---	0 ON MAR 1	---	1919
1920	---	0.082 ON JUN 7	0 ON MAR 1	185	1920
1921	---	---	0 ON MAR 1	---	1921
1922	---	0 ON MAR 1	0 ON MAR 1	0	1922
1923	---	0 ON MAR 1	0 ON MAR 1	0	1923
1924	---	0 ON MAR 1	0 ON MAR 1	0	1924
1925	---	0 ON MAR 1	0 ON MAR 1	0	1925
1926	---	0 ON MAR 1	0 ON MAR 1	0	1926
1927	---	0 ON MAR 1	0 ON MAR 1	0	1927
1928	---	0 ON MAR 1	0 ON MAR 1	0	1928
1929	---	0 ON MAR 1	0 ON MAR 1	0	1929
1930	---	0 ON MAR 1	0 ON MAR 1	0	1930
1931	---	0 ON MAR 1	0 ON MAR 1	0	1931
1932	---	0 ON MAR 1	0 ON MAR 1	0	1932
1933	---	0 ON MAR 1	0 ON MAR 1	0	1933
1935	---	0 ON MAR 1	0 ON MAR 1	0	1935
1946	---	0.142E ON JUN 1	0 ON MAR 1	663	1946
1947	---	0.334 ON JUL 26	0 ON MAR 1	726	1947
1948	---	0.419E ON JUL 16	0 ON MAR 1	687	1948
1949	---	0.923E ON MAY 5	0 ON MAR 1	3 120	1949
1950	---	0.493 ON JUL 19	0 ON MAR 1	1 060	1950
1951	---	0.589 ON AUG 2	0 ON MAR 1	847	1951
1952	---	0.487 ON AUG 2	0 ON MAR 1	701	1952
1953	---	0.731 ON JUL 26	0 B ON MAR 1	1 270	1953
1954	---	0.566 ON AUG 4	0 ON MAR 1	1 830	1954
1955	---	0.612 ON JUN 15	0 ON MAR 1	1 660	1955
1956	---	0.855 ON JUN 18	0 ON MAR 1	2 640	1956
1957	---	0.816 ON JUN 1	0 ON MAR 1	3 070	1957
1958	---	1.11 ON JUN 2	0 B ON MAR 1	3 380	1958
1959	---	0.716 ON JUL 30	0 ON MAR 1	2 560	1959
1960	---	0.816 ON JUN 2	0 ON MAR 1	2 910	1960
1961	---	0.801 ON MAY 29	0 ON MAR 1	2 800	1961
1962	---	0.847 ON MAY 25	0 ON MAR 1	1 340	1962
1963	---	0.906 ON MAY 13	0 ON MAR 1	1 710	1963
1964	---	0.634 ON MAY 24	0 ON MAR 1	1 510	1964
1965	---	0.850A ON MAY 28	0 ON MAR 1	2 070	1965
1966	---	1.22 ON MAY 29	0 ON MAR 1	2 330	1966
1967	---	1.34 ON JUN 2	0 ON MAR 1	2 960	1967
1968	---	1.29 ON MAY 9	0 E ON MAR 1	3 040	1968
1969	---	1.62 ON JUL 24	0 B ON MAR 1	2 990	1969
1970	---	1.76 ON JUN 10	0 E ON MAR 1	3 670	1970
1971	---	1.99 ON JUL 20	0 ON MAR 1	3 250	1971
1972	---	1.68 ON JUL 24	0 ON MAR 1	3 290	1972
1973	---	1.25 ON MAY 16	0 ON MAR 1	3 470	1973
1974	---	2.03 ON JUN 15 *	0 B ON MAR 1	3 210	1974
1975	---	1.70 ON JUN 14	0 ON JUN 29	2 770	1975
1976	---	1.42 ON MAY 19	0 ON MAR 1	2 600	1976
1977	---	1.48 ON MAY 10	0 E ON MAR 1	3 150	1977
1978	---	1.69 ON JUN 8	0 E ON MAR 1	1 510	1978
1979	---	1.92 ON MAY 30	0 E ON MAR 1	2 420	1979
1980	---	1.39 ON MAY 21	0 ON MAR 1	2 680	1980
1981	---	1.23 ON MAY 1	0 ON MAR 1	1 640	1981
1982	---	1.61 ON JUN 16	0 ON MAR 1	1 480	1982
				1 520	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

RIDALLS TRIBUTARY BELOW GREENLEIGH RESERVOIR - STATION NO. 05HF013

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	0.001	0	0	0	0	0	0	0	---	---	0	1968
1969	---	---	0	0.562	0	0	0	0	0	0	---	---	0.069	1969
1970	---	---	0	0.496	0	0	0	0	0	0	---	---	0.061	1970
1971	---	---	0	0.221	0.001	0	0	0	0	0	---	---	0.027	1971
1972	---	---	0	0	0	0	0	0	0	0	---	---	0	1972
1973	---	---	0.001	0.001	0	0	0	0	0	0	---	---	0	1973
1974	---	---	0	0.239	0.012	0.004	0.002	0.042	0.001	0.001	---	---	0.037	1974
1975	---	---	0	0.378	0.014	0.001	0	0	0	0	---	---	0.048	1975
1976	---	---	0	0.161	0	0	0	0	0	0	---	---	0.020	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0	0.038	0.001	0	0	0	0	0	---	---	0.005	1978
1979	---	---	0	0.003	0.001	0	0	0	0	0	---	---	0	1979
1980	---	---	0	0	0	0	0	0	0	0	---	---	0	1980
1981	---	---	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	0	0	0.075	0.001	0	0	0	0	0	---	---	0.009	1982
MEAN	---	0	0	0.145	0.002	0	0	0.003	0	0	---	---	0.018	MEAN

LOCATION - LAT 51 17 51 N
LONG 108 27 13 W
DRAINAGE AREA, 26.9 km^2
REGULATED

RIDALLS TRIBUTARY BELOW GREENLEIGH RESERVOIR - STATION NO. 05HF013

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	0.005B ON MAR 2	0B ON MAR 7 *	1.47	1968
1969	5.38 AT 18:00 CST ON APR 12 *	5.10 ON APR 13 *	0 ON MAR 1	1 460	1969
1970	---	4.39 B ON APR 11	0B ON MAR 1	1 290	1970
1971	1.30 AT 12:38 CST ON APR 13	1.18 ON APR 13	0B ON MAR 1	576	1971
1972	0 AT 00:00 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1972
1973	---	0.005B ON MAR 20	0B ON MAR 1	4.06	1973
1974	3.06 B ON APR 19	3.06 B ON APR 19	0B ON MAR 1	785	1974
1975	---	2.74 B ON APR 20	0B ON MAR 1	1 020	1975
1976	3.57 B AT 03:54 CST ON APR 7	1.31 B ON APR 7	0B ON MAR 1	418	1976
1977	0.020 AT 18:45 CST ON MAY 15	0.003 ON MAY 19	0 ON MAR 1	1.04	1977
1978	0.204B AT 04:00 CST ON APR 6	0.170B ON APR 6	0B ON MAR 1	101	1978
1979	0.010 AT 07:33 CST ON APR 22	0.010 ON APR 22	0B ON MAR 1	9.34	1979
1980	---	0 ON MAR 1	0 ON MAR 1	0	1980
1981	---	0 ON MAR 1	0 ON MAR 1	0	1981
1982	0.948 AT 03:11 CST ON APR 17	0.816 ON APR 17	0 ON MAR 1	197	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		391	MEAN

RIDGE CREEK NEAR BRIDGEFORD - STATION NO. 05JG013

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	0.216	2.91	0.159	0.314	0.036	0.001	0.002	0.004	---	---	0.447	1970
1971	---	---	0.003	1.70	0.014	0.025	0.011	0.002	0.003	0.016	---	---	0.218	1971
1972	---	---	0.253	0.078	0.023	0.006	0.002	0.005	0.004	0.005	---	---	0.047	1972
1973	---	---	0.371	0.076	0.036	0.025	0.001	0	0.002	0.018	---	---	0.066	1973
1974	---	---	0	6.32	0.709	0.062	0.006	0.009	0.007	0.010	---	---	0.875	1974
1975	---	---	0.005	1.53	0.089	0.015	0.006	0.004	0.008	0.009	---	---	0.204	1975
1976	---	---	1.78	1.11	0.025	0.009	0.003	0.001	0.001	0.002	---	---	0.367	1976
1977	---	---	0.010	0.034	0.021	0.009	0.005	0	0.003	0.002	---	---	0.010	1977
1978	---	---	0.234	0.304	0.025	0.003	0.001	0.001	0.001	0.003	---	---	0.071	1978
1979	---	---	0.499	0.751	0.103	0.008	0.003	0	0	0.001	---	---	0.170	1979
1980	---	---	0.370	0.065	0.007	0.001	0.002	0.001	0	0	---	---	0.056	1980
1981	---	0.139	0.048	0.008	0.007	0.004	0.023	0.003	0.003	0.003	---	---	0.012	1981
1982	---	0.001	0.183	3.30	0.103	0.073	0.072	0.002	0.001	0.002	---	---	0.459	1982
MEAN	---	0.070	0.306	1.40	0.102	0.043	0.013	0.002	0.003	0.006	---	---	0.231	MEAN

LOCATION - LAT 50 57 05 N DRAINAGE AREA, 461 km^2
LONG 106 19 46 W NATURAL FLOW

RIDGE CREEK NEAR BRIDGEFORD - STATION NO. 05JG013

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1970	23.0 AT 19:52 CST ON APR 7	20.9 ON APR 8	0 ON AUG 24 *	9 470	1970
1971	20.8 B AT 20:47 CST ON APR 7	15.5 B ON APR 7	0 ON AUG 24	4 600	1971
1972	2.38B AT 20:06 CST ON MAR 18	1.38 B ON MAR 19	0B ON MAR 1	1 000	1972
1973	2.86B AT 19:30 CST ON MAR 11	2.42 B ON MAR 11	0B ON MAR 1	1 400	1973
1974	36.0 AT 06:34 CST ON APR 22 *	33.1 ON APR 22 *	0B ON MAR 1	18 500	1974
1975	7.76 AT 13:10 CST ON APR 14	5.95 ON APR 15	0B ON MAR 1	4 320	1975
1976	22.2 B AT 21:19 CST ON MAR 30	17.8 B ON MAR 31	0B ON MAR 1	7 760	1976
1977	1.09 AT 16:48 CST ON MAY 26	0.102 ON APR 12	0 ON AUG 4	221	1977
1978	3.03 AT 22:55 CST ON MAR 29	2.20 ON MAR 30	0 ON JUN 15	1 500	1978
1979	5.17B AT 20:04 CST ON APR 17	4.14 B ON APR 17	0 ON JUL 20	3 600	1979
1980	3.53B AT 22:12 CST ON MAR 22	1.45 B ON MAR 20	0B ON MAR 8	1 190	1980
1981	2.08 AT 08:15 CST ON JUL 19	0.362 ON JUL 19	0 ON JUL 11	264	1981
1982	24.7 B AT 00:15 CST ON APR 14	22.5 B ON APR 14	0 ON AUG 9	9 720	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		4 890	MEAN

ROCK CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AE005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1914	---	---	---	---	0.253	0.212	0.243	0.121	0.023	0.299	---	---	---	1914
1915	---	---	---	2.69	0.699	0.207	0.181	0.065	0.006	0.014	---	---	---	1915
1927	---	---	0.356	9.50	1.29	0.668	0.158	0.060	0.098	0.116	---	---	1.51	1927
1928	---	---	4.36	0.852	0.284	0.704	0.425	0.061	0.049	0.106	---	---	0.859	1928
1929	---	---	0.330	0.274	0.239	0.073	0.033	0.004	0.002	0.015	---	---	0.121	1929
1930	---	---	1.78	3.22	0.204	0.015	0.029	0.018	0.270	0.157	---	---	0.706	1930
1931	---	---	0.360	0.050	0.024	0.057	0.018	0.001	0	0.021	---	---	0.067	1931
1932	---	---	0.595	0.339	0.107	0.292	0.066	0.001	0	0.007	---	---	0.176	1932
1933	---	---	1.48	0.390	0.275	0.056	0.010	0.245	0.051	0.014	---	---	0.317	1933
1934	---	---	2.80	0.805	0.102	0.068	0.024	0	0	0.047	---	---	0.484	1934
1935	---	---	0.047	1.34	0.312	0.176	0.521	0.008	0	0.028	---	---	0.302	1935
1936	---	---	0	2.20	0.382	0.049	0	0	0	0	0.012	0.002	0.323	1936
1937	---	---	0.040	0.811	0.041	0.007	0.409	0	0	0.020	---	---	0.165	1937
1938	---	---	3.40	1.33	0.278	0.737	0.319	0	0.004	0.053	---	---	0.766	1938
1939	---	---	8.39	0.444	0.768	2.20	0.090	0.007	0.001	0.026	---	---	1.50	1939
1940	---	---	0.042	2.21	0.290	0.261	0.056	0.010	0	0.014	---	---	0.355	1940
1941	---	---	3.77	0.332	0.133	0.093	0.024	0	0.001	0.018	---	---	0.551	1941
1942	---	---	1.45	1.69	0.185	0.495	0.113	0.023	0.075	0.043	---	---	0.506	1942
1943	---	---	6.77	3.43	0.278	1.60	0.216	0.018	0.007	0.103	---	---	1.55	1943
1944	---	---	0.387	1.71	0.274	0.250	0.043	0.500	0.010	0.028	---	---	0.397	1944
1945	---	---	3.56	0.227	0.153	0.103	0.045	0	0	0.013	---	---	0.517	1945
1946	---	---	1.84	0.226	0.086	0.147	0.046	0	0	0.018	---	---	0.298	1946
1947	---	---	1.27	5.00	0.251	0.524	0.122	0.229	0.006	0.032	---	---	0.918	1947
1948	---	---	0.527	3.25	0.266	0.084	0.822	0.028	0.001	0.020	---	---	0.619	1948
1949	---	---	0.180	0.980	0.134	0.092	0.172	0.011	0	0.044	---	---	0.200	1949
1950	---	---	0	7.55	0.855	0.665	0.068	0.037	0.037	0.059	---	---	1.14	1950
1951	---	---	0	6.48	1.12	0.239	0.081	0.097	0.163	0.126	---	---	1.02	1951
1952	---	---	0.007	14.1	0.340	0.136	1.15	0.063	0.062	0.067	---	---	1.96	1952
1953	---	---	0.470	1.31	1.14	1.48	0.411	0.034	0.039	0.085	0.130	---	0.613	1953
1954	---	---	0.874	6.82	0.467	1.46	0.253	0.498	0.196	0.175	0.146	---	1.32	1954
1955	---	---	0.168	7.16	1.48	0.197	0.127	0.025	0.030	0.079	---	---	1.14	1955
1956	---	---	2.00	0.997	0.415	0.485	0.102	0.020	0.038	0.085	---	---	0.518	1956
1957	---	---	0.751	0.603	0.159	0.074	0.008	0	0.005	0.029	---	---	0.203	1957
1958	---	---	1.26	1.87	0.120	0.037	0.014	0	0	0.026	---	---	0.414	1958
1959	---	---	1.26	0.516	0.141	0.376	0.106	0	0.006	0.130	---	---	0.316	1959
1960	---	---	6.18	0.566	0.208	0.145	0.048	0.033	0	0.014	---	---	0.908	1960
1961	---	---	0.384	0.200	0.141	0.038	0.006	0	0	0.018	---	---	0.099	1961
MEAN	---	---	1.63	2.54	0.376	0.391	0.177	0.060	0.032	0.058	0.096	0.002	0.653	MEAN

LOCATION - LAT 48 59 20 N DRAINAGE AREA, 606 km² INTERNATIONAL GAUGING STATION
LONG 106 47 38 W REGULATED

ROCK CREEK AT INTERNATIONAL BOUNDARY - STATION NO. 11AE005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)		MAXIMUM DAILY DISCHARGE (m³/s)		MINIMUM DAILY DISCHARGE (m³/s)		TOTAL DISCHARGE (dam³)	YEAR
1914	---		---		0	ON MAY 21 *	---	1914
1915	---		25.0 B	ON APR 4	---		---	1915
1927	---		37.4	ON APR 6	0 B	ON MAR 1	31 900	1927
1928	36.8	ON MAR 22	20.2	ON MAR 20	0.023	ON AUG 21	18 200	1928
1929	---		1.59	ON MAR 1	0	ON MAR 1	2 570	1929
1930	---		17.2	ON APR 4	0	ON AUG 28	15 000	1930
1931	---		1.37B	ON MAR 19	0	ON APR 22	1 410	1931
1932	---		4.79	ON MAR 25	0 E	ON MAR 1	3 710	1932
1933	---		5.89B	ON MAR 18	0	ON JUL 9	6 700	1933
1934	---		5.66B	ON MAR 3	0	ON JUL 22	10 200	1934
1935	7.19	ON JUL 23	5.97	ON JUL 23	0 B	ON MAR 1	6 390	1935
1936	14.8	ON APR 14	11.9	ON APR 14	0	ON MAR 1	6 840	1936
1937	5.89	ON JUL 13	3.54	ON JUL 14	0 B	ON MAR 1	3 490	1937
1938	22.5 B	ON MAR 17	17.6 B	ON MAR 17	0 B	ON MAR 1	16 200	1938
1939	68.3	ON MAR 25	64.6	ON MAR 25	0	ON MAR 1	31 700	1939
1940	11.9 B	ON APR 18	10.3 B	ON APR 18	0	ON JUL 15	7 510	1940
1941	26.2	ON MAR 22	21.0	ON MAR 22	0 B	ON MAR 1	11 700	1941
1942	11.9	ON APR 3	8.98	ON APR 3	0 B	ON MAR 1	10 700	1942
1943	58.6	ON MAR 30	56.6	ON MAR 30	0	ON MAR 1	32 800	1943
1944	22.0 B	ON APR 2	14.2 B	ON APR 2	0 B	ON MAR 1	8 410	1944
1945	25.3 B	ON MAR 18	16.1 B	ON MAR 18	0 B	ON MAR 1	10 900	1945
1946	7.67B	ON MAR 20	6.51B	ON MAR 20	0	ON MAR 1	6 300	1946
1947	23.3	ON APR 3	17.1	ON APR 3	0 B	ON MAR 1	19 500	1947
1948	30.0	ON JUL 14	13.2	ON APR 17	0 B	ON MAR 1	13 100	1948
1949	4.70B	ON APR 1	3.96B	ON APR 1	0 B	ON MAR 1	4 230	1949
1950	37.7	ON APR 16	35.7	ON APR 18	0 B	ON MAR 1	24 100	1950
1951	21.4 B	ON APR 28	18.4 B	ON APR 28	0 B	ON MAR 1	21 600	1951
1952	93.7	ON APR 15 *	68.5	ON APR 15 *	0 B	ON MAR 1	41 400	1952
1953	9.34	ON JUN 9	6.00	ON JUN 9	0.017	ON AUG 21	13 000	1953
1954	63.7 E	ON APR 7	51.5 B	ON APR 6	0.057B	ON MAR 1	28 100	1954
1955	48.1 B	ON APR 2	37.4 B	ON APR 2	0 B	ON MAR 1	24 200	1955
1956	17.1 B	ON MAR 27	14.2 B	ON MAR 26	0 B	ON MAR 1	11 000	1956
1957	6.03	ON APR 24	4.81B	ON MAR 23	0 B	ON MAR 1	4 300	1957
1958	26.2 B	ON MAR 31	22.7 B	ON MAR 31	0 B	ON MAR 10	8 760	1958
1959	8.61B	ON MAR 28	7.16B	ON MAR 28	0 B	ON MAR 1	6 700	1959
1960	45.9	ON MAR 27	36.8	ON MAR 27	0	ON MAR 1	19 300	1960
1961	---		1.67B	ON MAR 30	0	ON JUN 23	2 090	1961
							13 800	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD
E - ESTIMATED

ROCK CREEK BELOW HORSE CREEK NEAR INTERNATIONAL BOUNDARY - STATION NO. 11AE009

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1916	---	---	4.96	13.8	1.06	0.876	0.566	0.074	0.060	0.117	---	---	---	1916
1917	---	---	0	9.39	0.822	0.402	0.070	0.001	0.048	0.058	---	---	---	1917
1918	---	---	---	1.79	0.328	0.121	0.029	0.132	0.066	0.109	---	---	---	1918
1919	---	---	0.009	6.61	0.302	0.063	0.016	0.002	0.001	0.055	---	---	---	1919
1920	---	---	1.83	2.69	0.791	0.200	0.059	0.014	0.066	0.067	---	---	---	1920
1921	---	---	---	0.558	0.337	0.509	1.73	0.056	0.598	0.140	---	---	---	1921
1922	---	---	0.010	8.15	1.20	0.733	0.199	0.088	0.037	0.073	---	---	---	1922
1923	---	---	0.067	3.60	0.742	4.85	2.09	0.429	0.179	0.200	---	---	---	1923
1924	---	---	0.102	2.02	0.427	0.353	0.105	0.106	0.055	1.65	---	---	---	1924
1925	---	---	11.3	5.66	0.380	0.607	0.127	0.028	0.310	0.484	---	---	---	1925
1926	---	---	3.93	0.365	0.447	1.46	0.065	0.032	0.086	0.077	---	---	---	1926
1956	---	---	---	---	---	---	---	---	---	0.056	---	---	---	1956
1957	---	---	0.900	0.634	0.188	0.132	0.012	0.001	0.003	0.045	---	---	---	1957
1958	---	---	2.14	2.14	0.135	0.048	0.006	0	0	0.015	---	---	---	1958
1959	---	---	1.79	0.629	0.113	0.419	0.098	0	0	0.113	---	---	---	1959
1960	---	---	8.50	0.711	0.271	0.103	0.051	0.053	0	0.004	---	---	---	1960
1961	---	---	0.438	0.226	0.152	0.027	0.001	0	0	0.004	---	---	---	1961
1962	---	---	1.46	2.81	0.193	0.854	0.482	0.073	0.007	0.063	---	---	---	1962
1963	---	---	5.22	0.485	0.211	1.22	0.460	0.052	0.018	0.022	---	---	---	1963
1964	---	---	0.111	0.608	0.167	0.194	0.052	0	0	0.018	---	---	---	1964
1965	---	---	0	3.63	1.90	0.970	0 168	0.112	0.080	0.077	---	---	---	1965
1966	---	---	3.09	0.336	0.353	0.124	0.126	0.017	0.004	0.027	---	---	---	1966
1967	---	---	0.793	11.4	1.12	0.267	0.048	0.003	0.042	0.090	---	---	---	1967
1968	---	---	6.20	0.347	0.113	0.182	0.032	0.018	0.068	0.044	---	---	---	1968
1969	---	---	0.003	12.4	0.584	0.147	1.80	0.051	0.020	0.107	---	---	---	1969
1970	---	---	0.242	8.10	1.82	0.638	0.082	0.015	0.019	0.044	---	---	---	1970
1971	---	---	0.018	3.77	0.211	0.404	0.020	0	0.001	0.022	---	---	---	1971
1972	---	---	4.98	0.659	0.429	0.891	0.055	0.017	0.044	0.091	---	---	---	1972
1973	---	---	1.52	0.212	0.175	0.540	0.052	0.001	0.008	0.021	---	---	---	1973
1974	---	---	1.39	9.25	1.20	0.235	0.150	0.186	0.038	0.083	---	---	---	1974
1975	---	---	0.075	5.96	1.35	0.207	0.049	0.378	0.068	0.155	---	---	---	1975
1976	---	---	10.5	1.68	0.161	0.229	0.409	0.132	0.019	0.045	---	---	---	1976
1977	---	---	0.327	0.790	0.314	0.073	0.174	0.006	0.141	0.209	---	---	---	1977
1978	---	---	7.94	6.98	0.707	0.235	0.729	0.035	0.096	0.060	0.066	0.032	---	1978
1979	0.007	0	0.154	8.54	1.36	0.158	1.15	0.049	0.024	0.046	0.078	0.082	0.963	1979
1980	0.007	0	1.15	2.07	0.108	0.090	0.031	0.003	0.025	0.047	0.079	0.027R	0.302R	1980
1981	0.050	2.72	0.300	0.126	0.081	0.333	0.049	0	0	0.009	0.031	0.020	0.292	1981
1982	0.001	0.001	0.203	7.63	2.52	0.545	0.079	0.026	0.013	0.063	0.051	0.029	0.925	1982
MEAN	0.016	0.680	2.33	3.97	0.614	0.525	0.309	0.059	0.061	0.121	0.061	0.034R	0.621	MEAN

LOCATION - LAT 48 58 10 N, LONG 106 49 50 W
DRAINAGE AREA, 839 km²
NATURAL FLOW

DATA CONTRIBUTED BY - UNITED STATES GEOLOGICAL SURVEY

R - REVISED SINCE JAN 1980

ROCK CREEK BELOW HORSE CREEK NEAR INTERNATIONAL BOUNDARY - STATION NO. 11AE009

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1916	---	28.3 B ON MAR 30	0B ON MAR 1 *	---	1916
1917	---	70.8 E ON APR 15	0E ON MAR 1	---	1917
1918	---	---	---	---	1918
1919	---	36.0 B ON APR 4	0B ON MAR 1	---	1919
1920	12.3 B AT 07:30 MST ON MAR 26	9.85B ON MAR 26	0 ON MAR 1	---	1920
1921	23.5 AT 18:00 MST ON JUL 13	22.6 ON JUL 14	---	---	1921
1922	66.0 B ON APR 5	53.5 B ON APR 5	0B ON MAR 1	---	1922
1923	48.1 AT 14:00 MST ON JUN 1	40.5 ON JUN 1	---	---	1923
1924	---	7.99 ON OCT 12	0B ON FEB 20	---	1924
1925	102 ON MAR 31	95.4 B ON MAR 30	0 ON MAR 1	---	1925
1926	---	17.2 ON MAR 17	---	---	1926
1956	---	---	---	---	1956
1957	---	5.52B ON MAR 23	0B ON MAR 1	---	1957
1958	40.5 B AT 07:30 MST ON MAR 31	31.7 B ON MAR 31	0B ON MAR 11	---	1958
1959	13.1 B AT 12:30 MST ON MAR 28	10.6 B ON MAR 28	0B ON MAR 1	---	1959
1960	58.6 AT 08:00 MST ON MAR 27	50.4 ON MAR 27	0 ON MAR 1	---	1960
1961	2.32B AT 15:00 MST ON MAR 20	1.93B ON MAR 21	0 ON JUN 25	---	1961
1962	25.5 AT 01:00 MST ON JUN 15	15.9 ON APR 6	0 ON MAR 1	---	1962
1963	23.1 B AT 09:00 MST ON MAR 22	19.2 B ON MAR 24	0B ON MAR 1	---	1963
1964	3.85B AT 18:40 MST ON APR 2	2.97B ON APR 2	0B ON MAR 1	---	1964
1965	34.3 AT 01:00 MST ON MAY 7	25.9 ON MAY 7	0 ON MAR 1	---	1965
1966	---	24.4 B ON MAR 15	0B ON MAR 1	---	1966
1967	57.2 AT 06:00 MST ON APR 12	49.0 ON APR 11	0B ON MAR 6	---	1967
1968	34.0 B AT 07:15 MST ON MAR 5	26.3 B ON MAR 5	0 ON AUG 2	---	1968
1969	125 AT 01:00 MST ON APR 7 *	98.0 ON APR 7 *	0B ON MAR 1	---	1969
1970	68.2 AT 04:15 MST ON APR 7	51.8 ON APR 7	---	---	1970
1971	28.3 B AT 10:30 CST ON APR 10	24.1 B ON APR 10	0B ON MAR 1	---	1971
1972	44.2 B AT 06:00 MST ON MAR 20	34.5 B ON MAR 20	0 ON MAR 1	---	1972
1973	17.4 AT 12:00 CST ON JUN 14	7.36 ON JUN 14	0 ON AUG 6	---	1973
1974	34.0 B AT 13:00 CST ON APR 6	28.9 B ON APR 6	---	---	1974
1975	28.9 AT 15:30 CST ON APR 24	24.6 ON APR 24	---	---	1975
1976	48.7 B AT 14:30 CST ON MAR 20	41.9 ON MAR 24	---	---	1976
1977	3.54B AT 21:00 MST ON APR 8	3.03B ON APR 8	---	---	1977
1978	114 AT 00:15 CST ON MAR 31	96.0 ON MAR 30	---	---	1978
1979	44.7 AT 09:00 CST ON APR 18	40.5 ON APR 18	0B ON FEB 1	30 300	1979
1980	17.3 B AT 16:00 CST ON MAR 30	14.2 B ON MAR 30	0B ON JAN 11	9 560R	1980
1981	25.8 B AT 08:30 CST ON FEB 18	18.1 B ON FEB 18	0 ON APR 1	9 220	1981
1982	61.2 AT 21:45 CST ON APR 13	48.7 ON APR 14	0B ON JAN 6	29 200	1982
				19 600R	MEAN

B - ICE CONDITIONS
E - ESTIMATED

* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

ROMANCE CREEK NEAR WATSON - STATION NO. 05MA016

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1966	---	---	0.302	1.87	0.002	0	0	0	0	0	---	---	0.218	1966
1967	---	---	0	1.28	1.53	0.004	0	0	0	0	---	---	0.350	1967
1968	---	---	0.844	0.144	0	0	0	0	0	0	---	---	0.124	1968
1969	---	---	0	2.02	0.020	0	0	0	0	0	---	---	0.250	1969
1971	---	---	0	2.95	0.114	0.004	0.418	0	0	0	---	---	0.429	1971
1972	---	---	0.005	6.67	2.06	0.214	0	0	0	0	---	---	1.10	1972
1973	---	---	0.006	0.043	0	0.680	0.077	0	0	0	---	---	0.099	1973
1974	---	---	---	---	3.38	0.850	0.166	---	---	---	---	---	---	1974
1975	---	---	---	---	2.26	0.091	---	---	---	---	---	---	---	1975
1976	---	---	---	5.19	---	---	---	---	---	---	---	---	---	1976
1977	---	---	0	0.051	0.100	0.068	0	0	0	0	---	---	0.027	1977
1978	---	---	0.003	2.01	0.040	0.001	0	0	0	0	---	---	0.252	1978
1979	---	---	0	5.53	2.40	0.181	0.032	0.005	0.001	0.001	---	---	1.01	1979
1980	---	---	0	1.86	0.110	0.008	0.032	0	0	0	---	---	0.247	1980
1981	---	0	0.004	0	0	0	0	0	0	0	---	---	0.001	1981
1982	---	---	0.001	0.226	0.008	0.002	0.102	0.038	0.001	0	---	---	0.047	1982
MEAN	---	0	0.090	2.10	0.802	0.140	0.059	0.003	0	0	---	---	0.320	MEAN

LOCATION - LAT 51 59 37 N DRAINAGE AREA, 505 km²
LONG 104 33 11 W REGULATED

ROMANCE CREEK NEAR WATSON - STATION NO. 05MA016

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1966	---	7.67 ON APR 1	0E ON MAR 1 *	4 610	1966
1967	---	10.7 ON APR 26	0E ON MAR 1	7 410	1967
1968	---	4.11 ON MAR 24	0E ON MAR 1	2 630	1968
1969	---	9.03 ON APR 12	0 ON MAR 1	5 290	1969
1971	---	10.3 ON APR 10	0E ON MAR 1	9 070	1971
1972	---	13.2 ON APR 15	0E ON MAR 1	23 400	1972
1973	---	3.43 ON JUN 7	0E ON MAR 1	2 090	1973
1974	---	21.2 ON APR 21	0 ON AUG 9	---	1974
1975	---	---	---	---	1975
1976	---	---	---	---	1976
1977	1.89 AT 21:26 CST ON MAY 30	0.994 ON MAY 30	0B ON MAR 1	578	1977
1978	8.35 AT 20:00 CST ON APR 9	6.12 ON APR 10	0B ON MAR 1	5 330	1978
1979	28.1 AT 23:31 CST ON APR 24 *	25.6 ON APR 24 *	0B ON MAR 1	21 300	1979
1980	6.28 AT 09:30 CST ON APR 13	5.84 B ON APR 13	0B ON MAR 1	5 230	1980
1981	0.035 AT 01:19 CST ON JUL 31	0.021B ON MAR 16	0B ON MAR 1	13.4	1981
1982	2.21 AT 09:28 CST ON APR 16	1.16 ON APR 16	0B ON MAR 1	992	1982
				6 760	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

ROSE CREEK AT DORRELL - STATION NO. 11AC015

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	0.019	0.015	0.007	0.003	0.011	0.012	---	---	---	1911
1912	---	---	---	---	0.034	0.020	0.007	0.009	0.010	0.013	---	---	---	1912
1913	---	---	---	0.274	0.031	0.023	0.010	0.003	0.003	0.006	---	---	---	1913
1914	---	---	---	0.106	0.018	0.018	0.002	0.001	0.010	0.017	---	---	---	1914
MEAN	---	---	---	0.190	0.026	0.019	0.007	0.004	0.009	0.012	---	---	---	MEAN

LOCATION - LAT 49 35 10 N DRAINAGE AREA, 26.9 km²
LONG 108 52 50 W REGULATED

ROSE CREEK AT DORRELL - STATION NO. 11AC015

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1911	---	---	---	---	1911
1912	---	---	---	---	1912
1913	---	---	---	---	1913
1914	---	---	0 ON JUL 28 *	---	1914
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

ROUGHBARK CREEK ABOVE ROUGHBARK RESERVOIR - STATION NO. 05NB015

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1959	---	---	0	0	0	0	0	0	0	0	---	---	0	1959
1960	---	---	0.919	1.16	0.013	0	0	0	0	0	---	---	0.260	1960
1961	---	---	0	0	0	0	0	0	0	0	---	---	0	1961
1962	---	---	0.001	0.162	0	0.001	0	0	0	0	---	---	0.020	1962
1963	---	---	0.087	0.019	0	0.375	0	0	0	0	---	---	0.059	1963
1964	---	---	0	0.495	0.017	0	0	0	0	0	---	---	0.063	1964
1965	---	---	0	0.569	0.972	0.331	0.022	0.001	0.011	0.010	---	---	0.239	1965
1966	---	---	0.255	0.016	0.011	0	0	0	0	0	---	---	0.036	1966
1967	---	---	0.002	0.613	0.631	0.002	0	0	0	0	---	---	0.155	1967
1968	---	---	0	0	0	0	0	0.022	0.024	0	---	---	0.006	1968
1969	---	---	0	3.04	0.078	0	0.008	0	0	0	---	---	0.383	1969
1970	---	---	0	1.36	1.78	0.056	0	0	0	0	---	---	0.394	1970
1971	---	---	0.001	1.14	0.012	0	0.299	0.005	0.001	0	---	---	0.180	1971
1972	---	---	1.14	0.120	0.028	0.009	0.002	0	0	0	---	---	0.164	1972
1973	---	---	0	0	0	0	0	0	0	0	---	---	0	1973
1974	---	---	0	3.52	0.295	0.056	0	0	0	0	---	---	0.476	1974
MEAN	---	---	0.150	0.763	0.237	0.052	0.021	0.002	0.002	0.001	---	---	0.152	MEAN

LOCATION - LAT 49 29 39 N, LONG 103 45 56 W DRAINAGE AREA, 156 km² REGULATED

ROUGHBARK CREEK ABOVE ROUGHBARK RESERVOIR - STATION NO. 05NB015

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1959	---	0 ON MAR 1	0 ON MAR 1 *	0	1959
1960	---	10.6 B ON MAR 30	0B ON MAR 1	5 510	1960
1961	---	0 ON MAR 1	0 ON MAR 1	0	1961
1962	---	0.983 ON APR 3	0 ON MAR 1	423	1962
1963	---	2.72 ON JUN 10	0 ON MAR 1	1 260	1963
1964	---	2.69 B ON APR 6	0B ON MAR 1	1 330	1964
1965	---	7.14 ON MAY 8	0B ON MAR 1	5 050	1965
1966	---	1.39 ON MAR 17	0 ON MAR 1	753	1966
1967	---	2.63 ON MAY 3	0B ON MAR 1	3 290	1967
1968	---	0.396 ON AUG 30	0 ON MAR 1	122	1968
1969	---	24.1 B ON APR 11	0B ON MAR 1	8 100	1969
1970	---	10.3 ON MAY 4	0B ON MAR 1	8 340	1970
1971	11.3 B AT 06:30 CST ON APR 9 *	9.29 B ON APR 9	0B ON MAR 1	3 800	1971
1972	8.47B AT 12:00 CST ON MAR 20	7.62 B ON MAR 20	0B ON MAR 1	3 470	1972
1973	0 B AT 00:00 CST ON MAR 1	0 B ON MAR 1	0B ON MAR 1	0	1973
1974	---	28.3 E ON APR 18 *	0B ON MAR 1	10 100	1974
				3 220	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

ROUGHBARK CREEK BELOW ROUGHBARK RESERVOIR - STATION NO. 05NB023

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	0	0	0.424	0.368	0.086	0.267	0.003	0	---	---	0.144	1944
1960	---	---	0.300	1.51	0.007	0	0.062	0	0	0	---	---	0.232	1960
1961	---	---	0.004	0	0	0	0.023	0	0.031	0	---	---	0.007	1961
1962	---	---	0.012	0.022	0.108	0.016	0	0	0	0	---	---	0.020	1962
1963	---	---	0.046	0	0	0.019	0	0.041	0.013	0	---	---	0.015	1963
1964	---	---	0	0.308	0.019	0	0.096	0	0	0	---	---	0.052	1964
1965	---	---	0	0.590	0.976	0.492	0.005	0	0.085	0.076	---	---	0.277	1965
1966	---	---	0.526	0.120	0.023	0.001	0.047	0	0	0	---	---	0.090	1966
1967	---	---	0.007	0.461	0.418	0.004	0.088	0.136	0	0	---	---	0.139	1967
1968	---	---	0.024	0	0	0	0.072	0.019	0.243	0.005	---	---	0.045	1968
1969	---	---	0	3.32	0.214	0.096	0.029	0.001	0.084	0.143	---	---	0.477	1969
1970	---	---	0.002	0.729	2.62	0.339	0.174	0.001	0	0	---	---	0.484	1970
1971	---	---	0.003	0.768	0.390	0.055	0.085	0.155	0.149	0.017	---	---	0.201	1971
1972	0	0	0.841	0.246	0	0	0	0.099	0.122	0	0	0	0.164	1972
MEAN	0	0	0.126	0.577	0.371	0.099	0.055	0.051	0.052	0.017	0	0	0.168	MEAN

LOCATION - LAT 49 29 37 N, LONG 103 42 13 W DRAINAGE AREA, 254 km² REGULATED

ROUGHBARK CREEK BELOW ROUGHBARK RESERVOIR - STATION NO. 05MB023

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	2.49 ON MAY 23	0 ON MAR 1 *	3 050	1944
1960	---	10.5 B ON APR 1	0B ON MAR 1	4 920	1960
1961	---	0.756A ON SEP 12	0A ON MAR 1	152	1961
1962	0.977 AT 13:00 CST ON MAY 5	0.929 ON MAY 5	0B ON MAR 1	422	1962
1963	0.745 AT 07:00 CST ON AUG 25	0.636 ON AUG 24	0B ON MAR 1	319	1963
1964	1.70 AT 18:00 CST ON JUL 23	1.32 ON JUL 23	0B ON MAR 1	1 110	1964
1965	4.64 AT 10:00 CST ON MAY 9	4.36 ON MAY 9	0B ON MAR 1	5 850	1965
1966	---	1.46 B ON MAR 17	0B ON MAR 1	1 910	1966
1967	1.59 AT 18:30 CST ON MAY 5	1.57 ON MAY 5	0B ON MAR 1	2 940	1967
1968	0.977 AT 20:00 CST ON JUL 26	0.943 ON JUL 26	0B ON MAR 1	953	1968
1969	27.2 B AT 13:40 CST ON APR 11 *	25.3 ON APR 12 *	0B ON MAR 1	10 100	1969
1970	13.8 AT 07:00 CST ON MAY 5	12.6 ON MAY 5	0B ON MAR 1	10 200	1970
1971	---	2.12 E ON APR 11	0E ON MAR 20	4 270	1971
1972	---	4.25 E ON MAR 21	0B ON MAR 1	2 970	1972
MEAN				3 550	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

RUSHLAKE CREEK ABOVE HIGHFIELD RESERVOIR - STATION NO. 05JC004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1965	---	---	---	---	---	---	---	---	0.036	0.019	---	---	---	1965
1966	---	---	2.29	0.062	0.058	0.081	0.010	0	0	0	---	---	0.316	1966
1967	---	---	0.619	1.77	0.550	0.023	0	0	0	0	---	---	0.368	1967
1968	---	---	1.16	0.113	0.030	0.001	0	0	0	0	---	---	0.165	1968
1969	---	---	0.250	4.54	0.108	0.005	0.004	0	0	0	---	---	0.603	1969
1970	---	---	1.45	2.52	0.107	0.908	0.067	0	0	0	---	---	0.625	1970
1971	---	---	0.201	3.24	0.019	0.002	0	0	0	0	---	---	0.424	1971
1972	---	---	0.343	0.010	0.030	0.003	0	0	0	0	---	---	0.049	1972
1973	---	---	0.115	0.036	0.014	0	0	0	0	0	---	---	0.020	1973
1974	---	---	0.031	3.57	0.466	0.021	0	0	0	0	---	---	0.503	1974
1975	---	---	0.044	2.23	0.257	0.034	0.001	0	0	0.001	---	---	0.315	1975
1976	---	---	3.98	0.496	0.021	0.011	0.009	0	0	0	---	---	0.570	1976
1977	---	---	0	0.004	0.021	0.005	0	0	0	0	---	---	0.004	1977
1978	---	---	1.24	0.501	0.109	0.011	0	0	0	0	---	---	0.234	1978
1979	---	---	1.39	0.825	0.227	0.009	0	0	0	0	---	---	0.284	1979
1980	---	---	1.18	0.091	0.001	0.001	0	0	0	0	---	---	0.160	1980
1981	---	0.558R	0.036	0.025	0.002	0.007	0.004	0	0	0	---	---	0.009R	1981
1982	---	---	1.90	1.69	0.074	0.192	0.739	0.208	0.002	0.009	---	---	0.681	1982
MEAN	---	0.558R	0.949	1.28	0.123	0.077	0.049	0.013	0.002	0.002	---	---	0.309	MEAN

LOCATION - LAT 50 15 12 N, LONG 107 28 06 W
DRAINAGE AREA, 323 km^2
NATURAL FLOW

R - REVISED SINCE JAN 1980

RUSHLAKE CREEK ABOVE HIGHFIELD RESERVOIR - STATION NO. 05JC004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1965	---	---	0 ON AUG 21 *	---	1965
1966	14.0 B AT 12:00 CST ON MAR 11	11.9 B ON MAR 11	0 ON JUL 12	6 680	1966
1967	19.7 AT 09:00 CST ON APR 11	12.1 ON APR 11	0B ON MAR 1	7 790	1967
1968	8.27 B AT 12:00 CST ON MAR 1	6.65 B ON MAR 1	0 ON JUN 5	3 490	1968
1969	77.9 AT 02:00 CST ON APR 6 *	37.7 ON APR 6 *	0 ON JUL 4	12 800	1969
1970	30.9 AT 06:36 CST ON APR 7	18.6 ON APR 7	0 ON AUG 5	13 200	1970
1971	29.2 AT 06:41 CST ON APR 7	18.9 ON APR 7	0B ON MAR 1	8 990	1971
1972	2.15 AT 14:37 CST ON MAR 17	1.84 ON MAR 17	0B ON MAR 1	1 030	1972
1973	0.824B AT 10:39 CST ON MAR 6	0.518B ON MAR 5	0 ON JUN 7	414	1973
1974	18.5 AT 06:47 CST ON APR 12	13.3 ON APR 12	0B ON MAR 1	10 600	1974
1975	22.1 AT 08:56 CST ON APR 20	14.5 ON APR 20	0B ON MAR 1	6 670	1975
1976	45.3 B AT 10:13 CST ON MAR 19	30.0 B ON MAR 19	0B ON MAR 1	12 100	1976
1977	0.263 AT 17:02 CST ON MAY 20	0.156 ON MAY 21	0B ON MAR 1	79.8	1977
1978	7.28 B AT 16:49 CST ON MAR 27	5.41 B ON MAR 27	0B ON MAR 1	4 950	1978
1979	11.3 B AT 13:50 CST ON MAR 17	8.36 B ON MAR 17	0B ON MAR 1	6 230	1979
1980	14.5 B AT 13:33 CST ON MAR 19	8.00 B ON MAR 19	0B ON MAR 1	3 330	1980
1981	---	0.106 ON MAR 28	0 ON MAY 23	195	1981
1982	18.3 AT 19:50 CST ON JUL 2	13.4 B ON APR 12	0 ON SEP 18	12 700	1982
				6 550	MEAN

B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

RUSSELL CREEK NEAR VANGUARD - STATION NO. 05JB002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	0.242	1.17	0.071	0.024	---	---	---	---	---	---	---	1944
1945	---	---	0.608	0.062	0.067	0.083	---	---	---	---	---	---	---	1945
1946	---	---	0.967	0.069	0.080	0.125	---	---	---	---	---	---	---	1946
1947	---	---	0	0.479	0.079	0.121	---	---	---	---	---	---	---	1947
1948	---	---	0.763	1.51	0.149	0.054	---	---	---	---	---	---	---	1948
1949	---	---	0.280	0.367	0.029	0.007	---	---	---	---	---	---	---	1949
1950	---	---	0	2.93	0.110	0.054	---	---	---	---	---	---	---	1950
1951	---	---	0	2.38	0.357	0.204	---	---	---	---	---	---	---	1951
1952	---	---	0.005	6.43	0.091	0.001	---	---	---	---	---	---	---	1952
1953	---	---	1.63	0.938	0.252	0.144	---	---	---	---	---	---	---	1953
1954	---	---	0	1.93	0.129	0.313	---	---	---	---	---	---	---	1954
1955	---	---	0.380	1.98	0.422	0.043	---	---	---	---	---	---	---	1955
1956	---	---	0.135	0.320	0.218	0.137	---	---	---	---	---	---	---	1956
1957	---	---	0.735	0.180	0.125	0.108	0.037	0.001	0.009	0.013	---	---	0.142	1957
1958	---	---	0.307	1.80	0.045	0.106	0.019	0.001	0	0.001	---	---	0.201	1958
1959	---	---	0.104	0.002	0.033	0.120	0.016	0.045	0.023	0.006	---	---	0.048	1959
1960	---	---	1.75	0.170	0.039	0.498	0.052	0	0.009	0.025	---	---	0.218	1960
1961	---	---	0.087	0.046	0.005	0.036	0	0	0.028	0.002	---	---	0.025	1961
1962	---	---	0.122	0.665	0.010	0.001	0.045	0.005	0.012	0.013	---	---	0.108	1962
1963	---	---	0.541	0.211	0.027	0.151	0	0	0.011	0	---	---	0.118	1963
1964	---	---	0.001	0.341	0.035	0.092	0.011	0.051	0	0	---	---	0.065	1964
1965	---	---	0	1.96	0.048	0.053	0.306	0.086	0	0.019	---	---	0.291	1965
1966	---	---	1.80	0.270	0.073	0.023	0	0.067	0.042	0.011	---	---	0.237	1966
1967	---	---	0.004	2.00	0.383	0.070	0.030	0.015	0.021	0.010	---	---	0.312	1967
1968	---	---	0.451	0.075	0.055	0.030	0.018	0.007	0.009	0.014	---	---	0.083	1968
1969	---	---	0	3.47	0.188	0.061	1.03	0.080	0.064	0.023	---	---	0.607	1969
1970	---	---	0.018	3.52	0.112	0.074	0.038	0	0.008	0.009	---	---	0.463	1970
1971	---	---	0	2.08	0.087	0.014	0.022	0.003	0.006	0.012	---	---	0.272	1971
1972	---	---	0.021	0.027	0.001	0.009	0	0	0	0.027	---	---	0.011	1972
1973	---	---	0.001	0.002	0.012	0.011	0	0	0	0	---	---	0.003	1973
1974	---	---	0	3.27	0.584	0.015	0.007	0.004	0.001	0.070	---	---	0.481	1974
1975	---	---	0.001	0.800	0.876	0.031	0.019	0.021	0	0	---	---	0.318	1975
1976	---	---	2.09	1.01	0.018	0.048	0.002	0	0	0	---	---	0.396	1976
1977	---	---	0	0.004	0.001	0.001	0.009	0	0	0	---	---	0.002	1977
1978	---	---	0.193	1.15	0.071	0.007	0.001	0	0	0	---	---	0.175	1978
1979	---	---	0.206	1.46	0.347	0.033	0.016	0.001	0	0	---	---	0.255	1979
1980	---	---	0.042	0.034	0.068	0	0	0	0	0.002	---	---	0.018	1980
1981	---	0.019	0.004	0.031	0.066	0.020	0.002	0	0	0	---	---	0.015	1981
1982	---	---	0.039	1.34	0.128	0.158	0.195	0	0.028	0.026	---	---	0.236	1982
MEAN	---	0.019	0.332	1.19	0.160	0.079	0.068	0.015	0.010	0.011	---	---	0.199	MEAN

LOCATION - LAT 49 54 10 N DRAINAGE AREA, 313 km²
LONG 107 22 16 W REGULATED SINCE 1951

RUSSELL CREEK NEAR VANGUARD - STATION NO. 05JB002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1944	---	7.19 B ON APR 1	0B ON MAR 1 *	---	1944
1945	---	6.71 B ON MAR 13	0B ON MAR 1	---	1945
1946	---	4.76 B ON MAR 14	0B ON MAR 1	---	1946
1947	---	2.12 B ON APR 13	0B ON MAR 1	---	1947
1948	---	10.6 ON APR 16	0B ON MAR 1	---	1948
1949	---	1.53 B ON APR 1	0B ON MAR 1	---	1949
1950	---	17.3 ON APR 16	0B ON MAR 1	---	1950
1951	---	8.21 B ON APR 10	0B ON MAR 1	---	1951
1952	---	24.9 E ON APR 14	0B ON MAR 1	---	1952
1953	---	15.5 ON MAR 30	0 ON JUN 19	---	1953
1954	---	12.1 ON APR 11	0B ON MAR 1	---	1954
1955	---	8.50 B ON APR 2	0B ON MAR 1	---	1955
1956	---	1.44 B ON MAR 28	0B ON MAR 1	---	1956
1957	---	5.41 ON MAR 24	0B ON MAR 1	3 000	1957
1958	---	23.8 ON APR 1	0B ON MAR 1	5 940	1958
1959	0.963B AT 08:00 CST ON MAR 11	0.765B ON MAR 9	0B ON MAR 1	936	1959
1960	16.0 ON MAR 28	11.9 ON MAR 28	0B ON MAR 1	6 730	1960
1961	---	0.394 ON JUN 16	0 ON APR 30	539	1961
1962	---	3.20 B ON APR 6	0B ON MAR 1	2 280	1962
1963	---	6.40 B ON MAR 25	0B ON MAR 1	2 490	1963
1964	---	1.11 ON APR 18	0B ON MAR 1	1 380	1964
1965	---	14.6 ON APR 16	0B ON MAR 1	6 170	1965
1966	11.6 B AT 03:00 ON MAR 13	9.43 B ON MAR 13	0B ON MAR 1	5 020	1966
1967	8.21 B AT 12:30 ON APR 12	7.08 B ON APR 12	0B ON MAR 1	6 610	1967
1968	2.32 B AT 07:00 ON MAR 3	1.81 B ON MAR 3	0 ON MAR 16	1 750	1968
1969	22.8 AT 04:30 ON APR 7	19.3 ON APR 7	0B ON MAR 1	12 800	1969
1970	30.9 AT 10:50 CST ON APR 8 *	28.6 ON APR 8 *	0B ON MAR 1	9 810	1970
1971	11.7 B AT 13:40 CST ON APR 9	10.0 B ON APR 9	0B ON MAR 1	5 760	1971
1972	0.181B AT 12:50 CST ON MAR 18	0.105B ON MAR 18	0B ON MAR 1	224	1973
1973	0.031 AT 18:14 CST ON MAY 18	0.028 ON MAY 19	0B ON MAR 1	70.0	1973
1974	15.2 AT 06:56 CST ON APR 13	13.6 ON APR 13	0B ON MAR 1	10 200	1974
1975	6.51 AT 08:04 CST ON MAY 1	5.61 ON MAY 1	0B ON MAR 1	4 610	1975
1976	23.7 B AT 01:43 CST ON MAR 20	21.7 B ON MAR 20	0B ON MAR 1	8 390	1976
1977	0.045 AT 12:55 CST ON JUL 21	0.042 ON JUL 21	0B ON MAR 1	40.6	1977
1978	11.3 AT 06:55 CST ON APR 12	7.76 B ON APR 8	0B ON MAR 1	3 700	1978
1979	8.32 AT 11:27 CST ON APR 26	6.09 ON APR 26	0B ON MAR 1	5 390	1979
1980	1.13 AT 08:24 CST ON MAY 2	1.02 ON MAY 2	0B ON MAR 1	386	1980
1981	---	0.119 ON MAY 16	0B ON MAR 19	322	1981
1982	13.0 AT 06:13 CST ON APR 20	9.49 ON APR 20	0B ON MAR 1	5 000	1982
				4 210	MEAN

B - ICE CONDITIONS
E - ESTIMATED

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SALINE CREEK NEAR NOKOMIS - STATION NO. 05JJ009

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1972	---	---	0.148	0.377	0.051	0.001	0	0	0	0	---	---	0.071	1972
1973	---	---	0.011	0.033	0.046	0.318	0.012	0	0	0	---	---	0.052	1973
1974	---	---	0	2.88	1.01	0.245	0.001	0.003	0.006	0.002	---	---	0.513	1974
1975	---	---	0	0.566	0.378	0.022	0.004	0.001	0.001	0.001	---	---	0.121	1975
1976	---	---	0	0.964	0.080	0.100	0.014	0.002	0.001	0.002	---	---	0.143	1976
1977	---	---	0	0.001	0.125	0.076	0	0	0	0	---	---	0.025	1977
1978	---	---	0.025	0.195	0.043	0.016	0.001	0	0.001	0.001	---	---	0.035	1978
1979	---	---	0	0.991	0.335	0.071	0	0	0	0	---	---	0.171	1979
1980	---	---	0	0.259	0.002	0	0	0	0	0	---	---	0.032	1980
1981	---	0	0	0	0	0.001	0	0	0	0.016	---	---	0.002	1981
1982	---	---	0	0.558	0.123	0.170	0.145	0.002	0	0	---	---	0.123	1982
MEAN	---	0	0.017	0.620	0.198	0.093	0.016	0.001	0.001	0.002	---	---	0.117	MEAN

LOCATION - LAT 51 24 58 W LONG 105 06 10 W DRAINAGE AREA, 950 km² NATURAL FLOW

SALINE CREEK NEAR NOKOMIS - STATION NO. 05JJ009

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1972	0.920 AT 02:33 CST ON APR 11	0.869 ON APR 11	0B ON MAR 1 *	1 510	1972
1973	0.799 AT 17:44 CST ON JUN 7	0.756 ON JUN 6	0B ON MAR 1	1 090	1973
1974	13.1 AT 00:02 CST ON APR 21 *	12.1 ON APR 21 *	0B ON MAR 1	10 900	1974
1975	1.97 B AT 12:07 CST ON APR 18	1.70 B ON APR 17	0B ON MAR 1	2 560	1975
1976	3.30 AT 01:32 CST ON APR 10	2.97 ON APR 9	0B ON MAR 1	3 030	1976
1977	0.606 AT 23:31 CST ON MAY 28	0.541 ON MAY 28	0B ON MAR 1	533	1977
1978	0.603B AT 09:04 CST ON APR 4	0.433B ON APR 4	0B ON MAR 1	738	1978
1979	4.80 B AT 08:38 CST ON APR 20	4.04 B ON APR 20	0B ON MAR 1	3 630	1979
1980	0.807 AT 21:40 CST ON APR 9	0.763 ON APR 9	0B ON MAR 1	676	1980
1981	0.067 AT 05:46 CST ON OCT 25	0.059 ON OCT 25	0B ON MAR 1	47.2	1981
1982	2.36 AT 09:24 CST ON APR 15	2.20 ON APR 15	0B ON MAR 1	2 610	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		2 480	MEAN

SANDY CREEK NEAR CARON - STATION NO. 05JG001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	---	---	---	---	---	0.018	0.017	0.023	0.020	0.012	---	1915
1916	0.009	0.009	---	---	0.066	0.061	0.054	0.016	0.017	---	---	---	---	1916
1978	---	---	0.190	0.103	0.007	0	0	0	0	0	---	---	0.037	1978
1979	---	---	0.272	0.825	0.025	0	0	0	0	0	---	---	0.139	1979
1980	---	---	0.046	0.343	0	0	0	0	0	0	---	---	0.048	1980
1981	---	0	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	1.85	0.064	0.049	0	0	0	0	---	---	0.240	1982
MEAN	0.009	0.005	0.102	0.624	0.027	0.018	0.009	0.004	0.005	0.004	0.020	0.012	0.093	MEAN

LOCATION - LAT 50 27 09 W LONG 106 01 45 W DRAINAGE AREA, 678 km² NATURAL FLOW

REMARKS - RECORDS COLLECTED IN SE29-17-29-W3 IN 1915-17

SANDY CREEK NEAR CARON - STATION NO. 05JG001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	---	---	---	1915
1916	---	---	---	---	1916
1978	1.43 AT 01:49 CST ON MAR 28	1.16 ON MAR 28	0B ON MAR 1 *	793	1978
1979	5.56 AT 06:04 CST ON APR 19	5.01 ON APR 19	0B ON MAR 1	2 940	1979
1980	2.28B AT 09:12 CST ON APR 1	2.08B ON APR 1	0B ON MAR 1	1 010	1980
1981	---	0 ON MAR 1	0 ON MAR 1	0	1981
1982	10.9 AT 21:26 CST ON APR 14 *	10.6 ON APR 14 *	0B ON MAR 1	5 090	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		1 970	MEAN

SASKATCHEWAN RIVER ABOVE SIPANOK CHANNEL - STATION NO. 05KD005

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1954	---	---	---	---	---	2 040	1 400	---	---	---	---	---	---	1954
1955	---	---	---	---	---	1 450	1 280	657	---	---	---	---	---	1955
1956	---	---	---	---	---	1 810	1 080	---	---	---	---	---	---	1956
MEAN	---	---	---	---	1 130	1 630	1 270	657	---	---	---	---	---	MEAN

LOCATION - LAT 53 92 50 N LONG 103 16 00 W DRAINAGE AREA, 287 000 km² DATA CONTRIBUTED BY - PRAIRIE FARM REHABILITATION ADMINISTRATION

SASKATCHEWAN RIVER ABOVE SIPANOK CHANNEL - STATION NO. 05KD005

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1954	---	3 400 ON JUN 14 *	---	---	1954
1955	---	---	---	---	1955
1956	---	---	---	---	1956
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

SASKATCHEWAN RIVER AT NIPAWIN - STATION NO. 05KD001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1945	---	---	---	---	---	---	---	---	607	378	193	173	---	1945
1946	140	130	205	573	650	1 300	1 200	536	686	328	238	121	635	1946
1947	129	107	249	981	1 110	1 260	1 020	572	511	486	343	303	772	1947
1948	160	122	126	939	3 360	3 040	1 440	1 080	966	---	---	---	---	1948
1951	---	---	---	---	---	---	1 900	966	1 110	677	---	---	---	1951
1952	---	---	---	1 050	892	1 350	1 730	1 030	543	367	---	---	---	1952
1953	---	---	---	---	1 050	2 020	1 690	927	667	382	---	---	---	1953
1954	---	---	162	606	1 160	3 370	1 810	1 090	3 160	836	---	---	1 230	1954
1955	---	---	115	1 020	1 200	1 400	1 230	630	338	362	---	---	772	1955
1956	---	---	131	1 100	926	1 280	1 060	729	471	300	---	---	743	1956
1957	---	---	167	643	969	979	575	430	388	260	---	---	553	1957
1958	---	---	148	820	801	1 210	1 220	656	414	260	---	---	691	1958
1959	---	---	144	676	416	1 180	1 290	662	390	379	---	---	616	1959
1960	---	---	141	885	567	847	1 070	630	286	216	---	---	580	1960
1961	---	---	133	951	339	1 230	562	600	341	213	---	---	680	1961
1962	---	---	157	586	669	755	764	578	365	306	---	---	681	1962
MEAN	143	120	158	818	970	1 500	1 220	790	589	365	238	169	696	MEAN

LOCATION - LAT 53 33 00 N LONG 104 02 30 W DRAINAGE AREA, 287 000 km² REGULATED

SASKATCHEWAN RIVER AT NIPAWIN - STATION NO. 05KD001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1945	---	---	---	---	1945
1946	---	1 970 ON JUN 17	121 B ON MAR 3	13 600 000	1946
1947	---	2 190 ON JUN 20	114 B ON MAR 24	16 300 000	1947
1948	---	6 860 ON JUN 1	---	---	1948
1951	---	---	---	---	1951
1952	---	3 650 ON JUN 30	---	---	1952
1953	6 930 AT 06:05 ON JUN 16 *	6 870 ON JUN 16 *	---	---	1953
1954	6 860 AT 08:30 ON JUN 13	6 830 ON JUN 13	139 B ON MAR 26	25 800 000	1954
1955	---	1 770B ON APR 12	96.3B ON MAR 5 *	16 300 000	1955
1956	---	2 550B ON APR 23	119 B ON MAR 29	15 700 000	1956
1957	1 310 AT 09:00 ON MAY 30	1 300 ON MAY 30	113 B ON MAR 6	11 700 000	1957
1958	1 690 AT 14:00 ON JUL 7	1 680 ON JUL 7	121 B ON MAR 10	14 600 000	1958
1959	---	2 370 ON JUL 7	121 B ON MAR 1	13 000 000	1959
1960	---	1 500 ON JUL 11	98.8B ON MAR 22	12 300 000	1960
1961	---	1 670 ON JUN 6	98.8B ON MAR 6	10 200 000	1961
1962	---	1 030B ON APR 23	143 B ON MAR 18	10 200 000	1962
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		14 500 000	MEAN

SASKATCHEWAN RIVER BELOW CUMBERLAND HOUSE - STATION NO. 05KH010

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1954	---	---	---	---	---	---	1 890	---	---	---	---	---	---	1954
1955	---	---	---	---	1 760	1 740	1 560	---	---	---	---	---	---	1955
MEAN	---	---	---	---	1 760	1 740	1 730	---	---	---	---	---	---	MEAN

LOCATION - LAT 53 53 00 N, LONG 101 56 00 W DRAINAGE AREA, 328 000 km² DATA CONTRIBUTED BY - PRAIRIE FARM REHABILITATION ADMINISTRATION

SASKATCHEWAN RIVER BELOW TOBIN LAKE - STATION NO. 05KD001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1962	---	---	---	---	---	---	---	---	316	20.8	106	83.9	---	1962
1963	70.8	70.8	83.3	640	512	700	978	687	398	262	196	113	390	1963
1964	170	170	176	383	649	1 270	1 110	626	365	350	198	130	641	1964
1965	172	162	184	491	924	1 620	2 120	935	586	685	256	261	781	1965
1966	251	242	343	786	710	968	1 080	626	326	206	125	87.8	616	1966
1967	286	400	367	591	678	945	869	466	336	236	122	223	615	1967
1968	411	183	263	581	515	526	649	419	302	254	258	320	376	1968
1969	501	483	433	701	701	584	1 430	731	444	346	256	122	578	1969
1970	488	484	300	483	555	497	801	584	275	269	288	350	488	1970
1971	456	515	484	632	748	881	736	608	280	238	268	302	508	1971
1972	535	479	578	731	662	823	1 130	768	387	619	270	306	597	1972
1973	473	505	393	510	591	528	693	389	357	286	287	377	418	1973
1974	510	568	555	1 060	1 510	1 080	800	685	390	338	278	316	657	1974
1975	471	519	456	670	686	720	661	278	238	292	309	447	466	1975
1976	507	462	399	254	278	288	278	636	521	396	311	616	377	1976
1977	510	405	374	291	318	450	376	273	338	228	209	346	325	1977
1978	421	338	329	525	639	675	688	385	499	681	308	385	458	1978
1979	485	561	556	675	838	650	286	282	178	173	160	217	392	1979
1980	299	521	379	498	276	838	636	352	387	365	316	346	449	1980
1981	464	480	368	550	963	867	669	1 030	592	388	397	296	574	1981
1982	494	494	468	661	516	467	710	389	312	353	291	315	462	1982
MEAN	399	397	368	531	609	741	808	529	362	313	251	286	469	MEAN

LOCATION - LAT 53 02 10 N, LONG 103 17 50 W DRAINAGE AREA, 289 000 km² REGULATED

SASKATCHEWAN RIVER BELOW TOBIN LAKE - STATION NO. 05KD001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1962	---	---	---	---	1962
1963	---	1 610E ON JUL 31	28.9 E ON NOV 7	12 300 000	1963
1964	---	2 290E ON JUN 29	57.8 E ON DEC 22	16 080 000	1964
1965	---	2 700E ON JUN 29	75.0 ON NOV 28	22 200 000	1965
1966	---	1 960 ON JUL 14	0 ON DEC 29 *	15 700 000	1966
1967	---	1 010 ON MAY 3	6.53 ON JAN 1	13 700 000	1967
1968	---	881 ON JUN 19	20.3 ON JUN 9	9 990 000	1968
1969	---	2 440E ON JUL 7	35.6 ON NOV 30	18 200 000	1969
1970	1 660 AT 10:20 CST ON JUL 20	1 010 ON JUL 13	23.9 ON APR 12	15 100 000	1970
1971	1 220 AT 14:11 CST ON FEB 5	926 ON JUN 25	169 ON OCT 10	16 000 000	1971
1972	2 030 AT 06:00 CST ON JUL 3	1 750 ON JUL 3	35.6 ON DEC 10	18 900 000	1972
1973	1 020 AT 17:33 CST ON JAN 10	858 ON SEP 23	30.6 ON SEP 16	13 200 000	1973
1974	3 940 AT 23:28 CST ON APR 24 *	3 450 ON APR 25 *	56.6 ON OCT 13	20 700 000	1974
1975	1 510 AT 09:15 CST ON JUN 28	1 340 ON JUN 29	28.9 ON AUG 31	15 700 000	1975
1976	---	966 ON SEP 16	36.8 ON JUL 31	11 930 000	1976
1977	1 140 AT 21:00 CST ON DEC 8	782 ON JAN 21	9.91 ON AUG 21	10 300 000	1977
1978	---	951E ON APR 24	66.8 ON NOV 25	14 400 000	1978
1979	---	1 000E ON MAY 6	10.0 E ON JUL 15	12 300 000	1979
1980	---	1 030 ON JUN 7	150 ON JUL 28	13 400 000	1980
1981	---	1 400E ON AUG 2	155 ON MAY 17	16 800 000	1981
1982	1 100 AT 19:34 CST ON JUL 22	978 ON JUL 14	157 ON NOV 15	13 900 000	1982
				14 400 000	MEAN

E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

SASKATCHEWAN RIVER NEAR MANITOBA BOUNDARY - STATION NO. 05KH008

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1969	432	476	415	911	966	648	1 280	928	583	513	314	287	648	1969
1970	---	---	---	---	---	686	---	---	---	378	---	---	---	1970
1971	---	558	---	---	1 040	840	867	796	432	388	417	389	---	1971
1972	---	423	491	822	1 350	915	1 250	1 010	562	520	341	290	---	1972
1973	473	520	503	691	913	---	---	---	---	461	328	387	---	1973
1974	493	545	614	946	2 230	1 650	1 220	868	783	665	517	434	915	1974
1975	494	634	604	637	1 060	983	940	555	416	401	411	381	623	1975
1976	482	544	543	768	431	333	383	447	466	460	298	316	452	1976
1977	447	498	362	519	459	579	409	362	436	352	238	270	410	1977
1978	389	374	353	499	872	699	740	526	559	642	368	323	530	1978
1979	---	---	---	531	1 360	891	461	377	337	307	274	227	---	1979
1980	281	492	492	698	558	723	771	438	394	502	401	234	498	1980
1981	413	448	416	752	545	886	750	1 070	673	486	412	238	591	1981
1982	388	439	411	596	793	573	708	571	379	379	311	271	485	1982
MEAN	425	496	473	698	967	800	815	662	502	458	356	305	572	MEAN

LOCATION - LAT 53 53 10 N
LONG 101 49 40 W
DRAINAGE AREA, 329 000 km²
REGULATED

SASKATCHEWAN RIVER NEAR MANITOBA BOUNDARY - STATION NO. 05KH008

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1969	---	1 650 ON JUL 23	228B ON NOV 25	20 400 000	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1972	---	1 800B ON APR 29	212B ON DEC 2	---	1972
1973	---	---	---	---	1973
1974	---	2 400A ON MAY 1 *	377B ON DEC 31	28 900 000	1974
1975	---	1 190B ON MAY 1	255B ON NOV 26	19 700 000	1975
1976	---	1 130B ON APR 16	226 ON JUN 21	14 300 000	1976
1977	---	827B ON APR 21	159B ON NOV 22 *	12 900 000	1977
1978	---	1 380B ON MAY 1	215B ON NOV 20	16 700 000	1978
1979	---	1 700E ON MAY 7	---	---	1979
1980	1 050 AT 00:00 CST ON APR 21	999E ON APR 20	159B ON DEC 3	15 800 000	1980
1981	---	1 220E ON AUG 10	188B ON DEC 19	18 600 000	1981
1982	1 460 AT 09:55 CST ON APR 28 *	1 410 ON APR 28	203B ON NOV 22	15 300 000	1982
				18 100 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SASKATCHEWAN RIVER OLD CHANNEL - STATION NO. 05KH009

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	---	---	---	---	---	---	12.9	7.92	---	---	---	1970
1971	---	---	---	---	---	90.3	78.2	58.0	9.14	4.95	10.6	30.4	---	1971
1972	38.9	30.9	---	---	---	---	---	---	13.8	17.7	---	38.7	---	1972
1973	36.2	37.8	30.4	50.1	44.9	59.8	42.6	14.8	27.8	27.9	23.7	48.5	36.9	1973
1974	27.4	47.0	51.2	140	262	154	93.9	31.8	19.4	13.2	4.14	12.0	71.4	1974
1976	48.3	37.6	42.9	49.3	8.07	7.41	6.12	20.0	15.6	15.4	14.5	33.4	24.9	1976
1977	29.5	18.7	6.75	8.30	13.4	30.0	11.1	8.28	11.8	4.66	2.12	8.53	12.7	1977
1978	10.3	3.37	---	---	---	---	56.6	14.5	21.8	19.3	8.31	15.0	---	1978
1979	22.7	29.9	17.4	10.1	82.3	22.3	9.72	9.48	1.17	0.877	1.09	8.60	18.0	1979
1980	11.4	23.9	14.7	23.1	6.65	89.2	55.1	14.1	7.22	11.2	10.6	27.7	24.5	1980
1981	31.3	10.7	8.28	12.4	29.5	96.2	50.6	123	25.2	9.48	8.80	23.3	36.0	1981
1982	24.7	16.5	15.1	18.7	22.3	15.7	58.7	14.3	6.67	10.6	7.28	18.0	19.2	1982
MEAN	28.1	25.6	23.3	39.0	58.6	62.8	46.3	30.8	14.3	11.9	9.11	24.0	30.5	MEAN

LOCATION - LAT 53 48 50 N
LONG 102 58 20 W
REGULATED

SASKATCHEWAN RIVER OLD CHANNEL - STATION NO. 05KH009

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1972	---	---	---	---	1972
1973	170 AT 04:18 CST ON APR 26	166 ON APR 26	1.14 ON AUG 10	1 160 000	1973
1974	623 AT 12:28 CST ON APR 25 *	558 ON APR 25 *	1.23 ON OCT 14	2 250 000	1974
1976	149B AT 22:37 CST ON APR 13	135 B ON APR 13	1.11 ON AUG 3	786 000	1976
1977	105B AT 03:18 CST ON JUN 7	75.3 ON JUN 7	0.016B ON MAR 31	401 000	1977
1978	---	---	0 B ON JAN 1 *	---	1978
1979	136B AT 12:24 CST ON MAY 8	131 B ON MAY 8	0 B ON APR 14	566 000	1979
1980	131 AT 07:26 CST ON JUL 7	128 ON JUL 7	0.201B ON JAN 1	774 000	1980
1981	230 AT 02:49 CST ON AUG 10	214 ON AUG 3	0.431B ON OCT 29	1 130 000	1981
1982	128 AT 04:25 CST ON JUL 14	120 ON JUL 14	0.780 ON SEP 20	604 000	1982
				959 000	MEAN

B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

SASKATOON S.E. PROJECT DIVERSION TO LITTLE MANITOU LAKE - STATION NO. 05JJ006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	---	---	0	0	---	---	---	0.227	0	---	---	1968
1969	---	---	---	---	0	0	0	0.061	0.907	0.312	0	---	---	1969
1970	---	---	---	---	---	---	---	---	---	---	---	---	---	1970
1971	---	---	0	0	0	0.191	0.152	0.032	0	0	---	---	0.047	1971
1972	---	---	0	0.248	0	0	0	0	0.150	0.027	---	---	0.052	1972
1973	---	---	0	0.090	0.042	0.085	0	0.032	0.057	0.007	---	---	0.034	1973
1974	---	---	---	---	0.036	0.054	0.056	0.061	0.060	0.021	---	---	---	1974
1975	---	---	---	---	---	0.008	---	---	---	---	---	---	---	1975
1976	---	---	---	---	---	0.013	0.029	0.041	---	---	---	---	---	1976
1977	---	---	---	---	0.062	0.025	0	0	0.026	---	---	---	---	1977
1978	---	---	0	0	0.008	0.030	0.088	0.080	0.038	0	---	---	0.031	1978
1979	---	---	0	0	0	0	0	0	0	0	---	---	0	1979
1980	---	---	0	0	0	0	0	0	0	0	---	---	0	1980
1981	---	---	0.352	0.349	0	0.040	0.007	0	0	0	---	---	0.093	1981
1982	---	---	0	0	0.051	0.067	0	0	0	0	---	---	0.015	1982
MEAN	---	---	0.044	0.086	0.017	0.038	0.028	0.026	0.113	0.054	0	---	0.034	MEAN

LOCATION - LAT 51 45 21 N
LONG 105 38 56 W REGULATED

DATA CONTRIBUTED BY - SASKATCHEWAN DEPARTMENT OF THE ENVIRONMENT

SASKATOON S.E. PROJECT DIVERSION TO LITTLE MANITOU LAKE - STATION NO. 05JJ006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	---	0 ON MAY 1 *	---	1968
1969	---	1.22 ON OCT 3 *	0 ON MAY 1	---	1969
1970	---	---	0 ON SEP 9	---	1970
1971	---	0.674 ON JUL 24	0 ON MAR 1	986	1971
1972	---	1.04 ON APR 21	0 ON MAR 1	1 100	1972
1973	---	0.731 ON APR 18	0E ON MAR 1	716	1973
1974	---	0.547 ON MAY 14	0 ON MAY 1	---	1974
1975	---	---	C ON MAY 19	---	1975
1976	---	0.227E ON AUG 10	0 ON JUN 1	---	1976
1977	---	0.227E ON JUN 10	0 ON MAY 1	---	1977
1978	---	0.623 ON AUG 29	0 ON MAR 1	648	1978
1979	---	0 ON MAR 1	0 ON MAR 1	0	1979
1980	---	0 ON MAR 1	0 ON MAR 1	0	1980
1981	---	0.975 ON APR 2	0 ON MAR 1	1 970	1981
1982	---	0.177 ON JUN 22	0 ON MAR 1	311	1982
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		716	MEAN

E - ESTIMATED

SASKATOON S.E. PROJECT EAST MAIN CANAL BELOW BLACKSTRAP RESERVOIR - STATION NO. 05HG008

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	---	---	---	2.19	0.002	1.40	2.16	1.81	---	---	---	1968
1969	---	---	---	---	0	0.307	0.418	0.692	2.19	0.002	---	---	---	1969
1970	---	---	0	0	0	0.074	0.451	0.573	1.33	0.004	---	---	0.302	1970
1971	---	---	0	0	0.314	0.004	0.170	1.54	0	0	---	---	0.257	1971
1972	---	---	0	0	0.001	0	0	0.410	2.19	0.806	---	---	0.422	1972
1973	---	---	0	0	0	0.339	2.00	1.62	1.55	0.353	---	---	0.734	1973
1974	---	---	0	0	0.131	0.574	0.374	0.749	1.70	0.197	---	---	0.462	1974
1975	---	---	---	---	---	0	0	0.508	1.42	0.516	---	---	---	1975
1976	---	---	0	0.276	0.153	0.438	0.482	0.700	0.566	0	---	---	0.326	1976
1977	---	---	0	0	0.513	0.913	0	0.469	1.94	0.309	---	---	0.513	1977
1978	---	---	0	0	0	0.938	0.693	0.981	1.10	0.476	---	---	0.522	1978
1979	---	---	0	0.001	0	0	0	0.110	1.19	0.281	---	---	0.195	1979
1980	---	---	0	0	0	0.150	0.100	0.726	2.00	0.028	---	---	0.371	1980
1981	---	---	0	0	0.269	1.23	1.05	0.764	1.20	0.366	---	---	0.608	1981
1982	---	---	0	0	0.492	0.262	0.299	0.238	0.843	0.120	---	---	0.281	1982
MEAN	---	---	0	0.023	0.134	0.495	0.403	0.765	1.43	0.351	---	---	0.416	MEAN

LOCATION - LAT 51 51 17 N
LONG 106 21 18 W REGULATED SINCE 1967

SASKATOON S.E. PROJECT EAST MAIN CANAL BELOW BLACKSTRAP RESERVOIR - STATION NO. 05HG008

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	4.30 ON JUL 11 *	0 ON JUL 3 *	---	1968
1969	---	2.76 ON SEP 6	0 ON MAY 1	---	1969
1970	---	1.98 ON SEP 24	0 ON MAR 1	6 400	1970
1971	---	1.78 ON AUG 11	0B ON MAR 1	5 440	1971
1972	---	3.03 ON SEP 21	0B ON MAR 1	8 930	1972
1973	---	3.40 ON AUG 15	0B ON MAR 1	15 500	1973
1974	---	2.08 ON SEP 11	0B ON MAR 1	9 780	1974
1975	---	2.10 ON SEP 10	0E ON MAY 1	---	1975
1976	---	1.53 ON SEP 11	0 ON MAR 1	6 910	1976
1977	---	2.55 ON MAY 26	0 ON MAR 1	10 900	1977
1978	---	1.99 ON JUN 21	0E ON MAR 1	11 000	1978
1979	---	2.14 ON SEP 27	0E ON MAR 1	4 140	1979
1980	---	2.45 ON SEP 10	0 ON MAR 1	7 860	1980
1981	---	1.72 ON SEP 19	0 ON MAR 1	12 900	1981
1982	---	1.52 ON SEP 17	0E ON MAR 1	5 950	1982
				8 810	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SASKATOON S.E. PROJECT EAST MAIN CANAL BELOW BRIGHTWATER RESERVOIR - STATION NO. 05HG004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	---	---	---	---	2.86	6.39	6.70	6.98	6.16	---	---	1967
1968	---	---	---	---	---	---	4.96	2.64	0.803	---	---	---	---	1968
1969	---	---	---	---	0.690	1.00	0.500	2.36	1.74	0	---	---	---	1969
1970	---	---	0	0	0	0	0	0	1.88	0.599	---	---	0.306	1970
1971	---	---	0	0	0.445	0	0.133	1.47	0	0	---	---	0.259	1971
1972	---	---	0	0	0	0	0.491	2.84	3.03	0.428	---	---	0.846	1972
1973	---	---	0	0	0.123	0.552	2.94	1.98	2.06	0.618	---	---	1.04	1973
1974	---	---	0	0	0	0	0	1.06	1.51	0.013	---	---	0.320	1974
1975	---	---	---	---	0.415	0.425	0.312	1.50	1.53	0.485	---	---	---	1975
1976	---	---	0	0	0.011	0.454	0.609	1.80	0	0	---	---	0.363	1976
1977	---	---	0	0	0	1.95	0.711	1.88	2.85	0.051	---	---	0.921	1977
1978	---	---	0	0	0.296	1.71	0.883	1.81	1.97	0	---	---	0.828	1978
1979	---	---	0	0	0	0.133	0.115	0.158	1.77	0.307	---	---	0.306	1979
1980	---	---	0	0	0.799	1.01	0.348	1.45	2.97	0.076	---	---	0.824	1980
1981	---	---	0	0	0.775	1.89	1.23	1.45	2.86	0	---	---	1.02	1981
1982	---	---	0	0	1.34	0.349	0.446	0.312	1.55	0	---	---	0.499	1982
MEAN	---	---	0	0	0.350	0.677	1.03	1.82	2.08	0.637	6.16	---	0.628	MEAN

LOCATION - LAT 51 37 13 N
LONG 106 32 35 W REGULATED

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1967

SASKATOON S.E. PROJECT EAST MAIN CANAL BELOW BRIGHTWATER RESERVOIR - STATION NO. 05HG004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1967	---	7.45 ON JUL 31 *	0 ON JUL 1 *	---	1967
1968	---	6.74 ON AUG 1	0 ON JUL 1	---	1968
1969	---	4.08A ON APR 25	0 ON MAY 7	---	1969
1970	---	4.16 ON SEP 28	0 ON MAR 1	6 460	1970
1971	---	3.11 ON MAY 17	0B ON MAR 1	5 490	1971
1972	---	3.45 ON AUG 17	0B ON MAR 1	17 900	1972
1973	---	3.45 ON JUL 15	0B ON MAR 1	22 000	1973
1974	---	3.00 ON AUG 3	0 ON MAR 1	6 780	1974
1975	---	2.78 ON JUN 1	0E ON MAY 1	---	1975
1976	---	2.83 ON AUG 6	0 ON MAR 1	7 670	1976
1977	---	3.74 ON SEP 3	0 ON MAR 1	19 500	1977
1978	---	3.03 ON SEP 16	0B ON MAR 1	17 500	1978
1979	---	3.65 ON SEP 15	0 ON MAR 1	6 490	1979
1980	---	3.24 ON SEP 28	0 ON MAR 1	17 400	1980
1981	---	3.58 ON SEP 29	0 ON MAR 1	21 600	1981
1982	---	4.09 ON MAY 18	0 ON MAR 1	10 600	1982
				13 300	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SASKATOON S.E. PROJECT EAST MAIN CANAL BELOW BRODERICK RESERVOIR - STATION NO. 05HG019

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	---	---	---	---	---	6.46	7.41	7.53	---	---	---	1967
1969	---	---	---	---	0	0.025	1.55	2.49	0.068	0	0	---	---	1969
1970	---	---	---	---	---	---	---	---	---	---	---	---	---	1970
1971	---	---	0	0	0.009	0.007	0.329	1.50	0.024	0.016	---	---	0.238	1971
1972	---	---	0	0.119	0.257	0.910	0.171	2.91	2.80	0.128	---	---	0.908	1972
1973	---	---	0	2.48	1.04	1.59	2.02	1.86	2.55	0	---	---	1.43	1973
1974	---	---	---	---	---	0.007	0.176	0.006	---	---	---	---	---	1974
1975	---	---	---	---	---	---	---	1.47	1.45	0.530	---	---	---	1975
1976	---	---	0	0	0.001	0.005	0.038	0.023	0	0.008	---	---	0.010	1976
1977	---	---	0	0	1.65	2.03	1.09	2.20	2.63	0.006	---	---	1.20	1977
1978	---	---	0	0	2.26	1.98	1.07	2.19	2.06	0.069	---	---	1.20	1978
1979	---	---	0	0	0	0.351	0.624	0.711	1.49	0.094	---	---	0.407	1979
1980	---	---	0	0	2.03	1.50	1.13	2.05	3.82	0.007	---	---	1.31	1980
1981	---	---	0	0	4.00	1.85	1.78	2.25	3.65	0.026	---	---	1.69	1981
1982	---	---	0	0.001	3.04	0.723	1.26	1.01	1.63	0.039	---	---	0.965	1982
MEAN	---	---	0	0.260	1.30	0.915	0.937	1.94	2.28	0.650	0	---	0.936	MEAN

LOCATION - LAT 51 29 01 N
LONG 106 50 53 W REGULATED

SASKATOON S.E. PROJECT EAST MAIN CANAL BELOW BRODERICK RESERVOIR - STATION NO. 05HG019

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1967	---	7.87 ON SEP 15 *	2.43 A ON JUL 10	---	1967
1969	---	2.89 ON JUL 23	0 ON MAY 1 *	---	1969
1970	---	0.487 ON AUG 11	0.018 ON JUN 27	---	1970
1971	---	4.25 ON AUG 7	0 ON MAR 1	5 040	1971
1972	---	3.06 ON AUG 26	0 ON MAR 1	19 280	1972
1973	---	3.09 ON APR 16	0 E ON MAR 1	30 300	1973
1974	---	0.515 ON JUL 23	0 ON JUN 1	---	1974
1975	---	2.29 ON AUG 16	0 ON AUG 3	---	1975
1976	---	0.195 ON JUL 20	0 ON MAR 1	204	1976
1977	---	4.28 ON JUN 5	0 ON MAR 1	25 300	1977
1978	---	4.36 ON MAY 22	0 B ON MAR 1	25 500	1978
1979	---	3.27 ON SEP 26	0 ON MAR 1	8 610	1979
1980	---	4.12 ON SEP 28	0 ON MAR 1	27 800	1980
1981	---	6.09 ON SEP 29	0 ON MAR 1	35 800	1981
1982	---	4.77 ON SEP 15	0 E ON MAR 1	20 400	1982
				19 800	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SASKATOON S.E. PROJECT EAST MAIN CANAL BELOW ZELMA RESERVOIR - STATION NO. 05HG009

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	---	---	---	---	0.068	0.806	1.20	1.02	---	---	---	1968
1969	---	---	---	---	0	0	0	0.072	1.20	0.378	---	---	---	1969
1970	---	---	0	0	0	0	0	0	0.695	0.084	---	---	0.096	1970
1971	---	---	0	0	0	0.299	0.326	0.301	0	0	---	---	0.116	1971
1972	---	---	0	0.247	0.004	0.002	0.036	0.099	0.604	0.146	---	---	0.141	1972
1973	---	---	0	0.437	0.705	0.442	0.002	0.669	0.855	0.102	---	---	0.399	1973
1974	---	---	0	0	0.404	0.517	0.590	0.807	0.778	0.183	---	---	0.410	1974
1975	---	---	---	---	0.440	0.589	0.018	0.064	0.082	0.021	---	---	---	1975
1976	---	---	0	0	0.001	0.535	0.466	0.209	0.054	0	---	---	0.158	1976
1977	---	---	0	0	0.666	0.227	0	0.041	0.450	0	---	---	0.172	1977
1978	---	---	0	0.011	0.457	0.567	0.559	0.678	0.080	0.001	---	---	0.295	1978
1979	---	---	0	0.001	0.001	0.001	0.001	0.053	0.064	0.002	---	---	0.015	1979
1980	---	---	0	0	0	0	0.045	0.089	0	0	---	---	0.017	1980
1981	---	---	0.577	0.479	0	0.617	0.190	0	0	0.002	---	---	0.232	1981
1982	---	---	0	0	0.511	0.677	0.001	0	0.001	0.001	---	---	0.148	1982
MEAN	---	---	0.048	0.098	0.228	0.320	0.153	0.259	0.404	0.129	---	---	0.183	MEAN

LOCATION - LAT 51 48 23 N
LONG 105 45 23 W REGULATED

SASKATOON S.E. PROJECT EAST MAIN CANAL BELOW ZELMA RESERVOIR - STATION NO. 05HG009

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	1.75 ON AUG 21 *	0 ON JUL 1 *	---	1968
1969	---	1.42 ON OCT 3	0 ON MAY 1	---	1969
1970	---	1.07 ON SEP 27	0 ON MAR 1	2 020	1970
1971	---	0.838 ON AUG 6	0B ON MAR 1	2 460	1971
1972	---	1.14 ON APR 25	0B ON MAR 1	2 980	1972
1973	---	1.25 ON JUN 14	0B ON MAR 1	8 460	1973
1974	---	1.13 ON AUG 18	0B ON MAR 1	8 670	1974
1975	---	1.01 ON MAY 15	0E ON MAY 1	---	1975
1976	---	1.29 ON JUN 4	0 ON MAR 1	3 340	1976
1977	---	0.889 ON SEP 13	0 ON MAR 1	3 650	1977
1978	---	0.980 ON AUG 11	0E ON MAR 1	6 250	1978
1979	---	0.146 ON SEP 11	0E ON MAR 1	323	1979
1980	---	0.197 ON AUG 9	0 ON MAR 1	358	1980
1981	---	1.54 ON MAR 28	0B ON MAR 1	4 910	1981
1982	---	0.998 ON JUN 24	0E ON MAR 1	3 130	1982
				3 880	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SASKATOON S.E. PROJECT MAIN CANAL ABOVE BLACKSTRAP RESERVOIR - STATION NO. 05HG005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	---	---	---	---	2.57	6.05	6.64	6.72	5.93	---	---	1967
1968	---	---	---	---	0	0	4.29	2.56	0.773	0	0	---	---	1968
1969	---	---	---	1.22	0.677	1.01	0.501	2.27	1.72	0	0	---	---	1969
1970	---	---	0	0	0	0	0	0	1.55	0.511	---	---	0.254	1970
1971	---	---	0	0	0.310	0	0.129	1.58	0.009	0	---	---	0.257	1971
1972	---	---	0	0	0	0	0.498	2.32	2.75	0.571	---	---	0.766	1972
1973	---	---	0	0	0.146	0.472	2.45	1.64	2.01	0.063	---	---	0.924	1973
1974	---	---	---	---	0	0	0	0.972	1.51	0.046	---	---	---	1974
1975	---	---	---	---	0.306	0.444	0.185	1.53	1.60	0.531	---	---	---	1975
1976	---	---	---	0.221	0.023	0.920	0.607	2.01	---	---	---	---	---	1976
1977	---	---	---	---	---	1.93	0.555	1.78	2.62	---	---	---	---	1977
1978	---	---	0	0	0.246	1.49	0.684	1.58	1.96	0	---	---	0.740	1978
1979	---	---	0	0	0	0.087	0.099	0.155	1.48	0.351	---	---	0.268	1979
1980	---	---	0	0	0.775	0.966	0.243	1.17	3.03	0.130	---	---	0.783	1980
1981	---	---	0	0	0.597	1.59	1.01	1.43	2.89	0.081	0	---	0.942	1981
1982	---	---	0	0	1.23	0.344	0.289	0.146	1.58	0.002	---	---	0.446	1982
MEAN	---	---	0	0.131	0.308	0.617	0.882	1.70	2.14	0.686	1.98	---	0.598	MEAN

LOCATION - LAT 51 40 50 N
LONG 106 25 35 W REGULATED

DATA CONTRIBUTED BY - SASKATCHEWAN DEPARTMENT OF THE ENVIRONMENT

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1967

SASKATOON S.E. PROJECT MAIN CANAL ABOVE BLACKSTRAP RESERVOIR - STATION NO. 05HG005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1967	---	7.22 ON SEP 11 *	0 ON JUL 1 *	---	1967
1968	---	6.46 ON JUL 21	0 ON MAY 1	---	1968
1969	---	3.77 ON APR 24	0 ON APR 1	---	1969
1970	---	3.11 ON OCT 1	0 ON MAR 1	5 380	1970
1971	---	2.24 ON AUG 10	0 ON MAR 1	5 430	1971
1972	---	3.17 ON SEP 29	0 ON MAR 1	16 200	1972
1973	---	3.03 ON JUL 16	0E ON MAR 1	19 600	1973
1974	---	2.41 ON SEP 7	0 ON MAY 1	---	1974
1975	---	2.78 ON AUG 22	0E ON MAY 1	---	1975
1976	---	7.08E ON JUN 8	0E ON APR 1	---	1976
1977	---	3.77 ON JUN 22	---	---	1977
1978	---	3.11 ON SEP 18	0 ON MAR 1	15 700	1978
1979	---	3.34 ON SEP 15	0 ON MAR 1	5 680	1979
1980	---	3.61 ON SEP 16	0 ON MAR 1	16 600	1980
1981	---	4.86 ON SEP 30	0 ON MAR 1	20 000	1981
1982	---	4.17 ON MAY 18	0 ON MAR 1	9 450	1982
				12 700	MEAN

E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SASKATOON S.E. PROJECT MAIN CANAL ABOVE BRIGHTWATER RESERVOIR - STATION NO. 05HG007

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	---	---	---	---	---	6.87	7.38	7.42	---	---	---	1967
1968	---	---	---	---	0	0	3.16	2.24	0	0	0	---	---	1968
1969	---	---	---	---	0	0	1.49	2.52	0.144	---	---	---	---	1969
1970	0	0	0	0	0	0	0	0	0	0	0	0	0	1970
1971	---	---	0	0	0	0	0.221	1.37	0	0	---	---	0.201	1971
1972	---	---	0	0	0	0	0	2.62	2.83	0.214	---	---	0.704	1972
1973	---	---	0	2.31	1.03	1.38	1.71	1.55	2.33	1.15	---	---	1.42	1973
1974	---	---	---	0	0	0	0	0	0	0	---	---	---	1974
1975	---	---	---	---	2.11	0.230	0	1.61	1.95	0.713	---	---	---	1975
1976	---	---	---	---	0	0	0	0	0	0	---	---	---	1976
1977	---	---	---	---	1.47	2.04	0.861	2.01	2.63	0.006	---	---	---	1977
1978	---	---	0	0	2.36	1.60	0.709	1.91	2.15	0.029	---	---	1.09	1978
1979	---	---	0	0	0	0.216	0.368	0.565	1.28	0.172	---	---	0.323	1979
1980	---	---	0	0	1.60	1.02	0.688	1.55	3.61	0.385	---	---	1.10	1980
1981	---	---	0	0	3.38	1.59	1.01	1.81	2.99	0.113	0	---	1.36	1981
1982	---	---	0	0	2.62	0.557	0.852	0.856	1.53	0.105	---	---	0.815	1982
MEAN	0	0	0	0.231	0.971	0.576	0.738	1.72	1.80	0.684	0	0	0.779	MEAN

LOCATION - LAT 51 35 15 N
LONG 106 30 30 W REGULATED

DATA CONTRIBUTED BY -
SASKATCHEWAN DEPARTMENT OF THE ENVIRONMENT

SASKATOON S.E. PROJECT MAIN CANAL ABOVE BRIGHTWATER RESERVOIR - STATION NO. 05HG007

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1967	---	12.2 ON JUL 31 *	---	---	1967
1968	---	4.76 ON JUL 12	0 ON MAY 1 *	---	1968
1969	---	3.03 ON JUL 16	0 ON MAY 1	---	1969
1970	---	0 ON MAR 1	0 ON MAR 1	0	1970
1971	---	4.11 ON AUG 7	0 ON MAR 1	4 260	1971
1972	---	3.09 ON SEP 29	0 ON MAR 1	14 900	1972
1973	---	2.97 ON APR 14	0E ON MAR 1	30 200	1973
1974	---	0 ON APR 1	0 ON APR 1	---	1974
1975	---	2.86 ON MAY 31	0 ON MAY 1	---	1975
1976	---	0 ON MAY 1	0 ON MAY 1	---	1976
1977	---	3.99 ON JUN 6	0 ON MAY 1	---	1977
1978	---	4.39 ON MAY 12	0 ON MAR 1	23 100	1978
1979	---	2.58 ON SEP 27	0B ON MAR 1	6 840	1979
1980	---	4.52 ON SEP 30	0 ON MAR 1	23 200	1980
1981	---	6.20 ON SEP 30	0 ON MAR 1	28 800	1981
1982	---	4.82 ON SEP 16	0 ON MAR 1	17 200	1982
				16 500	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SASKATOON S.E. PROJECT MAIN CANAL ABOVE ZELMA RESERVOIR - STATION NO. 05HG011

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	---	0.075	0.494	1.64	0.017	1.36	1.90	1.04	0	---	---	1968
1969	---	---	---	---	0	0	0	0.169	2.05	0.063	0	---	---	1969
1970	---	---	0	0	0	0	0	0.454	1.16	0.029	---	---	0.204	1970
1971	---	---	0	0	0.094	0	0.089	1.12	0.019	0	---	---	0.168	1971
1972	---	---	0	0	0	0	0	0	1.15	0.695	---	---	0.229	1972
1973	---	---	0	0	0	0	1.69	0.960	0.975	0.482	---	---	0.516	1973
1974	---	---	---	---	---	0.341	---	---	1.40	0.322	---	---	---	1974
1975	---	---	---	---	---	---	---	0.385	1.04	0.326	---	---	---	1975
1976	---	---	---	---	---	0.237	0.443	0.429	0.316	---	---	---	---	1976
1977	---	---	---	---	0.317	0.354	0	0.217	1.51	---	---	---	---	1977
1978	---	---	0	0	0	0.692	0.675	0.562	0.767	0.416	---	---	0.388	1978
1979	---	---	0	0	0	0	0	0	0.363	0.315	---	---	0.084	1979
1980	---	---	0	0	0	0	0	0	1.15	0.131	---	---	0.158	1980
1981	---	---	0	0	0.322	1.09	0.465	0.215	0.672	0.437	---	---	0.398	1981
1982	---	---	0	0	0.183	0.117	0.137	0.110	0.451	0.190	---	---	0.148	1982
MEAN	---	---	0	0.008	0.118	0.319	0.270	0.427	0.995	0.342	0	---	0.255	MEAN

LOCATION - LAT 51 50 24 N
LONG 105 51 22 W REGULATED

DATA CONTRIBUTED BY -
SASKATCHEWAN DEPARTMENT OF THE ENVIRONMENT

SASKATOON S.E. PROJECT MAIN CANAL ABOVE ELMA RESERVOIR - STATION NO. 05HG011

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	3.03 ON JUN 8 *	0 ON APR 1 *	---	1968
1969	---	2.38 ON SEP 22	0 ON MAY 1	---	1969
1970	---	1.68 ON SEP 19	0 ON MAR 1	4 310	1970
1971	---	1.27 ON AUG 21	0 ON MAR 1	3 550	1971
1972	---	1.55E ON SEP 13	0 ON MAR 1	4 840	1972
1973	---	2.72 ON SEP 29	0E ON MAR 1	10 900	1973
1974	---	---	0E ON JUN 29	---	1974
1975	---	1.67 ON AUG 27	0E ON AUG 1	---	1975
1976	---	1.01 ON SEP 13	0E ON JUN 1	---	1976
1977	---	1.97 ON SEP 26	0 ON MAY 1	---	1977
1978	---	1.83 ON JUN 22	0 ON MAR 1	8 200	1978
1979	---	1.50 ON OCT 6	0 ON MAR 1	1 790	1979
1980	---	1.86 ON SEP 18	0 ON MAR 1	3 340	1980
1981	---	1.37 ON SEP 30	0 ON MAR 1	8 430	1981
1982	---	1.15 ON SEP 29	0 ON MAR 1	3 130	1982
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		5 390	MEAN

E - ESTIMATED

SASKATOON S.E. PROJECT MAIN CANAL AT INLET TO DELLWOOD RESERVOIR - STATION NO. 05JJ007

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	---	---	0	0	0	0	0.491	0.532	0	---	---	1968
1969	0	0	0	0	0	0	0	0	0	0	0	0	0	1969
1970	---	---	---	---	---	---	---	---	0.285	---	---	---	---	1970
1971	---	---	0	0	0	0	0.014	0.213	0	0	---	---	0.029	1971
1972	---	---	0	0	0	0	0	0	0.246	0.102	---	---	0.043	1972
1973	---	---	0	0.036	0.088	0.033	0	0.112	0.194	0.092	---	---	0.069	1973
1974	---	---	---	0	0	0	0	0	0	0	---	---	---	1974
1975	---	---	---	0	0	0	0	0	0	0	---	---	---	1975
1976	---	---	---	---	---	0.333	0.433	0.176	---	---	---	---	---	1976
1977	---	---	---	---	0.528	0.199	0	0	0.332	---	---	---	---	1977
1978	---	---	0	0	0.333	0.436	0.430	0.555	0.072	0	---	---	0.229	1978
1979	---	---	0	0	0	0	0	0	0	0	---	---	0	1979
1980	---	---	0	0	0	0	0	0	0	0	---	---	0	1980
1981	---	---	0	0	0	0.399	0.142	0	0	0	---	---	0.067	1981
1982	---	---	0	0	0.361	0.501	0	0	0	0	---	---	0.107	1982
MEAN	0	0	0	0.003	0.101	0.136	0.073	0.075	0.116	0.061	0	0	0.060	MEAN

LOCATION - LAT 51 48 10 N
LONG 105 20 38 W REGULATED

DATA CONTRIBUTED BY - SASKATCHEWAN DEPARTMENT OF THE ENVIRONMENT

SASKATOON S.E. PROJECT MAIN CANAL AT INLET TO DELLWOOD RESERVOIR - STATION NO. 05JJ007

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	0.651 ON OCT 6	0 ON MAY 1 *	---	1968
1969	---	0 ON MAR 1	0 ON MAR 1	0	1969
1970	---	0.609 ON SEP 18	0 ON SEP 1	---	1970
1971	---	0.535 ON AUG 11	0 ON MAR 1	608	1971
1972	---	0.496 ON OCT 3	0 ON MAR 1	911	1972
1973	---	0.648 ON OCT 1	0E ON MAR 1	1 460	1973
1974	---	0 ON APR 1	---	---	1974
1975	---	---	---	---	1975
1976	---	0.623 ON JUL 30	0 ON JUN 1	---	1976
1977	---	0.705 ON MAY 5	0 ON MAY 1	---	1977
1978	---	0.685 ON JUN 14	0 ON MAR 1	4 850	1978
1979	---	0 ON MAR 1	0 ON MAR 1	0	1979
1980	---	0 ON MAR 1	0 ON MAR 1	0	1980
1981	---	0.718 ON JUN 14 *	0 ON MAR 1	1 410	1981
1982	---	0.700 ON JUN 16	0 ON MAR 1	2 270	1982
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		1 280	MEAN

E - ESTIMATED

SASKATOON S.E. PROJECT MAIN CANAL AT OUTLET OF MANITOU PUMPING STATION - STATION NO. 05JJ005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	---	---	0	0	0	0.024	0.536	0.587	0	---	---	1968
1969	0	0	0	0	0	0	0	0	0	0	0	0	0	1969
1970	---	---	---	---	---	---	---	---	0.288	---	---	---	---	1970
1971	---	---	0	0	0	0	0.029	0.222	0	0	---	---	0.032	1971
1972	---	---	0	0	0	0	0	0	0.382	0.102	---	---	0.060	1972
1973	---	---	0	0.243	0.609	0.311	0	0.458	0.609	0.090	---	---	0.289	1973
1974	---	---	---	---	0.339	0.419	0.538	0.472	0.623	0.175	---	---	---	1974
1975	---	---	---	---	0.334	0.405	---	---	---	---	---	---	---	1975
1976	---	---	---	---	---	0.377	0.446	0.185	---	---	---	---	---	1976
1977	---	---	---	---	0.574	0.205	0	0	0.335	---	---	---	---	1977
1978	---	---	0	0	0.386	0.446	0.470	0.572	0.058	0	---	---	0.243	1978
1979	---	---	0	0	0	0	0	0	0	0	---	---	0	1979
1980	---	---	0	0	0	0	0	0	0	0	---	---	0	1980
1981	---	---	0	0	0	0.481	0.151	0	0	0	---	---	0.078	1981
1982	---	---	0	0	0.427	0.530	0	0	0	0	---	---	0.119	1982
MEAN	0	0	0	0.027	0.205	0.227	0.126	0.149	0.218	0.087	0	0	0.091	MEAN

LOCATION - LAT 51 45 21 N
LONG 105 38 56 W REGULATED

DATA CONTRIBUTED BY -
SASKATCHEWAN DEPARTMENT OF THE ENVIRONMENT

SASKATOON S.E. PROJECT MAIN CANAL AT OUTLET OF MANITOU PUMPING STATION - STATION NO. 05JJ005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	0.722 ON OCT 6 *	0 ON MAY 1 *	---	1968
1969	---	0 ON MAR 1	0 ON MAR 1	0	1969
1970	---	---	0 ON SEP 1	---	1970
1971	---	0.688 ON AUG 12	0 ON MAR 1	674	1971
1972	---	0.651 ON OCT 3	0 ON MAR 1	1 260	1972
1973	---	0.651 ON AUG 22	0E ON MAR 1	6 110	1973
1974	---	0.623 ON SEP 1	0 ON MAY 1	---	1974
1975	---	---	0 ON MAY 1	---	1975
1976	---	0.629 ON JUL 1	0 ON JUN 1	---	1976
1977	---	0.680 ON SEP 26	0 ON MAY 1	---	1977
1978	---	0.651 ON JUL 24	0 ON MAR 1	5 140	1978
1979	---	0 ON MAR 1	0 ON MAR 1	0	1979
1980	---	0 ON MAR 1	0 ON MAR 1	0	1980
1981	---	0.700 ON JUL 3	0 ON MAR 1	1 650	1981
1982	---	0.651 ON MAY 26	0 ON MAR 1	2 510	1982
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		1 930	MEAN

E - ESTIMATED

SHAND CREEK NEAR DILLABOUGH - STATION NO. 05LB006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1956	---	---	---	3.38	8.43	---	---	---	---	---	---	---	---	1956
1957	---	---	---	13.4	4.58	---	---	---	---	---	---	---	---	1957
1959	---	---	0.459	---	---	---	---	---	---	---	---	---	---	1959
1960	---	---	---	11.2	---	---	---	---	---	---	---	---	---	1960
1961	---	---	---	1.27	---	---	---	---	---	---	---	---	---	1961
1962	---	---	---	10.6	---	---	---	---	---	---	---	---	---	1962
1963	---	---	0.411	---	---	---	---	---	---	---	---	---	---	1963
1964	---	---	---	---	---	---	---	---	---	---	---	---	---	1964
1966	---	---	0	10.6	2.02	1.72	0.750	0.105	0	0	---	---	1.87	1966
1967	---	---	0	1.71	11.3	0.470	0	0	0	0	---	---	1.70	1967
1968	---	---	1.36	1.05	0.020	0.032	0.018	0.034	0.016	0.013	---	---	0.318	1968
1969	---	---	0	6.96	0.175	0.016	0.001	0	0	0.016	---	---	0.878	1969
1970	---	---	0	6.94	3.72	0.668	2.36	0.010	0	0.008	---	---	1.70	1970
1971	---	---	0	10.9	0.309	0.038	0	0	0	0	---	---	1.38	1971
1972	---	---	0	18.3	2.61	0.003	0	0	0	0	---	---	2.57	1972
1973	---	---	0.037	3.01	0.202	1.90	1.03	0	0	0	---	---	0.761	1973
1974	---	---	0	14.5	4.85	1.64	0.001	0	0.002	0.027	---	---	2.60	1974
1975	---	---	0	7.94	2.01	1.19	0.179	0	0.002	0.179	---	---	1.42	1975
1976	---	---	0	5.28	0.049	2.41	0.567	0.002	0	0	---	---	1.01	1976
1977	---	---	0	1.43	0.460	0.076	0	0	0	0	---	---	0.243	1977
1978	---	---	0 R	10.2 R	0.551R	0.064R	0.004R	0 R	0 R	0 R	---	---	1.32 R	1978
1979	---	---	0	14.7	3.85	2.31	0.041	0	0	0	---	---	2.57	1979
1980	---	---	0	2.74	0.004	0	0	0	0	0	---	---	0.336	1980
1981	---	---	0.911	0.380	0.014	0	0	0	0	0	---	---	0.164	1981
1982	---	---	0	2.12	0.022	0.205	0	0	0	0	---	---	0.288	1982
MEAN	---	---	0.167R	7.21 R	2.38 R	0.750R	0.291R	0.009R	0.001R	0.014R	---	---	1.24	MEAN

LOCATION - LAT 52 37 06 N
LONG 102 45 05 W

DRAINAGE AREA, 660 km^2
NATURAL FLOW

R - REVISED SINCE JAN 1980

SHAND CREEK NEAR DILLABOUGH - STATION NO. 05LB006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1956	---	---	0E ON APR 1 *	---	1956
1957	---	---	0E ON APR 1	---	1957
1959	---	---	0E ON MAR 1	---	1959
1960	---	---	0E ON APR 1	---	1960
1961	---	---	0E ON APR 1	---	1961
1962	---	---	0E ON APR 1	---	1962
1963	---	---	0E ON MAR 1	---	1963
1964	---	---	0 ON APR 9	---	1964
1966	---	64.0 ON APR 15	0B ON MAR 1	39 600	1966
1967	---	41.6 B ON MAY 1	0B ON MAR 1	36 000	1967
1968	---	9.26B ON MAR 28	0B ON MAR 1	6 740	1968
1969	---	38.8 ON APR 12	0B ON MAR 1	18 600	1969
1970	---	28.9 ON APR 20	0B ON MAR 1	36 100	1970
1971	---	54.1 ON APR 15	0B ON MAR 1	29 300	1971
1972	104 B AT 23:59 CST ON APR 23 *	94.9 ON APR 24 *	0B ON MAR 1	54 500	1972
1973	---	14.4 ON APR 20	0B ON MAR 1	16 100	1973
1974	---	89.5 ON APR 21	0B ON MAR 1	55 000	1974
1975	48.7 AT 20:49 CST ON APR 22	45.3 ON APR 23	0B ON MAR 1	30 000	1975
1976	32.3 AT 19:36 CST ON APR 8	30.3 ON APR 8	0B ON MAR 1	21 500	1976
1977	---	10.5 E ON APR 10	0B ON MAR 1	5 150	1977
1978	51.2 R AT 04:13 CST ON APR 20	49.3 R ON APR 20	0RB ON MAR 1	28 000R	1978
1979	85.5 AT 15:51 CST ON APR 22	84.6 ON APR 22	0B ON MAR 1	54 500	1979
1980	16.5 AT 00:34 CST ON APR 13	15.3 ON APR 13	0B ON MAR 1	7 120	1980
1981	4.87 AT 04:57 CST ON APR 1	3.71 ON APR 1	0B ON MAR 1	3 460	1981
1982	15.5 AT 14:45 CST ON APR 16	14.9 B ON APR 16	0B ON MAR 1	6 100	1982
				26 300R	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

SHELL BROOK NEAR SHELLBROOK - STATION NO. 05GF001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1964	---	---	---	2.56	---	---	---	---	---	---	---	---	---	1964
1965	---	---	---	4.63	2.19	---	---	---	---	0.267	---	---	---	1965
1966	---	---	0.012	3.51	1.26	1.58	0.498	0.077	0.009	0.009	---	---	0.860	1966
1967	---	---	0	0.487	1.53	0.448	0.057	0.069	0.001	0.004	---	---	0.325	1967
1968	---	---	0.478	2.38	1.04	0.931	0.284	0.218	0.630	0.713	---	---	0.828	1968
1969	---	---	0.001	5.46	1.88	0.356	0.104	0.192	0.014	0.494	---	---	1.05	1969
1970	---	---	0.038	5.19	1.79	0.568	1.27	0.192	0.006	0.031	---	---	1.13	1970
1971	---	---	0	2.47	0.830	0.366	1.02	0.256	0.070	0.068	---	---	0.632	1971
1972	---	---	0.034	4.11	2.22	0.119	0.078	0.019	0.051	0.070	---	---	0.831	1972
1973	---	---	0.221	2.60	3.08	2.57	3.48	0.746	0.987	1.07	---	---	1.84	1973
1974	---	---	0.463	9.07	10.4	5.76	5.00	0.899	0.827	0.884	---	---	4.16	1974
1975	---	---	0.053	3.86	6.64	4.82	1.70	0.326	0.195	0.058	---	---	2.20	1975
1976	---	---	0.248	2.21	0.692	0.161	0.202	0.144	0	0	---	---	0.453	1976
1977	---	---	0.027	0.995	1.52	1.19	0.371	0.053	0.054	0.062	---	---	0.530	1977
1978	---	---	0.069	3.10	1.55	0.716	0.187	0.022	0	0	---	---	0.698	1978
1979	---	---	0.120	4.21	6.69	2.77	0.824	0	0	0	---	---	1.82	1979
1980	---	---	0.243	2.93	0.777	0.120	0.513	0.458	0.467	0.497	---	---	0.745	1980
1981	---	---	0.549	3.03	1.33	0.286	0.028	0.196	0.001	0	---	---	0.672	1981
1982	---	---	0	1.10	0.755	0.365	0.368	0.295	0.034	0	---	---	0.362	1982
MEAN	---	---	0.150	3.36	2.57	1.36	0.940	0.245	0.197	0.235	---	---	1.13	MEAN

LOCATION - LAT 53 15 10 W, LONG 106 23 09 W
DRAINAGE AREA, 2 560 km^2
NATURAL FLOW

SHELL BROOK NEAR SHELLBROOK - STATION NO. 05GF001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1964	---	---	0 E ON APR 1 *	---	1964
1965	---	---	0 E ON APR 1	---	1965
1966	---	6.31A ON APR 17	0 B ON MAR 1	18 200	1966
1967	3.17 AT 14:30 CST ON MAY 7	3.14 ON MAY 7	0 B ON MAR 1	6 870	1967
1968	5.30 AT 21:00 CST ON APR 11	5.10 ON APR 11	0.002 ON JUL 16	17 500	1968
1969	16.5 B AT 14:00 CST ON APR 11	12.8 B ON APR 11	0 B ON MAR 6	22 300	1969
1970	13.5 AT 07:00 CST ON APR 13	10.3 ON APR 13	0 ON SEP 21	23 800	1970
1971	6.68 AT 06:58 CST ON APR 17	6.43 ON APR 17	0 B ON MAR 1	13 400	1971
1972	25.6 AT 22:47 CST ON APR 21	18.8 ON APR 22	0 ON JUN 23	17 600	1972
1973	11.5 AT 17:15 CST ON JUL 3	9.71 ON JUL 3	0.153B ON MAR 14	39 000	1973
1974	33.1 AT 19:13 CST ON APR 19 *	30.0 ON APR 19 *	0.422B ON MAR 27	88 000	1974
1975	12.6 B AT 07:38 CST ON APR 21	11.5 B ON APR 21	0.025 ON OCT 31	46 500	1975
1976	---	5.78 ON APR 10	0 ON JUN 22	9 590	1976
1977	2.21 AT 03:10 CST ON MAY 29	2.17 ON MAY 29	0.006B ON MAR 1	11 200	1977
1978	5.95B AT 10:57 CST ON APR 13	5.47B ON APR 13	0 ON AUG 30	14 800	1978
1979	22.6 B AT 22:00 CST ON APR 25	19.0 B ON APR 25	0 ON AUG 1	38 500	1979
1980	10.9 AT 19:20 CST ON APR 17	8.86 ON APR 17	0.008 ON JUN 5	15 800	1980
1981	4.80B AT 09:06 CST ON APR 16	4.55B ON APR 16	0 ON AUG 29	14 200	1981
1982	4.01B AT 09:57 CST ON APR 22	3.07B ON APR 22	0 B ON MAR 1	7 670	1982
				23 800	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SHEPHERD BROS. EAST DITCH NEAR BATTLE CREEK - STATION NO. 11AB022

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	0	0	0.007	0	0	0	0	0	---	---	0.001	1915
1916	---	---	0	0.003	0.001	0	0	0	0	0	---	---	0.001	1916
1917	---	---	0	0	0	0	0	0	0	0	---	---	0	1917
1918	---	---	0	0.019	0.013	0	0	0	0	0	---	---	0.004	1918
1919	---	---	0	0	0	0	0	0	0	0	---	---	0	1919
1920	---	---	0	0.011	0	0	0	0	0	0	---	---	0.001	1920
1921	---	---	0	0.022	0	0	0	0	0	0	---	---	0.003	1921
1922	---	---	0	0.030	0	0	0	0	0	0	---	---	0.004	1922
1923	---	---	0	0.020	0	0	0	0	0	0	---	---	0.002	1923
1924	---	---	0	0	0	0	0	0	0	0	---	---	0	1924
1925	---	---	0	0.019	0	0	0	0	0	0	---	---	0.002	1925
1926	---	---	0.002	0.004	0	0	0	0	0	0	---	---	0.001	1926
1927	---	---	0	0.026	0.003	0	0	0	0	0	---	---	0.004	1927
1928	---	---	0	0	0	0	0	0	0	0	---	---	0	1928
1929	---	---	0	0	0	0	0	0	0	0	---	---	0	1929
1930	---	---	0	0	0	0	0	0	0	0	---	---	0	1930
1931	---	---	0	0	0	0	0	0	0	0	---	---	0	1931
MEAN	---	---	0	0.009	0.001	0	0	0	0	0	---	---	0.001	MEAN

LOCATION - LAT 49 25 50 N
LONG 109 41 50 W REGULATED

SHEPHERD BROS. EAST DITCH NEAR BATTLE CREEK - STATION NO. 11AB022

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	0.057 ON MAY 9	0 ON MAR 1 *	18.2	1915
1916	---	0.020 ON APR 19	0 ON MAR 1	11.2	1916
1917	---	0 ON MAR 1	0 ON MAR 1	0	1917
1918	---	0.037 ON APR 16	0 ON MAR 1	81.7	1918
1919	---	0 ON MAR 1	0 ON MAR 1	0	1919
1920	---	0.085 ON APR 20	0 ON MAR 1	29.3	1920
1921	---	0.116 ON APR 2 *	0 ON MAR 1	56.2	1921
1922	---	0.108E ON APR 12	0 ON MAR 1	76.5	1922
1923	---	0.085 ON APR 17	0 ON MAR 1	52.5	1923
1924	---	0 ON MAR 1	0 ON MAR 1	0	1924
1925	---	0.062 ON APR 6	0 ON MAR 1	48.3	1925
1926	---	0.068 ON APR 10	0 ON MAR 1	16.6	1926
1927	---	0.105 ON APR 5	0 ON MAR 1	74.3	1927
1928	---	0 ON MAR 1	0 ON MAR 1	0	1928
1929	---	0 ON MAR 1	0 ON MAR 1	0	1929
1930	---	0 ON MAR 1	0 ON MAR 1	0	1930
1931	---	0 ON MAR 1	0 ON MAR 1	0	1931
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		27.4	MEAN

E - ESTIMATED

SHEPHERD DITCH NEAR CONSUL - STATION NO. 11AB020

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	0	0	0.024	0	0	0	0	0	---	---	0.003	1915
1916	---	---	0	0	0	0	0	0	0	0	---	---	0	1916
1917	---	---	0	0	0	0	0	0	0	0	---	---	0	1917
1918	---	---	0	0	0	0	0	0	0	0	---	---	0	1918
1919	---	---	0	0	0	0	0	0	0	0	---	---	0	1919
1920	---	---	0	0	0	0	0	0	0	0	---	---	0	1920
1921	---	---	0	0	0.054	0.041	0	0	0	0	---	---	0.012	1921
1922	---	---	0	0.002	0.006	0.069	0.014	0	0	0	---	---	0.011	1922
1923	---	---	0	0.016	0	0	0	0	0	0.026	---	---	0.005	1923
1924	---	---	0	0	0	0.035	0.024	0	0	0.035	---	---	0.012	1924
1925	---	---	0	0.010	0	0	0	0	0	0	---	---	0.001	1925
1926	---	---	0	0	0.020	0.012	0	0	0	0	---	---	0.004	1926
1927	---	---	0	0	0	0	0	0	0	0	---	---	0	1927
1928	---	---	0	0	0	0	0	0	0	0	---	---	0	1928
1929	---	---	0	0	0	0	0	0	0	0	---	---	0	1929
1930	---	---	0	0	0	0	0	0	0	0	---	---	0	1930
1931	---	---	0	0	0	0	0	0	0	0	---	---	0	1931
1932	---	---	0	0	0	0	0	0	0	0	---	---	0	1932
1933	---	---	0	0	0	0	0	0	0	0	---	---	0	1933
1934	---	---	0	0	0	0	0	0	0	0	---	---	0	1934
1973	---	---	---	---	---	0.057	0.001	0	0.002	0.006	---	---	---	1973
1974	---	---	---	0.121	0.022	0.021	0.066	0.020	0.007	0.018	---	---	---	1974
1975	---	---	---	---	0.102	0.084	0.057	0.005	0.004	0.003	---	---	---	1975
1976	---	---	---	0.072	0.205	0.011	0.003	0.003	0.006	0.003	---	---	---	1976
1977	---	---	---	0.123	0.087	0.003	0.002	0.003	0.003	0	---	---	---	1977
1978	---	---	0	0.124	0.116	0.002	0.004	0.002	0.001	0.002	---	---	0.031	1978
1979	---	---	0	0.004	0.062	0.036	0.001	0.001	0.002	0.001	---	---	0.013	1979
1980	---	---	0	0.065	0.175	0.003	0.004	0.015	0.002	0.003	---	---	0.033	1980
1981	---	---	0.104	0.104	0.002	0.084	0.002	0.002	0.002	0.002	---	---	0.037	1981
1982	---	---	0	0	0.238	0.029	0.002	0.002	0.002	0.001	---	---	0.035	1982
MEAN	---	---	0.004	0.023	0.038	0.016	0.006	0.002	0.001	0.003	---	---	0.008	MEAN

LOCATION - LAT 49 24 50 N
LONG 109 44 30 W REGULATED

SHEPHERD DITCH NEAR CONSUL - STATION NO. 11AB020

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	0.125 ON MAY 8	0 ON MAR 1 *	63.4	1915
1916	---	0 ON MAR 1	0 ON MAR 1	0	1916
1917	---	0 ON MAR 1	0 ON MAR 1	0	1917
1918	---	0 ON MAR 1	0 ON MAR 1	0	1918
1919	---	0 ON MAR 1	0 ON MAR 1	0	1919
1920	---	0 ON MAR 1	0 ON MAR 1	0	1920
1921	---	0.122 ON MAY 11	0 ON MAR 1	249	1921
1922	---	0.255 ON JUN 15	0 ON MAR 1	238	1922
1923	---	0.142 ON APR 17	0 ON MAR 1	111	1923
1924	---	0.076 ON JUN 11	0 ON MAR 1	247	1924
1925	---	0.040 ON APR 8	0 ON MAR 1	25.4	1925
1926	---	0.099 ON MAY 25	0 ON MAR 1	83.8	1926
1927	---	0 ON MAR 1	0 ON MAR 1	0	1927
1928	---	0 ON MAR 1	0 ON MAR 1	0	1928
1929	---	0 ON MAR 1	0 ON MAR 1	0	1929
1930	---	0 ON MAR 1	0 ON MAR 1	0	1930
1931	---	0 ON MAR 1	0 ON MAR 1	0	1931
1932	---	0 ON MAR 1	0 ON MAR 1	0	1932
1933	---	0 ON MAR 1	0 ON MAR 1	0	1933
1934	---	0 ON MAR 1	0 ON MAR 1	0	1934
1973	---	---	0 ON JUL 1	---	1973
1974	---	0.343B ON APR 6	0B ON APR 1	---	1974
1975	---	1.31 A ON MAY 6 *	0E ON MAY 1	---	1975
1976	---	0.258 ON MAY 15	0 ON APR 22	---	1976
1977	---	0.504 ON APR 9	0E ON APR 1	---	1977
1978	---	0.623 ON APR 28	0B ON MAR 1	663	1978
1979	---	0.142E ON MAY 1	0B ON MAR 1	284	1979
1980	---	0.310 ON APR 27	0B ON MAR 1	708	1980
1981	---	0.400 ON JUN 15	0 ON MAR 1	789	1981
1982	0.679B AT 21:00 CST ON MAY 30 *	0.474 ON MAY 20	0B ON MAR 1	733	1982
				168	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SHORT CREEK NEAR ROCHE PERCEE - STATION NO. 05NB008

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1956	---	---	0.838	1.70	0.141	0.007	0.002	0	0	0	---	---	---	1956
1957	---	---	0.465	0.128	0.006	0	0	0	0	0	---	---	---	1957
1958	---	---	0.281	0.263	0	0	0	0	0	0	---	---	---	1958
1959	---	---	2.38	0.089	0.004	0.002	0	0.027	0.042	0.469	0.064	0.005	---	1959
1960	0.003	0.002	---	---	---	---	---	---	---	---	---	---	---	1960
MEAN	0.003	0.002	0.991	0.545	0.038	0.002	0.001	0.007	0.011	0.117	0.064	0.005	---	MEAN

LOCATION - LAT 49 03 45 N, LONG 102 49 05 W
DRAINAGE AREA, 1 230 km^2
NATURAL FLOW

SHORT CREEK NEAR ROCHE PERCEE - STATION NO. 05NB008

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1956	---	3.68 B ON MAR 22	0B ON MAR 1 *	---	1956
1957	---	2.12 ON MAR 26	0 ON MAR 1	---	1957
1958	---	2.52 ON MAR 31	0B ON MAR 1	---	1958
1959	---	11.8 ON MAR 19 *	0B ON MAR 1	---	1959
1960	---	0.003B ON JAN 1	0B ON FEB 21	---	1960
				---	MEAN

B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SHORT CREEK NEAR ROCHE PERCEE - STATION NO. 05NB021

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1960	0.003	0.002	3.46	3.05	0.097	0.049	0.011	0.097	0.001	0.001	0.002	0	0.565	1960
1961	0.002	0.003	0.260	0.015	0.010	0	0	0	0	0	0	0	0.025	1961
1962	0	0	0.463	0.065	0.045	0.492	0.003	0	0	0	0	0	0.089	1962
1963	0	0	0.191	0.187	0.375	0.811	0.308	0.383	0.046	0.008	0.001	0	0.193	1963
1964	0	0	0.005	1.33	0.066	0.218	0.016	0.003	0.003	0	0	0	0.135	1964
1965	0	0	0	0.739	0.652	0.250	0	0	0.022	0.034	0.005	0.001	0.142	1965
1966	0	0	0.466	0.134	0.092	0.063	0.051	0.001	0.002	0.003	0.002	0	0.069	1966
1967	0	0	0.665	0.388	0.198	0.004	0	0	0	0.001	0.001	0	0.106	1967
1968	0	0	0.166	0.084	0.037	0.009	0.001	0.044	0.023	0.043	0.010	0.008	0.036	1968
1969	0.006	0.003	0	7.25	0.173	0.008	0.315	0.062	0.035	0.002	0.005	0.001	0.647	1969
1970	0	0	0.200	1.27	3.89	0.577	0.541	0.055	0.001	0.014	0.040	0.001	0.554	1970
1971	0.001	0.004	0.159	0.668	0.038	0.020	0.328	0.002	0.001	0.290	0.083	0.011	0.134	1971
1972	0	0	4.21	1.76	0.510	0.291	0.022	1.06	0.252	0.058	0.011	0.005	0.686	1972
1973	0.001	0	0.253	0.113	0.029	0.064	0	0	0.111	0.037	0.008	0.004	0.052	1973
1974	0.001	0	0.730	7.86	4.19	0.532	0.016	0.001	0	0	0	0.001	1.11	1974
1975	0.001	0.001	0.003	6.39	4.77	2.84	0.226	0.001	0.468	0.310	0.170	0.040	1.27	1975
1976	0.008	0.024	8.07	8.24	0.584	0.177	0.007	0	0	0	0	0	1.43	1976
1977	0	0	0.003	0.036	0.008	0.001	0	0	0	0	0	0	0.004	1977
1978	0	0	0.963	0.420	0.320	0.789	0.926	0.009	0.048	0.026	0.006	0.003	0.295	1978
1979	0.002	0.001	0.005	8.82	2.96	0.192	0.006	0	0	0	0.001	0.002	0.993	1979
1980	0	0	0.159	0.293	0.003	0	0	0	0	0	0	0	0.038	1980
1981	0	0.594	0.103	0.005	0.001	0.001	0	0.002	0	0	0.001	0.001	0.055	1981
1982	0	0	0.155	5.33	0.217	0.017	0.060	0.012	0.001	0.032	0.056	0.001	0.485	1982
MEAN	0.001	0.027	0.900	2.37	0.838	0.322	0.123	0.075	0.048	0.037	0.017	0.003	0.396	MEAN

LOCATION - LAT 49 01 52 N
LONG 102 50 57 W
DRAINAGE AREA, 1 210 km²
REGULATED
INTERNATIONAL GAUGING STATION

SHORT CREEK NEAR ROCHE PERCEE - STATION NO. 05NB021

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1960	38.5 AT 01:30 ON MAR 28	23.5 B ON MAR 27	0 B ON FEB 21 *	17 900	1960
1961	1.56 B AT 10:00 CST ON MAR 17	1.50 B ON MAR 17	0 B ON JAN 1	773	1961
1962	3.48 AT 10:00 ON MAR 26	2.89 ON MAR 26	0 ON JAN 1	2 820	1962
1963	4.90 AT 22:00 ON JUN 7	4.25 ON JUN 7	0 ON JAN 1	6 110	1963
1964	---	9.83 B ON APR 4	0 B ON JAN 1	4 250	1964
1965	3.37 AT 01:30 ON MAY 8	3.20 ON MAY 8	0 B ON JAN 1	4 480	1965
1966	---	2.47 B ON MAR 16	0 B ON JAN 1	2 160	1966
1967	---	3.11 B ON MAR 26	0 B ON JAN 1	3 340	1967
1968	0.784B AT 16:10 CST ON MAR 26	0.660B ON MAR 7	0 B ON JAN 1	1 120	1968
1969	48.1 AT 01:07 ON APR 7 *	39.9 ON APR 7 *	0 B ON MAR 1	20 400	1969
1970	13.0 AT 18:30 CST ON MAY 1	11.6 ON MAY 1	0 B ON JAN 1	17 500	1970
1971	2.02 AT 00:08 CST ON JUL 14	1.89 ON MAY 28	0 ON MAY 28	4 230	1971
1972	15.6 AT 05:43 CST ON MAR 17	14.8 ON MAR 17	0 B ON JAN 1	21 700	1972
1973	1.19 B AT 13:16 CST ON MAR 13	0.648B ON MAR 14	0 B ON JAN 25	1 630	1973
1974	23.0 B AT 05:41 CST ON APR 11	21.5 B ON APR 11	0 B ON JAN 19	35 000	1974
1975	25.9 AT 05:24 CST ON APR 30	25.0 ON APR 30	0.001B ON JAN 1	40 000	1975
1976	38.8 B AT 21:14 CST ON MAR 28	36.8 B ON MAR 28	0 ON JUL 31	45 000	1976
1977	---	0.079E ON APR 12	0 B ON JAN 1	126	1977
1978	7.93 B AT 01:09 CST ON MAR 23	3.91 B ON MAR 23	0 B ON JAN 1	9 300	1978
1979	45.0 B AT 05:38 CST ON APR 19	38.8 B ON APR 19	0 B ON FEB 17	31 400	1979
1980	---	1.02 B ON MAR 30	0 B ON JAN 3	1 190	1980
1981	2.48 B AT 10:00 CST ON FEB 21	1.94 B ON FEB 22	0 B ON JAN 1	1 740	1981
1982	38.8 B AT 02:58 CST ON APR 14	32.1 B ON APR 14	0 B ON JAN 1	15 300	1982
				12 500	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SHUARD CREEK AT JOHNSON'S RANCH - STATION NO. 05HA004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	---	---	---	0.057	0.079	---	---	---	1909
1910	---	---	---	0.172	0.111	0.053	0.019	0.022	0.069	0.083	---	---	---	1910
1911	---	---	---	0.362	0.230	0.082	0.055	0.041	0.050	---	---	---	---	1911
1912	---	---	---	---	0.398	0.175	0.059	0.035	0.041	0.070	---	---	---	1912
1913	---	---	---	---	---	0.177	0.055	0.028	0.011	0.022	0.066	---	---	1913
1914	---	---	---	0.497	0.122	0.076	0.011	0.002	0.012	0.134	---	---	---	1914
MEAN	---	---	---	0.344	0.208	0.088	0.034	0.022	0.042	0.086	---	---	---	MEAN

LOCATION - LAT 49 49 50 N
LONG 109 03 40 W
DRAINAGE AREA, 63.5 km²
NATURAL FLOW

SHUARD CREEK AT JOHNSON'S RANCH - STATION NO. 05HA004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1909	---	---	---	---	1909
1910	---	---	---	---	1910
1911	---	---	---	---	1911
1912	---	---	---	---	1912
1913	---	---	0E ON JUL 20 *	---	1913
1914	---	---	0 ON JUL 14	---	1914
MEAN				---	MEAN

E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

SINCLAIR SOUTH DITCH NEAR LEITCHVILLE - STATION NO. 05HD020

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1920	---	---	---	0.001	0.001	0	0	---	---	---	---	---	---	1920
MEAN	---	---	---	0.001	0.001	0	0	---	---	---	---	---	---	MEAN

LOCATION - LAT 49 49 15 N, LONG 108 33 52 W REGULATED

SKULL CREEK AT DOYLE'S RANCH - STATION NO. 05HA016

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	0.151	0.065	0.054	0.034	0.091	0.086	---	---	---	1911
1912	---	---	---	---	0.288	0.149	0.040	0.049	0.049	0.086	---	---	---	1912
1913	---	---	---	0.861	0.099	0.069	0.039	0.034	0.037	0.053	---	---	---	1913
1914	---	---	---	0.454	0.131	0.028	0.004	0.005	0.043	0.133	---	---	---	1914
1915	---	---	---	0.493	0.144	0.176	0.139	0.044	0.045	0.075	---	---	---	1915
1916	---	---	1.03	0.210	0.196	0.220	0.079	0.057	0.061	0.112	---	---	0.247	1916
1917	---	---	---	---	1.22	0.112	0.024	0.018	0.053	0.092	---	---	---	1917
1918	---	---	---	0.300	0.100	0.057	0.017	0.015	0.019	0.035	---	---	---	1918
1919	---	---	0.082	0.333	0.080	0.019	0.004	0	0.016	0.094	---	---	0.078	1919
1920	---	---	0.550	0.819	0.260	0.167	0.056	0.001	0.004	0.031	---	---	0.235	1920
1921	---	---	0.331	1.02	0.195	0.044	0.020	0.009	0.045	0.032	---	---	0.211	1921
1922	---	---	0.172	2.22	0.319	0.048	0.024	0.004	0.011	0.026	---	---	0.348	1922
MEAN	---	---	0.433	0.746	0.265	0.096	0.042	0.022	0.040	0.071	---	---	0.224	MEAN

LOCATION - LAT 49 51 24 N, LONG 108 56 37 W DRAINAGE AREA, 82.1 km^2 NATURAL FLOW

SKULL CREEK AT DOYLE'S RANCH - STATION NO. 05HA016

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	---	---	---	1911
1912	---	---	---	---	1912
1913	---	---	---	---	1913
1914	---	---	0 ON JUL 20 *	---	1914
1915	---	---	---	---	1915
1916	---	4.53 ON MAR 11	0.040 ON JUL 23	5 230	1916
1917	---	---	---	---	1917
1918	---	---	0 ON AUG 1	---	1918
1919	---	1.27B ON APR 1	0 ON JUN 25	1 650	1919
1920	---	3.68B ON APR 13	0 ON AUG 22	4 970	1920
1921	---	8.38B ON APR 2	0 ON JUL 10	4 460	1921
1922	---	13.8 ON APR 20 *	0.001 ON JUL 22	7 360	1922
MEAN				4 730	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

SKULL CREEK NEAR PIAPOT - STATION NO. 05HA075

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1963	---	---	0.857	0.093	0.052	0.074	0.056	0	0	0	---	---	0.142	1963
1964	---	---	0.005	0.390	0.201	0.053	0	0	0	0	---	---	0.080	1964
1965	---	---	0.027	1.67	0.222	0.162	0.134	0	0.026	0.035	---	---	0.280	1965
1966	---	---	1.01	0.322	0.174	0.169	0.021	0	0	0	---	---	0.213	1966
1967	---	---	0.404	0.810	1.22	0.115	0	0	0	0	---	---	0.319	1967
1968	---	---	0.339	0.115	0.111	0.053	0.004	0	0	0	---	---	0.078	1968
1969	---	---	0.436	1.32	0.151	0.020	0.014	0	0	0	---	---	0.240	1969
1970	---	---	0.076	1.34	0.448	0.094	0.004	0	0	0	---	---	0.243	1970
1971	---	0.020	0.059	0.839	0.064	0.009	0.002	0	0	0	---	---	0.120	1971
1972	---	---	0.467	0.116	0.140	0.030	0	0	0	0	---	---	0.095	1972
1973	---	---	0.244	0.172	0.086	0.310	---	---	---	---	---	---	---	1973
MEAN	---	0.020	0.357	0.653	0.261	0.099	0.024	0	0.003	0.004	---	---	0.181	MEAN

LOCATION - LAT 49 53 30 N, LONG 108 56 25 W DRAINAGE AREA, 127 km^2 NATURAL FLOW

SKULL CREEK NEAR PIAPOT - STATION NO. 05HA075

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1963	7.02 AT 09:30 MST ON MAR 23	5.55 ON MAR 23	0 ON JUL 21 *	3 810	1963
1964	5.18 AT 11:00 MST ON APR 11	3.37 ON APR 2	0B ON MAR 1	1 700	1964
1965	---	5.32 B ON APR 15	0B ON MAR 26	5 930	1965
1966	---	3.06 B ON MAR 28	0 ON JUL 20	4 500	1966
1967	25.5 AT 07:00 MST ON MAY 8 *	13.9 ON MAY 8 *	0 ON JUL 1	6 750	1967
1968	---	0.991B ON MAR 7	0 ON JUL 7	1 650	1968
1969	---	6.14 ON APR 6	0B ON MAR 1	5 080	1969
1970	---	5.10 B ON APR 10	0B ON MAR 1	5 150	1970
1971	---	3.28 B ON APR 10	0B ON MAR 1	2 530	1971
1972	---	2.80 B ON MAR 17	0B ON MAR 1	2 010	1972
1973	---	8.98 ON JUN 15	0 ON JUN 12	---	1973
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		3 830	MEAN

SKULL CREEK NEAR SKULL CREEK - STATION NO. 05HA002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR APR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1908	---	---	---	---	---	---	0.009	0.003	0.004	0.063	---	---	---	1908
1909	---	---	---	---	1.13	1.53	0.337	0.061	0.056	0.140	---	---	---	1909
1910	---	---	---	0.123	0.087	0.034	0.004	0.008	0.045	0.068	---	---	0.052	1910
1911	---	---	---	0.437	0.077	0.038	0.036	0.023	0.065	0.055	---	---	0.104	1911
1912	---	---	---	1.16	0.217	0.119	0.050	0.031	0.045	0.048	---	---	0.235	1912
1913	---	---	---	0.810	0.075	0.038	0.028	0.004	0.023	0.043	---	---	0.148	1913
1914	---	---	---	0.383	0.056	0.033	0.002	0	0.021	0.114	---	---	0.086	1914
MEAN	---	---	---	0.583	0.274	0.299	0.067	0.019	0.037	0.076	---	---	0.124	MEAN

LOCATION - LAT 49 54 05 N DRAINAGE AREA, 102 km^2
LONG 108 55 55 W NATURAL FLOW

SKULL CREEK NEAR SKULL CREEK - STATION NO. 05HA002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR APR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1908	---	---	0 ON JUL 11 *	---	1908
1909	---	---	---	---	1909
1910	---	0.161 ON MAY 16	0 ON JUN 29	971	1910
1911	---	2.10 ON APR 10	0.006 ON SEP 1	1 910	1911
1912	---	2.94 ON APR 9 *	0.009 ON AUG 10	4 350	1912
1913	---	2.07 ON APR 6	0 ON JUL 31	2 660	1913
1914	---	1.30 B ON APR 1	0 ON JUL 4	1 590	1914
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		2 300	MEAN

SMALL DITCH NEAR CYPRESS - STATION NO. 05HA026

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1916	---	---	0	0.045	0.081	0.031	0.017	---	---	---	---	---	---	1916
1918	---	---	---	---	---	---	---	---	---	---	---	---	---	1918
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
1920	---	---	---	---	---	---	---	---	---	---	---	---	---	1920
MEAN	---	---	0	0.045	0.081	0.031	0.017	---	---	---	---	---	---	MEAN

LOCATION - LAT 49 44 58 N
LONG 109 34 29 W REGULATED

SMALL DITCH NEAR CYPRESS - STATION NO. 05HA026

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1916	---	---	0 ON MAR 1 *	---	1916
1918	---	---	0R ON AUG 5	---	1918
1919	---	---	0R ON MAY 23	---	1919
1920	---	---	0R ON AUG 26	---	1920
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980		---	MEAN

SMITH CREEK NEAR MARCHWELL - STATION NO. 05ME007

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1975	---	---	0	0.573	0.312	0.020	0	0	0.004	0.013	---	---	0.114	1975
1976	---	---	0	2.42	0.234	0.043	0.002	0	0	0	---	---	0.331	1976
1977	---	---	0.010	0.017	0.017	0	0.023	0.014	0.002	0.002	---	---	0.011	1977
1978	---	---	0.047	0.346	0.028	0	0	0.005	0.001	0.002	---	---	0.053	1978
1979	---	---	0	1.89	1.46	0.040	0	0	0	0	---	---	0.421	1979
1980	---	---	0	0.375	0.002	0	0	0	0	0	---	---	0.046	1980
1981	---	0.032	0.023	0.001	0	0	0	0	0	0	---	---	0.003	1981
1982	---	---	0.013	0.081	0.018	0	0	0	0	0	---	---	0.014	1982
MEAN	---	0.032	0.012	0.713	0.259	0.013	0.003	0.002	0.001	0.002	---	---	0.124	MEAN

LOCATION - LAT 50 49 58 W DRAINAGE AREA, 435 km²
LONG 101 34 43 W NATURAL FLOW

SMITH CREEK NEAR MARCHWELL - STATION NO. 05ME007

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1975	3.09 AT 04:21 CST ON APR 18	2.59 ON APR 18	0B ON MAR 1 *	2 420	1975
1976	7.05 AT 09:31 CST ON APR 9	6.51 ON APR 9	0B ON MAR 1	7 000	1976
1977	---	0.116 ON JUL 16	0B ON MAR 1	224	1977
1978	1.30 B AT 08:25 CST ON APR 1	0.773B ON APR 1	0B ON MAR 1	1 120	1978
1979	7.24 AT 06:13 CST ON APR 22 *	6.53 ON APR 22 *	0B ON MAR 1	8 910	1979
1980	2.72 B AT 21:49 CST ON APR 5	1.56 B ON APR 6	0B ON MAR 1	978	1980
1981	---	0.060B ON MAR 1	0A ON APR 8	63.8	1981
1982	0.702B AT 14:40 CST ON APR 13	0.470B ON APR 14	0B ON MAR 1	292	1982
				2 630	MEAN

A - MANUAL GAUGE B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD
(SEE REFERENCE INDEX)

SMITH TRIBUTARY NEAR FISKE - STATION NO. 05NF018

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	0	0.020	0.001	0.001	0	0	0	0	---	---	0.003	1970
1971	---	---	0	0.016	0	0	0	0	0	0	---	---	0.002	1971
1972	---	---	0.001	0.001	0	0	0	0	0	0	---	---	0	1972
1973	---	---	0.002	0	0	0	0	0	0	0	---	---	0	1973
1974	---	---	0	0.015	0.003	0.003	0.001	0	0	0	---	---	0.003	1974
1975	---	---	0	0.013	0.001	0	0	0	0	0	---	---	0.002	1975
1976	---	---	0.004	0.003	0	0	0	0	0	0	---	---	0.001	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0.001	0.002	0.001	0	0	0	0	0	---	---	0	1978
1979	---	---	0.002	0.003	0	0	0	0	0	0	---	---	0.001	1979
MEAN	---	---	0.001	0.007	0.001	0	0	0	0	0	---	---	0.001	MEAN

LOCATION - LAT 51 25 07 W DRAINAGE AREA, 0.78 km²
LONG 108 27 57 W NATURAL FLOW

SMITH TRIBUTARY NEAR FISKE - STATION NO. 05NF018

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1970	---	0.108B ON APR 6	0B ON MAR 1 *	57.0	1970
1971	0.229 AT 07:38 CST ON APR 16	0.147 ON APR 8 *	0B ON MAR 1	42.8	1971
1972	0.037B AT 08:53 CST ON MAR 19	0.008B ON MAR 19	0B ON MAR 1	4.84	1972
1973	0.016 AT 19:16 CST ON MAR 20	0.008 ON MAR 17	0 ON MAR 1	4.58	1973
1974	0.354 AT 10:15 CST ON JUN 26 *	0.054 ON APR 18	0B ON MAR 1	56.1	1974
1975	0.147A AT 17:53 CST ON APR 19	0.059A ON APR 19	0B ON MAR 1	35.6	1975
1976	0.150 AT 17:59 CST ON MAR 31	0.068 ON MAR 31	0B ON MAR 1	19.0	1976
1977	0.013 AT 22:04 CST ON MAY 15	0.002 ON MAY 19	0 ON MAR 1	0.52	1977
1978	0.028 AT 20:26 CST ON MAY 24	0.012 ON MAR 30	0B ON MAR 1	10.2	1978
1979	0.144 AT 21:48 CST ON APR 18	0.030 ON APR 18	0B ON MAR 1	14.3	1979
				24.5	MEAN

A - MANUAL GAUGE B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD
(SEE REFERENCE INDEX)

SMOOTHSTONE RIVER BELOW EMMELINE LAKE - STATION NO. 06CC001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1978	---	---	---	---	---	---	---	9.14R	14.9 R	15.9 R	10.1 R	4.76R	---	1978
1979	4.61	4.08	4.00	9.87	38.5	30.8	18.0	11.2	12.9	12.5	10.1	6.17	13.6	1979
1980	5.01	4.57	4.04	6.70	5.51	3.68	5.62	11.4	41.6	39.5	16.9	8.04	12.7	1980
1981	6.33	5.77	4.89	10.8	33.2	17.5	11.5	6.87	4.41	3.75	3.61	3.03	9.34	1981
1982	2.09	1.83	1.73	4.06	15.2	15.8	9.35	15.6	10.8	8.81	7.78	5.84	8.27	1982
MEAN	4.51	4.06	3.67	7.86	23.1	16.9	11.1	10.8 R	16.9 R	16.1 R	9.70R	5.57R	11.0	MEAN

LOCATION - LAT 55 10 15 W DRAINAGE AREA, 6 020 km²
LONG 106 12 10 W NATURAL FLOW

R - REVISED SINCE JAN 1980

SMOOTHSTONE RIVER BELOW EMMELINE LAKE - STATION NO. 06CC001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1978	---	---	---	---	1978
1979	51.4 AT 03:29 CST ON MAY 29	51.1 ON MAY 26	3.57B ON MAR 25	429 000	1979
1980	52.7 AT 16:53 CST ON SEP 26 *	52.5 ON SEP 26 *	3.12 ON JUN 18	402 000	1980
1981	42.0 AT 21:31 CST ON MAY 8	42.0 ON MAY 9	2.58B ON DEC 31	294 000	1981
1982	19.4 AT 17:34 CST ON AUG 19	19.2 ON AUG 15	1.59B ON FEB 17 *	261 000	1982
				347 000	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

SNAKEBITE CREEK NEAR BEECHY - STATION NO. 05HE001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	0.020	3.59	0.082	0.181	0.018	0	0	0	---	---	0.477	1970
1971	---	---	0.019	2.11	0.011	0.049	0.029	0	0	0	---	---	0.272	1971
1972	---	---	0.084	0.013	0.008	0.001	0	0	0	0	---	---	0.013	1972
1973	---	---	0.088	0.016	0.015	0	0	0	0	0	---	---	0.015	1973
1974	---	---	0	1.81	0.395	0.020	0.004	0.002	0	0.002	---	---	0.275	1974
1975	---	---	0.028	3.20	0.127	0.020	0	0	0	0	---	---	0.413	1975
1976	---	---	1.93	1.31	0.025	0.248	0.034	0.004	0	0	---	---	0.483	1976
1977	---	---	0.003	0.015	0.004	0	0	0	0	0	---	---	0.003	1977
1978	---	---	0.310	0.162	0.234	0.008	0	0	0	0	---	---	0.090	1978
1979	---	---	0.089	0.327	0.017	0.004	0	0	0	0	---	---	0.054	1979
1980	---	---	0.281	0.045	0	0	0	0	0	0	---	---	0.041	1980
1981	---	0.344	0.021	0	0	0.011	0.003	0	0	0	---	---	0.004	1981
1982	---	---	0.001	3.16	0.154	0.111	0.002	0	0	0	---	---	0.421	1982
MEAN	---	0.344	0.221	1.21	0.082	0.050	0.007	0	0	0	---	---	0.194	MEAN

LOCATION - LAT 50 48 06 N DRAINAGE AREA, 859 km^2
LONG 107 16 31 W NATURAL FLOW

SNAKEBITE CREEK NEAR BEECHY - STATION NO. 05HE001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1970	22.5 AT 03:26 CST ON APR 9	18.9 ON APR 9 *	0B ON MAR 1 *	10 100	1970
1971	13.5 AT 02:07 CST ON APR 7	9.12 ON APR 8	0B ON MAR 1	5 750	1971
1972	1.15 B AT 07:40 CST ON MAR 22	0.643B ON MAR 21	0B ON MAR 1	283	1972
1973	1.60 B AT 05:35 CST ON MAR 12	0.637B ON MAR 12	0B ON MAR 1	320	1973
1974	18.7 B AT 21:45 CST ON APR 18	12.3 B ON APR 19	0B ON MAR 1	5 820	1974
1975	15.3 B AT 02:27 CST ON APR 18	12.0 B ON APR 18	0B ON MAR 1	8 750	1975
1976	18.8 AT 00:34 CST ON APR 1	13.5 B ON MAR 31	0B ON MAR 1	9 380	1976
1977	0.054B AT 23:02 CST ON APR 6	0.042B ON APR 7	0B ON MAR 1	57.6	1977
1978	11.3 AT 08:51 CST ON MAY 25	5.01 ON MAY 25	0B ON MAR 1	1 900	1978
1979	1.98 AT 16:15 CST ON APR 18	1.65 ON APR 18	0B ON MAR 1	1 140	1979
1980	4.95 AT 08:04 CST ON MAR 29	3.39 ON MAR 29	0B ON MAR 1	870	1980
1981	---	0.199 ON JUN 14	0B ON MAR 23	92.1	1981
1982	23.6 AT 23:49 CST ON APR 16 *	17.1 ON APR 17	0B ON MAR 1	8 900	1982
				4 100	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

SNIPE LAKE NORTH INFLOW - STATION NO. 05HC003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1960	---	---	0.120	0.011	0	0	0	0	0	0	---	---	0.017	1960
1961	---	---	0.017	0	0	0	0	0	0	0	---	---	0.002	1961
1962	---	---	0.002	0.117	0	0	0	0	0	0	---	---	0.015	1962
1963	---	---	0.041	0.001	0	0.001	0.016	0	0	0	---	---	0.007	1963
1964	---	---	0.029	0.046	0	0	0	0	0	0	---	---	0.009	1964
1965	---	---	0	0.774	0.018	0.002	0	0	0	0	---	---	0.097	1965
1966	---	---	0.230	0.038	0.002	0.035	0.002	0	0	0	---	---	0.039	1966
1967	---	---	0	0.135	0.136	0.001	0	0	0	0	---	---	0.038	1967
1968	---	---	0.038	0	0	0	0	0	0.005	0	---	---	0.005	1968
1969	---	---	0	0.814	0	0	0	0	0	0	---	---	0.100	1969
1970	---	---	0	0.588	0.002	0.047	0.093	0.005	0	0	---	---	0.091	1970
1971	---	---	0	0.527	0.008	0	0	0	0	0	---	---	0.066	1971
1972	---	---	0.069	0.076	0.002	0	0	0	0	0	---	---	0.018	1972
1973	---	---	0.111	0.025	0.003	0	0	0	0	0	---	---	0.017	1973
1974	---	---	0	0.553	0.168	0.009	0.005	0	0	0	---	---	0.091	1974
1975	---	---	0	0.345	0.045	0.006	0	0	0	0	---	---	0.049	1975
1976	---	---	0	0.176	0.005	0	0.001	0	0	0	---	---	0.022	1976
1977	---	---	0	0	0.003	0	0	0	0	0	---	---	0	1977
1978	---	---	0	0.044	0.003	0	0.002	0	0	0	---	---	0.006	1978
1979	---	---	0.040	0.040	0.005	0	0.021	0	0	0	---	---	0.013	1979
1980	---	---	0.067	0.019	0	0	0	0	0	0	---	---	0.011	1980
1981	---	0.004	0.026R	0.002	0	0	0	0	0	0	---	---	0.003R	1981
1982	---	---	0	0.182	0.012	0.002	0	0	0	0	---	---	0.024	1982
MEAN	---	0.004	0.034R	0.196	0.018	0.004	0.006	0	0	0	---	---	0.032	MEAN

LOCATION - LAT 51 21 18 W DRAINAGE AREA, 44.0 km²
LONG 108 51 46 W NATURAL FLOW

R - REVISED SINCE JAN 1980

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1968

SNIPE LAKE NORTH INFLOW - STATION NO. 05HC003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1960	---	0.793B ON MAR 20	0B ON MAR 1 *	350	1960
1961	0.263B AT 01:00 ON MAR 23	0.198B ON MAR 23	0B ON MAR 1	45.4	1961
1962	---	0.518B ON APR 6	0B ON MAR 1	308	1962
1963	3.06 AT 22:45 ON JUL 10	0.445 ON MAR 23	0B ON MAR 1	159	1963
1964	---	0.895A ON MAR 31	0B ON MAR 1	197	1964
1965	---	5.13 B ON APR 12 *	0B ON MAR 1	2 070	1965
1966	2.89 AT 01:00 ON MAR 28	1.73 ON MAR 28	0B ON MAR 1	816	1966
1967	2.12 AT 01:15 ON APR 27	1.30 ON APR 27	0 ON MAR 1	717	1967
1968	---	0.238 ON MAR 4	0B ON MAR 12	116	1968
1969	6.85 AT 24:00 CST ON APR 10	4.53 ON APR 11	0B ON MAR 1	2 110	1969
1970	8.50 AT 22:31 CST ON APR 6 *	3.96 ON APR 7	0B ON MAR 1	1 910	1970
1971	3.43 B AT 03:00 CST ON APR 10	2.55 B ON APR 10	0B ON MAR 1	1 390	1971
1972	1.47 B AT 18:31 CST ON MAR 22	0.736B ON MAR 23	0B ON MAR 1	388	1972
1973	0.711B AT 22:42 CST ON MAR 22	0.453B ON MAR 17	0B ON MAR 1	370	1973
1974	3.99 B AT 14:35 CST ON APR 18	2.70 B ON APR 19	0B ON MAR 1	1 920	1974
1975	2.89 AT 00:06 CST ON APR 22	1.74 ON APR 22	0B ON MAR 1	1 030	1975
1976	1.88 AT 21:28 CST ON APR 6	1.28 ON APR 7	0B ON MAR 1	474	1976
1977	0.042 AT 03:04 CST ON MAY 20	0.022 ON MAY 20	0 ON MAR 1	7.43	1977
1978	0.447 AT 19:37 CST ON APR 23	0.252 ON APR 23	0B ON MAR 1	128	1978
1979	2.15 AT 21:33 CST ON JUL 4	0.305 ON JUL 5	0B ON MAR 1	277	1979
1980	0.973B AT 08:52 CST ON MAR 29	0.627B ON MAR 29	0B ON MAR 1	229	1980
1981	0.230R AT 01:20 CST ON MAR 12	0.116R ON MAR 5	0 ON APR 17	72.8 R	1981
1982	1.69 B AT 18:30 CST ON APR 14	1.23 B ON APR 14	0B ON MAR 1	509	1982
				678 R	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

SOURIS RIVER AT WEYBURN - STATION NO. 05NB028

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1916	---	---	---	---	1.98	0.398	0.060	0.041	0.023	0.010	0	0	---	1916
1917	0	0	0	2.17	1.10	0.456	0.044	0	0	0	0	0	0.314	1917
1918	0	0	0.001	0.001	0	0.003	0	0	0	0	0	0	0	1918
1919	0	0	0	0.026	0	0	0	0	0	---	---	---	---	1919
MEAN	0	0	0	0.732	0.770	0.214	0.026	0.010	0.006	0.003	0	0	0.157	MEAN

LOCATION - LAT 49 39 25 W DRAINAGE AREA, 2 240 km²
LONG 103 51 35 W REGULATED

SOURIS RIVER AT WEYBURN - STATION NO. 05NB028

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1916	---	---	---	---	1916
1917	---	5.61 ON APR 12 *	0 ON JAN 1 *	9 900	1917
1918	---	0.009 ON JUN 29	0 ON JAN 1	13.0	1918
1919	---	0.374 ON APR 18	0 ON JAN 1	---	1919
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		4 960	MEAN

SOURIS RIVER NEAR BECHARD - STATION NO. 05NB031

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1965	---	---	---	0.490	---	---	---	---	---	---	---	---	---	1965
1966	---	---	1.17	0.385	0	---	---	---	---	---	---	---	---	1966
1967	---	---	---	2.13	0.413	---	---	---	---	---	---	---	---	1967
1968	---	---	0.063	---	---	---	---	---	---	---	---	---	---	1968
1969	---	---	---	9.66	---	---	---	---	---	---	---	---	---	1969
1970	---	---	---	2.51	2.90	0.976	---	---	---	---	---	---	---	1970
1971	---	---	---	5.48	---	---	---	---	---	---	---	---	---	1971
1972	---	---	---	1.47	---	---	---	---	---	---	---	---	---	1972
1974	---	---	---	---	3.88	---	---	---	---	---	---	---	---	1974
1975	---	---	0	12.9	10.1	0.566	0.035	0	0	0	---	---	2.92	1975
1976	---	---	0	22.3	1.23	4.74	0.587	0.533	0.082	0.016	---	---	3.62	1976
1977	---	---	0	0.004	0.004	0	0	0	0	0	---	---	0.001	1977
1978	---	---	0.148	0.742	0.049	0.001	0.041	0.066	0.076	0.011	---	---	0.140	1978
1979	---	---	0	5.31	3.92	0.347	0.376	0	0	0	---	---	1.24	1979
1980	---	---	0.048	0.937	0.001	0	0	0	0	0	---	---	0.121	1980
1981	---	---	0.007	0.001	0	0	0	0	0	0	---	---	0.001	1981
1982	---	---	0	8.98	2.13	0.179	0.159	0.098	0	0	---	---	1.42	1982
MEAN	---	---	0.144	4.89	2.05	0.757	0.150	0.087	0.020	0.003	---	---	1.18	MEAN

LOCATION - LAT 49 59 20 N DRAINAGE AREA, 1 070 km^2
LONG 104 11 24 W REGULATED

REMARKS - DATA PRIOR TO 1981 PUBLISHED UNDER THE NAME "SOURIS RIVER BELOW LEWVAN"

SOURIS RIVER NEAR BECHARD - STATION NO. 05NB031

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1972	---	---	---	---	1972
1974	---	---	---	---	1974
1975	75.0 AT 20:50 CST ON APR 29	64.6 ON APR 29	0B ON MAR 1 *	61 900	1975
1976	---	94.6 ON APR 8 *	0B ON MAR 1	76 500	1976
1977	---	0.085 ON MAY 19	0B ON MAR 1	19.0	1977
1978	---	3.57 B ON MAR 31	0B ON MAR 1	2 970	1978
1979	35.6 B AT 23:00 CST ON APR 22	31.3 B ON APR 23	0B ON MAR 1	26 200	1979
1980	5.32 AT 07:26 CST ON APR 2	4.58 B ON APR 1	0B ON MAR 1	2 560	1980
1981	0.085 AT 15:42 CST ON MAR 17	0.041 ON MAR 17	0 ON MAR 1	21.8	1981
1982	84.8 B AT 02:03 CST ON APR 18 *	76.9 B ON APR 18	0B ON MAR 1	30 200	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		25 000	MEAN

SOURIS RIVER NEAR ESTEVAN - STATION NO. 05NB007

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	---	---	0.124	0.042	0.054	1.15	---	---	---	1911
1912	---	---	---	---	9.25	1.09	0.374	0.146	0.085	0.189	0.125	0.068	---	1912
1913	0.005	0.069	1.10	5.66	0.490	0.351	0.606	0.120	0.019	0.030	0.063	0.027	0.708	1913
1914	0.008	0.014	2.42	5.87	1.84	4.41	0.407	0.063	0.024	0.038	0.022	0.028	1.26	1914
1915	0.029	0.052	0.053	0.085	0.055	0.028	0.034	0.008	0.001	0.001	0.012	0.020	0.031	1915
1916	0.016	0.044	0.078	33.0	6.85	1.27	0.773	0.307	0.096	0.083	0.064	0.043	3.52	1916
1917	0.014	0.015	0.956	11.6	6.14	0.985	0.415	0.046	0.014	0.018	0.033	0.009	1.68	1917
1918	0.003	0.016	2.65	2.53	1.21	0.147	0.025	0.080	0.014	0.011	0.028	0.015	0.564	1918
1919	0.021	0.020	0.024	9.33	0.782	0.058	0.106	0.004	0.001	0.001	0.013	0	0.854	1919
1920	0	0	0	26.6	5.51	0.324	0.036	0.003	0.001	0.005	0.021	0.018	2.68	1920
1921	0.006	0.006	0.440	0.516	0.271	4.21	4.70	0.386	0.107	0.059	0.035	0.021	0.901	1921
1922	0.011	0.022	1.27	14.1	5.62	1.01	0.439	0.021	0.012	0.024	0.052	0.036	1.88	1922
1923	0.017	0.009	0.420	19.2	2.18	---	---	---	---	---	---	---	---	1923
1933	---	---	---	1.58	5.17	5.83	0.347	0.016	0	0	0	0	---	1933
1934	0	0	0.635	0.703	0.053	0.185	0.015	0	0	0	0	0	0.133	1934
1935	0	0	0.002	1.20	0.803	0.188	0.009	0	0	0	0	0	0.183	1935
1936	0	0	0.009	11.1	2.30	0.217	0.018	0	0	0	0	0	1.13	1936
1937	0	0	0	0	0	0.042	0.022	0	0	0	0	0	0.005	1937
1938	0	0	8.09	1.76	0.954	0.065	0.034	0	0	0	0	0	0.921	1938
1939	0	0	10.0	7.18	0.219	0.041	0.001	0	0	0	0	0	1.46	1939
1940	0	0	0	0.009	0.049	0.022	0	0	0	0	0	0	0.007	1940
1941	0	0	0.375	10.4	2.14	0.763	0.082	0.005	0.168	0.265	0.175	0.063	1.20	1941
1942	0.005	0.029	1.76	10.5	2.56	0.842	0.383	0.232	0.077	0.077	0.097	0.032	1.38	1942
1943	0.025	0.009	2.70	57.4	4.66	2.63	0.729	0.135	0.010	0.014	0.019	0.005	5.64	1943
1944	0.006	0.002	0	0.171	0.306	3.89	2.54	0.995	0.385	0.137	0.042	0.023	0.707	1944
1945	0.026	0.030	0.043	0.225	0.061	0.029	0.030	0.004	0	0	0	0.006	0.038	1945
1946	0.010	0.003	4.39	1.81	0.105	0.050	0.131	0	0	0	0	0	0.547	1946
1947	0	0.001	2.77	26.8	5.19	1.03	0.855	0.020	0.367	0.221	0.148	0.111	3.11	1947
1948	0.101	0.068	0.098	42.8	24.7	2.31	0.974	0.187	0.014	0.018	0.034	0.021	5.92	1948
1949	0.024	0.022	0.080	10.4	0.608	0.265	0.041	0.033	0.006	0.004	0.050	0.008	0.952	1949
1950	0.008	0.006	0.584	15.2	3.15	1.87	0.333	0.033	0.008	0.010	0	0	1.76	1950
1951	0	0	0.028	20.9	27.6	1.84	0.194	0.076	0.143	0.288	0.177	0.089	4.30	1951
1952	0.080	0.073	0.707	13.3	0.862	0.081	0.107	0.023	0.041	0	0.025	0.009	1.26	1952
1953	0.001	0	0.544	2.00	2.01	22.3	20.3	2.67	0.300	---	---	---	---	1953
1954	---	---	---	1.94	1.33	2.94	0.654	0.019	0.035	0.197	---	---	---	1954
1955	---	---	0.567	26.4	13.1	2.64	0.375	0	0	0	---	---	---	1955
1960	---	---	---	---	---	0.143	0.091	0.011	0.053	0.009	---	---	---	1960
1961	---	---	0.006	0.011	0.011	0.002	0	0	0	0	---	---	---	1961
1962	---	---	0	0.004	0.798	0.076	0.003	0.001	0	0	---	---	---	1962
1963	---	---	0.004	0.065	0.029	0.201	0.143	0.263	0.101	0.062	---	---	---	1963
1964	---	---	0.019	5.78	1.04	0.155	0.300	0.012	0.006	0.006	---	---	---	1964
1965	---	---	0.035	4.80	13.4	8.16	1.73	0.632	0.296	0.262	---	---	---	1965
1966	---	---	9.72	4.82	0.953	0.034	0.006	0.015	0.015	0.051	---	---	---	1966
1967	---	---	0.336	5.24	5.65	0.229	0.123	0.029	0.184	0.179	---	---	---	1967
1968	---	---	0.254	0.060	0.176	0.068	0.007	0.124	0.006	0.001	---	---	---	1968
1969	---	---	4.78	62.3	11.1	0.820	2.37	0.190	0.385	0.389	---	---	---	1969
1970	---	---	0.088	6.18	41.5	5.48	1.39	0.691	0.211	0.297	---	---	---	1970
MEAN	0.013	0.016	1.38	10.9	4.73	1.76	0.921	0.166	0.070	0.091	0.040	0.021	1.54	MEAN

LOCATION - LAT 49 06 05 N DRAINAGE AREA, 11 300 km²
LONG 102 56 10 W REGULATED

SOURIS RIVER NEAR ESTEVAN - STATION NO. 05NB007

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	---	---	---	1911
1912	---	---	---	---	1912
1913	---	15.1 ON APR 5	0 ON JAN 7 *	22 400	1913
1914	---	17.4 ON JUN 7	0.002B ON JAN 3	39 600	1914
1915	---	0.252 ON JUL 10	0 ON AUG 30	988	1915
1916	---	80.7 ON APR 18	0.013 ON JAN 9	111 000	1916
1917	---	19.9 ON MAY 2	0 B ON DEC 20	53 100	1917
1918	---	16.3 ON MAR 24	0 B ON JAN 4	17 800	1918
1919	---	20.3 B ON APR 5	0 ON SEP 18	26 900	1919
1920	---	49.8 ON APR 25	0 B ON JAN 1	84 700	1920
1921	---	23.2 ON JUN 29	0.001B ON FEB 19	28 400	1921
1922	---	30.6 ON APR 11	0.001B ON JAN 10	59 400	1922
1923	---	47.6 ON APR 18	0.006B ON FEB 9	---	1923
1933	---	36.0 ON MAY 31	0 E ON AUG 17	---	1933
1934	---	1.81 ON MAR 20	0 ON JAN 1	4 180	1934
1935	---	5.15 ON APR 21	0 ON JAN 1	5 770	1935
1936	---	38.8 ON APR 19	0 ON JAN 1	35 700	1936
1937	---	0.960 ON JUN 18	0 ON JAN 1	168	1937
1938	---	30.9 ON MAR 24	0 ON JAN 1	29 100	1938
1939	---	45.3 ON MAR 26	0 ON JAN 1	46 200	1939
1940	---	0.099 ON MAY 7	0 ON JAN 1	212	1940
1941	---	27.0 ON APR 9	0 ON JAN 1	37 800	1941
1942	---	26.4 ON APR 9	0 ON JAN 8	43 400	1942
1943	---	136 ON APR 6	0 ON FEB 7	178 000	1943
1944	---	16.8 ON JUN 29	0 ON JAN 8	22 400	1944
1945	---	0.382 ON APR 7	0 ON AUG 13	1 180	1945
1946	---	10.1 ON MAR 15	0 ON FEB 10	17 300	1946
1947	---	49.3 ON APR 17	0 ON JAN 1	98 100	1947
1948	---	215 ON APR 24 *	0 ON SEP 23	187 000	1948
1949	---	32.3 ON APR 5	0 ON SEP 18	30 000	1949
1950	---	30.3 ON APR 22	0 ON MAR 19	55 300	1950
1951	---	71.9 ON MAY 2	0 ON JAN 1	136 000	1951
1952	---	23.4 ON APR 11	0 ON JUN 16	39 900	1952
1953	---	46.2 ON JUL 4	0 ON JAN 2	---	1953
1954	---	6.06 ON JUN 8	0 ON AUG 11	---	1954
1955	---	53.8 ON APR 8	0 ON MAR 1	---	1955
1960	---	---	0 ON JUN 17	---	1960
1961	---	0.023 ON APR 20	0 ON JUN 21	---	1961
1962	4.98 AT 06:30 CST ON MAY 20	4.30 ON MAY 17	0 ON MAR 1	---	1962
1963	1.44 AT 08:00 CST ON AUG 26	1.16 ON AUG 26	0 B ON MAR 1	---	1963
1964	16.3 AT 14:00 CST ON APR 14	16.1 ON APR 14	0.006 ON MAR 1	---	1964
1965	---	34.0 E ON MAY 31	---	---	1965
1966	---	25.5 E ON MAR 19	0 ON OCT 26	---	1966
1967	18.4 AT 09:00 CST ON MAY 12 *	18.0 ON MAY 11	0 B ON MAR 10	---	1967
1968	0.864 AT 21:00 CST ON MAR 6	0.685 ON MAR 6	0.001 ON JUN 26	---	1968
1969	---	197 E ON APR 15	0 ON SEP 4	---	1969
1970	---	69.4 E ON MAY 9	0 ON SEP 20	---	1970
				48 700	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SOURIS RIVER NEAR GLEN EWEN - STATION NO. 05ND001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	---	---	0.473	0.416	0.526	2.05	---	---	---	1911
1912	---	---	---	---	14.6	3.09	0.683	0.449	0.284	0.347	---	---	---	1912
1913	---	---	---	17.9	2.67	1.17	1.31	0.484	0.265	0.522	---	---	---	1913
1914	---	---	---	9.30	5.19	4.80	1.35	0.265	0.306	0.433	---	---	---	1914
1915	---	---	0.005	0.415	0.364	0.498	0.719	0.106	0.031	0.031	---	---	---	1915
1916	---	---	---	---	14.7	4.27	2.56	0.814	0.197	0.273	---	---	---	1916
1917	---	---	---	---	16.2	2.18	0.750	0.228	0.135	0.194	---	---	---	1917
1970	---	---	0.655	14.1	56.8	10.5	4.25	0.978	0.561	0.776	---	---	---	1970
1971	0.091	0.146	0.971	24.7	9.04	1.46	7.70	0.969	2.29	1.80	1.09	0.138	4.20	1971
1972	0.048	0.037	32.1	20.6	4.69	9.98	2.33	1.71	1.46	0.246	0.881	0.238	6.20	1972
1973	0.120	0.074	1.69	0.800	0.618	0.716	0.078	0.017	0.010	0.066	0.151	0.143	0.376	1973
1974	0.030	0.015	0.459	77.9	51.3	8.34	3.55	0.495	0.178	0.195	0.148	0.184	11.9	1974
1975	0.126	0.106	0.254	39.7	111	18.7	3.23	1.40	3.58	1.98	1.41	1.21	15.3	1975
1976	1.07	1.27	21.4	191	37.0	27.5	12.6	3.06	1.29	0.448	0.449	0.165	24.6	1976
1977	0.176	0.139	0.548	1.23	0.959	0.535	0.103	0.018	0.011	0.027	0.175	0.112	0.336	1977
1978	0.044	0.020	3.47	15.8	3.29	2.57	16.6	2.10	1.98	1.85	0.453	0.227	4.06	1978
1979	0.140	0.081	3.70	68.6	92.5	8.71	2.01	0.667	0.231	0.127	0.236	0.219	14.8	1979
1980	0.066	0.052	0.312	6.58	1.01	0.088	0.013	0.009	0.011	0.029	0.062	0.061	0.683	1980
1981	0.048	2.43	0.684	0.250	0.082	0.012	0	0.015	0	0.001	0.080	0.078	0.291	1981
1982	0.033	0.018	0.183	50.2	25.8	2.16	1.07	0.177	0.073	0.193	0.167	0.131	6.67	1982
MEAN	0.166	0.366	4.75	33.7	23.6	5.65	3.07	0.719	0.669	0.579	0.442	0.242	7.45	MEAN

LOCATION - LAT 49 11 02 N DRAINAGE AREA, 22 000 km^2
LONG 102 01 42 W REGULATED

SOURIS RIVER NEAR GLEN EWEN - STATION NO. 05ND001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	---	---	---	1911
1912	---	---	---	---	1912
1913	---	---	---	---	1913
1914	---	---	---	---	1914
1915	---	---	---	---	1915
1916	---	---	---	---	1916
1917	---	---	---	---	1917
1970	---	---	---	---	1970
1971	47.6 AT 06:09 CST ON APR 18	47.0 ON APR 17	0.065B ON DEC 30	132 000	1971
1972	99.1 AT 07:34 CST ON MAR 25	97.4 ON MAR 25	0.031B ON JAN 31	196 000	1972
1973	4.30B AT 16:36 CST ON MAR 15	3.94B ON MAR 15	0.001 ON SEP 14	11 900	1973
1974	206 AT 04:05 CST ON APR 19	200 ON APR 19	0.013B ON FEB 4	375 000	1974
1975	204 AT 18:26 CST ON MAY 4	202 ON MAY 5	0.085B ON MAR 2	484 000	1975
1976	411 AT 18:44 CST ON APR 9 *	385 ON APR 9 *	0.130B ON DEC 30	777 000	1976
1977	2.15 AT 16:41 CST ON APR 16	2.14 ON APR 16	0.004E ON SEP 4	10 630	1977
1978	47.6 AT 15:10 CST ON APR 4	46.7 ON APR 4	0.012B ON JAN 29	128 000	1978
1979	236 AT 14:38 CST ON APR 29	235 ON APR 29	0.020B ON FEB 8	468 000	1979
1980	17.4 B AT 13:00 CST ON APR 3	15.5 B ON APR 3	0.001 ON JUL 30	21 600	1980
1981	11.3 B AT 15:06 CST ON FEB 19	9.91B ON FEB 20	0 ON JUL 5 *	9 190	1981
1982	159 AT 13:50 CST ON APR 16	139 B ON APR 16	0.001B ON FEB 21	210 000	1982
				235 000	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SOURIS RIVER NEAR HALBRITE - STATION NO. 05NB017

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1959	---	---	0.032	0.008	0	0.021	0.005	0	0.003	0.104	---	---	0.022	1959
1960	---	---	0.335	10.1	0.527	0.084	0.001	0.002	0	0	---	---	1.36	1960
1961	---	---	0.184	0.068	0	0	0	0	0	0	---	---	0.032	1961
1962	---	---	0.342	0.276	0.028	0.052	0	0	0	0	---	---	0.087	1962
1963	---	---	0.488	0.030	0.002	0.170	0.700	0.069	0.166	0.001	---	---	0.204	1963
1964	---	---	0.032	1.93	0.198	0	0.014	0	0	0	---	---	0.268	1964
1965	---	---	0	1.52	2.51	2.70	0.179	0	0.143	0.007	---	---	0.876	1965
1966	---	---	3.85	1.23	0.273	0.001	0	0	0	0	---	---	0.672	1966
1967	---	---	0.173	2.85	0.563	0.059	0.008	0	0	0	---	---	0.450	1967
1968	---	---	0.309	0.049	0.014	0	0	0.409	0.071	0.013	---	---	0.109	1968
1969	---	---	0.138	24.8	5.50	0.136	0.603	0.033	0.012	0.047	---	---	3.86	1969
1970	---	---	0.087	4.96	11.2	1.66	0.552	0.180	0.006	0.015	---	---	2.36	1970
1971	---	---	0.241	12.0	2.03	0.161	1.20	0.025	0.110	0.080	---	---	1.95	1971
1972	---	---	5.34	2.20	0.177	0.074	0.019	0.015	0.012	0.001	---	---	0.983	1972
1973	---	---	0.116	0.045	0.018	0.030	0.005	0	0.125	0.018	---	---	0.044	1973
1974	---	---	0	27.9	15.1	0.865	0.021	0.042	0.013	0.011	---	---	5.44	1974
1975	---	---	0.013	28.6	32.7	1.66	0.192	0.106	0.084	0.060	---	---	7.90	1975
1976	---	---	2.50	53.1	7.03	13.7	2.62	1.01	0.180	0.068	---	---	9.88	1976
1977	---	---	0	0.098	0.170	0.017	0.026	0.035	0.059	0.040	---	---	0.056	1977
1978	---	---	1.65	1.94	0.385	1.02	2.62	0.103	0.146	0.304	---	---	1.02	1978
1979	---	---	0.153	25.2	17.8	2.79	0.881	0.066	0.062	0.045	---	---	5.84	1979
1980	---	---	0.656	1.73	0.056	0.021	0.012	0.011	0.025	0.039	---	---	0.315	1980
1981	---	0.111	0.087	0.043	0.010	0.004	0	0	0	0.011	0.033	---	0.019	1981
1982	---	---	0.008	21.5	8.19	0.315	0.108	0.025	0.016	0.012	---	---	3.73	1982
MEAN	---	0.111	0.697	9.26	4.35	1.07	0.407	0.089	0.051	0.037	0.033	---	1.98	MEAN

LOCATION - LAT 49 29 37 N
LONG 103 39 44 W
DRAINAGE AREA, 3 190 km^2
REGULATED

SOURIS RIVER NEAR MALBRITE - STATION NO. 05NB017

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1959	---	0.408 ON JUN 27	0 B ON MAR 1 *	463	1959
1960	---	34.5 ON APR 5	0 B ON MAR 1	28 800	1960
1961	---	1.22 A ON MAR 18	0 A ON MAR 1	669	1961
1962	---	4.19 B ON MAR 28	0 B ON MAR 1	1 840	1962
1963	8.67 AT 03:00 CST ON JUL 28	7.16 ON JUL 28	0 B ON MAR 1	4 320	1963
1964	5.64 B AT 21:30 CST ON APR 3	5.44 B ON APR 3	0 B ON MAR 1	5 660	1964
1965	11.7 AT 22:00 CST ON MAY 28	11.1 ON JUN 3	0 B ON MAR 1	18 500	1965
1966	15.3 B AT 06:30 CST ON MAR 18	14.7 B ON MAR 18	0 B ON MAR 1	14 200	1966
1967	7.50 AT 06:45 CST ON APR 12	6.77 ON APR 18	0 B ON MAR 1	9 530	1967
1968	3.26 AT 17:00 CST ON AUG 22	2.89 ON AUG 22	0 ON JUN 11	2 300	1968
1969	64.6 AT 20:34 CST ON APR 12	62.9 ON APR 12	0 B ON MAR 1	81 600	1969
1970	22.3 AT 10:46 CST ON MAY 4	20.9 ON MAY 5	0 B ON MAR 1	50 000	1970
1971	22.7 B AT 17:49 CST ON APR 9	22.2 B ON APR 10	0 ON AUG 4	41 300	1971
1972	20.1 B AT 15:29 CST ON MAR 21	19.8 B ON MAR 21	0 B ON MAR 1	20 800	1972
1973	1.28 AT 05:52 CST ON SEP 4	1.07 ON SEP 4	0 ON JUN 27	940	1973
1974	95.7 AT 19:29 CST ON APR 19	95.4 ON APR 19	0 B ON MAR 1	115 000	1974
1975	89.2 AT 03:33 CST ON APR 30	88.1 ON APR 30	0.001E ON JUL 24	167 000	1975
1976	88.6 AT 09:05 CST ON APR 7	87.8 ON APR 7	0.014B ON MAR 1	209 000	1976
1977	0.804 AT 13:47 CST ON MAY 15	0.603 ON MAY 20	0 B ON MAR 1	1 180	1977
1978	19.2 AT 21:59 CST ON JUL 9	16.3 B ON MAR 30	0 B ON MAR 1	21 600	1978
1979	123 AT 02:56 CST ON APR 23 *	118 ON APR 23 *	0 B ON MAR 1	123 000	1979
1980	8.75 B AT 10:39 CST ON APR 4	7.12 B ON APR 4	0 B ON MAR 1	6 680	1980
1981	---	0.124B ON MAR 30	0 ON JUN 26	409	1981
1982	88.1 AT 17:50 CST ON APR 19	84.7 ON APR 19	0 B ON MAR 1	78 900	1982
				41 800	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

SOURIS RIVER NEAR LEWVAN - STATION NO. 05NB025

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1971	---	---	0	2.10	0.344	0.042	0.014	0	0	0	---	---	0.308	1971
1972	---	---	0.990	0.514	0.109	0.002	0	0	0	0	---	---	0.202	1972
1973	---	---	0	0	0	0	0	0	0	0	---	---	0	1973
1974	---	---	0	5.85	1.09	0.057	0.009	0.012	0	0	---	---	0.863	1974
1975	---	---	0	7.34	5.02	0.617	0.032	0	0	0	---	---	1.61	1975
1976	---	---	0	12.1	0.884	1.83	0.331	0.406	0.072	0.022	---	---	1.92	1976
1977	---	---	0	0.008	0	0	0	0	0	0	---	---	0.001	1977
1578	---	---	0.070	0.390	0.058	0.004	0.130	0.052	0.110	0.007	---	---	0.102	1978
1979	---	---	0	4.18	2.27	0.292	0.035	0	0	0	---	---	0.840	1979
1980	---	---	0.032	0.407	0.001	0	0	0	0	0	---	---	0.054	1980
1981	---	---	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	4.03	0.674	0.098	0.012	0	0	0	---	---	0.592	1982
MEAN	---	---	0.091	3.08	0.871	0.245	0.047	0.039	0.015	0.002	---	---	0.541	MEAN

LOCATION - LAT 49 58 37 N LONG 104 04 33 W DRAINAGE AREA, 590 km^2 REGULATED

SOURIS RIVER NEAR LEWVAN - STATION NO. 05NB025

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1971	---	11.6 B ON APR 7	0B ON MAR 1 *	6 530	1971
1972	---	4.30 B ON MAR 24	0B ON MAR 1	4 280	1972
1973	0 B AT 00:00 CST ON MAR 1	0 B ON MAR 1	0B ON MAR 1	0	1973
1974	47.0 AT 23:15 CST ON APR 18	39.4 ON APR 18	0B ON MAR 1	18 300	1974
1975	34.3 AT 08:21 CST ON APR 29	33.1 ON APR 29	0B ON MAR 1	34 200	1975
1976	55.8 AT 18:23 CST ON APR 7 *	53.5 ON APR 7 *	0B ON MAR 1	40 700	1976
1977	---	0.028E ON APR 9	0B ON MAR 1	20.7	1977
1978	2.11A AT 20:25 CST ON APR 2	1.74 ON APR 3	0B ON MAR 1	2 150	1978
1979	33.5 B AT 16:45 CST ON APR 21	21.6 B ON APR 22	0B ON MAR 1	17 700	1979
1980	1.11 AT 06:13 CST ON APR 2	1.09 ON APR 2	0B ON MAR 1	1 140	1980
1981	---	0 ON MAR 1	0 ON MAR 1	0	1981
1982	43.6 AT 15:50 CST ON APR 17	27.6 ON APR 18	0B ON MAR 1	12 500	1982
				11 500	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

SOURIS RIVER NEAR MACOUN - STATION NO. 05NB010

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1956	---	---	---	---	---	3.40	2.60	0.099	0	0	---	---	---	1956
1957	---	---	1.03	0.858	0.192	0.005	0	0.114	0.060	0	---	---	---	1957
1958	---	---	0.120	2.12	0.165	0.008	0.497	0.085	0	0	---	---	---	1958
MEAN	---	---	0.575	1.49	0.179	1.14	1.03	0.099	0.020	0	---	---	---	MEAN

LOCATION - LAT 49 11 55 N LONG 103 15 40 W DRAINAGE AREA, 5 230 km^2 REGULATED

SOURIS RIVER NEAR MACOUN - STATION NO. 05NB010

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1956	---	---	0 ON AUG 20 *	---	1956
1957	---	5.21 ON MAR 29	0E ON MAR 1	---	1957
1958	---	6.60 ON APR 7 *	0B ON MAR 1	---	1958
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

SOURIS RIVER NEAR MCTAGGART - STATION NO. 05NB030

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	---	---	5.29	---	---	---	---	---	---	---	---	1970
1974	---	---	---	---	10.1	---	---	---	---	---	---	---	---	1974
1975	---	---	0	14.0	23.5	0.732	0.050	0.035	0.003	0	---	---	4.78	1975
1976	---	---	0.005	36.9	4.68	7.60	1.68	0.599	0.096	0.007	---	---	6.34	1976
1977	---	---	0	0.155	0	0	0	0	0	0	---	---	0.019	1977
1978	---	---	0.463	1.19	0.040	0.111	0.723	0	0.054	0.007	---	---	0.322	1978
1979	---	---	0	10.9	10.2	0.432	0.382	0	0	0	---	---	2.72	1979
1980	---	---	0.114	1.02	0.003	0	0	0	0	0	---	---	0.140	1980
1981	---	---	0.019	0.004	0	0.005	0	0	0	0	---	---	0.004	1981
1982	---	---	0	13.7	5.59	0.226	0.167	0.150	0	0	---	---	2.45	1982
MEAN	---	---	0.075	9.73	5.94	1.14	0.375	0.098	0.019	0.002	---	---	2.10	MEAN

LOCATION - LAT 49 46 10 N
LONG 104 00 56 W
DRAINAGE AREA, 2 020 km^2
REGULATED

SOURIS RIVER NEAR MCTAGGART - STATION NO. 05NB030

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1970	---	---	---	---	1970
1974	---	---	---	---	1974
1975	---	47.6 ON APR 29	0B ON MAR 1 *	101 000	1975
1976	50.7 AT 14:03 CST ON APR 14 *	50.1 ON APR 14 *	0B ON MAR 1	138 000	1976
1977	---	0.844E ON APR 10	0B ON MAR 1	403	1977
1978	---	3.99 ON JUL 9	0B ON MAR 1	6 820	1978
1979	35.6 B AT 11:30 CST ON APR 22	34.5 B ON APR 22	0B ON MAR 1	57 600	1979
1980	4.60B AT 17:30 CST ON APR 3	4.26 B ON APR 3	0B ON MAR 1	2 960	1980
1981	---	0.081E ON MAR 19	0E ON MAR 1	76.1	1981
1982	32.6 AT 01:55 CST ON APR 22	32.2 ON APR 22	0B ON MAR 1	51 900	1982
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		44 300	MEAN

SOURIS RIVER NEAR MIDALE - STATION NO. 05NB006

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	---	0.061	0.496	0.758	0.267	0.235	0.030	---	---	---	---	1944
MEAN	---	---	---	0.061	0.496	0.758	0.267	0.235	0.030	---	---	---	---	MEAN

LOCATION - LAT 49 22 45 N
LONG 103 35 35 W
DRAINAGE AREA, 4 010 km^2
REGULATED

SOURIS RIVER NEAR MIDALE - STATION NO. 05NB006

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	---	0 ON APR 1 *	---	1944
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

SOURIS RIVER NEAR OXBOW - STATION NO. 05ND003

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1928	---	---	24.5	29.8	8.73	7.24	12.2	3.63	0.640	0.553	---	---	---	1928
1929	---	---	1.17	2.37	1.82	4.06	0.302	0	0	0.002	---	---	---	1929
1930	---	---	---	---	2.08	0.659	0.541	0.045	0	0	---	---	---	1930
1943	---	---	---	78.4	7.74	3.95	1.87	0.313	0.189	0	---	---	---	1943
1944	---	---	---	1.32	0.643	6.38	7.97	1.28	0.529	---	---	---	---	1944
1945	---	---	---	0.645	0.275	0.465	0.758	0.226	0.056	0.100	---	---	---	1945
1946	---	---	---	6.23	0.515	0.429	0.315	0.044	0.033	0.041	---	---	---	1946
1947	---	---	---	44.3	8.75	7.34	3.21	0.482	0.617	---	---	---	---	1947
1948	---	---	---	---	44.4	3.36	2.07	0.750	0.086	0.066	---	---	---	1948
1949	---	---	---	21.8	1.32	1.10	0.228	0.132	0.009	0.067	---	---	---	1949
1950	---	---	---	26.5	8.59	3.59	1.43	0.940	0.245	0.164	---	---	---	1950
1951	---	---	---	35.1	37.8	4.32	0.550	0.344	0.334	0.531	---	---	---	1951
1952	---	---	---	19.6	2.33	0.708	0.488	0.045	0.151	0.128	---	---	---	1952
1953	---	---	---	8.26	4.07	29.8	28.5	3.66	0.417	0.136	---	---	---	1953
1954	---	---	---	4.76	3.55	13.1	4.29	0.984	1.41	1.55	2.08	---	---	1954
1955	---	---	---	59.1	34.4	9.46	3.43	0.929	0.692	0.905	---	---	---	1955
1956	---	---	4.48	47.8	14.1	4.40	5.37	1.51	0.367	0.568	---	---	---	1956
1957	---	---	4.53	7.58	2.65	0.981	0.286	0.623	0.271	0.202	---	---	---	1957
1958	---	---	4.50	8.36	0.937	0.099	0.030	0.016	0.008	0.007	---	---	---	1958
1959	---	---	4.39	0.683	0.245	0.190	0.077	0.012	0.007	1.03	0.470	0.108	---	1959
1960	0.072	0.046	4.55	30.9	2.93	0.381	0.107	0.178	0.009	0.006	0.006	0.003	3.24	1960
1961	0.003	0.005	0.935	0.081	0.142	0.095	0.005	0.006	0.006	0.003	0.002	0	0.108	1961
1962	0	0	1.03	0.469	0.702	1.23	0.101	0.002	0	0	0	0	0.296	1962
1963	0	0	1.77	0.549	0.585	1.73	1.07	1.04	0.584	0.045	0.040	0.004	0.622	1963
1964	0	0.003	0.277	11.3	2.98	0.321	0.357	0.043	0.004	0.006	0.005	0.003	1.26	1964
1965	0	0.002	0.130	6.01	11.0	13.4	2.96	1.03	0.369	0.122	0.138	0.103	2.94	1965
1966	0.058	0.028	15.2	6.18	1.90	0.451	0.064	0.050	0.041	0.017	0.014	0.009	2.02	1966
1967	0.007	0.003	0.885	6.09	7.03	0.832	0.112	0.003	0.003	0.003	0.003	0.003	1.25	1967
1968	0.003	0.003	3.34	0.528	0.257	0.064	0.001	0.038	0.073	0.014	0.003	0.007	0.365	1968
1969	0.008	0.006	4.05	103	18.1	1.82	5.15	0.576	0.267	0.417	0.147	0.028	11.1	1969
1970	0.028	0.043	0.842	14.1	56.5	9.26	3.81	0.921	0.558	0.766	0.585	0.154	7.37	1970
MEAN	0.016	0.013	4.50	20.1	9.26	4.23	2.83	0.640	0.257	0.257	0.269	0.035	2.78	MEAN

LOCATION - LAT 49 12 55 N DRAINAGE AREA, 21 900 km²
LONG 102 10 14 W REGULATED

SOURIS RIVER NEAR OXBOW - STATION NO. 05ND003

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1928	---	88.1 B ON MAR 24	---	---	1928
1929	---	10.2 ON JUN 1	0 ON AUG 3 *	---	1929
1930	---	---	0 ON AUG 10	---	1930
1943	---	161 B ON APR 9	0 ON SEP 18	---	1943
1944	---	36.5 ON JUL 1	---	---	1944
1945	---	---	0 ON AUG 30	---	1945
1946	---	114 ON MAR 27	---	---	1946
1947	---	73.3 ON APR 18	0 ON SEP 25	---	1947
1948	---	215 ON APR 27	0 B ON APR 11	---	1948
1949	---	85.0 B ON APR 9	0 ON JUN 12	---	1949
1950	---	47.6 ON APR 18	---	---	1950
1951	---	85.0 ON MAY 8	---	---	1951
1952	---	37.7 B ON MAR 31	---	---	1952
1953	---	54.7 ON JUL 7	0 ON OCT 10	---	1953
1954	---	36.2 ON JUN 16	---	---	1954
1955	---	113 ON APR 3	---	---	1955
1956	---	120 ON APR 12	---	---	1956
1957	---	23.8 ON MAR 23	---	---	1957
1958	---	32.8 ON MAR 29	---	---	1958
1959	---	22.7 ON MAR 20	0 E ON MAR 1	---	1959
1960	---	84.7 ON APR 5	0.003 ON JUL 29	102 000	1960
1961	---	3.43 ON MAR 17	0 A ON JUN 13	3 410	1961
1962	---	14.4 ON MAR 28	0 ON JAN 1	9 330	1962
1963	---	12.7 B ON MAR 23	0 B ON JAN 1	19 600	1963
1964	---	18.7 B ON APR 4	0 B ON JAN 1	40 000	1964
1965	---	28.3 ON JUN 7	0 B ON JAN 1	92 700	1965
1966	---	40.2 ON MAR 31	0.003 ON JUL 23	63 600	1966
1967	---	17.0 ON MAY 13	0.003B ON FEB 1	39 500	1967
1968	---	12.5 B ON MAR E	0.001 ON JUN 30	11 500	1968
1969	---	239 B ON APR 11 *	0 B ON NOV 16	349 000	1969
1970	---	83.3 ON MAY 14	0.028 ON JAN 1	232 000	1970
				87 500	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SOURIS RIVER NEAR ROCHE PERCEE - STATION NO. 05MB009

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1956	---	---	3.94	26.6	8.70	2.86	3.39	0.080	0.021	0.009	---	---	5.65	1956
1957	---	---	1.63	1.88	0.315	0.036	0.001	0	0	0	---	---	0.476	1957
1958	---	---	0.620	2.22	0.273	0.011	0	0	0	0.003	---	---	0.387	1958
1959	---	---	2.58	0.194	0.005	0.016	0.004	0.031	0.196	0.593	---	---	0.456	1959
1960	---	---	4.98	20.5	1.93	0.266	0.128	0.297	0.008	0.010	---	---	3.48	1960
1961	---	---	0.393	0.068	0.018	0.004	0.006	0	0	0	---	---	0.062	1961
1962	---	---	0.603	0.088	0.572	0.602	0.015	0	0	0	---	---	0.235	1962
1963	---	---	0.158	0.121	0.412	1.13	0.705	0.736	0.201	0.050	---	---	0.439	1963
1964	---	---	0.034	7.78	1.44	0.446	0.353	0.016	0.006	0.006	---	---	1.24	1964
1969	---	---	4.08	69.0	11.4	1.02	2.90	0.141	0.619	0.327	---	---	11.0	1969
1970	---	---	0.407	6.52	45.8	5.91	1.87	0.651	0.409	0.297	---	---	7.78	1970
1971	---	---	0.569	15.9	4.79	0.376	7.37	0.989	3.14	0.918	---	---	4.23	1971
1972	---	---	24.5	10.4	2.66	7.60	1.13	1.70	1.02	0.223	---	---	6.15	1972
1973	---	---	0.555	0.209	0.131	0.293	0.004	0	0.147	0.168	---	---	0.188	1973
1974	---	---	1.06	62.1	34.1	4.40	3.08	0.183	0.045	0.090	---	---	13.0	1974
1975	---	---	0.100	39.5	78.6	11.9	0.621	0.281	1.20	0.740	---	---	16.6	1975
1976	---	---	23.5	132	19.6	25.6	7.82	1.52	0.587	0.353	---	---	26.0	1976
1977	---	---	0.073	0.113	0.106	0.061	0.007	0.006	0.017	0.117	---	---	0.063	1977
1978	---	---	2.67	11.6	1.90	2.31	16.8	1.53	2.33	1.68	---	---	5.10	1978
1979	---	---	4.45	69.0	64.8	5.45	0.808	0.239	0.126	0.030	---	---	18.0	1979
1980	---	---	0.281	2.76	0.372	0.020	0.004	0.005	0.007	0.021	---	---	0.428	1980
1981	---	0.677	0.212	0.034	0.051	0.005	0.007	0.038	0.002	0.011	---	---	0.045	1981
1982	---	---	0.336	42.4	18.3	0.942	1.12	0.099	0.051	0.181	---	---	7.85	1982
MEAN	---	0.677	3.38	22.6	12.9	3.10	2.09	0.374	0.441	0.253	---	---	5.60	MEAN

LOCATION - LAT 49 04 34 N DRAINAGE AREA, 12 600 km²
LONG 102 45 53 W REGULATED

SOURIS RIVER NEAR ROCHE PERCEE - STATION NO. 05MB009

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1956	---	40.5 ON APR 14	0.003 ON SEP 21	120 000	1956
1957	---	6.26 ON MAR 28	0 B ON MAR 1 *	10 104	1957
1958	---	8.07 ON APR 7	0 B ON MAR 1	8 190	1958
1959	---	11.6 B ON MAR 19	0 ON MAY 11	9 650	1959
1960	---	36.8 ON APR 7	0 B ON MAR 1	73 500	1960
1961	---	2.55 ON MAR 17	0 B ON MAR 1	1 300	1961
1962	---	4.02 ON MAR 25	0 B ON MAR 1	4 980	1962
1963	---	6.17 ON JUN 7	0 B ON MAR 1	9 280	1963
1964	---	17.8 ON APR 15	0 B ON MAR 1	26 300	1964
1969	---	204 ON APR 15	0.005 ON AUG 26	234 000	1969
1970	---	74.8 ON MAY 10	0 E ON OCT 6	165 000	1970
1971	37.4 AT 08:00 CST ON APR 15	36.8 ON APR 15	0.113B ON MAR 1	89 500	1971
1972	66.8 AT 01:47 CST ON MAR 23	66.3 ON MAR 23	0.071B ON MAR 1	130 000	1972
1973	2.71B AT 03:08 CST ON MAR 10	2.11 B ON MAR 10	0 ON JUL 13	3 980	1973
1974	119 AT 09:58 CST ON APR 25	118 ON APR 25	0.015 ON SEP 4	276 000	1974
1975	188 AT 09:47 CST ON MAY 1	187 ON MAY 1	0.042B ON MAR 9	351 000	1975
1976	209 AT 19:24 CST ON APR 5	206 ON APR 5	0.859 ON SEP 27	550 000	1976
1977	1.22 AT 05:55 CST ON MAY 19	1.03 ON MAY 19	0.005 ON JUL 29	1 320	1977
1978	38.5 AT 01:02 CST ON APR 2	37.7 ON APR 2	0.009B ON MAR 8	108 000	1978
1979	257 AT 02:47 CST ON APR 26 *	250 ON APR 26 *	0.023 ON OCT 4	381 000	1979
1980	5.94 AT 01:23 CST ON APR 8	5.67 ON APR 8	0.001 ON JUL 11	9 070	1980
1981	---	0.805B ON MAR 1	0 ON APR 25	963	1981
1982	84.2 AT 19:56 CST ON APR 25	84.0 ON APR 25	0.008 ON AUG 24	166 000	1982
				119 000	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SOURIS RIVER NEAR SHERWOOD - STATION NO. 05ND007

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1930	---	---	---	13.0	2.56	0.898	0.385	0.077	0.001	0.042	0.027	0.003	---	1930
1931	0	0	0.028	0.341	0.247	0.030	0.002	0	0	0	0.002	0	0.056	1931
1932	0	0	0.072	1.43	0.456	0.455	0.276	0.035	0	0.006	0.014	0.014	0.229	1932
1933	0.008	0.056	6.99	6.35	2.15	9.64	0.566	0.153	0.021	0.043	0.042	0.011	2.17	1933
1934	0.006	0.142	5.53	2.53	0.423	0.102	0.038	0	0	0	0	0	0.736	1934
1935	0	0	0.072	1.38	1.26	0.406	0.908	0.077	0.007	0.004	0.005	0	0.344	1935
1936	0	0	0	17.0	4.98	0.639	0.047	0	0	0	0	0	1.87	1936
1937	0	0	0	0.415	0.103	0.016	0	0	0	0	0	0	0.044	1937
1938	0	0	11.5	3.66	1.12	0.228	0.058	0.009	0	0	0	0	1.40	1938
1939	0	0	15.3	15.9	1.00	0.275	0.335	0.053	0.001	0.002	0.008	0.003	2.75	1939
1940	0	0	0.001	0.432	0.388	0.086	0.004	0.013	0.001	0	0	0	0.073	1940
1941	0	0	0.027	12.2	2.83	1.23	0.331	0.111	0.038	0.036	0.111	0.084	1.41	1941
1942	0.006	0.002	2.99	19.3	4.04	1.54	0.910	0.579	0.279	0.183	0.172	0.078	2.50	1942
1943	0.079	0.036	1.43	78.2	9.53	4.87	2.45	0.733	0.475	0.173	0.197	0.172	8.13	1943
1944	0.109	0.103	0.103	1.85	0.915	4.50	10.3	1.83	0.970	0.404	0.318	0.119	1.80	1944
1945	0.046	0.041	0.480	0.863	0.440	0.489	0.848	0.286	0.062	0.107	0.112	0.023	0.318	1945
1946	0	0.001	15.7	8.12	0.983	0.661	0.401	0.170	0.049	0.087	0.055	0.032	2.20	1946
1947	0.021	0.013	1.55	45.4	10.3	6.18	4.04	0.840	0.674	0.375	0.271	0.300	5.80	1947
1948	0.226	0.170	0.147	38.8	67.2	4.76	2.62	1.37	0.358	0.270	0.434	0.208	9.75	1948
1949	0.069	0.068	0.134	23.3	2.18	1.52	0.518	0.325	0.105	0.180	0.281	0.120	2.38	1949
1950	0.085	0.077	1.57	25.2	9.05	3.80	1.73	1.11	0.378	0.256	0.249	0.156	3.63	1950
1951	0.173	0.149	0.183	33.9	41.1	4.33	1.10	0.596	0.405	0.596	0.525	0.241	6.97	1951
1952	0.076	0.099	1.06	20.2	2.77	0.760	0.686	0.182	0.180	0.149	0.181	0.106	2.18	1952
1953	0.084	0.080	2.42	9.67	4.08	27.0	29.7	5.06	1.04	0.366	0.506	0.374	6.73	1953
1954	0.243	0.736	3.04	4.25	3.57	11.3	4.47	0.881	1.20	1.62	1.85	0.756	2.82	1954
1955	0.245	0.193	0.182	60.4	38.2	11.3	4.44	1.42	0.718	0.926	0.594	0.219	9.55	1955
1956	0.089	0.071	3.93	49.2	16.1	4.87	6.75	1.84	0.459	0.584	0.592	0.236	6.99	1956
1957	0.113	0.030	3.27	8.48	3.14	1.25	0.431	0.558	0.323	0.140	0.300	0.127	1.51	1957
1958	0.052	0.049	3.51	11.6	1.25	0.310	0.112	0.030	0.021	0.042	0.048	0.004	1.41	1958
1959	0	0	4.65	1.17	0.312	0.339	0.118	0.025	0.031	0.803	0.401	0.126	0.671	1959
1960	0.084	0.040	2.90	33.6	4.18	0.981	0.358	0.257	0.044	0.039	0.054	0.047	3.52	1960
1961	0.019	0.011	0.963	0.496	0.219	0.144	0.002	0	0	0	0	0	0.156	1961
1962	0	0	0.689	1.03	0.731	1.85	0.308	0.044	0.002	0.013	0.024	0.016	0.392	1962
1963	0	0	1.82	1.00	0.682	2.18	0.973	1.01	0.981	0.097	0.157	0.132	0.755	1963
1964	0.096	0.088	0.178	12.4	2.87	1.03	0.889	0.140	0.037	0.062	0.098	0.139	1.49	1964
1965	0.056	0.031	0.059	6.76	12.0	14.6	2.81	0.844	0.297	0.175	0.244	0.123	3.17	1965
1966	0.064	0.054	12.3	10.9	2.11	0.677	0.227	0.066	0.021	0.014	0.035	0.014	2.22	1966
1967	0.004	0.001	0.431	7.55	7.57	0.770	0.089	0.005	0	0	0.389	0.065	1.41	1967
1968	0.021	0.013	4.05	0.974	0.305	0.113	0.030	0.009	0.071	0.013	0.028	0.007	0.474	1968
1969	0	0	2.60	108	20.9	2.65	4.95	1.17	0.480	0.767	0.438	0.189	11.8	1969
1970	0.135	0.184	1.07	13.9	53.6	10.5	4.40	1.34	0.706	0.780	0.700	0.252	7.37	1970
1971	0.211	0.219	1.31	22.5	9.06	1.66	6.62	0.900	1.75	2.25	1.07	0.286	3.99	1971
1972	0.151	0.086	32.5	20.7	4.78	9.44	2.32	1.66	1.80	0.323	0.881	0.207	6.25	1972
1973	0.181	0.085	1.68	0.803	0.662	0.744	0.143	0.044	0.035	0.082	0.257	0.090	0.403	1973
1974	0.026	0.028	0.329	75.6	54.2	8.89	3.94	0.691	0.283	0.230	0.240	0.167	12.0	1974
1975	0.162	0.145	0.164	33.8	113	19.5	3.70	1.12	4.13	2.29	1.81	1.35	15.2	1975
1976	1.26	1.24	16.0	191	41.7	25.7	14.3	2.95	1.58	0.531	0.583	0.303	24.5	1976
1977	0.226	0.181	0.410	1.18	1.02	0.565	0.143	0.040	0.027	0.049	0.178	0.115	0.341	1977
1978	0.066	0.027	3.32	15.5	3.40	2.70	15.6	2.43	1.98	2.01	0.459	0.296	4.01	1978
1979	0.143	0.105	4.10	60.0	97.3	9.94	2.44	0.815	0.337	0.176	0.294	0.268	14.7	1979
1980	0.141	0.157	0.485	7.07	1.19	0.124	0.071	0.025	0.018	0.038	0.071	0.078	0.777	1980
1981	0.070	4.05	1.25	0.315	0.146	0.039	0.013	0.019	0.014	0.007	0.017	0.021	0.473	1981
1982	0.012	0.006	0.083	47.3	28.8	2.69	1.00	0.454	0.102	0.241	0.265	0.157	6.75	1982
MEAN	0.093	0.171	3.36	22.4	13.0	4.17	2.64	0.649	0.423	0.332	0.286	0.148	4.01	MEAN

LOCATION - LAT 48 59 24 N DRAINAGE AREA, 22 400 km² INTERNATIONAL GAUGING STATION
LONG 101 57 28 W REGULATED

SOURIS RIVER NEAR SHERWOOD - STATION NO. 05ND007

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1930	---	23.1 ON APR 8	0 ON SEP 4 *	---	1930
1931	---	0.510 ON APR 14	0 E ON JAN 1	1 710	1931
1932	---	2.55 B ON APR 10	0 E ON JAN 1	7 230	1932
1933	---	38.2 B ON MAR 31	0.008E ON JAN 1	68 200	1933
1934	---	9.74 B ON MAR 16	0 ON AUG 1	23 200	1934
1935	---	4.67 ON APR 24	0 ON JAN 1	10 900	1935
1936	---	36.0 ON APR 25	0 ON JAN 1	59 300	1936
1937	---	3.34 ON APR 18	0 ON JAN 1	1 400	1937
1938	---	29.2 ON MAR 27	0 ON JAN 1	44 100	1938
1939	---	69.7 ON MAR 28	0 ON JAN 1	86 700	1939
1940	---	2.12 B ON APR 15	0 ON JAN 1	2 320	1940
1941	---	28.9 ON APR 14	0 ON JAN 1	44 400	1941
1942	---	48.1 B ON APR 5	0 ON FEB 20	78 800	1942
1943	---	151 ON APR 12	0.017B ON MAR 1	256 000	1943
1944	---	35.1 ON JUL 8	0.045 ON DEC 29	56 900	1944
1945	---	1.70 ON MAR 29	0 B ON DEC 24	10 000	1945
1946	---	56.1 ON MAR 30	0 B ON JAN 1	69 500	1946
1947	---	63.7 ON APR 18	0.003 ON FEB 24	183 000	1947
1948	210 AT 23:00 CST ON APR 28	209 ON APR 29	0.085B ON DEC 28	308 000	1948
1949	---	76.5 ON APR 11	0.028B ON JAN 22	75 000	1949
1950	---	45.3 ON APR 18	0.057B ON FEB 21	114 000	1950
1951	---	75.9 ON MAY 10	0.085B ON DEC 23	220 000	1951
1952	---	32.8 B ON APR 3	0.065B ON JAN 10	69 100	1952
1953	---	50.4 ON JUL 9	0.068B ON JAN 15	212 000	1953
1954	---	22.4 ON JUN 12	0.212B ON JAN 31	89 100	1954
1955	---	142 ON APR 6	0.119B ON MAR 25	302 000	1955
1956	---	99.7 ON APR 16	0.057B ON JAN 18	221 000	1956
1957	39.1 B AT 09:00 CST ON APR 2	19.8 B ON MAR 25	0.023B ON FEB 8	47 800	1957
1958	---	38.8 B ON APR 1	0 B ON DEC 7	44 600	1958
1959	---	20.4 B ON MAR 22	0 B ON JAN 1	21 100	1959
1960	75.6 AT 06:30 CST ON APR 8	74.5 ON APR 8	0.006 ON MAR 8	111 000	1960
1961	4.53B ON MAR 20	4.08 B ON MAR 20	0 ON JUL 15	4 910	1961
1962	25.2 AT 06:00 CST ON JUN 15	16.3 ON JUN 15	0 ON JAN 1	12 400	1962
1963	13.3 B AT 16:00 CST ON MAR 25	12.7 B ON MAR 25	0 B ON JAN 1	23 800	1963
1964	---	23.8 B ON APR 5	0.014 ON SEP 20	47 100	1964
1965	29.2 AT 09:00 CST ON JUN 9	29.2 ON JUN 9	0.022B ON FEB 27	100 000	1965
1966	39.9 AT 06:00 CST ON APR 2	38.2 ON APR 2	0.003 ON SEP 26	70 000	1966
1967	17.4 AT 02:00 CST ON MAY 15	17.1 ON MAY 14	0 ON AUG 25	44 500	1967
1968	11.3 B AT 08:30 CST ON MAR 9	11.0 B ON MAR 9	0 ON JUL 31	14 900	1968
1969	351 B AT 23:00 CST ON APR 11 *	311 B ON APR 12	0 ON JAN 1	371 000	1969
1970	77.9 AT 12:00 CST ON MAY 17	77.6 ON MAY 17	0.093B ON JAN 1	232 000	1970
1971	---	41.9 ON APR 18	0.153 ON JAN 7	126 000	1971
1972	---	90.9 ON MAR 27	0.082 ON FEB 8	198 000	1972
1973	---	3.54 B ON MAR 18	0.015 ON SEP 17	12 700	1973
1974	181 ON APR 19	178 ON APR 20	0.011B ON JAN 10	380 000	1974
1975	193 AT 15:30 CST ON MAY 5	191 ON MAY 5	0.142B ON FEB 6	480 000	1975
1976	---	388 ON APR 10 *	0.227B ON DEC 31	776 000	1976
1977	2.15 AT 11:00 CST ON APR 17	2.12 ON APR 17	0.011 ON SEP 21	10 800	1977
1978	44.5 AT 19:00 CST ON APR 5	43.9 ON APR 5	0.023B ON FEB 10	126 000	1978
1979	242 AT 09:00 CST ON APR 30	239 ON APR 30	0.096B ON MAR 3	466 000	1979
1980	17.8 B AT 24:00 CST ON APR 4	16.9 B ON APR 5	0.011 ON SEP 1	24 600	1980
1981	18.7 B AT 04:30 CST ON FEB 21	16.6 B ON FEB 21	0.005 ON AUG 4	14 900	1981
1982	111 AT 08:00 CST ON APR 18	109 ON APR 18	0.003B ON FEB 1	213 000	1982
				127 000	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SOUTH SASKATCHEWAN RIVER AT SASKATCHEWAN LANDING - STATION NO. 05NC001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	---	---	107	441	283	287	149	98.5	---	---	---	1944
1945	---	---	118	181	268	830	526	165	152	161	---	---	294	1945
1946	---	---	---	266	303	832	480	158	214	164	---	---	---	1946
1947	---	---	381	577	742	788	437	189	234	322	---	---	458	1947
1959	---	---	159	250	386	718	567	239	175	186	---	---	334	1959
1960	---	---	181	452	411	479	379	193	71.4	60.8	---	---	278	1960
1961	---	---	131	173	288	722	171	172	97.4	139	---	---	235	1961
1962	---	---	135	481	308	445	291	164	152	85.5	---	---	256	1962
1963	---	---	---	193	174	504	701	277	187	140	---	---	---	1963
1964	---	---	97.5	195	583	989	---	---	---	---	---	---	---	1964
MEAN	---	---	172	303	357	675	426	205	160	151	---	---	309	MEAN

LOCATION - LAT 50 39 10 N, LONG 107 58 20 W
DRAINAGE AREA, 126 000 km^2
REGULATED

SOUTH SASKATCHEWAN RIVER AT SASKATCHEWAN LANDING - STATION NO. 05HC001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	---	---	---	1944
1945	---	1 120 ON JUN 11	62.3B ON MAR 5	6 230 000	1945
1946	---	---	---	---	1946
1947	---	1 860B ON MAR 25 *	91.7B ON MAR 14	9 700 000	1947
1959	---	1 100 ON JUL 3	89.5B ON MAR 6	7 080 000	1959
1960	---	949 ON MAR 31	47.9 ON OCT 15 *	5 880 000	1960
1961	---	1 040 ON JUN 1	58.3 ON SEP 29	4 980 000	1961
1962	---	858 ON APR 14	73.6E ON OCT 15	5 430 000	1962
1963	---	---	---	---	1963
1964	---	---	---	---	1964
				6 550 000	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SOUTH SASKATCHEWAN RIVER AT SASKATOON - STATION NO. 05HG001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1911	---	---	---	---	---	919	784	666	577	180	86.3	112	---	1911
1912	47.8	65.1	65.2	401	417	658	952	671	464	263	210	93.4	360	1912
1913	35.3	56.1	68.9	449	338	919	687	421	259	224	166	106	311	1913
1914	76.5	60.3	86.1	179	393	747	643	277	225	292	231	90.7	276	1914
1915	95.7	66.4	94.0	382	561	1 020	1 710	954	463	360	173	109	503	1915
1916	72.1	69.4	434	563	382	1 460	1 610	756	842	399	229	140	580	1916
1917	101	88.1	77.7	473	716	1 630	856	338	253	158	129	56.8	407	1917
1918	72.6	93.9	123	375	366	654	421	247	174	146	120	56.8	238	1918
1919	53.3	70.4	58.5	216	267	548	292	273	174	90.8	47.8	45.7	178	1919
1920	58.4	58.5	71.0	442	1 010	719	891	383	164	131	80.9	59.0	340	1920
1921	40.8	46.1	83.1	335	365	737	426	230	121	85.4	79.1	51.0	217	1921
1922	45.4	41.3	56.1	331	435	743	389	223	164	102	69.8	41.6	220	1922
1923	45.8	34.6	40.9	187	240	1 600	905	395	264	159	93.9	75.9	337	1923
1924	44.8	59.3	69.4	228	328	585	527	381	216	142	83.8	69.9	228	1924
1925	61.0	64.9	97.6	696	453	746	497	260	250	244	165	108	304	1925
1926	72.2	76.6	250	296	262	182	425	173	564	487	257	116	264	1926
1927	88.6	75.2	142	711	638	1 450	1 010	556	588	482	206	146	509	1927
1928	259	123	284	508	548	1 150	1 300	404	238	191	143	73.4	436	1928
1929	62.5	50.1	141	211	345	1 210	341	151	108	64.3	60.1	36.0	231	1929
1930	45.4	63.9	175	296	376	628	458	217	142	101	101	81.9	228	1930
1931	53.1	69.5	77.0	132	126	293	324	150	128	95.6	53.1	39.1	129	1931
1932	34.5	38.2	90.4	236	449	1 210	497	185	206	125	91.9	73.5	269	1932
1933	58.2	47.0	63.4	348	493	764	523	182	171	106	164	80.6	250	1933
1934	76.5	117	139	283	564	693	291	116	94.0	108	101	60.3	220	1934
1935	32.2	71.3	97.3	293	265	568	483	289	112	74.6	55.8	56.7	200	1935
1936	32.6	32.0	102	415	424	514	152	89.1	81.5	52.1	33.4	28.3	163	1936
1937	28.7	31.3	43.7	189	135	504	324	167	93.4	94.7	93.5	64.9	148	1937
1938	46.3	43.3	54.9	352	347	947	633	215	140	112	70.6	52.5	252	1938
1939	42.0	44.5	62.0	311	212	533	637	146	100	88.8	67.4	54.2	192	1939
1940	43.5	43.0	52.3	452	474	407	201	157	139	175	76.6	77.5	191	1940
1941	61.2	56.0	67.5	312	135	239	165	107	142	145	103	67.4	133	1941
1942	46.2	43.0	56.6	175	382	1 010	838	417	285	240	96.0	73.9	306	1942
1943	66.3	70.6	82.5	738	362	611	610	261	122	73.0	79.5	59.9	262	1943
1944	55.1	63.1	71.5	202	93.3	349	287	237	158	97.5	71.8	62.2	146	1944
1945	50.6	67.6	93.6	169	214	792	583	160	122	152	53.4	99.8	214	1945
1946	88.1	80.9	159	266	260	748	499	155	203	155	101	99.9	235	1946
1947	85.6	76.9	326	664	700	774	449	179	214	281	202	124	340	1947
1948	102	78.4	94.4	722	1 530	1 690	653	392	179	110	87.8	50.1	474	1948
1949	57.5	59.3	67.9	260	232	436	182	138	72.3	53.8	71.7	43.2	139	1949
1950	48.2	56.1	77.1	331	321	689	693	258	139	83.4	106	95.2	242	1950
1951	95.2	79.8	86.4	620	860	952	1 140	474	760	494	303	185	506	1951
1952	150	143	110	1 260	550	654	699	410	250	175	139	80.5	384	1952
1953	62.6	84.8	109	266	593	1 920	850	373	257	162	127	70.0	406	1953
1954	72.0	91.9	120	337	635	1 020	752	395	801	412	303	137	423	1954
1955	96.5	105	79.2	623	604	793	733	248	123	147	95.7	89.7	312	1955
1956	88.0	97.3	100	623	412	746	517	297	199	149	136	61.6	285	1956
1957	64.2	62.8	137	351	584	538	233	111	116	109	129	79.3	210	1957
1958	65.6	78.2	96.1	451	435	594	482	242	133	113	102	68.5	239	1958
1959	73.6	90.7	138	321	312	729	592	238	164	191	136	168	263	1959
1960	103	115	126	625	384	464	365	193	86.0	60.6	52.8	55.3	219	1960
1961	74.1	62.9	110	202	200	743	190	150	103	108	135	71.0	179	1961
1962	99.2	114	100	432	261	408	274	157	136	93.6	101	55.4	186	1962
1963	41.6	50.4	159	240	155	384	766	274	165	123	93.8	55.9	210	1963
1964	79.2	77.2	46.4	215	520	902	567	146	91.0	108	113	61.0	244	1964
1965	60.8	41.4	78.5	216	475	815	1 080	420	286	352	159	145	346	1965
1966	75.2	104	228	526	413	794	562	65.2	36.3	37.3	31.6	36.3	242	1966
1967	266	241	175	239	326	361	422	170	110	44.6	60.7	319	228	1967
1968	366	138	152	49.3	36.2	39.0	42.0	55.9	49.1	172	224	242	131	1968
1969	371	388	357	307	312	306	758	231	184	203	270	342	336	1969
1970	371	326	197	134	130	191	193	184	148	224	222	325	220	1970
1971	348	377	315	259	237	389	140	81.3	84.5	130	245	326	240	1971
1972	321	308	358	309	201	306	453	325	241	215	257	346	304	1972
1973	378	374	228	108	90.8	143	134	115	174	182	221	328	205	1973
1974	327	294	351	346	329	482	294	218	194	151	209	271	289	1974
1975	318	316	229	156	205	568	396	149	116	212	271	303	269	1975
1976	357	319	263	180	81.1	80.2	77.5	215	216	230	212	327	213	1976
1977	354	264	126	74.4	50.2	52.2	49.5	49.2	47.4	52.7	160	216	124	1977
1978	219	175	183	141	55.8	243	166	133	237	230	227	238	187	1978
1979	358	384	304	139	160	196	73.2	77.4	51.2	124	162	193	184	1979
1980	241	344	186	111	68.1	152	141	59.5	97.9	169	256	267	174	1980
1981	318	293	180	177	127	492	384	491	272	227	244	232	286	1981
1982	354	318	250	191	99.2	57.6	62.4	104	120	163	206	276	183	1982
MEAN	128	123	140	343	367	674	524	261	211	171	140	125	266	MEAN

LOCATION - LAT 52 08 26 N DRAINAGE AREA, 141 000 km²
LONG 106 38 40 W REGULATED

SOUTH SASKATCHEWAN RIVER AT SASKATOON - STATION NO. 05HG001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1911	---	---	---	---	1911
1912	1 450 AT 01:00 CST ON JUL 17	1 420 ON JUL 17	38.2B ON JAN 5	11 400 000	1912
1913	---	1 210 ON JUL 6	32.0B ON JAN 10	9 820 000	1913
1914	---	994 ON JUN 26	44.5B ON DEC 24	8 700 000	1914
1915	3 230 ON JUL 3	3 140 ON JUL 2	60.9B ON FEB 7	15 900 000	1915
1916	---	2 630 ON JUL 4	53.8B ON JAN 29	18 400 000	1916
1917	2 040 ON JUN 9	1 970 ON JUN 9	38.2B ON DEC 23	12 800 000	1917
1918	---	1 180 ON JUN 22	42.2B ON JAN 1	7 490 000	1918
1919	---	980 ON JUN 5	32.0B ON DEC 17	5 610 000	1919
1920	---	1 760 ON MAY 14	21.7B ON DEC 28	10 700 000	1920
1921	---	1 420B ON APR 15	24.6B ON JAN 1	6 840 000	1921
1922	1 080 AT 18:00 CST ON JUN 13	1 070 ON JUN 13	30.3B ON DEC 23	6 950 000	1922
1923	3 650 AT 03:00 CST ON JUN 7	3 370 ON JUN 7	30.6B ON FEB 20	10 600 000	1923
1924	---	900 ON JUN 24	39.9B ON JAN 10	7 220 000	1924
1925	---	1 360B ON APR 5	42.2B ON JAN 2	9 560 000	1925
1926	---	1 150 ON SEP 19	65.1B ON JAN 9	8 330 000	1926
1927	---	2 330 ON JUN 17	62.3B ON JAN 23	16 000 000	1927
1928	---	2 490 ON JUL 7	65.1B ON DEC 8	13 800 000	1928
1929	3 260 AT 14:30 CST ON JUN 9	3 060 ON JUN 9	16.8B ON DEC 21	7 300 000	1929
1930	---	855 ON JUN 19	22.1B ON JAN 25	7 070 000	1930
1931	---	583 ON JUN 29	30.0B ON JAN 25	4 050 000	1931
1932	3 200 ON JUN 8	3 140 ON JUN 8	25.2B ON FEB 3	8 510 000	1932
1933	1 090 ON JUN 25	1 080 ON JUN 25	39.1B ON FEB 22	7 900 000	1933
1934	---	1 140 ON JUN 15	39.1B ON DEC 29	6 950 000	1934
1935	---	793 ON JUN 28	26.5B ON JAN 2	6 310 000	1935
1936	---	861B ON APR 18	14.2B ON DEC 12 *	5 140 000	1936
1937	---	1 110 ON JUN 21	17.5B ON FEB 16	4 660 000	1937
1938	---	1 360 ON JUN 3	27.9B ON MAR 3	7 930 000	1938
1939	---	1 420 ON JUN 24	28.6B ON FEB 17	6 060 000	1939
1940	1 640 AT 19:00 CST ON APR 22	1 570 ON APR 22	32.3 ON NOV 9	6 060 000	1940
1941	---	926B ON APR 7	39.1B ON NOV 24	4 210 000	1941
1942	1 840 AT 20:00 CST ON JUN 12	1 820 ON JUN 13	27.2B ON FEB 26	9 650 000	1942
1943	---	1 280 ON APR 9	46.4 ON DEC 7	8 240 000	1943
1944	---	631 ON JUN 25	35.1 ON DEC 1	4 600 000	1944
1945	---	1 170 ON JUN 14	27.0B ON NOV 20	6 730 000	1945
1946	1 080 AT 20:45 CST ON JUN 15	1 050 ON JUN 16	45.9B ON NOV 18	7 410 000	1946
1947	---	1 850B ON MAR 28	36.8B ON FEB 17	10 700 000	1947
1948	---	2 700B ON APR 24	47.6B ON DEC 24	15 000 000	1948
1949	---	541 ON JUN 11	16.8 ON DEC 16	4 400 000	1949
1950	---	1 270 ON APR 18	32.8B ON JAN 7	7 620 000	1950
1951	1 610 AT 19:00 CST ON JUL 1	1 540 ON JUL 1	63.4B ON JAN 20	15 900 000	1951
1952	---	2 420 ON APR 10	52.7B ON NOV 27	12 200 000	1952
1953	4 190 AT 02:00 CST ON JUN 15 *	3 940 ON JUN 15 *	44.5B ON JAN 29	12 800 000	1953
1954	---	1 530 ON SEP 2	50.4B ON JAN 20	13 400 000	1954
1955	---	2 180B ON APR 10	35.1B ON DEC 1	9 840 000	1955
1956	---	1 190B ON APR 15	25.5B ON DEC 22	9 000 000	1956
1957	---	855 ON MAY 30	22.7B ON JAN 28	6 630 000	1957
1958	---	852B ON APR 17	25.5B ON DEC 25	7 530 000	1958
1959	1 330 AT 20:00 CST ON JUL 5	1 250 ON JUL 5	45.6B ON JAN 22	8 310 000	1959
1960	---	1 120 ON APR 3	22.4 ON NOV 9	6 920 000	1960
1961	1 080 AT 13:00 CST ON JUN 4	1 070 ON JUN 4	30.0B ON FEB 16	5 640 000	1961
1962	861 AT 03:00 CST ON APR 16	816A ON APR 16	36.0 ON NOV 19	5 860 000	1962
1963	1 560A AT 08:00 CST ON JUL 8	1 540A ON JUL 8	25.8B ON JAN 30	6 630 000	1963
1964	1 430 AT 12:00 CST ON JUN 18	1 420 ON JUN 18	27.4B ON MAR 7	7 710 000	1964
1965	---	1 630E ON JUN 27	32.6B ON FEB 4	10 900 000	1965
1966	1 380 AT 18:30 CST ON JUN 13	1 260 ON JUN 13	23.4 ON NOV 6	7 650 000	1966
1967	---	583 ON APR 30	32.6 ON JAN 8	7 190 000	1967
1968	603 AT 06:00 CST ON JAN 10	595 ON JAN 9	28.1 ON MAY 3	4 140 000	1968
1969	1 790 AT 15:45 CST ON JUL 6	1 780 ON JUL 6	150 ON JUN 30	10 600 000	1969
1970	439B AT 11:52 CST ON NOV 30	399B ON NOV 30	57.8 ON JUN 16	6 940 000	1970
1971	---	430 ON JUN 8	58.6 ON APR 27	7 570 000	1971
1972	801E AT 11:06 CST ON JUL 5	776E ON JUL 5	140 ON DEC 4	9 600 000	1972
1973	493 AT 07:08 CST ON DEC 13	439 ON DEC 13	42.5E ON MAR 23	6 480 000	1973
1974	847 AT 23:25 CST ON JUN 25	838 ON JUN 25	119 ON OCT 29	9 110 000	1974
1975	1 970 AT 17:50 CST ON JUN 26	1 900 ON JUN 26	92.3 ON SEP 26	8 490 000	1975
1976	425 AT 12:04 CST ON AUG 14	419 ON AUG 14	47.6 ON MAY 25	6 740 000	1976
1977	---	396B ON FEB 1	41.1 ON MAY 15	3 910 000	1977
1978	405 AT 10:51 CST ON SEP 21	405 ON SEP 21	40.2 ON MAY 15	5 900 000	1978
1979	446B AT 23:58 CST ON JAN 19	434B ON JAN 20	47.0 ON SEP 17	5 800 000	1979
1980	---	372B ON FEB 21	49.5 ON MAY 21	5 490 000	1980
1981	666 AT 20:25 CST ON AUG 9	665 ON AUG 10	48.2 ON MAY 22	9 030 000	1981
1982	---	421B ON JAN 19	50.5 ON JUN 20	5 760 000	1982
				8 400 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SOUTH SASKATCHEWAN RIVER AT ST. LOUIS - STATION NO. 05HH001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1958	---	---	---	---	---	---	483	242	128	110	115	76.6	---	1958
1959	82.0	99.5	134	305	288	686	595	233	159	191	96.6	136	251	1959
1960	89.6	97.8	113	555	350	453	370	193	87.1	57.1	69.2	55.2	207	1960
1961	66.2	58.6	82.2	151	173	716	199	149	106	109	148	62.4	168	1961
1962	79.6	91.4	89.8	367	248	364	263	146	126	75.0	116	53.3	168	1962
1963	40.1	43.2	143	235	146	358	669	271	165	121	96.7	64.5	197	1963
1964	77.4	79.2	54.7	241	449	822	563	149	90.0	104	132	58.3	235	1964
1965	55.5	40.1	64.9	203	463	760	1 070	429	279	346	210	143	340	1965
1966	71.8	80.2	220	518	391	780	573	81.9	30.4	31.4	27.8	31.1	237	1966
1967	229	228	176	225	338	354	418	167	119	51.5	49.6	285	220	1967
1968	356	121	153	70.6	34.8	37.8	39.9	60.6	47.9	168	218	225	128	1968
1969	362	387	353	316	315	312	788	230	192	211	258	292	335	1969
1970	335	276	173	127	131	198	195	200	146	219	221	327	212	1970
1971	335	370	291	280	235	357	144	80.1	81.4	132	218	319	236	1971
1972	335	299	329	321	195	312	445	334	251	216	260	335	303	1972
1973	341	313	220	131	87.9	151	140	115	165	150	184	238	186	1973
1974	248	264	287	368	347	462	293	212	184	138	195	261	271	1974
1975	321	310	258	233	205	549	396	148	115	205	245	279	271	1975
1976	356	331	257	184	92.2	81.8	76.5	223	227	236	289	325	223	1976
1977	325	269	134	101	65.0	54.5	53.7	50.8	51.0	52.7	148	200	125	1977
1978	170	152	180	163	53.8	264	184	148	241	234	230	221	187	1978
1979	305	313	268	163	156	199	74.9	81.7	55.6	122	143	177	171	1979
1980	226	353	215	131	70.1	138	142	51.8	89.7	158	257	281	175	1980
1981	296	289	176	179	116	469	339	445	268	221	234	200	269	1981
1982	351	322	248	191	104	65.2	60.9	94.1	114	157	213	276	182	1982
MEAN	227	216	192	240	211	373	343	181	141	153	175	197	221	MEAN

LOCATION - LAT 52 55 25 N DRAINAGE AREA, 148 000 km²
LONG 105 48 20 W REGULATED

SOUTH SASKATCHEWAN RIVER AT ST. LOUIS - STATION NO. 05HH001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1958	---	---	---	---	1958
1959	---	1 170 ON JUL 6	36.2B ON NOV 8	7 920 000	1959
1960	---	1 030 ON APR 4	37.4B ON DEC 14	6 550 000	1960
1961	1 020 AT 08:00 CST ON JUN 5	1 000 ON JUN 5	32.8B ON DEC 13	5 300 000	1961
1962	---	714B ON APR 17	27.6B ON DEC 10	5 300 000	1962
1963	1 350 AT 19:00 CST ON JUL 8	1 290 ON JUL 9	15.3B ON FEB 2 *	6 220 000	1963
1964	1 260 AT 24:00 CST ON JUN 20	1 260 ON JUN 20	32.3B ON MAR 11	7 430 000	1964
1965	---	1 450 ON JUN 28	28.3B ON JAN 19	10 700 000	1965
1966	1 230 AT 04:00 CST ON JUN 14	1 210 ON JUN 14	18.0B ON NOV 5	7 460 000	1966
1967	---	600 ON JUL 24	28.0B ON JAN 10	6 950 000	1967
1968	---	544B ON JAN 5	23.0A ON MAY 2	4 050 000	1968
1969	---	1 730 ON JUL 7	140 ON JUN 25	10 600 000	1969
1970	---	422B ON JAN 4	50.4B ON APR 30	6 700 000	1970
1971	439 AT 10:12 CST ON JUN 10	436 ON JUN 10	60.3 ON SEP 6	7 430 000	1971
1972	833 AT 01:09 CST ON JUL 6	770 ON JUL 6	123 ON MAY 3	9 580 000	1972
1973	---	365B ON JAN 15	58.3B ON MAR 27	5 850 000	1973
1974	---	810A ON JUN 28	102 ON OCT 30	8 560 000	1974
1975	1 930 AT 10:46 CST ON JUN 27 *	1 880 ON JUN 27 *	92.9 ON SEP 17	8 540 000	1975
1976	---	462B ON DEC 16	50.7 ON MAY 30	7 050 000	1976
1977	405B AT 21:03 CST ON FEB 2	402B ON FEB 2	45.3 ON AUG 25	3 930 000	1977
1978	436 AT 17:20 CST ON JUN 21	436 ON JUN 18	38.8 ON MAY 17	5 890 000	1978
1979	383B AT 02:27 CST ON JAN 21	378B ON JAN 21	49.6 ON SEP 19	5 380 000	1979
1980	---	388B ON FEB 19	41.5 ON AUG 23	5 540 000	1980
1981	636 AT 22:57 CST ON AUG 4	632 ON AUG 5	49.7B ON MAR 24	8 480 000	1981
1982	431B AT 04:48 CST ON JAN 20	429B ON JAN 20	51.4 ON JUL 1	5 750 000	1982
				6 970 000	MEAN

A - MANUAL GAUGE B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD
(SEE REFERENCE INDEX)

SOUTH SASKATCHEWAN RIVER BELOW GARDINER DAM - STATION NO. 05HF004

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1966	---	---	---	---	---	---	520	44.7	---	---	---	---	---	1966
1968	---	---	---	---	37.1	35.1	41.8	48.5	45.3	195	231	275	---	1968
1969	358	368	334	294	328	305	804	237	199	203	255	333	335	1969
MEAN	358	368	334	294	183	170	455	110	122	199	243	304	335	MEAN

LOCATION - LAT 51 19 20 N DRAINAGE AREA, 136 000 km²
LONG 106 57 19 W REGULATED SINCE 1964

SOUTH SASKATCHEWAN RIVER BELOW GARDINER DAM - STATION NO. 05HF004

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1966	---	---	---	---	1966
1968	---	---	---	---	1968
1969	1 980 AT 07:34 MST ON JUL 5 *	1 860 ON JUL 4 *	93.2B ON JAN 10 *	10 600 000	1969
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		10 600 000	MEAN

SOUTH SASKATCHEWAN RIVER NEAR LEMSFORD - STATION NO. 05HB001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1958	---	---	---	---	---	---	---	---	---	127	139	107	---	1958
1959	74.9	97.6	182	234	375	742	524	224	168	185	145	142	258	1959
1960	103	115	246	426	403	451	348	178	65.2	60.3	73.8	74.8	212	1960
1961	76.6	70.5	116	134	322	703	160	157	89.9	135	120	93.2	182	1961
1962	95.7	121	120	356	282	405	244	148	146	88.6	107	66.9	181	1962
1963	56.5	73.1	185	175	166	482	664	249	166	130	93.3	66.9	210	1963
1964	83.9	93.4	101	165	551	975	480	134	83.9	128	116	84.0	249	1964
1965	102	105	155	500	395	951	1 030	328	314	333	194	149	381	1965
1966	102	118	278	412	411	775	556	241	169	138	105	107	285	1966
1967	88.2	107	165	460	780	1 520	581	193	117	98.6	112	93.1	360	1967
1968	92.4	99.4	152	134	181	595	299	206	225	260	171	69.8	207	1968
1969	100	95.6	157	613	519	641	1 030	262	140	123	114	80.4	325	1969
1970	65.5	85.7	104	268	352	810	417	154	88.7	110	113	74.8	220	1970
1975	---	---	---	---	---	---	---	---	---	---	---	---	---	1975
MEAN	86.7	98.4	163	323	395	754	528	206	148	147	123	93.0	256	MEAN

LOCATION - LAT 51 01 20 N, LONG 109 07 30 W DRAINAGE AREA, 119 000 km^2, REGULATED

SOUTH SASKATCHEWAN RIVER NEAR LEMSFORD - STATION NO. 05HB001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1958	---	---	---	---	1958
1959	---	1 250 ON JUL 1	43.6B ON JAN 14	8 140 000	1959
1960	---	1 190 ON MAR 30	46.2A ON OCT 12	6 700 000	1960
1961	1 130 AT 17:00 CST ON MAY 31	1 100 ON MAY 31	28.3B ON FEB 3	5 720 000	1961
1962	493 AT 17:00 CST ON JUN 24	487 ON JUN 21	23.2B ON DEC 27 *	5 720 000	1962
1963	1 770 AT 06:30 CST ON JUL 4	1 680 ON JUL 4	29.4B ON NOV 21	6 620 000	1963
1964	1 810 AT 08:00 CST ON JUN 13	1 800 ON JUN 13	40.8B ON DEC 3	7 890 000	1964
1965	1 960 AT 04:00 CST ON JUN 23	1 890 ON JUN 23	76.2B ON DEC 31	12 000 000	1965
1966	1 260 AT 01:00 CST ON JUN 9	1 220 ON JUN 9	48.7B ON JAN 7	8 980 000	1966
1967	2 510 AT 19:30 CST ON JUN 4	2 440 ON JUN 4	47.9B ON DEC 29	11 400 000	1967
1968	878 AT 09:00 CST ON JUN 13	875 ON JUN 13	37.9B ON DEC 16	6 540 000	1968
1969	2 200 AT 11:00 CST ON JUL 3	2 180 ON JUL 3	48.4B ON DEC 14	10 200 000	1969
1970	1 900 AT 00:30 CST ON JUN 21	1 820 ON JUN 21	34.3B ON DEC 2	6 950 000	1970
1975	2 940 AT 11:11 CST ON JUN 24 *	2 890 ON JUN 24 *	---	---	1975
	A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		8 070 000	MEAN

SOUTH SASKATCHEWAN RIVER NEAR OUTLOOK - STATION NO. 05HF001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1947	---	---	---	---	---	782	471	210	250	331	---	---	---	1947
1948	---	---	---	---	1 550	1 710	649	403	178	104	---	---	---	1948
1949	---	---	---	255	232	423	181	140	65.4	45.6	---	---	---	1949
1950	---	---	---	---	339	717	657	328	166	131	---	---	---	1950
1951	---	---	---	557	886	995	1 140	523	763	483	---	---	---	1951
1952	---	---	---	1 210	569	697	673	404	239	164	---	---	---	1952
1953	---	---	---	---	616	1 790	856	369	251	152	---	---	---	1953
1954	---	---	---	---	676	998	720	416	750	374	277	---	---	1954
1955	---	---	---	---	597	736	682	255	146	164	---	---	---	1955
1956	---	---	---	---	464	784	551	313	226	181	---	---	---	1956
1957	---	---	---	---	659	612	275	135	140	151	---	---	---	1957
1958	---	---	---	---	505	657	527	257	155	142	---	---	---	1958
1959	---	---	---	321	352	759	624	265	194	205	---	---	---	1959
1960	---	---	---	537	418	498	390	208	97.4	69.7	---	---	---	1960
1961	---	---	---	200	243	774	194	160	103	118	---	---	---	1961
1962	---	---	---	---	307	397	267	158	140	85.8	---	---	---	1962
1963	---	---	---	---	167	421	689	270	175	128	---	---	---	1963
1964	---	---	---	---	566	984	578	153	86.2	125	---	---	---	1964
1965	---	---	---	---	506	936	1 170	396	271	312	---	---	---	1965
1966	---	---	---	504	391	837	575	52.9	32.0	31.2	---	---	---	1966
MEAN	---	---	---	512	529	825	593	271	221	175	277	---	---	MEAN

LOCATION - LAT 51 28 25 N, LONG 107 04 40 W DRAINAGE AREA, 136 000 km^2, REGULATED

SOUTH SASKATCHEWAN RIVER NEAR OUTLOOK - STATION NO. 05HF001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1947	---	---	---	---	1947
1948	---	---	---	---	1948
1949	---	544 ON JUN 9	---	---	1949
1950	---	---	---	---	1950
1951	---	1 600 ON JUN 30	---	---	1951
1952	---	2 330 ON APR 11 *	---	---	1952
1953	---	---	---	---	1953
1954	---	---	---	---	1954
1955	---	---	---	---	1955
1956	---	---	---	---	1956
1957	---	---	---	---	1957
1958	---	---	---	---	1958
1959	---	1 330 ON JUL 8	---	---	1959
1960	---	1 190 ON APR 1	---	---	1960
1961	---	1 130 ON JUN 3	---	---	1961
1962	---	---	---	---	1962
1963	---	---	---	---	1963
1964	---	---	---	---	1964
1965	---	---	---	---	1965
1966	---	1 500 ON JUN 12	---	---	1966
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

SPANGLER DITCH NEAR ADAMS CREEK - STATION NO. 11AB016

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1912	---	---	0	0	0	0.049	0.058	0.002	0	0	---	---	0.014	1912
1913	---	---	0	0	0.013	0.031	0.003	0	0	0	---	---	0.006	1913
1914	---	---	0	0	0.020	0.050	0.001	0	0	0	---	---	0.009	1914
1915	---	---	0	0	0.006	0	0.041	0.001	0	0	---	---	0.006	1915
1916	---	---	0	0	0	0	0	0	0	0	---	---	0	1916
1917	---	---	0	0	0	0.032	0.101	0.009	0	0	---	---	0.018	1917
1918	---	---	0	0	0	0.011	0.004	0	0.003	0.013	0.013	---	0.004	1918
1919	---	---	0	0.005	0	0	0	0	0	0	---	---	0.001	1919
1921	---	---	0	0.016	0.008	0	0.010	0	0	0	---	---	0.004	1921
1922	---	---	0	0	0.004	0.023	0.005	0	0	0	---	---	0.004	1922
1923	---	---	0	0	0	0.033	0.002	0	0	0.001	---	---	0.004	1923
1924	---	---	0	0.004	0.006	0.009	0	0	0	0	---	---	0.002	1924
1925	---	---	0	0	0.016	0.040	0	0	0	0	---	---	0.007	1925
1926	---	---	0	0	0.028	0.004	0	0	0	0	---	---	0.004	1926
1927	---	---	0	0	0	0	0.010	0.015	0	0	---	---	0.003	1927
1928	---	---	0	0	0.002	0.008	0	0	0	0	---	---	0.001	1928
1929	---	---	0	0	0	0.027	0.012	0	0	0	---	---	0.005	1929
1930	---	---	0	0	0.005	0.027	0.003	0	0	0	---	---	0.004	1930
MEAN	---	---	0	0.001	0.006	0.019	0.014	0.002	0	0.001	0.013	---	0.005	MEAN

LOCATION - LAT 49 32 00 N
LONG 109 47 00 W REGULATED

SPANGLER DITCH NEAR ADAMS CREEK - STATION NO. 11AB016

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1912	---	0.091 ON JUN 15	0 ON MAR 1 *	286	1912
1913	---	0.062 ON JUN 4	0 ON MAR 1	125	1913
1914	---	0.142 ON JUN 6	0 ON MAR 1	187	1914
1915	---	0.136 ON JUL 8	0 ON MAR 1	129	1915
1916	---	0 ON MAR 1	0 ON MAR 1	0	1916
1917	---	0.167 ON JUL 5 *	0 ON MAR 1	377	1917
1918	---	0.028 ON JUN 28	0 ON MAR 1	81.1	1918
1919	---	0.023 ON APR 23	0 ON MAR 1	12.4	1919
1921	---	0.034 ON APR 15	0 ON MAR 1	87.9	1921
1922	---	0.040 ON JUN 15	0 ON MAR 1	83.0	1922
1923	---	0.071 ON JUN 20	0 ON MAR 1	93.3	1923
1924	---	0.028 ON MAY 30	0 ON MAR 1	49.8	1924
1925	---	0.071 ON JUN 10	0 ON MAR 1	147	1925
1926	---	0.042 ON MAY 4	0 ON MAR 1	84.6	1926
1927	---	0.048 ON JUL 25	0 ON MAR 1	65.8	1927
1928	---	0.023 ON JUN 7	0 ON MAR 1	27.3	1928
1929	---	0.048 ON JUN 12	0 ON MAR 1	101	1929
1930	---	0.028 ON MAY 26	0 ON MAR 1	90.3	1930
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		113	MEAN

SPANGLER DITCH NEAR GOVENLOCK - STATION NO. 11AB060

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	---	---	---	---	---	0	0	0	---	---	---	1915
1916	---	---	0	0	0	0	0	0	0	0	---	---	0	1916
1917	---	---	0	0	0	0	0	0	0	0	---	---	0	1917
1918	---	---	0	0	0	0	0	0	0	0	---	---	0	1918
1919	---	---	0	0	---	0	0	0	0	0	---	---	---	1919
1920	---	---	0	0	0	---	---	0	0	0	---	---	---	1920
1922	---	---	0	0	0.052	0.011	0	0	0	0	---	---	0.008	1922
1924	---	---	0	0	0.006	0.010	0	0	0	0	---	---	0.002	1924
1925	---	---	0	0	0	0	0	0	0	0	---	---	0	1925
1926	---	---	0	0	0	0	0	0	0	0	---	---	0	1926
1927	---	---	0	0	0.030	0	0	0	0	0	---	---	0.004	1927
1928	---	---	0	0	0	0	0	0	0	0	---	---	0	1928
1929	---	---	0	0.014	0.026	0.007	0	0	0	0	---	---	0.006	1929
1930	---	---	0	0.009	0.028	0	0	0	0	0	---	---	0.005	1930
1931	---	---	0	0	0.113	0.020	0	0	0	0	---	---	0.017	1931
1950	---	---	0	0.726	0.042	0	0	0	0	0	---	---	0.094	1950
1951	---	---	0	0.493	0.098	0.022	0	0.055	0.006	0	---	---	0.083	1951
1952	---	---	0	0.179	0.136	0.001	0	0	0	0	---	---	0.039	1952
1953	---	---	0.017	0.391	0.041	0.063	0.012	0	0	0	---	---	0.064	1953
1954	---	---	0	0.554	0.145	0.072	0.005	0.038	0.006	0.008	---	---	0.102	1954
1955	---	---	0.032	0.422	0.020	0	0.245	0	0.138	0	---	---	0.106	1955
1956	---	---	0.043	0.405	0.064	0.008	0.128	0.179	0.001	0.125	---	---	0.119	1956
1957	---	---	0.041	0.473	0.105	0	0.160	0.307	0.016	0.076	---	---	0.147	1957
1958	---	---	0.117	0.457	0.009	0	0.031	0.404	0	0	---	---	0.127	1958
1959	---	---	0.322	0.513	0.025	0	0	0	0	0	---	---	0.107	1959
1960	---	---	0.136	0.531	0.050	0	0	0	0	0	---	---	0.089	1960
1961	---	---	0	0	0.198	0.111	0.115	0	0	0	---	---	0.053	1961
1962	---	---	0	0	0	0	0.490	0.091	0	0	---	---	0.074	1962
1963	---	---	0	0.085	0.186	0.297	0.325	0.056	0.153	0.110	---	---	0.151	1963
1964	---	---	0	0.177	0.383	0.315	0.170	0.267	0	0	---	---	0.164	1964
1965	---	---	0	0	0.479	0.138	0.002	0	0	0	---	---	0.078	1965
1966	---	---	0	0.514	0.086	0.414	0	0.490	0	0	---	---	0.186	1966
1967	---	---	0	0	0.431	0.709	0.395	0.134	0	0	---	---	0.208	1967
1968	---	---	0	0	0.445	0.428	0.078	0.320	0	0	---	---	0.159	1968
1969	---	---	0	0.193	0.274	0.499	0	0.471	0	0	---	---	0.179	1969
1970	---	---	0	0	0.468	0.067	0.045	0.394	0	0	---	---	0.123	1970
1971	---	---	0	0.095	0.576	0.127	0.502	0.073	0	0	---	---	0.173	1971
1972	---	---	0.034	0.211	0.479	0.369	0.502	0.117	0	0	---	---	0.214	1972
1973	---	---	0	0	0.482	0.070	0.414	0.009	0	0	---	---	0.123	1973
1974	---	---	0	0	0.286	0.342	0.310	0.277	0.004	0	---	---	0.153	1974
1975	---	---	0	0	0.237	0.435	0.124	0.231	0	0	---	---	0.128	1975
1976	---	---	0	0	0.408	0	0.238	0.102	0	0	---	---	0.095	1976
1977	---	---	0	0	0.346	0.041	0.590	0.004	0	0	---	---	0.124	1977
1978	---	---	0	0	0	0.495	0.035	0.384	0.001	0	---	---	0.114	1978
1979	---	---	0	0	0.171	0.579	0.184	0.156	0.001	0	---	---	0.136	1979
1980	---	---	0	0	0.610	0	0.343	0.006	0.002	0	---	---	0.122	1980
1981	---	---	0	0	0.354	0.168	0	0.001	0	0	---	---	0.065	1981
1982	---	---	0	0.101	0.060	0.393	0.295	0.160	0	0	---	---	0.126	1982
MEAN	---	---	0.016	0.139	0.173	0.135	0.125	0.098	0.007	0.007	---	---	0.090	MEAN

LOCATION - LAT 49 09 16 N
LONG 109 54 58 W REGULATED

INTERNATIONAL GAUGING STATION

SPANGLER DITCH NEAR GOVENLOCK - STATION NO. 11AB060

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	---	---	---	1915
1916	---	0 ON MAR 1	0 ON MAR 1 *	0	1916
1917	---	0 ON MAR 1	0 ON MAR 1	0	1917
1918	---	0 ON MAR 1	0 ON MAR 1	0	1918
1919	---	---	---	---	1919
1920	---	---	---	---	1920
1922	---	0.249 ON MAY 18	0 ON MAR 1	168	1922
1924	---	0.010E ON JUN 1	0 ON MAR 1	42.0	1924
1925	---	0 ON MAR 1	0 ON MAR 1	0	1925
1926	---	0 ON MAR 1	0 ON MAR 1	0	1926
1927	---	0.119 ON MAY 23	0 ON MAR 1	80.8	1927
1928	---	0 ON MAR 1	0 ON MAR 1	0	1928
1929	---	0.026E ON MAY 1	0 ON MAR 1	124	1929
1930	---	0.170 ON MAY 1	0 ON MAR 1	97.5	1930
1931	---	0.142 ON MAY 14	0 ON MAR 1	357	1931
1950	---	1.84 ON APR 22 *	0 ON MAR 1	1 990	1950
1951	---	1.50 ON APR 10	0B ON MAR 1	1 770	1951
1952	---	0.934B ON APR 6	0B ON MAR 1	830	1952
1953	---	0.994 ON APR 25	0 ON MAR 1	1 360	1953
1954	---	1.03 ON APR 15	0 ON MAR 1	2 170	1954
1955	---	1.14 ON APR 10	0 ON MAR 1	2 240	1955
1956	---	1.03 ON APR 11	0B ON MAR 1	2 520	1956
1957	---	1.25 B ON APR 1	0B ON MAR 1	3 120	1957
1958	---	1.40 ON MAR 31	0B ON MAR 1	2 680	1958
1959	---	1.32 ON APR 3	0 ON MAR 1	2 260	1959
1960	---	0.708 ON APR 24	0B ON MAR 1	1 880	1960
1961	---	0.510 ON JUL 8	0 ON MAR 1	1 130	1961
1962	---	1.23 ON JUL 12	0 ON MAR 1	1 550	1962
1963	---	1.44 ON JUL 25	0 ON MAR 1	3 200	1963
1964	---	1.41 ON MAY 21	0 ON MAR 1	3 470	1964
1965	---	1.40 ON JUN 26	0 ON MAR 1	1 640	1965
1966	---	1.56 ON JUN 1	0 ON MAR 1	3 940	1966
1967	---	1.75 ON JUN 14	0 ON MAR 1	4 420	1967
1968	---	1.37 ON MAY 3	0 ON MAR 1	3 370	1968
1969	---	1.38 ON AUG 12	0 ON MAR 1	3 780	1969
1970	---	1.56 ON MAY 22	0 ON MAR 1	2 600	1970
1971	---	1.34 ON JUL 27	0 ON MAR 1	3 650	1971
1972	---	1.35 ON JUL 29	0B ON MAR 1	4 530	1972
1973	---	1.38 ON MAY 25	0 ON MAR 1	2 600	1973
1974	---	1.14 ON JUL 24	0 ON MAR 1	3 230	1974
1975	---	1.13 ON JUL 30	0 ON MAR 1	2 720	1975
1976	---	1.33 ON MAY 20	0 ON MAR 1	2 000	1976
1977	---	1.60 ON MAY 27	0 ON MAR 1	2 620	1977
1978	---	1.27 ON AUG 1	0 ON MAR 1	2 410	1978
1979	---	1.17 ON JUN 5	0 ON MAR 1	2 870	1979
1980	---	1.38 ON MAY 13	0 ON MAR 1	2 570	1980
1981	---	1.09 ON MAY 29	0 ON MAR 1	1 390	1981
1982	---	1.24 ON APR 30	0 ON MAR 1	2 660	1982
				1 910	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SPIRIT CREEK NEAR BUCHANAN - STATION NO. 05MB007

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1957	---	---	---	2.38	5.53	2.05	---	---	---	---	---	---	---	1957
1958	---	---	0.110	0.388	---	---	---	---	---	---	---	---	---	1958
1959	---	---	0.168	0.310	---	---	---	---	---	---	---	---	---	1959
1960	---	---	0.045	1.79	0.181	---	---	---	---	---	---	---	---	1960
1961	---	---	---	0	---	---	---	---	---	---	---	---	---	1961
1962	---	---	---	1.18	0.117	---	---	---	---	---	---	---	---	1962
1963	---	---	0.051	0.028	---	---	---	---	---	---	---	---	---	1963
1964	---	---	---	0.300	0.031	---	---	---	---	---	---	---	---	1964
1965	---	---	0	0.760	0.071	0.095	0.041	0	0	0.010	---	---	0.120	1965
1966	---	---	0	2.24	0.470	0.014	0.002	0.018	0.003	0	---	---	0.339	1966
1967	---	---	0	1.10	1.23	0.018	0	0	0	0	---	---	0.293	1967
1968	---	---	0.371	0.140	0.010	0.002	0	0	0	0	---	---	0.066	1968
1969	0	0	0	0.973	0.006	0.002	0.019	0.002	0	0	0	0	0.123	1969
1970	0	0	0	0.968	0.317	0.003	0.002	0	0	0	0	0	0.159	1970
1971	0	0	0	2.61	0.026	0.008	0	0.001	0	0	0	0	0.324	1971
1972	---	---	0	4.11	0.434	0.001	0	0	0	0	---	---	0.558	1972
1973	---	---	0.075	0.119	0.026	0.170	0.026	0	0	0	---	---	0.051	1973
1974	---	---	0	3.11	2.16	0.266	0.001	0	0	0	---	---	0.687	1974
1975	---	---	0	3.04	1.11	0.023	0	0	0	0	---	---	0.515	1975
1976	---	---	0	4.72	0.046	0.146	0.027	0	0	0	---	---	0.605	1976
1977	---	---	0	0.521	0.002	0	0	0	0	0	---	---	0.064	1977
1978	---	---	0	0.533	0.015	0.003	0.146	0	0	0	---	---	0.086	1978
1979	---	---	0	3.77	1.51	0.069	0.001	0	0	0	---	---	0.661	1979
1980	---	---	0	1.33	0.002	0	0	0	0	0	---	---	0.163	1980
1981	---	---	0.092	0.002	0	0	0.007	0	0	0.006	---	---	0.014	1981
1982	---	---	0.022	0.580	0.003	0	0.001	0	0	0	---	---	0.074	1982
MEAN	0	0	0.042	1.42	0.604	0.151	0.015	0.001	0	0.001	0	0	0.272	MEAN

LOCATION - LAT 51 42 36 N LONG 102 48 21 W
DRAINAGE AREA, 259 km^2
REGULATED

SPIRIT CREEK NEAR BUCHANAN - STATION NO. 05MB007

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
		---	---	---	
1957	---	---	---	---	1957
1958	---	1.64 ON APR 1	0E ON MAR 1 *	---	1958
1959	---	0.620 ON APR 2	0E ON MAR 1	---	1959
		5.69 ON APR 15	0E ON MAR 1	---	
1960	---	---	---	---	1960
1961	---	---	---	---	1961
1962	---	---	---	---	1962
1963	---	0.396 ON MAR 27	0E ON MAR 1	---	1963
1964	---	---	---	---	1964
		2.76 ON APR 12	0B ON MAR 1	2 540	
1965	---	8.64 A ON APR 13	0B ON MAR 1	7 170	1965
1966	---	7.02 ON APR 30	0B ON MAR 1	6 210	1966
1967	10.7 AT 23:30 CST ON APR 26	2.32 A ON MAR 27	0B ON MAR 1	1 390	1967
1968	2.58 A AT 24:00 CST ON MAR 27	7.90 B ON APR 14	0B ON MAR 1	2 600	1968
1969	10.6 B AT 04:30 CST ON APR 14				1969
	---	3.88 ON APR 10	0B ON MAR 1	3 370	
1970	---	11.0 B ON APR 15	0B ON MAR 1	6 850	1970
1971	14.9 B AT 00:58 CST ON APR 15	16.1 E ON APR 15	0B ON MAR 1	11 800	1971
1972	---	1.70 ON JUN 4	0B ON MAR 1	1 090	1972
1973	2.12 AT 11:11 CST ON JUN 4	18.5 ON APR 21	0B ON MAR 1	14 500	1973
1974	24.7 AT 23:40 CST ON APR 20				1974
		9.60 ON APR 29	0B ON MAR 1	10 900	
1975	10.7 AT 03:37 CST ON APR 29	26.1 ON APR 14 *	0B ON MAR 1	12 800	1975
1976	26.8 AT 19:15 CST ON APR 14 *	2.86 B ON APR 10	0B ON MAR 1	1 360	1976
1977	4.64 B AT 00:34 CST ON APR 10	2.04 ON JUL 1	0B ON MAR 1	1 820	1977
1978	4.96 AT 13:09 CST ON JUL 1	18.2 ON APR 24	0B ON MAR 1	14 000	1978
1979	23.0 AT 22:06 CST ON APR 23				1979
		7.00 ON APR 14	0B ON MAR 1	3 460	
1980	10.2 AT 02:24 CST ON APR 14	0.478B ON MAR 15	0 ON APR 28	288	1980
1981	0.658B AT 02:53 CST ON MAR 15	2.36 B ON APR 14	0B ON MAR 1	1 570	1981
1982	2.53 B AT 14:50 CST ON APR 14				1982
				5 760	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SPRING CREEK NEAR KILOMETRE 21, CARON - STATION NO. 05JG002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1916	---	---	---	---	---	---	---	---	---	---	0.003	0	---	1916
MEAN	---	---	---	---	---	---	---	---	---	---	0.003	0	---	MEAN

LOCATION - LAT 50 26 10 N, LONG 105 49 34 W
DRAINAGE AREA, 37.3 km^2
NATURAL FLOW

SPRING CREEK NEAR KILOMETRE 21, CARON - STATION NO. 05JG002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1916	---	---	0 ON MAR 16 *	---	1916
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

SPRING CREEK NEAR WYNYARD - STATION NO. 05MA001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1916	---	---	---	---	---	---	---	---	0.003	0.009	0.010	0.005	---	1916
MEAN	---	---	---	---	---	---	---	---	0.003	0.009	0.010	0.005	---	MEAN

LOCATION - LAT 51 46 24 N, LONG 104 06 54 W
DRAINAGE AREA, 57.5 km^2
NATURAL FLOW

SPRING NO. 1 NEAR GULL LAKE - STATION NO. 05HA029

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1914	---	---	---	---	---	---	---	---	---	---	---	---	---	1914
1915	---	---	---	---	---	---	0.003	0.001	0.002	0.003	---	---	---	1915
MEAN	---	---	---	---	---	---	0.003	0.001	0.002	0.003	---	---	---	MEAN

LOCATION - LAT 50 02 35 N, LONG 108 25 55 W
NATURAL FLOW

SPRING NO. 1 NEAR GULL LAKE - STATION NO. 05HA029

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1914	---	---	0R ON JUL 8 *	---	1914
1915	---	---	0 ON JUL 22	---	1915
				---	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

SPRING NO. 2 NEAR GULL LAKE - STATION NO. 05HA030

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	0.004	0.004	0.002	0.002	---	---	---	---	---	---	---	1915
MEAN	---	---	0.004	0.004	0.002	0.002	---	---	---	---	---	---	---	MEAN

LOCATION - LAT 50 01 54 N
LONG 108 30 32 W NATURAL FLOW

SPRUCE (LITTLE RED) RIVER NEAR PRINCE ALBERT - STATION NO. 05GG002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	---	---	---	---	---	0.674	2.84	1.84	---	---	---	1915
MEAN	---	---	---	---	---	---	---	0.674	2.84	1.84	---	---	---	MEAN

LOCATION - LAT 53 13 17 N DRAINAGE AREA, 1 670 km^2
LONG 105 43 15 W NATURAL FLOW

SPRUCE RIVER BELOW ANGLIN LAKE RESERVOIR - STATION NO. 05GG007

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1962	---	---	0.016	0.114	0.143	0.145	0.138	0.137	0.120	0.183	0.025	---	---	1962
1963	---	---	0	0.133	0.136	0.134	0.168	0.097	0.147	0.130	---	---	---	1963
1964	---	---	0.032	0.169	0.162	0.116	0.063	0.112	0.111	0.164	---	---	---	1964
1965	---	---	0.008	0.054	0.146	0.159	0.787	2.75	0.861	0.368	---	---	---	1965
1966	---	---	0.171	2.17	1.86	0.237	1.12	1.13	0.295	0.149	---	---	---	1966
1967	---	---	0.027	0.132	0.380	0.799	0.454	0.209	0.162	0.171	---	---	---	1967
1968	---	---	0.016	0.531	0.524	0.796	0.189	0.197	0.212	0.905	0.700	0.415	---	1968
1969	0.519	0.424	0.381	2.79	0.795	0.236	0.167	0.127	0.201	0.548	1.03	0.796	0.665	1969
1970	0.590	0.493	0.468	2.95	2.80	0.664	4.71	0.650	0.412	0.409	0.551	0.620	1.28	1970
1971	0.480	0.387	0.377	1.67	0.284	0.127	2.17	0.668	0.179	0.142	0.038	0.336	0.573	1971
1972	0.525	0.561	0.566	2.22	2.53	0.151	0.158	0.138	0.149	0.123	0.006	0.005	0.594	1972
1973	0.022	0.008	0.495	1.46	3.84	7.08	6.85	2.13	0.519	0.417	2.24	1.29	2.21	1973
1974	1.03	1.42	1.99	4.83	9.20	3.48	6.27	3.06	1.76	1.62	1.11	0.700	3.06	1974
1975	0.634	0.594	0.432	1.45	2.90	2.53	3.08	0.687	0.562	0.460	0.246	0.354	1.17	1975
1976	0.318	0.317	0.344	0.663	0.233	0.240	0.111	0.119	0.152	0.099	0.003	0.003	0.216	1976
1977	0.004	0.002	0.003	0.193	0.295	0.551	0.213	0.167	0.178	0.176	0.016	0.005	0.151	1977
1978	0.004	0.019	0.653	1.75	2.19	1.65	0.535	0.201	0.204	1.05	0.853	0.013	0.763	1978
1979	0.021	0.020	0.937	2.00	4.85	1.61	0.434	0.271	0.222	0.680	0.406	0.006	0.962	1979
1980	0.006	0.007	0.149	1.46	0.264	0.199	0.153	0.161	0.181	1.32	1.03	0.047	0.413	1980
1981	0.017	0.103	0.509	2.41	2.62	0.275	0.146	0.215	0.196	0.195	0.015	0.011	0.561	1981
1982	0.010	0.018	0.055	1.17	1.05	0.230	0.180	0.177	0.308	0.671	0.868	0.323	0.422	1982
MEAN	0.299	0.312	0.363	1.44	1.77	1.02	1.34	0.638	0.340	0.475	0.571	0.328	0.931	MEAN

LOCATION - LAT 53 39 50 N DRAINAGE AREA, 670 km^2
LONG 106 00 30 W REGULATED SINCE 1962

SPRUCE RIVER BELOW ANGLIN LAKE RESERVOIR - STATION NO. 05GG007

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1962	---	0.360 ON APR 30	0 E ON MAY 17 *	---	1962
1963	---	0.227 ON SEP 18	0 E ON MAR 1	---	1963
1964	0.575 AT 09:30 CST ON APR 17	0.487 ON APR 16	---	---	1964
1965	4.90 AT 17:00 CST ON AUG 2	4.59 ON AUG 3	---	---	1965
1966	3.34 AT 17:30 CST ON APR 27	3.31 ON APR 26	---	---	1966
1967	1.32 AT 19:00 CST ON MAY 25	1.18 ON MAY 26	---	---	1967
1968	1.97 AT 19:00 CST ON JUN 6	1.93 ON JUN 7	---	---	1968
1969	6.97 AT 09:30 CST ON APR 21	6.23 ON APR 22	0.002 ON OCT 18	21 000	1969
1970	11.7 AT 22:00 CST ON JUL 6	11.0 ON JUL 7	0.263 ON AUG 30	40 500	1970
1971	---	8.47 ON JUL 21	0.012 ON NOV 3	18 100	1971
1972	---	8.35 ON APR 30	0.003 ON DEC 21	18 800	1972
1973	16.8 AT 16:24 CST ON JUN 11 *	16.5 ON JUL 6 *	0.003 ON OCT 16	69 600	1973
1974	12.0 AT 07:59 CST ON MAY 1	11.9 ON APR 24	0.549 ON JUN 25	96 300	1974
1975	7.99 AT 12:18 CST ON JUL 3	7.62 ON JUL 4	0.181 ON NOV 4	36 800	1975
1976	2.05 AT 18:15 CST ON MAY 2	1.40 ON APR 17	0.002E ON DEC 2	6 820	1976
1977	2.35 AT 18:17 CST ON MAY 31	2.22 ON JUN 1	0.002E ON FEB 5	4 750	1977
1978	5.01 AT 15:00 CST ON MAY 4	4.93 ON MAY 3	0.003E ON JAN 1	24 100	1978
1979	6.72 AT 19:29 CST ON MAY 22	6.65 ON MAY 22	0.006E ON DEC 14	30 300	1979
1980	3.24 AT 11:22 CST ON APR 18	3.14 ON APR 19	0.005 ON DEC 16	13 100	1980
1981	5.33 AT 20:46 CST ON MAY 2	5.29 ON MAY 2	0.005 ON JAN 1	17 700	1981
1982	2.91 AT 03:56 CST ON APR 30	2.89 ON APR 30	0.008B ON JAN 3	13 300	1982
				29 400	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SPRUCE RIVER DIVERSION TO EMMA LAKE - STATION NO. 05GG006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1961	---	---	---	---	---	---	0.382	0.028	0	0	---	---	---	1961
1962	---	---	0.107	0.623	0.585	0.482	0	0	0	0	---	---	0.223	1962
1963	---	---	0	0.177	0	0	0	0	0.275	0.504	0.361	---	0.119	1963
1964	---	---	0	0.183	0.368	0	0	0	0.177	0.528	0.300	---	0.157	1964
1965	---	---	0	0.200	0.451	0.572	0.435	0.458	0.584	0.577	0.620	0.595	0.409	1965
1966	0.402	---	---	0.556	0.571	0.457	0.332	0.549	0.541	0.591	0.188	---	---	1966
1967	---	---	0	0	0	0.388	0.456	0.213	0	0	---	---	0.132	1967
1968	---	---	0	0	0.574	0.318	0.588	0.469	0	0	---	---	0.245	1968
1969	---	---	0	0	0.064	0.578	0.376	0.611	0.088	0	---	---	0.214	1969
1970	---	---	0	0	0	0.420	0	0	0	0	---	---	0.051	1970
1971	---	---	0	0	0.187	0.575	0.175	0	0	0	---	---	0.116	1971
1972	---	---	0	0	0	0.084	0.180	0.169	0	0	---	---	0.054	1972
1973	---	---	0	0.397	0.539	0	0	0	0	0	---	---	0.117	1973
1974	---	---	0	0	0	0	0	0	0	0	---	---	0	1974
1975	---	---	0	0	0	0	0	0	0	0	---	---	0	1975
1976	---	---	0	0	0	0	0.001	0.001	0.060	0	---	---	0.007	1976
1977	---	---	0	0.155	0.512	0.332	0.115	0	0	0	---	---	0.139	1977
1978	---	---	0	0	0.153	0	0.329	0.483	0	0	---	---	0.122	1978
1979	---	---	0	0	0	0	0	0.056	0.042	0	---	---	0.012	1979
1980	---	---	0	0.021	0.539	0.169	0.210	0	0	0	---	---	0.118	1980
1981	---	---	0	0.048	0.545	0.213	0.414	0.578	0.145	0	---	---	0.244	1981
1982	---	---	0	0	0.490	0.296	0	0	0	0	---	---	0.098	1982
MEAN	0.402	---	0.005	0.112	0.266	0.233	0.182	0.164	0.087	0.100	0.367	0.595	0.129	MEAN

LOCATION - LAT 53 40 20 N
LONG 106 00 00 W
REGULATED

SPRUCE RIVER DIVERSION TO EMMA LAKE - STATION NO. 05GG006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1961	---	---	0 ON JUL 23 *	---	1961
1962	---	0.691 ON APR 12	0B ON MAR 1	4 730	1962
1963	---	0.643 ON APR 19	0 ON MAR 1	2 520	1963
1964	---	0.648 ON APR 24	0 ON MAR 1	3 330	1964
1965	---	0.674 ON AUG 22	0 ON MAR 1	8 670	1965
1966	---	0.736 ON AUG 28	0E ON APR 19	---	1966
1967	---	0.765 ON JUL 10 *	0 ON MAR 1	2 800	1967
1968	---	0.725 ON MAY 3	0 ON MAR 1	5 190	1968
1969	---	0.620 ON AUG 2	0 ON MAR 1	4 550	1969
1970	---	0.728 ON JUN 28	0 ON MAR 1	1 090	1970
1971	---	0.668 ON JUL 8	0 ON MAR 1	2 460	1971
1972	---	0.558 ON JUL 22	0 ON MAR 1	1 150	1972
1973	---	0.606 ON APR 19	0 ON MAR 1	2 470	1973
1974	---	0 ON MAR 1	0 ON MAR 1	0	1974
1975	---	0 ON MAR 1	0 ON MAR 1	0	1975
1976	---	0.498 ON SEP 11	0 ON MAR 1	158	1976
1977	---	0.762 ON JUN 30	0 ON MAR 1	2 940	1977
1978	---	0.600 ON AUG 8	0 ON MAR 1	2 580	1978
1979	---	0.510 ON AUG 29	0 ON MAR 1	257	1979
1980	0.728 AT 15:00 CST ON MAY 22 *	0.568 ON MAY 5	0 ON MAR 1	2 490	1980
1981	---	0.661 ON SEP 3	0B ON MAR 1	5 170	1981
1982	0.548 AT 07:43 CST ON MAY 12	0.547 ON MAY 11	0 ON MAR 1	2 080	1982
				2 730	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SPRUCE RIVER NEAR OUTLET FROM ANGLIN LAKE - STATION NO. 05GG003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1947	---	---	---	---	---	0.597	0.299	0.042	0.042	---	---	---	---	1947
1948	---	---	---	---	2.45	0.226	0.028	0.028	0.028	---	---	---	---	1948
1949	---	---	---	---	0.190	0.321	0.313	0.132	0.085	0.028	---	---	---	1949
1952	---	---	---	1.68	0.530	0.067	0.033	0.027	0.090	---	---	---	---	1952
1953	---	---	0.057	2.21	2.39	0.285	0.139	0.053	0.056	0.054	---	---	0.653	1953
1954	---	---	0.091	1.02	3.42	1.63	0.901	4.73	4.02	1.50	---	---	2.16	1954
1955	---	---	0.538	6.17	12.0	3.12	2.01	0.844	0.635	0.312	---	---	3.20	1955
1956	---	---	0.503	1.12	6.86	2.91	1.15	0.173	0.217	0.246	---	---	1.65	1956
1957	---	---	0.028	1.34	1.58	0.143	0.130	0.043	0.105	0.138	---	---	0.437	1957
1958	---	---	0.031	2.32	0.765	0.205	0.148	0.005	0.110	0.480	---	---	0.498	1958
1959	---	---	0.209	1.74	0.388	0.354	0.118	0.027	0.095	0.732	---	---	0.455	1959
1960	---	---	0.120	3.65	3.00	3.24	1.24	1.13	1.51	0.145	---	---	1.74	1960
1961	---	---	0.568	2.44	1.36	0.194	0.290	0.146	0.111	0.173	---	---	0.657	1961
1962	---	---	0.020	0.155	0.162	0.274	0.222	0.103	0.102	0.668	---	---	0.213	1962
1963	---	---	0.003	0.192	0.081	0.212	0.281	0.055	0.419	0.323	---	---	0.195	1963
1964	---	---	0.065	0.331	0.318	---	---	---	---	---	---	---	---	1964
MEAN	---	---	0.186	1.87	2.37	0.919	0.487	0.503	0.508	0.397	---	---	1.08	MEAN

LOCATION - LAT 53 35 05 N LONG 106 02 51 W DRAINAGE AREA, 792 km² REGULATED

SPRUCE RIVER NEAR OUTLET FROM ANGLIN LAKE - STATION NO. 05GG003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1947	---	---	---	---	1947
1948	---	---	---	---	1948
1949	---	---	---	---	1949
1952	---	4.59 ON APR 15	0 ON JUL 18 *	---	1952
1953	---	13.0 E ON APR 26	0.006 ON AUG 22	13 800	1953
1954	---	17.6 ON AUG 25	0.023 ON JUL 4	45 800	1954
1955	---	35.4 ON MAY 4 *	0.011 ON OCT 28	67 900	1955
1956	---	19.0 ON MAY 10	0.020 ON SEP 1	35 000	1956
1957	---	7.16B ON APR 29	0 ON JUL 14	9 250	1957
1958	---	4.67 ON APR 10	0 ON AUG 14	10 500	1958
1959	---	3.79 ON APR 16	0.006 ON SEP 6	9 630	1959
1960	---	9.03 ON JUN 25	0 ON OCT 16	36 900	1960
1961	---	3.45 ON APR 26	0.028B ON MAR 1	13 900	1961
1962	---	1.30 ON OCT 22	0.008B ON MAR 10	4 520	1962
1963	---	1.34 ON SEP 19	0 B ON MAR 1	4 120	1963
1964	---	---	---	---	1964
				22 800	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SQUAW COULEE NEAR WILLOW CREEK - STATION NO. 11AB103

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1966	---	---	---	---	---	0.076	0	0.025	0	0	---	---	---	1966
1967	---	---	---	---	---	0.324	0.015	0.016	0	0	---	---	---	1967
1968	---	---	---	0	0.036	0.047	0.001	0.014	0	0	---	---	---	1968
1969	---	---	---	---	0.039	0.107	0.003	0.006	0	0	---	---	---	1969
1970	---	---	---	---	0.027	0.027	0	0	0	0	---	---	---	1970
1971	---	---	---	---	0.059	0.013	0	0.006	0	0	---	---	---	1971
1972	---	---	---	0.076	0.053	0.004	0.021	0.033	0	0	---	---	---	1972
1973	---	---	---	0	0	0.001	0	0	0	0	---	---	---	1973
1974	---	---	0.189	0.145	0.497	0.072	0.016	0.020	0	0	---	---	0.118	1974
1975	---	---	0	0.462	0.184	0.278	0	0.029	0	0	---	---	0.118	1975
1976	---	0.023	0.054	0.005	0.027	0.003	0	0	0	0	---	---	0.011	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0	0.340	0	0.026	0	0.005	0.010	0	---	---	0.047	1978
1979	---	---	0.379	0.034	0.003	0.096	0.003	0.036	0	0	---	---	0.069	1979
1980	---	---	0	0	0.009	0.001	0	0	0	0	---	---	0.001	1980
1981	---	---	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	0.506	0.186	0.074	0	0.015	0	0	---	---	0.096	1982
MEAN	---	0.023	0.069	0.131	0.075	0.068	0.003	0.012	0.001	0	---	---	0.051	MEAN

LOCATION - LAT 49 02 11 N LONG 109 48 23 W DRAINAGE AREA, 102 km² REGULATED

SQUAW COULEE NEAR WILLOW CREEK - STATION NO. 11AB103

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1966	---	---	0 ON JUN 1 *	---	1966
1967	---	---	0 ON JUL 2	---	1967
1968	---	---	---	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	0.521 AT 18:08 CST ON MAY 10	0.184 ON MAY 28	0 ON APR 26	---	1971
1972	1.74 AT 05:15 CST ON APR 10	1.18 ON APR 10	0 ON APR 9	---	1972
1973	0.031 AT 04:50 CST ON JUN 3	0.022 ON JUN 3	0 ON APR 1	---	1973
1974	6.60 AT 03:49 CST ON MAY 14	3.65 ON MAY 14	0B ON MAR 1	2 490	1974
1975	6.03 AT 15:51 CST ON JUN 20	4.36 ON APR 21	0 ON MAR 1	2 490	1975
1976	---	0.283B ON MAR 22	0B ON MAR 12	238	1976
1977	---	0 ON MAR 1	0 ON MAR 1	0	1977
1978	4.62 B AT 01:19 CST ON APR 6	3.54 B ON APR 5	0B ON MAR 1	986	1978
1979	4.34 B AT 16:36 CST ON MAR 20	2.47 B ON MAR 20	0B ON MAR 1	1 470	1979
1980	0.106 AT 17:03 CST ON MAY 28	0.086 ON MAY 29	0B ON MAR 1	27.8	1980
1981	---	0.001B ON MAR 1	0B ON MAR 3	0.17	1981
1982	6.82 AT 02:30 CST ON MAY 30 *	4.55 ON MAY 30 *	0B ON MAR 1	2 040	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		1 080	MEAN

STOKKE DITCH NEAR GOVENLOCK - STATION NO. 11AB110

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	0.014	0.005	0.017	0	0	0	0	0	---	---	0.005	1968
1969	---	---	---	0.046	0	0	0	0	0	0	---	---	---	1969
1970	---	---	0	0.041	0	0	0	0	0	0	---	---	0.005	1970
1971	---	---	---	0.024	0	0	0	0.043	0	0	---	---	---	1971
MEAN	---	---	0.007	0.029	0.004	0	0	0.011	0	0	---	---	0.005	MEAN

LOCATION - LAT 49 08 48 N
LONG 109 50 52 W REGULATED

STOKKE DITCH NEAR GOVENLOCK - STATION NO. 11AB110

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	0.099 ON MAR 26	0E ON MAR 1 *	96.6	1968
1969	---	---	---	---	1969
1970	---	0.218 ON APR 13 *	0 ON MAR 1	105	1970
1971	---	---	---	---	1971
	E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		101	MEAN

STONY CREEK NEAR KAMSACK - STATION NO. 05MD010

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1971	---	---	0	2.05	0.094	0.424	0.066	0.016	0.007	0.021	---	---	0.328	1971
1972	---	---	0.014	3.13	0.480	0.054	0.012	0	0	0.006	---	---	0.454	1972
1973	---	---	0.106	0.101	0.058	0.148	0.029	0.001	0.017	0.011	---	---	0.058	1973
1974	---	---	0	2.40	0.868	0.039	0	0	0.001	0.003	---	---	0.408	1974
1975	---	---	0	1.96	0.626	0.194	0.010	0	0.001	0.002	---	---	0.344	1975
1976	---	---	0	3.18	0.131	0.086	0.006	0	0	0	---	---	0.417	1976
1977	---	---	0.009	0.105	0.018	0.001	0	0	0	0	---	---	0.016	1977
1978	---	---	0.020	0.430	0.041	0.009	0.001	0.001	0.001	0.016	---	---	0.064	1978
1979	---	---	0	2.73	0.946	0.019	0.001	0	0	0	---	---	0.456	1979
1980	---	---	0	0.784	0.001	0	0	0	0	0	---	---	0.096	1980
1981	---	---	0.054	0.034	0.028	0.042	0.024	0.005	0	0.004	---	---	0.024	1981
1982	---	---	0.013	0.711	0.006	0.008	0.349	0.006	0.003	0.024	---	---	0.139	1982
MEAN	---	---	0.018	1.47	0.275	0.085	0.042	0.002	0.003	0.007	---	---	0.234	MEAN

LOCATION - LAT 51 23 19 N DRAINAGE AREA, 445 km^2
LONG 101 50 19 W NATURAL FLOW

STONY CREEK NEAR KAMSACK - STATION NO. 05MD010

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1971	---	8.24 B ON APR 11	0 B ON MAR 1 *	6 940	1971
1972	---	9.91 B ON APR 16	0 ON AUG 1	9 630	1972
1973	---	1.09 B ON MAR 24	0 B ON MAR 1	1 240	1973
1974	---	12.4 ON APR 22 *	0 B ON MAR 1	8 650	1974
1975	9.26A AT 19:00 CST ON APR 23	9.20 A ON APR 23	0 B ON MAR 1	7 290	1975
1976	11.8 AT 08:47 CST ON APR 11 *	11.2 A ON APR 13	0 B ON MAR 1	8 820	1976
1977	---	0.252B ON APR 10	0 B ON MAR 1	348	1977
1978	1.44 AT 18:33 CST ON MAY 6	1.00 B ON APR 6	0 B ON MAR 1	1 350	1978
1979	11.1 AT 20:47 CST ON APR 24	10.9 ON APR 24	0 B ON MAR 1	9 650	1979
1980	4.05 AT 02:00 CST ON APR 10	3.28 ON APR 10	0 B ON MAR 1	3 030	1980
1981	---	0.200B ON MAR 17	0 E ON SEP 5	507	1981
1982	4.60 AT 17:02 CST ON JUL 17	3.52 ON JUL 17	0.001B ON MAR 1	2 930	1982
				4 950	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

STONY CREEK NEAR STENEN - STATION NO. 05MC002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1957	---	---	0	2.05	0.923	0.114	0.028	0	0	0	---	---	0.386	1957
1958	---	---	0	0.091	0.004	0.002	0	0	0	0	---	---	0.012	1958
1959	---	---	0.001	0.077	0.001	0	0	0	0	0	---	---	0.010	1959
1960	---	---	0	3.65	0.841	0.070	0	0	0	0	---	---	0.562	1960
1961	---	---	0	0	0	0	0	0	0	0	---	---	0	1961
1962	---	---	0	0.552	0.231	0	0	0	0	0	---	---	0.097	1962
1963	---	---	0.001	0.314	0.025	0	0	0	0	0	---	---	0.042	1963
1964	---	---	0	0.028	0.045	0.003	0	0	0	0	---	---	0.010	1964
1965	---	---	0	0.882	0.287	0.272	0.061	0.012	0.002	0.008	---	---	0.188	1965
1966	---	---	0	2.77	0.866	0.047	0.023	0.004	0	0	---	---	0.457	1966
1967	---	---	0	0.170	1.97	0.008	0	0	0	0	---	---	0.271	1967
1968	---	---	0.006	0.348	0.010	0	0.002	0	0	0	---	---	0.045	1968
1969	---	---	0	1.37	0.088	0.004	0	0	0	0	---	---	0.180	1969
1970	---	---	0	0.568	1.09	0.052	0.006	0	0	0.001	---	---	0.218	1970
1971	---	---	0	4.79	0.709	0.018	0	0	0	0	---	---	0.678	1971
1972	---	---	0	4.54	2.60	0.017	0	0	0	0	---	---	0.886	1972
1973	---	---	0	0.140	0.035	0.003	0.038	0.004	0	0	---	---	0.032	1973
1974	---	---	0	3.02	2.56	0.266	0.010	0	0	0	---	---	0.728	1974
1975	---	---	0	2.17	2.02	0.243	0.032	0.037	0	0	---	---	0.559	1975
1976	---	---	0	3.15	0.373	0.082	0.060	0	0	0	---	---	0.451	1976
1977	---	---	0	0.443	0.063	0	0	0	0	0	---	---	0.062	1977
1978	---	---	0	0.767	0.533	0.042	0.004	0.002	0.001	0	---	---	0.167	1978
1979	---	---	0	3.12	3.58	0.356	0.005	0	0	0	---	---	0.879	1979
1980	---	---	0	1.34	0.093	0	0	0	0	0	---	---	0.176	1980
1981	---	---	0.052	0.219	0.017	0.005	0.011	0.018	0	0.037	---	---	0.044	1981
1982	---	---	0	0.141	0.002	0	0	0	0	0	---	---	0.018	1982
MEAN	---	---	0.002	1.41	0.729	0.063	0.011	0.003	0	0.002	---	---	0.275	MEAN

LOCATION - LAT 51 52 58 N LONG 102 19 48 W DRAINAGE AREA, 253 km^2 NATURAL FLOW

STONY CREEK NEAR STENEN - STATION NO. 05MC002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1957	---	9.83 ON APR 26	0B ON MAR 1 *	8 160	1957
1958	0.255 AT 10:30 CST ON APR 7	0.255 ON APR 6	0B ON MAR 1	250	1958
1959	0.181 AT 23:00 CST ON APR 7	0.178 ON APR 7	0B ON MAR 1	204	1959
1960	12.7 AT 21:00 CST ON APR 20	12.6 ON APR 20	0B ON MAR 1	11 900	1960
1961	---	0 ON MAR 1	0 ON MAR 1	0	1961
1962	---	2.19 ON APR 26	0 ON MAR 1	2 050	1962
1963	0.991 AT 03:00 CST ON APR 11	0.974 ON APR 11	0B ON MAR 1	885	1963
1964	0.119 AT 18:00 CST ON MAY 8	0.088 ON MAY 8	0 ON MAR 1	203	1964
1965	---	1.76 ON APR 16	0B ON MAR 1	3 990	1965
1966	8.35 AT 05:00 ON APR 17	8.27 ON APR 17	0 ON MAR 1	9 690	1966
1967	---	4.45 ON MAY 1	0B ON MAR 1	5 730	1967
1968	0.966 AT 10:30 CST ON APR 10	0.900 ON APR 14	0 ON MAR 1	951	1968
1969	3.65 A AT 18:00 CST ON APR 15	3.62 A ON APR 15	0B ON MAR 1	3 810	1969
1970	2.09 AT 03:00 CST ON APR 30	2.07 ON APR 30	0 ON MAR 1	4 530	1970
1971	23.9 AT 04:37 CST ON APR 18 *	22.2 ON APR 18	0B ON MAR 1	14 300	1971
1972	23.3 AT 04:59 CST ON APR 25	22.7 ON APR 25 *	0B ON MAR 1	18 800	1972
1973	0.289 AT 02:58 CST ON MAY 3	0.261 ON MAY 2	0B ON MAR 1	680	1973
1974	14.6 AT 11:18 CST ON APR 22	13.2 ON APR 23	0B ON MAR 1	15 400	1974
1975	10.2 AT 17:57 CST ON APR 24	9.85 ON APR 24	0B ON MAR 1	11 800	1975
1976	11.4 AT 09:34 CST ON APR 15	11.0 ON APR 15	0B ON MAR 1	9 550	1976
1977	1.21 AT 12:31 CST ON APR 18	1.21 ON APR 18	0B ON MAR 1	1 320	1977
1978	3.28 AT 20:10 CST ON APR 22	3.26 ON APR 22	0B ON MAR 1	3 540	1978
1979	17.9 AT 13:40 CST ON APR 27	17.7 ON APR 27	0B ON MAR 1	18 600	1979
1980	3.86 AT 11:57 CST ON APR 19	3.77 ON APR 19	0B ON MAR 1	3 730	1980
1981	0.402B AT 06:38 CST ON APR 7	0.392B ON APR 4	0B ON MAR 1	941	1981
1982	0.998B AT 08:36 CST ON APR 16	0.482 ON APR 19	0B ON MAR 1	372	1982
				5 820	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

STRONG EAST DITCH NEAR EASTEND - STATION NO. 11AC044

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1920	---	---	0.026	0.090	0.025	0.005	0	0	0	0	---	---	0.018	1920
1922	---	---	0	0.077	0.038	0.049	0.025	0.001	0	0	---	---	0.024	1922
MEAN	---	---	0.013	0.084	0.032	0.027	0.013	0.001	0	0	---	---	0.021	MEAN

LOCATION - LAT 49 29 20 N
LONG 108 47 50 W REGULATED

STRONG EAST DITCH NEAR EASTEND - STATION NO. 11AC044

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1920	---	0.314 ON APR 14	0 ON MAR 1 *	381	1920
1922	---	0.501 ON JUL 8 *	0 ON MAR 1	501	1922
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		441	MEAN

STRONG WEST DITCH NEAR EASTEND - STATION NO. 11AC045

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1922	---	---	0	0.031	0	0	0.032	0.007	0	0	---	---	0.009	1922
MEAN	---	---	0	0.031	0	0	0.032	0.007	0	0	---	---	0.009	MEAN

LOCATION - LAT 49 29 20 N
LONG 108 47 50 W REGULATED

STRONG WEST DITCH NEAR EASTEND - STATION NO. 11AC045

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1922	---	0.462 ON JUL 8 *	0 ON MAR 1 *	186	1922
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		186	MEAN

STURGEON RIVER NEAR PRINCE ALBERT - STATION NO. 05GF002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1966	---	---	---	---	---	---	3.14	2.01	0.551	0.302	---	---	---	1966
1967	---	---	---	---	---	---	0.511	0.374	0.147	0.152	---	---	0.774	1967
1968	---	---	0.227	0.755	2.82	1.20	0.673	0.503	0.986	1.44	---	---	1.79	1968
1969	---	---	1.64	5.20	2.07	1.93	0.408	0.366	0.147	0.979	---	---	2.29	1969
	---	---	0.451	10.8	4.28	1.08								
1970	---	---	0.283	9.14	6.70	1.78	4.49	1.42	0.536	0.332	---	---	3.08	1970
1971	---	---	0.396	4.62	3.14	1.51	4.37	2.66	0.655	0.353	---	---	2.21	1971
1972	---	---	0.340	7.17	9.11	1.18	0.516	0.257	0.181	0.179	---	---	2.36	1972
1973	---	---	0.438	5.17	8.75	9.39	15.8	3.65	3.13	3.94	---	---	6.28	1973
1974	---	---	1.23	21.5	36.6	13.9	11.7	3.94	2.56	3.03	---	---	11.8	1974
1975	---	---	0.605	7.25	14.3	9.85	8.35	1.98	0.966	0.717	---	---	5.49	1975
1976	---	---	0.565	5.59	2.29	1.46	0.766	0.407	0.076	0.040	---	---	1.39	1976
1977	---	---	0.152	1.87	2.19	2.64	1.53	1.57	1.39	0.772	---	---	1.51	1977
1978	---	---	0.231	6.36	7.67	3.14	0.952	0.297	0.307	0.478	---	---	2.42	1978
1979	---	---	0.046	9.54	16.4	8.46	2.50	0.497	0.283	0.371	---	---	4.75	1979
1980	---	---	0.560	7.22	2.88	0.799	1.21	0.722	1.20	1.85	---	---	2.04	1980
1981	---	---	1.15	8.01	7.70	1.93	0.966	0.675	0.314	0.342	---	---	2.63	1981
1982	---	---	0.230	2.43	4.08	1.28	0.359	0.748	0.775	1.11	---	---	1.38	1982
MEAN	---	---	0.534	7.04	8.19	3.85	3.43	1.30	0.835	0.964	---	---	3.26	MEAN

LOCATION - LAT 53 12 47 N
LONG 105 53 06 W
DRAINAGE AREA, 5 100 km^2
NATURAL FLOW

STURGEON RIVER NEAR PRINCE ALBERT - STATION NO. 05GF002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1966	---	---	---	---	1966
1967	4.36B AT 23:00 CST ON APR 30	3.74 ON MAY 11	0.091 ON OCT 13	16 400	1967
1968	---	9.74B ON APR 3	0.144B ON MAR 1	38 000	1968
1969	---	30.3 ON APR 15	0.133 ON AUG 25	48 500	1969
1970	20.4 AT 02:00 CST ON APR 18	19.4 ON APR 18	0.227 ON OCT 25	65 100	1970
1971	11.6 AT 19:00 CST ON APR 17	9.74 ON APR 20	0.269 ON OCT 26	46 900	1971
1972	30.0 AT 23:51 CST ON APR 25	29.2 ON APR 26	0.127A ON OCT 6	50 000	1972
1973	28.9 AT 05:08 CST ON JUL 14	25.7 ON JUL 14	0.399B ON MAR 1	133 000	1973
1974	74.8 AT 22:22 CST ON APR 22 *	69.1 ON APR 23 *	1.23 B ON MAR 1	250 000	1974
1975	---	19.2 ON MAY 4	0.527B ON MAR 1	116 000	1975
1976	9.63 AT 18:55 CST ON APR 12	9.15 ON APR 12	0.006 ON SEP 29 *	29 300	1976
1977	---	4.25E ON JUN 6	0.150B ON MAR 1	31 900	1977
1978	13.1 AT 00:01 CST ON APR 22	12.5 ON APR 22	0.164 ON SEP 11	51 200	1978
1979	42.2 AT 01:03 CST ON APR 26	41.0 ON APR 28	0.032B ON APR 4	100 000	1979
1980	16.9 AT 21:28 CST ON APR 20	16.7 ON APR 20	0.483 ON AUG 17	43 200	1980
1981	10.5 AT 14:24 CST ON MAY 1	10.4 ON MAY 1	0.246 ON SEP 24	55 600	1981
1982	8.49 AT 02:43 CST ON MAY 2	8.37 ON MAY 2	0.100 ON JUL 12	29 100	1982
				69 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

STURGEON-WEIR RIVER AT LEAF RAPIDS - STATION NO. 05KG007

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1972	---	---	---	---	---	---	---	---	---	---	49.4	49.1	---	1972
1973	46.0	41.2	37.3	35.2	53.0	80.6	100	93.1	72.9	56.9	47.0	43.9	59.1	1973
1974	40.9	38.8	36.4	38.3	66.9	87.2	147	217	184	138	106	87.1	99.4	1974
1975	73.4	62.3	50.1	42.2	50.9	69.4	71.8	70.5	57.2	45.3	39.2	32.8	55.4	1975
1976	30.8	29.0	26.9	26.0	24.1	28.9	40.1	39.0	35.4	31.4	28.7	26.8	30.6	1976
1977	24.9	24.1	23.1	22.5	30.6	39.1	34.7	32.1	30.1	28.7	28.8	27.9	28.9	1977
1978	27.4	26.3	25.2	25.5	27.7	28.8	29.1	29.2	30.8	34.8	37.1	37.3	30.0	1978
1979	35.6	33.8	32.4	31.8	38.4	44.5	45.2	39.8	38.3	42.8	53.3	57.7	41.2	1979
1980	52.9	48.3	42.5	39.5	34.4	28.6	24.6	22.1	22.7	25.2	25.7	27.9	32.8	1980
1981	30.1	29.7	28.2	27.0	27.8	26.4	24.6	20.8	17.0	14.5	13.7	14.0	22.8	1981
1982	14.2	13.9	13.8	14.5	22.1	27.0	28.9	33.9	36.0	33.6	32.5	33.1	25.4	1982
MEAN	37.6	34.7	31.6	30.3	37.6	46.1	54.6	59.8	52.4	45.1	41.9	39.8	42.6	MEAN

LOCATION - LAT 58 49 40 N, LONG 102 38 08 W
DRAINAGE AREA, 12 600 km^2
NATURAL FLOW

STURGEON-WEIR RIVER AT LEAF RAPIDS - STATION NO. 05KG007

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1972	---	---	---	---	1972
1973	103 AT 17:09 CST ON JUL 24	103 ON JUL 27	33.6 ON APR 17	1 860 000	1973
1974	227 AT 03:07 CST ON AUG 15 *	224 ON AUG 15 *	34.3 ON APR 12	3 130 000	1974
1975	79.3 AT 00:00 CST ON JAN 1	78.7 ON JAN 1	31.4 ON DEC 25	1 750 000	1975
1976	47.9 AT 18:31 CST ON JUL 17	47.9 ON JUL 18	23.3 ON MAY 25	968 000	1976
1977	59.5 AT 21:56 CST ON MAY 29	58.9 ON MAY 29	22.4E ON APR 10	912 000	1977
1978	37.9 AT 00:20 CST ON NOV 5	37.9 ON NOV 5	24.6 ON MAR 30	945 000	1978
1979	58.6 AT 06:56 CST ON DEC 27	58.3 ON DEC 7	30.7 ON APR 6	1 300 000	1979
1980	54.8 AT 05:17 CST ON JAN 1	54.8 ON JAN 1	20.5 ON SEP 11	1 040 000	1980
1981	30.3 AT 08:01 CST ON JAN 13	30.3 ON JAN 13	13.4 ON NOV 30	718 000	1981
1982	38.0 AT 02:11 CST ON AUG 18	37.8 ON AUG 18	13.3 ON APR 11 *	800 000	1982
				1 340 000	MEAN

E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

STURGEON-WEIR RIVER AT OUTLET OF AMISK LAKE - STATION NO. 05KG002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1959	---	---	---	---	---	45.1	53.0	48.3	44.0	43.0	40.3	39.9	---	1959
1960	38.2	36.7	35.0	35.1	40.0	59.7	73.3	72.8	59.8	---	---	---	---	1960
1961	36.3	34.4	33.3	32.3	35.2	38.7	36.0	33.3	29.1	27.1	27.3	27.2	32.5	1961
1962	26.8	26.1	25.7	25.8	37.8	51.8	51.3	44.5	38.6	34.5	31.2	31.0	35.5	1962
1963	30.9	29.7	28.5	28.6	38.2	46.9	56.5	77.2	84.4	76.8	59.5	49.8	50.7	1963
1964	43.9	38.8	34.6	33.1	38.1	37.8	33.9	33.6	40.2	50.0	53.1	52.7	40.8	1964
1965	50.0	46.6	44.7	43.4	60.1	90.3	103	106	93.9	83.7	75.3	70.0	72.4	1965
1966	64.2	57.3	52.9	48.8	45.9	54.6	77.4	79.6	65.8	52.6	43.8	42.2	57.1	1966
1967	40.3	38.3	35.7	33.5	34.2	42.1	44.8	43.7	36.3	31.2	28.8	29.2	36.5	1967
1968	30.9	30.6	28.1	27.6	29.2	35.4	34.9	30.4	30.3	28.5	28.2	30.6	30.4	1968
1969	32.4	34.6	35.0	36.4	41.2	41.5	38.7	35.4	31.2	35.5	37.7	37.8	36.5	1969
1970	37.6	36.9	35.8	35.3	39.0	45.4	67.2	75.9	74.2	67.3	70.0	68.3	54.5	1970
1971	67.1	64.0	59.1	55.5	60.4	62.0	58.9	55.9	52.7	53.8	56.7	57.5	58.6	1971
1972	57.9	54.8	51.5	48.2	61.8	80.0	87.3	79.5	65.5	59.7	58.0	58.2	63.6	1972
1973	57.0	54.9	53.8	52.4	62.5	91.2	105	98.9	84.8	68.3	59.2	58.3	70.7	1973
1974	56.7	55.1	52.5	52.2	68.7	86.4	108	178	203	173	141	115	108	1974
1975	95.1	79.6	68.1	60.1	65.0	84.7	84.3	81.6	72.3	59.0	53.0	50.0	71.0	1975
1976	47.2	42.7	39.1	37.9	35.2	38.2	50.2	53.7	46.4	40.3	33.2	33.3	41.5	1976
1977	32.5	32.7	32.0	30.6	35.5	50.7	53.3	49.1	43.4	40.9	40.1	39.1	40.0	1977
1978	40.0	38.4	36.8	36.5	41.9	41.8	38.1	36.2	35.9	35.5	39.7	42.5	38.6	1978
1979	47.2	47.7	47.0	46.2	49.4	60.3	59.7	50.7	45.8	45.5	50.0	55.3	50.4	1979
1980	57.8	58.2	55.6	53.8	49.0	44.4	36.2	29.4	29.0	30.3	28.5	28.8	41.7	1980
1981	34.2	35.1	35.8	35.5	36.0	35.4	32.7	28.4	24.4	20.1	20.2	20.4	29.8	1981
1982	21.1	21.7	21.3	21.0	25.8	32.6	36.2	36.1	34.9	35.4	36.6	37.9	30.1	1982
MEAN	45.4	43.3	41.0	39.6	44.8	54.0	59.2	60.8	56.9	51.8	48.3	46.7	49.6	MEAN

LOCATION - LAT 54 26 20 N DRAINAGE AREA, 14 600 km²
LONG 102 10 30 W NATURAL FLOW

STURGEON-WEIR RIVER AT OUTLET OF AMISK LAKE - STATION NO. 05KG002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1959	---	---	---	---	1959
1960	---	78.7 ON JUL 24	26.6 ON OCT 3	1 030 000	1960
1961	---	39.6 ON JUN 10	25.7 ON MAR 6	1 120 000	1961
1962	---	56.1 ON JUL 3	28.0 ON MAR 24	1 603 000	1962
1963	---	88.9 ON SEP 14	32.3 ON APR 2	1 290 000	1963
1964	---	55.2 ON OCT 28			1964
1965	---	114 ON JUL 31	42.8 ON MAR 31	2 280 000	1965
1966	---	86.4 ON JUL 21	41.3 ON DEC 30	1 800 000	1966
1967	---	47.6 ON JUL 23	28.1 ON NOV 30	1 150 000	1967
1968	---	37.1 ON JUL 14	27.2 ON APR 3	961 000	1968
1969	---	43.6 ON JUN 8	30.0 ON SEP 24	1 150 000	1969
1970	---	80.4 ON AUG 18	34.3 ON APR 1	1 720 000	1970
1971	---	68.8 ON JAN 3	47.0 ON SEP 25	1 850 000	1971
1972	---	90.6 ON JUN 30	45.9 ON MAY 3	2 010 000	1972
1973	---	107 ON JUL 17	50.4 ON APR 17	2 230 000	1973
1974	212 AT 12:11 CST ON SEP 12 *	210 ON SEP 12 *	50.7 ON MAR 26	3 400 000	1974
1975	106 AT 04:12 CST ON JAN 2	105 ON JAN 2	49.8 ON DEC 11	2 240 000	1975
1976	63.1 AT 18:47 CST ON JUL 22	57.2 ON JUL 29	30.3 ON NOV 11	1 310 000	1976
1977	64.6 AT 23:00 CST ON JUL 23	55.8 ON JUL 8	29.7 ON APR 17	1 260 000	1977
1978	46.2 AT 01:12 CST ON AUG 18	44.5 ON DEC 31	32.0 ON SEP 28	1 220 000	1978
1979	68.7 AT 13:50 CST ON JUL 24	65.9 ON JUL 24	43.5 ON SEP 28	1 590 000	1979
1980	60.6 AT 02:27 CST ON FEB 9	59.3 ON FEB 5	26.2 ON SEP 11	1 320 000	1980
1981	40.9 AT 16:11 CST ON JUN 5	38.5 ON MAY 22	19.1 ON OCT 8 *	940 000	1981
1982	43.7 AT 15:19 CST ON AUG 7	40.3 ON JUN 29	20.5 ON JAN 1	951 000	1982
				1 560 000	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SUCKER CREEK AT GILCHRIST'S RANCH NEAR VIDORA - STATION NO. 11AC008

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	0.824	0.325	0.035	0.057	0.072	---	---	---	1909
1910	---	---	---	0.147	0.072	0.041	0.021	0.045	0.059	0.064	---	---	---	1910
1911	---	---	---	0.746	0.163	0.105	0.050	0.038	0.111	0.086	---	---	---	1911
1912	---	---	---	3.03	0.328	0.090	0.060	0.071	0.093	0.099	---	---	---	1912
1913	---	---	---	1.49	0.209	0.078	0.054	0.039	0.045	0.062	---	---	---	1913
1914	---	---	---	0.675	0.145	0.066	0.010	0.010	0.033	0.084	---	---	---	1914
1915	---	---	---	0.472	0.174	0.186	0.106	0.078	0.117	0.121	---	---	---	1915
1916	---	---	---	0.375	0.512	0.652	0.193	0.038	0.098	0.232	---	---	---	1916
1917	---	---	---	---	1.50	0.221	0.043	0.029	0.044	0.070	---	---	---	1917
1918	---	---	---	---	0.183	0.049	0.030	0.035	0.050	0.060	---	---	---	1918
1919	---	---	---	0.303	0.067	0.024	0.011	0.013	0.037	0.057	---	---	---	1919
1920	---	---	0.071	1.93	0.720	0.194	0.064	0.008	0.026	0.060	---	---	0.380	1920
1921	---	---	0.237	1.12	0.126	0.036	0.019	0.014	0.033	0.050	---	---	0.202	1921
1922	---	---	0.056	2.82	0.774	0.045	0.030	0.024	0.021	0.044	---	---	0.471	1922
1923	---	---	0.045	0.327	0.094	0.130	0.056	0.034	0.038	0.049	---	---	0.095	1923
1924	---	---	0.039	0.360	0.054	0.057	0.009	0.009	0.015	0.037	---	---	0.072	1924
1925	---	---	0.081	1.40	0.079	0.042	0.023	0.025	0.055	0.063	---	---	0.217	1925
1926	---	---	0.578	0.208	0.071	0.030	0.017	0.007	0.060	0.089	---	---	0.128	1926
1927	---	---	0.075	2.45	1.08	0.161	0.049	0.045	0.059	0.077	---	---	0.495	1927
1928	---	---	0.449	0.371	0.175	0.281	0.098	0.042	0.052	0.078	---	---	0.193	1928
1939	---	---	0.172	0.205	0.090	0.134	0.013	0.001	0.010	0.031	---	---	0.082	1939
1940	---	---	0.018	1.28	0.225	0.064	0.026	0.015	0.004	0.021	---	---	0.203	1940
1941	---	---	0.519	0.186	0.041	0.046	0.026	0.003	0.007	0.002	---	---	0.104	1941
1942	---	---	0.058	0.671	0.081	0.297	0.068	0.014	0.023	0.024	---	---	0.152	1942
1943	---	---	0.429	0.665	0.077	0.054	0.018	0.003	0.004	0.030	---	---	0.159	1943
1944	---	---	0.144	0.730	0.078	0.035	0.026	0.017	0.013	0.032	---	---	0.133	1944
1945	---	---	0.368	0.084	0.052	0.031	0.010	0.002	0.010	0.033	---	---	0.074	1945
MEAN	---	---	0.208	0.919	0.274	0.146	0.054	0.026	0.043	0.062	---	---	0.198	MEAN

LOCATION - LAT 49 29 00 N DRAINAGE AREA, 88.1 km²
LONG 109 23 00 W NATURAL FLOW

SUCKER CREEK AT GILCHRIST'S RANCH NEAR VIDORA - STATION NO. 11AC008

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1909	---	---	---	---	1909
1910	---	---	---	---	1910
1911	---	---	---	---	1911
1912	---	---	---	---	1912
1913	---	---	---	---	1913
1914	---	---	---	---	1914
1915	---	---	---	---	1915
1916	---	---	---	---	1916
1917	---	---	---	---	1917
1918	---	---	---	---	1918
1919	---	---	---	---	1919
1920	17.1 ON APR 19	9.17 ON APR 20	0.001 ON SEP 17	8 050	1920
1921	---	6.94 ON APR 14	0.003E ON AUG 30	4 270	1921
1922	61.7 AT 02:00 MST ON APR 23 *	22.4 ON APR 23 *	0.008 ON AUG 11	9 970	1922
1923	1.34 AT 01:00 MST ON APR 18	1.13 ON APR 18	0.020 ON AUG 31	2 020	1923
1924	18.2 B AT 05:00 MST ON APR 7	4.56B ON APR 7	0 ON JUL 11 *	1 520	1924
1925	27.5 AT 19:30 MST ON APR 4	9.03 ON APR 5	0.011 ON JUL 18	4 600	1925
1926	2.83 AT 06:00 MST ON APR 11	1.98B ON MAR 18	0.003 ON JUL 31	2 710	1926
1927	26.3 AT 00:30 MST ON APR 26	17.0 ON APR 25	0.003 ON AUG 5	10 500	1927
1928	5.44B AT 20:20 MST ON MAR 21	3.23B ON MAR 21	0.011 ON AUG 11	4 080	1928
1939	---	1.02B ON MAR 25	0 ON JUL 9	1 730	1939
1940	17.1 AT 18:30 MST ON APR 21	13.6 ON APR 21	0 ON AUG 31	4 290	1940
1941	2.75B AT 04:00 MST ON MAR 22	1.95B ON MAR 22	0 ON JUL 16	2 200	1941
1942	4.84 AT 01:00 MST ON JUN 29	2.69 ON JUN 29	0 ON AUG 6	3 220	1942
1943	4.39B AT 21:00 MST ON MAR 28	3.28 ON APR 3	0 ON AUG 31	3 360	1943
1944	4.47B AT 22:30 MST ON MAR 31	3.62B ON APR 1	0.003 ON JUL 17	2 810	1944
1945	3.65B AT 19:00 MST ON MAR 23	2.44B ON MAR 24	0 ON JUL 23	1 570	1945
				4 180	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD
E - ESTIMATED

SWAN RIVER NEAR MORQUAY - STATION NO. 05LE008

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1965	---	---	0.605	7.83	12.6	28.5	4.32	1.93	3.01	3.57	---	---	---	1965
1966	---	---	0.439	11.5	12.4	13.0	12.4	4.76	3.03	1.54	---	---	---	1966
1967	---	---	0.530	7.29	24.6	6.17	0.943	0.509	0.518	2.21	---	---	---	1967
1968	---	---	0.811	2.21	1.01	2.41	1.79	6.75	4.43	1.54	---	---	---	1968
1969	---	---	0.535	8.91	2.19	0.896	1.06	0.630	0.934	4.23	---	---	---	1969
1970	---	---	0.381	6.33	17.1	7.78	12.9	2.77	0.980	8.00	---	---	---	1970
1971	---	---	0.673	31.1	8.25	2.02	1.41	0.874	0.674	2.52	---	---	---	1971
1972	---	---	0.585	15.2	44.3	3.23	2.02	0.513	0.502	0.494	---	---	---	1972
1973	---	---	0.853	3.56	4.05	12.5	8.51	1.31	1.05	0.916	0.781	0.824	---	1973
1974	0.571	0.516	0.524	13.8	31.6	10.3	1.08	0.748	2.50	3.24	1.33	0.870	5.61	1974
1975	0.645	0.493	0.394	8.71	14.7	10.3	2.23	1.09	4.11	5.79	3.17	1.04	4.40	1975
1976	0.498	0.798	0.819	17.1	2.54	20.5	11.0	0.982	0.253	0.561	0.423	0.467	4.63	1976
1977	0.421	0.555	0.601	6.37	3.63	1.27	1.42	2.91	6.98	5.06	5.05	1.52	2.98	1977
1978	0.768	0.573	0.638	10.0	10.3	2.47	2.09	0.513	1.95	3.58	2.46	1.09	3.05	1978
1979	0.634	0.543	0.584	11.0	28.5	19.6	1.86	0.423	0.575	0.832	0.643	0.474	5.49	1979
1980	0.426	0.389	0.394	6.89	1.20	0.703	1.11	2.60	2.89	3.81	1.71	0.771	1.90	1980
1981	0.445	0.408	1.28	9.29	4.54	1.94	2.35	1.52	0.495	6.96	4.57	0.843	2.89	1981
1982	0.556	0.331	0.325	6.01	3.90	2.12	5.86	2.08	1.00	2.22	0.836	0.602	2.17	1982
MEAN	0.552	0.512	0.610	10.2	12.6	8.09	4.13	1.83	1.98	2.95	2.10	0.850	3.68	MEAN

LOCATION - LAT 51 59 52 N
LONG 102 04 26 W
DRAINAGE AREA, 1 920 km²
NATURAL FLOW

SWAN RIVER NEAR MORQUAY - STATION NO. 05LE008

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1968	---	---	---	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1972	142 ON MAY 4 *	140 ON MAY 4 *	0.091 ON SEP 2	---	1972
1973	---	19.3 ON JUL 6	---	---	1973
1974	---	47.3B ON APR 21	0.360 ON AUG 12	177 000	1974
1975	45.3B AT 03:00 CST ON APR 23	30.3 ON APR 29	0.379B ON MAR 14	139 000	1975
1976	47.3 AT 03:42 CST ON JUN 29	46.7 ON JUN 29	0.110 ON SEP 8	146 000	1976
1977	16.9B AT 06:39 CST ON APR 14	15.6B ON APR 13	0.368B ON JAN 1	94 100	1977
1978	27.7 AT 16:51 CST ON MAY 3	27.7 ON MAY 3	0.227 ON AUG 17	96 000	1978
1979	42.2 AT 10:12 CST ON JUN 11	41.9 ON JUN 11	0.256 ON AUG 28	173 000	1979
1980	26.7B AT 02:37 CST ON APR 15	20.8B ON APR 14	0.225 ON AUG 3	60 200	1980
1981	14.0 AT 03:00 CST ON OCT 20	13.8 ON OCT 20	0.014 ON SEP 12 *	91 300	1981
1982	21.6 AT 12:49 CST ON JUL 22	21.4 ON JUL 22	0.248B ON MAR 8	68 300	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		116 000	MEAN

SWEETWATER CREEK NEAR STAR CITY - STATION NO. 05KB012

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1972	---	---	---	---	---	---	---	---	---	---	---	---	---	1972
1974	---	---	0	2.40	---	---	---	---	---	---	---	---	---	1974
MEAN	---	---	0	2.40	---	---	---	---	---	---	---	---	---	MEAN

LOCATION - LAT 52 50 30 N
LONG 104 22 19 W

SWEETWATER CREEK NEAR STAR CITY - STATION NO. 05KB012

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1972	11.3 IN APR	---	---	---	1972
1974	26.4 AT 22:36 CST ON APR 19 *	---	---	---	1974
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

SWIFT CURRENT CANAL AT SWIFT CURRENT - STATION NO. 05HD034

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1946	---	---	---	---	---	0.195	0.313	0.051	0.564	0.508	---	---	---	1946
1947	---	---	---	---	0.009	0.055	0.151	0.066	1.04	1.11	---	---	---	1947
1951	---	---	---	---	0.014	0.253	0.788	0.602	0.031	0.020	---	---	---	1951
1952	---	---	---	---	---	0.255	0.394	0.207	0.145	0.067	---	---	---	1952
1953	---	---	0.008	0	0.076	0.049	0.265	0.403	0.037	0.296	---	---	0.143	1953
1954	---	---	0	0	0.087	0.039	0.403	0.233	0.009	0	---	---	0.097	1954
1955	---	---	---	---	0	0.373	0.232	0.215	0.018	0.296	0	---	---	1955
1956	---	---	0	0	0.006	0.466	0.336	0.293	0.008	0.024	---	---	0.142	1956
1957	---	---	0.016	0.001	0.179	0.535	1.19	0.719	0.139	0.203	---	---	0.375	1957
1958	---	---	0.080	2.08	0.441	0.475	0.508	0.617	0.581	0	---	---	0.592	1958
1959	---	---	0.308	2.85	2.51	1.27	0.174	0.629	0.027	0.144	---	---	0.984	1959
1960	---	---	0.059	0.017	0.032	0.541	0.358	0.283	0.190	0.348	---	---	0.228	1960
1961	---	---	0.708	3.41	0.437	0.485	1.11	0.906	1.78	0.883	---	---	1.21	1961
1962	---	---	0.031	2.07	0.301	0.441	0.444	0.083	0	0	---	---	0.416	1962
1963	---	---	0.318	2.52	0.156	0.447	0.193	0.416	0.164	0.154	---	---	0.540	1963
1964	---	---	0.001	1.72	3.14	0.710	1.17	1.99	0.806	0	---	---	1.19	1964
1965	---	---	0	0.003	0.067	0.547	0.060	0.405	0	0	---	---	0.135	1965
1966	---	---	0.003	0	0.025	0.680	0.210	0.520	0.013	0.082	---	---	0.191	1966
1967	---	---	0	0	0	0.942	0.384	1.39	0.004	0	---	---	0.341	1967
1968	---	---	0.394	2.91	0.143	0.736	1.07	0.351	0	0	---	---	0.695	1968
1969	---	---	0	0	0.093	0.982	0.219	0.644	0.005	0.344	0.773	---	0.285	1969
1970	---	---	0	0	0.005	0.710	0.218	0.994	0	0	---	---	0.241	1970
1971	---	---	0	0.001	0.574	0.353	0.557	0.474	0	0	---	---	0.246	1971
1972	---	---	0	2.96	2.72	0	0.982	0.054	0.001	0	---	---	0.838	1972
1973	---	---	0	2.09	2.66	0.271	0.972	0.011	0.031	0	---	---	0.754	1973
1974	---	---	0	0.001	0.011	0.504	0.500	0.389	0.050	0	---	---	0.182	1974
1975	---	---	0	0	0.011	0.653	0.942	0.155	0.015	0	---	---	0.222	1975
1976	---	---	0	0.005	1.01	0.113	0.530	0.622	0.115	0.084	---	---	0.312	1976
1977	---	---	0.037	2.92	2.45	0.108	0.883	0.502	0.061	0.009	---	---	0.869	1977
1978	---	---	0	1.65	2.30	0.397	1.58	0	0	0	---	---	0.740	1978
1979	---	---	0	0.982	2.14	0.918	1.02	0.252	0.073	0.011	---	---	0.676	1979
1980	---	---	0.062	2.02	2.26	0.354	2.36	0.532	0.137	0	---	---	0.967	1980
1981	---	---	1.02	2.64	2.22	0.228	1.17	0.307	0.123	0.028	---	---	0.965	1981
1982	---	---	0	0.002	0.751	0.537	0.363	0.702	0.118	0.072	---	---	0.319	1982
MEAN	---	---	0.105	1.13	0.838	0.459	0.649	0.471	0.185	0.138	0.387	---	0.514	MEAN

LOCATION - LAT 50 16 03 N
LONG 107 46 43 W REGULATED

SWIFT CURRENT CANAL AT SWIFT CURRENT - STATION NO. 05HD034

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1946	---	1.17 ON SEP 28	0 ON JUN 26 *	---	1946
1947	---	1.61 ON SEP 12	0 ON MAY 1	---	1947
1951	---	1.33 ON JUL 26	0 ON MAY 1	---	1951
1952	---	0.767 ON JUN 29	0 ON JUN 1	---	1952
1953	---	1.15 ON JUL 29	0B ON MAR 1	3 030	1953
1954	---	0.776 ON AUG 3	0B ON MAR 1	2 060	1954
1955	---	0.765 ON JUN 16	0 ON MAY 1	---	1955
1956	---	0.881 ON JUL 27	0 ON MAR 1	3 000	1956
1957	---	2.12 ON JUL 21	0B ON MAR 1	7 950	1957
1958	---	2.86 ON APR 9	0 ON MAY 5	12 500	1958
1959	---	3.45 ON MAY 6	0B ON MAR 1	20 800	1959
1960	---	1.10 ON AUG 3	0B ON MAR 1	4 830	1960
1961	---	3.71 ON APR 27	0B ON MAR 1	25 600	1961
1962	---	4.30 ON APR 30	0B ON MAR 1	8 800	1962
1963	---	3.99 ON APR 12	0B ON MAR 1	11 400	1963
1964	---	3.37 ON MAY 4	0B ON MAR 1	25 300	1964
1965	---	1.01 ON JUN 10	0B ON MAR 1	2 850	1965
1966	---	1.72 ON AUG 7	0B ON MAR 1	4 040	1966
1967	---	2.13 ON JUN 11	0B ON MAR 1	7 210	1967
1968	---	4.76 ON APR 21 *	0 ON MAR 1	14 700	1968
1969	---	3.23 ON OCT 28	0B ON MAR 1	6 040	1969
1970	---	2.12 ON JUN 6	0 ON MAR 1	5 100	1970
1971	---	1.78 ON MAY 31	0B ON MAR 1	5 220	1971
1972	---	3.45 ON APR 7	0B ON MAR 1	17 700	1972
1973	---	3.26 ON APR 10	0B ON MAR 1	15 900	1973
1974	---	1.68 ON JUL 31	0 ON MAR 1	3 850	1974
1975	---	1.73 ON JUL 29	0 ON MAR 1	4 690	1975
1976	---	1.96 ON JUL 26	0 ON MAR 1	6 620	1976
1977	---	3.51 ON MAY 2	0B ON MAR 1	18 400	1977
1978	---	3.40 ON APR 19	0B ON MAR 1	15 700	1978
1979	---	3.13 ON MAY 13	0B ON MAR 1	14 300	1979
1980	---	2.92 ON JUL 14	0B ON MAR 1	20 500	1980
1981	---	2.74 ON APR 7	0 ON MAR 1	20 400	1981
1982	---	2.25 ON MAY 23	0 ON MAR 1	6 750	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		10 900	MEAN

SWIFT CURRENT CREEK ABOVE DUNCAIRN RESERVOIR - STATION NO. 05HD031

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	0.926	5.35	0.790	0.502	0.334	0.065	0.068	0.212	---	---	1.02	1944
1945	---	---	7.53	1.32	0.866	0.523	0.128	0.010	0.009	0.306	---	---	1.34	1945
1946	---	---	8.65	1.62	0.515	0.214	0.059	0.010	0.073	0.370	---	---	1.45	1946
1947	---	---	5.92	6.86	1.40	0.723	0.127	0.035	0.068	0.206	---	---	1.91	1947
1948	---	---	2.29	6.30	1.48	0.436	0.154	0.029	0.002	0.035	---	---	1.33	1948
1949	---	---	1.24	3.11	0.324	0.126	0.226	0.362	0.003	0.089	---	---	0.680	1949
1950	---	---	0.574	19.4	1.72	0.526	0.195	0.177	0.261	0.347	---	---	2.85	1950
1951	---	---	0.346	24.3	5.77	1.13	0.412	0.311	1.10	1.35	---	---	4.29	1951
1952	---	---	0.879	57.5	2.09	0.250	0.540	0.179	0.294	0.376	---	---	7.63	1952
1953	---	---	9.93	5.13	2.38	3.22	0.291	0.101	0.070	0.185	---	---	2.66	1953
1954	---	---	0.683	12.4	1.38	1.05	0.530	0.412	0.930	0.630	---	---	2.22	1954
MEAN	---	---	3.54	13.0	1.70	0.791	0.272	0.154	0.262	0.373	---	---	2.49	MEAN

LOCATION - LAT 49 57 30 N DRAINAGE AREA, 1 920 km²
LONG 108 11 00 W NATURAL FLOW

SWIFT CURRENT CREEK ABOVE DUNCAIRN RESERVOIR - STATION NO. 05HD031

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	22.7 B ON APR 4	0 B ON MAR 1 *	21 600	1944
1945	---	20.4 B ON MAR 13	0 ON AUG 23	28 500	1945
1946	---	14.4 B ON MAR 14	0 ON AUG 4	30 700	1946
1947	---	20.0 B ON MAR 22	0.014 ON SEP 12	40 500	1947
1948	---	22.1 ON APR 19	0 B ON MAR 1	28 100	1948
1949	---	8.38 ON APR 5	0 ON SEP 10	14 400	1949
1950	---	68.5 ON APR 16	0 B ON MAR 1	60 400	1950
1951	---	64.0 ON APR 6	0 B ON MAR 1	90 700	1951
1952	---	174 ON APR 16 *	0.085 ON AUG 14	161 000	1952
1953	---	52.4 B ON MAR 29	0.003 ON SEP 22	56 400	1953
1954	---	51.0 B ON APR 9	0.093 ON JUL 29	47 100	1954
				52 700	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

SWIFT CURRENT CREEK AT POLLOCK'S RANCH - STATION NO. 05HD001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR APR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	0.100	0.092	0.020	0.009	0.013	---	---	---	1909
1910	---	---	---	0.065	0.018	0.026	0.024	0.021	0.032	0.040	---	---	0.032	1910
1911	---	---	---	---	---	0.037	0.026	0.025	0.040	0.052	---	---	---	1911
1912	---	---	---	---	0.108	0.046	0.021	0.033	0.038	0.044	---	---	---	1912
1913	---	---	---	---	0.052	0.036	0.028	0.037	0.032	0.042	---	---	---	1913
1914	---	---	---	0.087	0.045	0.026	0.017	0.035	0.040	0.050	---	---	0.043	1914
1915	---	---	---	0.107	0.068	0.053	0.039	0.043	0.040	0.041	---	---	0.056	1915
1916	---	---	---	0.277	0.089	0.115	0.066	0.041	0.039	0.044	---	---	0.095	1916
MEAN	---	---	---	0.134	0.063	0.055	0.039	0.032	0.034	0.041	---	---	0.057	MEAN

LOCATION - LAT 49 34 20 N DRAINAGE AREA, 57.2 km²
LONG 108 46 20 W NATURAL FLOW

SWIFT CURRENT CREEK AT POLLOCK'S RANCH - STATION NO. 05HD001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR APR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1909	---	---	---	---	1909
1910	---	0.278 ON JUL 23	0.004 ON JUN 27 *	594	1910
1911	---	---	---	---	1911
1912	---	---	---	---	1912
1913	---	---	---	---	1913
1914	---	0.159 ON OCT 8	0.011 ON JUL 11	792	1914
1915	---	0.289 ON JUN 19	0.016 ON JUL 8	1 030	1915
1916	---	1.56 ON JUN 17 *	0.031 ON AUG 22	1 760	1916
				1 040	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SWIFT CURRENT CREEK AT SINCLAIR'S RANCH (LOWER STATION) - STATION NO. 05ND005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1910	---	---	---	---	---	0.405	0.204	0.203	0.361	0.390	---	---	---	1910
1911	---	---	---	---	---	0.618	0.480	0.346	0.850	0.726	---	---	---	1911
1912	---	---	---	---	---	1.12	0.478	0.290	0.427	0.669	---	---	---	1912
1913	---	---	---	---	0.870	0.620	0.332	0.146	0.226	0.370	---	---	---	1913
1914	---	---	---	2.90	0.631	0.526	0.083	0.031	0.399	0.940	---	---	---	1914
1915	---	---	---	2.35	1.49	1.82	1.28	0.266	0.485	0.787	---	---	---	1915
1916	---	---	---	3.78	1.74	2.13	0.977	0.499	0.500	0.868	---	---	---	1916
1917	---	---	---	---	4.57	1.02	0.356	0.124	0.391	---	---	---	---	1917
1918	---	---	---	3.92	0.778	0.396	0.187	0.248	0.377	0.451	---	---	---	1918
1919	---	---	---	3.04	0.822	0.242	0.071	0.062	0.202	0.308	---	---	---	1919
1920	---	---	3.03	5.77	2.10	0.889	0.370	0.095	0.165	0.363	---	---	1.59	1920
1921	---	---	1.29	3.70	1.41	0.424	0.283	0.126	0.350	0.449	---	---	0.999	1921
1922	---	---	0.253	9.98	2.56	0.569	0.476	0.331	0.223	0.202	---	---	1.80	1922
1923	---	---	0.793	3.04	0.736	0.752	0.570	0.288	0.200	0.312	---	---	0.831	1923
1924	---	---	0.095	2.45	0.651	0.681	0.468	0.339	0.133	0.374	---	---	0.644	1924
1925	---	---	4.79	6.41	0.767	0.757	0.133	0.109	0.216	0.535	---	---	1.71	1925
1926	---	---	4.97	1.27	0.472	0.388	0.145	0.108	0.248	0.335	---	---	0.996	1926
1927	---	---	1.14	9.94	5.78	1.89	2.06	0.460	0.536	0.775	---	---	2.81	1927
1935	---	---	---	---	---	---	---	---	---	0.230	---	---	---	1935
1936	---	---	1.73	8.28	1.14	0.673	---	---	---	---	---	---	---	1936
MEAN	---	---	2.01	4.77	1.66	0.838	0.495	0.226	0.347	0.505	---	---	1.42	MEAN

LOCATION - LAT 49 49 02 N DRAINAGE AREA, 815 km²
LONG 108 33 13 W NATURAL FLOW

SWIFT CURRENT CREEK AT SINCLAIR'S RANCH (LOWER STATION) - STATION NO. 05ND005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1910	---	---	---	---	1910
1911	---	---	---	---	1911
1912	---	---	---	---	1912
1913	---	---	---	---	1913
1914	---	---	0 ON AUG 20 *	---	1914
1915	---	---	---	---	1915
1916	---	---	---	---	1916
1917	---	---	---	---	1917
1918	---	---	---	---	1918
1919	---	11.3 B ON APR 3	---	---	1919
1920	---	14.9 B ON APR 14	0.028B ON MAR 1	33 700	1920
1921	---	10.8 ON APR 14	0.099 ON SEP 3	21 200	1921
1922	---	24.4 ON APR 22 *	0 B ON MAR 1	38 200	1922
1923	---	8.69E ON APR 15	0.161 ON SEP 3	17 600	1923
1924	---	11.6 B ON APR 8	0.031B ON MAR 7	13 600	1924
1925	---	21.8 B ON MAR 25	0.048 ON AUG 23	36 000	1925
1926	---	17.0 ON MAR 19	0.062 ON JUL 25	21 100	1926
1927	---	19.3 ON APR 6	0.085B ON MAR 1	59 500	1927
1935	---	---	---	---	1935
1936	---	22.9 B ON APR 12	0 B ON MAR 1	---	1936
				30 100	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SWIFT CURRENT CREEK AT SINCLAIR'S RANCH (UPPER STATION) - STATION NO. 05ND004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR APR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1910	---	---	---	---	---	---	0.028	0.010	0.049	0.052	---	---	---	1910
1911	---	---	---	---	---	0.155	0.103	0.041	0.363	0.148	---	---	---	1911
1912	---	---	---	---	---	---	0.113	0.092	0.097	0.125	---	---	---	1912
1913	---	---	---	---	---	---	---	---	---	---	---	---	---	1913
1914	---	---	---	1.23	0.317	0.230	0.080	0.027	0.026	0.096	---	---	0.277	1914
1915	---	---	---	---	0.163	0.125	0.016	0.012	0.151	0.257	---	---	---	1915
1916	---	---	---	1.27	0.697	0.650	0.407	0.063	0.087	0.099	---	---	0.557	1916
MEAN	---	---	---	1.25	0.498	0.389	0.161	0.059	0.133	0.160	---	---	0.417	MEAN

LOCATION - LAT 49 48 56 N DRAINAGE AREA, 372 km²
LONG 108 33 14 W NATURAL FLOW

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1916

SWIFT CURRENT CREEK AT SINCLAIR'S RANCH (UPPER STATION) - STATION NO. 05HD004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR APR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1910	---	---	0 ON JUL 31 *	---	1910
1911	---	---	---	---	1911
1912	---	---	---	---	1912
1913	---	---	---	---	1913
1914	---	2.94 ON APR 6 *	0 ON JUL 30	5 120	1914
1915	---	---	---	---	1915
1916	---	2.83 ON MAY 27	0.093 ON JUL 19	10 300	1916
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		7 710	MEAN

SWIFT CURRENT CREEK AT SWIFT CURRENT - STATION NO. 05HD007

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1910	---	---	---	---	1.06	0.607	0.424	0.242	0.516	0.411	---	---	---	1910
1911	---	---	---	12.1	2.16	1.13	0.789	0.472	1.39	0.904	---	---	---	1911
1912	---	---	---	---	3.86	2.58	0.757	0.690	0.839	1.21	0.922	0.323	---	1912
1913	---	---	---	---	1.57	1.28	0.968	0.297	0.134	0.534	---	---	---	1913
1926	0.113	0.387	19.4	2.25	1.18	0.719	0.287	0.134	0.413	0.898	0.628	0.165	3.18	1926
1927	0.074	0.007	1.66	20.1	9.42	4.62	4.31	0.815	0.657	0.997	0.517	0.251	5.28	1927
1928	5.65	2.15	9.96	3.50	1.58	2.10	1.84	0.515	0.365	0.715	0.607	0.348	2.58	1928
1929	0.222	0.074	3.57	4.70	1.98	1.36	0.436	0.044	0.108	0.429	0.414	0.151	1.57	1929
1930	0.046	6.53	4.28	6.87	1.53	0.976	0.536	0.052	0.585	0.939	1.03	0.617	1.96	1930
1931	0.458	0.625	0.933	---	---	---	---	---	---	---	---	---	---	1931
1933	---	---	---	2.82	1.52	0.663	0.854	0.167	0.652	0.502	---	---	---	1933
1934	---	---	---	2.97	0.823	1.03	0.144	0.006	0.033	0.483	---	---	---	1934
1935	---	---	---	6.64	1.73	0.928	0.945	0.224	0.060	0.175	---	---	---	1935
1936	---	---	7.28	16.5	1.91	0.485	0.040	0	0	0.110	---	---	3.02	1936
1937	---	---	0.756	4.16	0.818	0.304	0.052	0	0	0	---	---	0.753	1937
1938	---	---	9.81	7.21	2.20	0.802	0.282	0.099	0.046	0.158	---	---	2.57	1938
1939	---	---	12.8	2.23	1.65	5.73	0.981	0.203	0.160	0.135	---	---	2.99	1939
1940	---	---	4.11	18.5	1.56	0.879	0.078	0.083	0.032	0.153	---	---	3.13	1940
1944	---	---	---	---	0.785	0.657	0.535	1.11	0.595	0.820	---	---	---	1944
1945	---	---	---	1.16	0.780	0.704	1.21	1.13	0.442	0.493	---	---	---	1945
1946	---	---	---	---	---	1.36	1.33	1.07	0.934	0.718	---	---	---	1946
1947	---	---	2.73	10.3	2.11	1.35	1.22	0.056	0.891	0.567	---	---	2.38	1947
1948	---	---	1.75	4.88	1.15	1.67	1.41	0.784	0.915	1.16	---	---	1.66	1948
1949	---	---	2.22	1.37	0.472	0.389	0.476	0.269	0.529	0.283	---	---	0.750	1949
1950	---	---	0.758	12.4	1.81	1.62	2.17	1.77	1.46	0.849	---	---	2.83	1950
1951	---	---	0.946	22.9	10.7	2.76	1.76	1.18	1.41	1.83	---	---	5.39	1951
1952	---	---	1.41	64.4	10.8	5.60	2.17	2.54	2.58	6.99	---	---	11.9	1952
1953	---	---	7.71	9.15	2.11	3.82	1.51	1.10	0.988	0.204	---	---	3.31	1953
1954	---	---	0.577	4.05	1.06	0.879	0.872	0.656	0.700	0.635	---	---	1.17	1954
1955	---	---	2.84	40.9	2.79	1.72	9.82	1.78	1.74	1.06	---	---	7.74	1955
1956	---	---	4.60	4.59	1.21	0.919	0.917	1.10	0.465	0.698	---	---	1.81	1956
1957	---	---	5.35	4.38	0.708	0.871	0.368	0.459	0.359	0.655	---	---	1.64	1957
1958	---	---	4.67	14.9	1.15	0.580	0.516	1.15	0.746	0.960	---	---	3.06	1958
1959	---	---	2.04	0.875	0.479	0.595	0.376	0.182	0.306	0.264	---	---	0.640	1959
1960	---	---	17.6	1.51	0.423	0.272	0.622	1.60	0.643	0.713	---	---	2.95	1960
1961	---	---	2.43	0.813	0.721	0.686	0.594	0.809	0.495	0.566	---	---	0.892	1961
1962	---	---	1.96	2.13	0.503	0.427	0.293	0.436	0.193	0.157	---	---	0.761	1962
1963	---	---	3.22	1.14	0.602	0.885	1.70	0.669	0.234	0.269	---	---	1.09	1963
1964	---	---	1.42	0.827	0.521	0.913	0.612	0.408	0.483	0.152	---	---	0.666	1964
1965	---	---	0.431	18.6	5.03	0.644	1.17	0.975	0.894	1.60	---	---	3.64	1965
1966	---	---	18.9	4.67	1.74	1.08	0.664	0.520	0.842	1.38	---	---	3.74	1966
1967	---	---	2.26	31.9	9.09	1.01	0.376	0.428	0.699	0.721	---	---	5.74	1967
1968	---	---	1.52	1.41	2.04	1.08	0.719	0.989	0.899	1.17	---	---	1.23	1968
1969	---	---	1.01	9.02	0.819	0.741	1.45	1.35	1.95	1.25	---	---	2.18	1969
1970	---	---	4.37	18.6	1.81	2.08	1.86	0.989	1.81	1.40	---	---	4.08	1970
1971	---	---	2.60	16.2	1.53	2.14	2.24	1.40	1.68	1.93	---	---	3.68	1971
1972	---	---	1.62	2.61	0.658	0.359	0.395	0.396	0.404	0.558	---	---	0.872	1972
1973	---	---	1.09	0.548	0.246	0.432	0.589	0.384	0.333	0.191	---	---	0.478	1973
1974	---	---	0.544	6.19	0.956	0.686	0.668	1.04	0.932	1.17	---	---	1.51	1974
MEAN	1.09	1.63	4.44	9.78	2.16	1.36	1.13	0.683	0.698	0.837	0.686	0.309	2.76	MEAN

LOCATION - LAT 50 16 50 N DRAINAGE AREA, 3 280 km^2
LONG 107 46 40 W REGULATED SINCE 1942

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1930 AND 1968

SWIFT CURRENT CREEK AT SWIFT CURRENT - STATION NO. 05ND007

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1910	---	---	0 ON JUL 31 *	---	1910
1911	---	---	---	---	1911
1912	---	---	---	---	1912
1913	---	---	---	---	1913
1926	---	122 B ON MAR 27	0.003E ON AUG 1	67 300	1926
1927	---	54.7 B ON APR 2	0.011B ON MAR 1	112 000	1927
1928	---	33.4 B ON MAR 20	0.113 ON AUG 22	54 600	1928
1929	---	10.7 B ON MAR 20	0.017 ON AUG 21	33 300	1929
1930	---	18.9 ON APR 6	0.001 ON AUG 12	41 400	1930
1931	---	---	---	---	1931
1933	---	---	0 ON AUG 20	---	1933
1934	---	---	0 ON AUG 3	---	1934
1935	---	---	---	---	1935
1936	---	53.8 ON APR 11	0 B ON MAR 1	63 900	1936
1937	---	15.0 B ON APR 13	0 B ON MAR 1	15 900	1937
1938	---	48.4 B ON MAR 19	0.006 ON SEP 3	54 500	1938
1939	---	82.1 B ON MAR 23	0 B ON MAR 1	63 200	1939
1940	---	127 ON APR 15	0.003 ON SEP 4	66 300	1940
1944	---	---	0 ON OCT 14	---	1944
1945	---	---	0 ON JUN 6	---	1945
1946	---	---	---	---	1946
1947	---	27.2 ON APR 11	0 ON AUG 7	50 300	1947
1948	---	32.6 B ON APR 17	0.057 ON JUL 9	35 100	1948
1949	---	3.43 ON APR 6	0.014 ON OCT 1	15 900	1949
1950	---	32.3 ON APR 16	0.227B ON MAR 7	59 800	1950
1951	---	61.2 ON APR 12	0.510B ON MAR 1	114 000	1951
1952	---	167 ON APR 12 *	0.020 ON JUL 2	252 000	1952
1953	---	56.4 B ON MAR 29	0.003 ON OCT 23	70 000	1953
1954	---	20.0 B ON APR 6	0.368B ON APR 3	24 800	1954
1955	---	68.0 ON APR 8	0.283B ON MAR 1	164 000	1955
1956	---	28.6 B ON MAR 26	0.235 ON SEP 18	38 300	1956
1957	---	35.4 B ON MAR 21	0 ON AUG 31	34 700	1957
1958	75.9 AT 12:45 MST ON APR 2 *	67.7 ON APR 2	0.057 ON APR 20	64 700	1958
1959	---	5.78B ON MAR 9	0.025 ON AUG 5	13 500	1959
1960	---	77.0 ON MAR 26	0.014 ON JUN 8	62 500	1960
1961	13.6B AT 15:00 MST ON MAR 14	12.6 B ON MAR 14	0.176 ON OCT 16	18 900	1961
1962	---	11.2 B ON MAR 27	0.065 ON AUG 16	16 100	1962
1963	---	31.1 B ON MAR 23	0.054B ON MAR 1	23 200	1963
1964	---	7.76 ON JUN 14	0.048 ON JUN 28	14 100	1964
1965	---	54.7 B ON APR 10	0.133 ON SEP 28	77 000	1965
1966	---	47.6 B ON MAR 23	0.150 ON AUG 4	79 200	1966
1967	---	86.9 ON APR 14	0.221 ON JUL 15	121 000	1967
1968	---	5.69B ON MAR 1	0.028B ON MAR 21	26 000	1968
1969	---	47.9 B ON APR 6	0.127 ON MAY 21	46 100	1969
1970	---	37.1 ON APR 7	0.399 ON AUG 15	86 300	1970
1971	49.3 ON APR 7	49.3 ON APR 7	0.425B ON MAR 1	77 900	1971
1972	---	6.65B ON APR 4	0.040 ON JUN 8	18 500	1972
1973	---	2.33 ON APR 28	0.004 ON APR 6	10 100	1973
1974	---	24.8 B ON APR 10	0.125 ON JUL 18	32 000	1974
				58 400	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SWIFT CURRENT CREEK BELOW PELLETIER CREEK - STATION NO. 05HD030

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	1.10	1.97	0.743	0.775	0.630	1.62	0.611	1.95	---	---	1.18	1944
1945	---	---	3.00	0.885	0.814	1.01	2.15	1.52	0.825	0.569	---	---	1.35	1945
1946	---	---	5.07	1.45	1.67	2.65	1.90	0.943	1.24	1.01	---	---	1.99	1946
1947	---	---	2.19	6.81	1.89	1.20	1.14	0.755	1.89	1.58	---	---	2.17	1947
1948	---	---	0.386	1.31	1.67	1.29	1.93	1.23	1.68	3.68	---	---	1.65	1948
1949	---	---	0.918	1.02	1.93	2.59	2.42	0.626	0.505	0.253	---	---	1.28	1949
1950	---	---	0.545	9.38	1.71	1.58	3.16	2.83	1.69	0.833	---	---	2.70	1950
1951	---	---	0.908	19.8	9.59	3.07	2.81	1.59	1.27	1.70	---	---	5.05	1951
1952	---	---	0.566	55.6	10.3	5.35	2.84	2.67	2.53	6.78	---	---	10.7	1952
1953	---	---	4.50	6.95	1.82	2.79	1.87	1.14	0.825	0.531	---	---	2.54	1953
1954	---	---	0.537	1.58	0.664	0.841	1.11	0.754	0.666	0.555	---	---	0.837	1954
1955	---	---	3.06	39.4	2.37	1.96	7.71	2.21	2.16	2.08	---	---	7.54	1955
1956	---	---	3.09	3.30	1.18	1.49	1.57	1.37	0.802	0.858	---	---	1.71	1956
1957	---	---	4.12	4.20	0.766	1.46	1.68	1.38	0.691	0.641	---	---	1.86	1957
1958	---	---	1.78	16.3	1.51	1.37	1.25	1.49	1.17	0.710	---	---	3.16	1958
1959	---	---	0.988	3.69	3.01	1.57	0.596	0.837	0.265	0.492	---	---	1.43	1959
1960	---	---	11.5	1.02	0.537	1.21	1.11	1.23	1.02	0.905	---	---	2.33	1960
1961	---	---	2.36	4.38	0.996	1.22	2.14	1.72	2.56	1.70	---	---	2.13	1961
1962	---	---	1.47	4.15	0.960	0.889	1.36	0.870	0.238	0.176	---	---	1.26	1962
1963	---	---	1.56	3.81	0.714	1.24	2.02	1.38	0.646	0.571	---	---	1.49	1963
1964	---	---	0.699	2.75	3.93	0.864	2.79	2.97	1.24	0.100	---	---	1.92	1964
1965	---	---	0.572	12.7	4.16	1.31	1.64	1.56	0.819	1.76	---	---	3.05	1965
1966	---	---	11.8	4.23	1.62	1.76	1.35	1.45	0.896	1.94	---	---	3.14	1966
1967	---	---	1.78	31.4	8.66	2.18	1.34	2.13	0.939	0.609	---	---	6.07	1967
1968	---	---	1.24	4.41	2.12	2.07	2.73	1.94	0.697	2.33	---	---	2.19	1968
1969	---	---	2.06	7.85	1.10	1.93	2.23	2.57	2.10	1.58	---	---	2.66	1969
1970	---	---	2.79	17.7	1.64	2.75	2.34	2.28	2.01	1.80	---	---	4.12	1970
1971	---	---	3.73	14.5	1.96	2.49	3.48	3.07	2.16	1.83	---	---	4.13	1971
1972	---	---	1.79	5.97	2.96	0.765	1.89	0.806	0.704	0.591	---	---	1.93	1972
1973	---	---	0.996	2.46	2.82	0.987	2.31	0.763	0.339	0.212	---	---	1.36	1973
1974	---	---	0.350	2.79	0.717	1.44	1.49	1.34	0.976	1.05	---	---	1.26	1974
MEAN	---	---	2.50	9.48	2.47	1.75	2.10	1.58	1.17	1.33	---	---	2.78	MEAN

LOCATION - LAT 50 09 53 N DRAINAGE AREA, 2 910 km²
LONG 107 53 47 W REGULATED SINCE 1942

SWIFT CURRENT CREEK BELOW PELLETIER CREEK - STATION NO. 05HD030

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	9.91B ON APR 1	0.170B ON MAR 1	24 900	1944
1945	---	11.3 B ON MAR 12	0.170B ON MAR 1	28 600	1945
1946	12.6 ON MAR 13	12.4 ON MAR 13	0.362 ON OCT 29	42 200	1946
1947	19.6 B ON APR 10	12.1 B ON APR 10	0.425B ON MAR 1	46 000	1947
1948	6.14B ON APR 18	4.90 ON OCT 11	0.170B ON APR 5	34 900	1948
1949	---	3.11 ON MAY 30	0.178 ON AUG 29	27 100	1949
1950	43.3 B AT 09:00 CST ON APR 20	34.5 B ON APR 20	0.227B ON APR 1	57 100	1950
1951	---	69.1 B ON APR 10	0.850B ON MAR 1	107 000	1951
1952	165 AT 22:00 CST ON APR 11 *	142 ON APR 12 *	0.006 ON AUG 23	226 000	1952
1953	---	33.4 B ON MAR 28	0.025 ON JUL 23	53 800	1953
1954	---	5.95B ON APR 6	0.345 ON AUG 20	17 700	1954
1955	75.9 AT 19:30 CST ON APR 7	70.2 B ON APR 1	0.142B ON MAR 14	159 000	1955
1956	23.6 B AT 20:00 CST ON MAR 24	18.2 B ON MAR 24	0.396B ON MAR 1	36 100	1956
1957	---	20.8 B ON MAR 31	0.292 ON OCT 24	39 400	1957
1958	66.5 AT 16:00 CST ON APR 2	65.1 ON APR 2	0.227B ON MAR 15	66 900	1958
1959	---	6.23B ON APR 5	0.108 ON AUG 27	30 200	1959
1960	---	55.5 ON MAR 25	0.283B ON MAR 1	49 400	1960
1961	---	8.18B ON MAR 13	0.425B ON MAR 10	45 100	1961
1962	---	6.40B ON APR 4	0.099 ON OCT 16	26 700	1962
1963	---	9.46B ON MAR 22	0.266 ON MAY 11	31 500	1963
1964	---	4.50 ON MAY 3	0 ON OCT 2 *	40 600	1964
1965	---	48.1 B ON APR 16	0.357B ON APR 4	64 500	1965
1966	---	35.4 B ON MAR 16	0.042 ON SEP 22	66 600	1966
1967	95.4 AT 15:00 CST ON APR 14	91.2 ON APR 14	0.343 ON OCT 14	128 000	1967
1968	---	9.37 ON APR 15	0.031 ON OCT 1	46 300	1968
1969	---	31.1 B ON APR 3	0.079B ON MAR 12	56 400	1969
1970	---	36.5 ON APR 11	0.739 ON MAY 19	87 300	1970
1971	---	31.4 ON APR 6	0.360B ON MAR 11	87 400	1971
1972	---	9.68B ON APR 3	0.280 ON SEP 17	40 800	1972
1973	---	4.11 ON APR 10	0.122 ON SEP 28	28 800	1973
1974	---	14.5 ON APR 12	0.238 ON MAY 6	26 700	1974
				58 800	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

SWIFT CURRENT CREEK BELOW REID LAKE - STATION NO. 05ND041

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1975	---	---	0.397	0.475	3.37	1.83	3.36	1.10	1.26	1.27	1.08	0.971	---	1975
1976	1.06	0.932	5.31	1.50	2.29	1.41	1.93	2.26	1.45	1.11	0.926	0.856	1.76	1976
1977	0.971	0.912	0.525	3.67	3.24	0.829	2.04	1.03	0.455	0.503	0.417	0.386	1.25	1977
1978	0.395	0.412	0.438	2.05	2.38	0.847	2.38	0.698	0.758	0.658	0.519	0.486	1.01	1978
1979	0.573	0.521	0.444	6.47	3.61	1.84	2.42	1.57	1.10	0.845	0.815	0.801	1.75	1979
1980	0.773	0.738	0.853	2.55	2.97	0.976	3.17	0.837	0.885	0.485	0.469	0.330	1.26	1980
1981	0.326	0.385	1.51	3.26	3.16	0.501	2.58	0.996	0.613	0.378	0.405	0.434	1.22	1981
1982	0.416	0.429	0.421	0.219	1.20	1.15	1.67	2.07	1.30	0.678	0.582	0.758	0.913	1982
MEAN	0.645	0.618	1.24	2.52	2.78	1.17	2.44	1.32	0.978	0.741	0.652	0.628	1.31	MEAN

LOCATION - LAT 50 04 51 N DRAINAGE AREA, 2 480 km²
LONG 108 02 40 W REGULATED

SWIFT CURRENT CREEK BELOW REID LAKE - STATION NO. 05ND041

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1975	9.94 AT 22:37 CST ON MAY 12	9.71 ON MAY 13	0 B ON MAR 21 *	---	1975
1976	---	28.6 ON MAR 22 *	0.731 ON DEC 31	55 700	1976
1977	5.44 AT 08:56 CST ON MAY 11	5.41 ON MAY 10	0.320 ON AUG 16	39 400	1977
1978	5.84 AT 16:51 CST ON JUL 21	5.10 ON JUL 20	0.289 ON APR 9	31 800	1978
1979	20.8 AT 18:39 CST ON APR 21 *	20.7 ON APR 21	0.414 ON MAR 21	55 300	1979
1980	---	3.75 ON JUL 24	0.300 ON DEC 28	39 700	1980
1981	4.12 AT 17:49 CST ON JUL 18	3.84 ON JUL 13	0.309B ON JAN 16	38 500	1981
1982	---	3.70 ON JUL 30	0.095 ON APR 10	28 800	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		41 300	MEAN

SWIFT CURRENT CREEK BELOW ROCK CREEK - STATION NO. 05ND036

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1955	---	---	2.28	20.0	3.16	0.866	2.76	0.301	0.110	0.395	---	---	---	1955
1956	---	---	2.95	3.22	1.22	0.689	0.356	0.094	0.169	0.331	---	---	---	1956
1957	---	---	4.34	3.65	1.01	0.419	0.071	0.008	0.075	0.175	---	---	---	1957
1958	---	---	2.24	10.8	0.635	0.081	0.221	0.010	0.039	0.313	---	---	---	1958
1959	---	---	3.90	2.36	0.862	0.991	0.458	0.039	0.098	0.495	---	---	---	1959
1960	---	---	8.33	1.50	0.940	0.346	0.076	0.007	0	0.042	---	---	---	1960
1961	---	---	2.56	0.969	0.619	0.180	0.002	0	0	0.054	---	---	---	1961
1962	---	---	3.24	2.68	0.520	0.634	0.782	0.069	0.026	0.288	---	---	---	1962
1963	---	---	5.91	1.70	0.677	0.767	0.399	0.066	0	0.039	---	---	---	1963
1964	---	---	1.09	2.23	1.06	0.830	0.307	0.014	0.414	0.316	---	---	---	1964
1965	---	---	0.170	15.5	2.30	0.622	0.977	0.646	0.939	0.469	---	---	---	1965
1966	---	---	8.40	2.65	1.15	0.905	0.404	0.311	0.089	0.257	---	---	---	1966
1967	---	---	4.05	15.3	7.16	0.758	0.092	0.010	0.096	0.224	---	---	---	1967
1968	---	---	2.24	1.18	0.710	0.352	0.114	0.078	0.135	0.259	---	---	---	1968
1969	---	---	3.24	9.78	1.41	0.247	2.09	0.123	0.012	0.511	---	---	---	1969
1970	---	---	3.00	10.8	2.19	0.829	0.266	0.053	0.015	0.178	---	---	---	1970
1971	---	---	1.34	10.2	1.49	0.413	0.102	0.004	0.007	0.115	---	---	---	1971
1972	---	---	4.71	1.10	0.933	0.467	0.071	0.011	0.031	0.220	---	---	---	1972
1973	---	---	1.93	1.17	0.746	0.725	0.077	0.005	0	0.123	---	---	---	1973
1974	---	---	1.09	4.36	2.37	0.621	0.522	0.200	0.158	0.242	---	---	---	1974
1975	---	---	0.454	8.03	5.11	0.964	0.129	0.274	0.457	0.778	---	---	---	1975
1976	---	0.841	5.70	2.81	0.606	1.28	0.201	0.021	0.001	0.054	---	---	---	1976
1977	---	---	1.12	1.43	0.618	0.136	0.090	0.018	0.023	0.224	---	---	---	1977
1978	---	---	3.87	3.88	1.21	0.410	0.114	0.049	0.093	0.259	0.297	0.213	---	1978
1979	0.196	0.162	4.39	6.71	2.53	0.494	0.195	0.060	0.021	0.159	0.157	0.133	1.27	1979
1980	0.154	0.150	0.843	1.47	0.320	0.215	0.187	0.063	0.077	0.225	0.303	0.662	0.389	1980
1981	0.467	1.52	1.11	0.604	0.367	1.11	0.137	0.018	0.005	0.084	0.169	0.108	0.465	1981
1982	0.026	0.837	2.69	8.70	1.68	3.23	1.05	0.181	0.053	0.411	0.248	0.184	1.60	1982
MEAN	0.211	0.702	3.11	5.53	1.56	0.699	0.438	0.098	0.112	0.259	0.235	0.260	0.931	MEAN

LOCATION - LAT 49 50 39 N DRAINAGE AREA, 1 430 km²
LONG 108 28 46 W NATURAL FLOW

REMARKS - GAUGE LOCATED IN NW07-11-18-W3 PRIOR TO 1975 AND PUBLISHED AS "SWIFT CURRENT CREEK AT HIGHWAY NO. 37"

SWIFT CURRENT CREEK BELOW ROCK CREEK - STATION NO. 05HD036

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1955	92.9 AT 15:30 MST ON APR 10 *	85.2 ON APR 10 *	0.025 ON SEP 7	---	1955
1956	12.0 B AT 16:50 MST ON MAR 26	11.6 B ON MAR 26	0 B ON MAR 1 *	---	1956
1957	---	26.5 B ON MAR 21	0 ON JUL 15	---	1957
1958	57.8 B AT 18:00 MST ON APR 1	52.1 B ON APR 2	0 ON AUG 24	---	1958
1959	10.3 AT 18:00 MST ON JUN 28	8.72 ON JUN 28	0 ON AUG 11	---	1959
1960	49.3 B AT 23:00 MST ON MAR 19	43.0 B ON MAR 20	0 ON AUG 17	---	1960
1961	9.46B AT 22:00 MST ON MAR 19	7.90B ON MAR 18	0 ON JUL 11	---	1961
1962	22.8 B AT 09:00 MST ON MAR 27	22.5 B ON MAR 27	0 ON JUL 10	---	1962
1963	---	21.2 B ON MAR 24	0 ON AUG 22	---	1963
1964	---	7.82B ON APR 4	0 ON AUG 9	---	1964
1965	61.4 AT 17:00 MST ON APR 14	57.8 ON APR 14	0.014B ON MAR 21	---	1965
1966	---	31.7 B ON MAR 16	0 ON SEP 25	---	1966
1967	52.1 B AT 18:00 MST ON APR 11	45.3 B ON APR 10	0.003 ON SEP 4	---	1967
1968	6.99B AT 12:45 MST ON MAR 6	6.03B ON MAR 6	0.028 ON AUG 5	---	1968
1969	50.1 AT 01:07 MST ON APR 5	37.1 ON APR 5	0.008 ON SEP 14	---	1969
1970	42.8 B AT 02:41 MST ON APR 8	38.8 B ON APR 8	0.001 ON SEP 6	---	1970
1971	34.0 B AT 08:27 CST ON APR 8	30.9 B ON APR 7	0 ON AUG 20	---	1971
1972	19.8 B AT 08:10 CST ON MAR 19	18.5 B ON MAR 19	0 ON SEP 1	---	1972
1973	5.27 AT 08:15 CST ON MAR 26	3.17 ON MAR 26	0 ON AUG 27	---	1973
1974	11.9 B AT 02:45 CST ON APR 11	10.7 B ON APR 10	0.028B ON MAR 1	---	1974
1975	38.3 AT 00:45 CST ON APR 25	30.9 ON APR 25	0.034 ON JUL 29	---	1975
1976	38.8 B AT 22:17 CST ON MAR 19	33.7 B ON MAR 19	0 ON AUG 27	---	1976
1977	3.94B AT 01:07 CST ON APR 8	3.31B ON APR 8	0 ON SEP 8	---	1977
1978	---	15.3 B ON MAR 31	0 ON AUG 16	---	1978
1979	23.7 B AT 23:08 CST ON APR 19	18.8 B ON APR 20	0.008 ON SEP 17	40 100	1979
1980	4.87B AT 22:07 CST ON MAR 20	3.46B ON MAR 20	0.021 ON AUG 5	12 300	1980
1981	7.32B AT 02:15 CST ON FEB 18	6.51B ON FEB 18	0.003 ON SEP 4	14 700	1981
1982	45.3 B AT 20:33 CST ON APR 13	36.2 B ON APR 14	0 ON SEP 5	50 300	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		29 400	MEAN

SWIFT CURRENT CREEK NEAR LEINAN - STATION NO. 05HD039

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1973	---	---	1.03	0.946	0.404	0.365	0.195	0.253	0.286	0.364	0.376	0.466	---	1973
1974	0.122	0.154	0.159	9.67	2.02	0.995	0.606	1.10	1.02	1.37	0.947	0.453	1.54	1974
1975	0.217	0.099	0.255	5.38	4.18	1.57	1.08	1.38	1.38	1.69	1.02	0.557	1.57	1975
1976	0.627	0.657	11.5	3.68	1.23	2.45	1.26	1.69	1.70	1.63	1.06	0.851	2.37	1976
1977	0.759	1.10	0.850	0.467	1.21	0.429	0.579	0.361	0.446	0.879	0.338	0.221	0.635	1977
1978	0.138	0.155	2.04	2.37	0.901	0.650	0.395	0.493	0.651	0.782	0.565	0.403	0.798	1978
1979	0.078	0.072	3.64	7.03	2.87	1.04	0.822	1.05	1.26	1.32	0.770	0.561	1.71	1979
1980	0.502	0.533	2.86	1.17	0.318	0.209	0.646	0.516	0.651	0.799	0.511	0.764	0.793	1980
1981	0.759	2.09	0.979	0.619	0.266	0.595	0.654	0.457	0.442	0.529	0.619	0.393	0.691	1981
1982	0.193	0.261	5.26	5.68	0.982	1.36	2.61	1.41	1.35	1.19	0.640	0.843	1.82	1982
MEAN	0.377	0.569	2.86	3.70	1.44	0.966	0.885	0.871	0.919	1.06	0.685	0.551	1.33	MEAN

LOCATION - LAT 50 29 38 N DRAINAGE AREA, 3 720 km^2
LONG 107 39 31 W REGULATED

SWIFT CURRENT CREEK NEAR LEINAN - STATION NO. 05HD039

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1973	---	2.29 ON APR 30	---	---	1973
1974	---	32.8 B ON APR 15	0.027B ON MAR 19	48 700	1974
1975	---	34.0 B ON APR 22	0.082B ON JAN 30	49 500	1975
1976	---	63.1 B ON MAR 24 *	0.510B ON MAR 2	75 000	1976
1977	5.15 AT 21:25 CST ON MAY 27	2.80 ON MAY 20	0.153 ON JUN 14	20 000	1977
1978	---	6.37B ON MAR 30	0.116B ON JAN 20	25 100	1978
1979	35.7 B AT 17:58 CST ON APR 19	27.8 B ON APR 19	0.005B ON FEB 22	54 000	1979
1980	9.22B AT 05:09 CST ON MAR 21	8.44B ON MAR 21	0.058 ON JUN 2	25 100	1980
1981	42.5 AT 15:49 CST ON JUL 18	10.0 B ON FEB 19	0.031B ON JAN 16	21 800	1981
1982	42.7 B AT 20:57 CST ON APR 13 *	30.2 B ON MAR 17	0.002B ON JAN 16 *	57 400	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		41 800	MEAN

SWIFT CURRENT CREEK NEAR SWIFT CURRENT - STATION NO. 05HD038

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1914	0.034	0.032	3.41	6.07	1.22	0.793	0.268	0.015	0.847	1.24	0.573	0.324	1.24	1914
1915	0.173	0.107	2.99	5.75	2.02	2.44	2.27	0.842	0.830	1.11	0.738	0.362	1.64	1915
1916	0.106	0.388	23.4	8.31	3.35	3.56	7.51	1.75	1.25	1.43	0.258	0.276	4.33	1916
1917	0.251	0.063	0.067	38.2	10.2	2.42	1.43	0.797	1.86	1.55	1.30	0.248	4.84	1917
1918	0.097	0.383	28.8	7.17	1.65	0.956	0.357	0.236	0.192	1.40	0.610	0.265	3.55	1918
1919	0.152	0.346	0.518	5.16	1.62	0.322	0.069	0.066	0.165	0.815	0.851	0.179	0.818	1919
1920	0.001	0	7.10	9.30	2.98	1.42	0.824	0.129	0.266	0.662	0.579	0.349	1.97	1920
1921	0.154	1.39	4.19	5.22	2.24	0.872	0.463	0.249	0.497	0.633	0.616	0.506	1.42	1921
1922	0.130	0.043	4.73	19.8	3.14	1.09	0.727	0.559	0.354	0.410	0.982	0.363	2.64	1922
1923	0.223	0.114	1.97	8.46	1.61	6.70	1.66	0.562	0.284	0.545	0.546	0.397	1.91	1923
1924	0.175	0.412	0.330	3.14	1.15	1.13	0.422	0.858	0.194	0.716	0.505	0.410	0.783	1924
1925	0.113	0.387	19.4	12.2	1.82	1.82	0.338	0.205	0.402	0.898	0.628	0.165	3.18	1925
1926	0.143	0.224	16.1	2.25	1.18	0.719	0.287	0.134	0.413	0.556	0.312	0.110	1.90	1926
MEAN	0.135	0.299	8.69	10.1	2.63	1.83	1.28	0.492	0.581	0.890	0.615	0.304	2.32	MEAN

LOCATION - LAT 50 14 30 N DRAINAGE AREA, 3 160 km²
LONG 107 48 00 W NATURAL FLOW

SWIFT CURRENT CREEK NEAR SWIFT CURRENT - STATION NO. 05HD038

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1914	---	11.0 E ON APR 9	0 B ON FEB 6 *	39 000	1914
1915	---	28.0 E ON APR 5	0 B ON MAR 15	51 700	1915
1916	---	65.1 ON MAR 12	0.006B ON FEB 2	137 000	1916
1917	---	153 E ON APR 11 *	0.014B ON FEB 20	153 000	1917
1918	---	114 B ON MAR 18	0.051B ON JAN 16	112 000	1918
1919	---	17.0 B ON APR 6	0 ON JUL 30	25 800	1919
1920	---	21.0 B ON MAR 26	0 B ON JAN 1	62 200	1920
1921	---	12.5 ON APR 16	0.048B ON DEC 25	44 600	1921
1922	---	62.3 B ON APR 4	0.025B ON FEB 19	83 400	1922
1923	---	34.0 E ON JUN 20	0.028B ON FEB 14	60 300	1923
1924	---	8.07B ON APR 13	0.057B ON JAN 18	24 800	1924
1925	---	122 B ON MAR 27	0.054B ON FEB 1	100 000	1925
1926	---	41.9 B ON MAR 18	0.003E ON AUG 1	59 800	1926
				73 400	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SWIFT CURRENT CREEK NEAR SWIFT CURRENT (LOWER STATION) - STATION NO. 05HD006

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1913	---	---	---	---	---	1.90	1.37	0.348	0.215	0.875	---	0.305	---	1913
1914	0.051	0.059	2.87	6.46	1.17	0.833	0.183	0.021	0.577	1.00	0 407	0.306	1.18	1914
1915	0.146	0.087	3.34	6.54	2.04	2.07	2.40	0.745	0.586	0.866	0.617	0.326	1.65	1915
1916	0.120	0.294	17.3	7.31	2.97	3.15	5.23	1.30	0.761	1.31	0.468	0.339	3.40	1916
MEAN	0.106	0.147	7.84	6.77	2.06	1.99	2.30	0.602	0.535	0.913	0.564	0.319	2.08	MEAN

LOCATION - LAT 50 15 50 N DRAINAGE AREA, 3 230 km²
LONG 107 47 15 W REGULATED

SWIFT CURRENT CREEK NEAR SWIFT CURRENT (LOWER STATION) - STATION NO. 05HD006

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1913	---	---	---	---	1913
1914	---	10.9 ON APR 9	0.003 ON AUG 21 *	37 100	1914
1915	---	28.0 ON APR 5	0.085B ON FEB 1	52 100	1915
1916	---	62.9 ON MAR 12 *	0.048B ON JAN 25	100 000	1916
				65 700	MEAN

B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

SWIFT CURRENT CREEK NEAR THE MOUTH - STATION NO. 05HD037

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1965	---	---	---	---	4.34	0.877	0.954	0.644	0.857	2.09	---	---	---	1965
1966	---	---	19.9	5.40	2.44	1.36	0.726	0.791	0.846	1.71	---	---	3.66	1966
1967	---	---	1.28	31.1	9.58	1.51	0.540	0.401	0.900	0.937	---	---	5.72	1967
1968	---	---	4.08	1.79	1.95	1.13	0.831	0.955	0.896	2.63	---	---	1.79	1968
1969	---	---	0.496	21.1	1.59	1.08	1.66	1.40	2.00	1.46	---	---	3.79	1969
1970	---	---	4.90	27.3	2.12	3.46	2.26	1.45	2.04	2.13	---	---	5.64	1970
1971	---	---	1.48	23.7	2.62	2.70	2.10	1.55	1.80	2.15	---	---	4.70	1971
1972	---	---	3.07	2.11	1.24	0.711	0.464	0.383	0.448	0.959	---	---	1.17	1972
MEAN	---	---	4.45	16.1	3.24	1.60	1.19	0.947	1.22	1.76	---	---	3.78	MEAN

LOCATION - LAT 50 36 06 N DRAINAGE AREA, 3 910 km²
LONG 107 43 22 W REGULATED SINCE 1942

SWIFT CURRENT CREEK NEAR THE MOUTH - STATION NO. 05HD037

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1965	---	---	---	---	1965
1966	---	37.4B ON MAR 20	0.816 ON JUL 24	77 500	1966
1967	---	99.1 ON APR 14	0.198 ON AUG 29 *	121 000	1967
1968	---	13.6B ON MAR 2	0.340 ON OCT 6	37 800	1968
1969	---	119 B ON APR 5 *	0.198B ON MAR 1	80 300	1969
1970	---	96.3B ON APR 7	0.283B ON MAR 1	119 000	1970
1971	95.4B AT 12:00 CST ON APR 8 *	82.1B ON APR 8	0.425B ON MAR 1	99 500	1971
1972	---	23.3B ON MAR 19	0.311 ON SEP 4	24 900	1972
				80 000	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

TATAGWA LAKE DRAIN NEAR WEYBURN - STATION NO. 05HB018

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1960	---	---	0	0.582	0.189	0.030	0	0	0	0	---	---	0.099	1960
1961	---	---	0.001	0	0	0	0	0	0	0	---	---	0	1961
1962	---	---	0.002	0.003	0	0	0	0	0	0	---	---	0.001	1962
1963	---	---	0	0	0	0	0	0	0	0	---	---	0	1963
1964	---	---	0	0	0	0	0	0	0	0	---	---	0	1964
1965	---	---	0	0.004	0.032	0.207	0.080	0.025	0.047	0 030	---	---	0.053	1965
1966	---	---	0.013	0.116	0.082	0.017	0.008	0	0	0	---	---	0.029	1966
1967	---	---	0	0.028	0.046	0.020	0.003	0	0	0	---	---	0.012	1967
1968	---	---	0.003	0	0	0	0	0	0	0	---	---	0	1968
1969	---	---	0	0.819	1.18	0.308	0.247	0.264	0.096	0.033	---	---	0.368	1969
1970	---	---	0	0.133	1.98	1.35	0.692	0.044	0.017	0.014	---	---	0.528	1970
1971	---	---	0	0.948	0.340	0.014	0.006	0.002	0	0	---	---	0.162	1971
1972	---	---	0.003	0.218	0.078	0.028	0.002	0	0	0	---	---	0.041	1972
1973	---	---	0.001	0.001	0.005	0.001	0	0	0	0	---	---	0.001	1973
1974	---	---	0	1.07	2.16	0.298	0.040	0.016	0.013	0.011	---	---	0.450	1974
1975	---	---	0	0.648	3.31	1.08	0.084	0.014	0.019	0.017	---	---	0.648	1975
1976	---	---	0.007	3.41	1.98	1.04	0.878	0.394	0.138	0.088	0.125	0	0.984	1976
1977	---	---	0	0.049	0.050	0.010	0	0	0	0	---	---	0.014	1977
1978	---	---	0	0.181	0.086	0.057	0.198	0.196	0.124	0.080	0.052	0.007	0.115	1978
1979	---	---	0	0.482	3.88	2.06	0.495	0.138	0.045	0.017	---	---	0.891	1979
1980	---	---	0.003	0.149	0.045	0	0	0	0	0	---	---	0.024	1980
1981	---	---	0.001	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	0.540	0.892	0.127	0.031	0.010	0.001	0.005	---	---	0.200	1982
MEAN	---	---	0.001	0.408	0.710	0.289	0.120	0.048	0.022	0.013	0.089	0.004	0.201	MEAN

LOCATION - LAT 49 35 58 N DRAINAGE AREA, 240 km²
LONG 103 56 50 W REGULATED

TATAGWA LAKE DRAIN NEAR WEYBURN - STATION NO. 05HB018

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1960	---	1.13 E ON APR 9	0 ON MAR 1 *	2 090	1960
1961	---	0.014B ON MAR 22	0B ON MAR 1	3.72	1961
1962	---	0.023B ON APR 1	0B ON MAR 1	12.9	1962
1963	---	0 ON MAR 1	0 ON MAR 1	0	1963
1964	---	0 ON MAR 1	0 ON MAR 1	0	1964
1965	---	0.306 ON JUN 9	0B ON MAR 1	1 120	1965
1966	---	0.249 ON MAY 4	0B ON MAR 1	620	1966
1967	---	0.091 ON MAY 6	0B ON MAR 1	255	1967
1968	---	0.015B ON MAR 7	0B ON MAR 1	6.83	1968
1969	---	1.70 ON APR 21	0B ON MAR 1	7 790	1969
1970	---	2.59 ON MAY 18	0B ON MAR 1	11 200	1970
1971	---	1.59 ON APR 16	0B ON MAR 1	3 430	1971
1972	0.283 AT 19:32 CST ON APR 9	0.283E ON APR 3	0B ON MAR 1	858	1972
1973	---	0.008E ON APR 1	0B ON MAR 1	20.8	1973
1974	3.60 AT 00:39 CST ON APR 29	3.57 ON APR 29	0B ON MAR 1	9 530	1974
1975	4.13 AT 17:51 CST ON MAY 2	4.13 A ON MAY 1	0B ON MAR 1	13 700	1975
1976	5.01 AT 12:00 CST ON APR 14 *	4.93 ON APR 14 *	0B ON MAR 1	20 800	1976
1977	0.17B AT 04:15 CST ON MAY 10	0.10B ON MAY 19	0B ON MAR 1	286	1977
1978	0.793B AT 18:00 CST ON APR 11	0.793B ON APR 11	0B ON MAR 1	2 440	1978
1979	4.33 AT 23:19 CST ON MAY 17	4.24 ON MAY 17	0B ON MAR 1	18 900	1979
1980	0.483B AT 11:28 CST ON APR 8	0.338B ON APR 8	0B ON MAR 1	515	1980
1981	0.025B AT 09:48 CST ON MAR 14	0.015B ON MAR 14	0B ON MAR 1	1.73	1981
1982	2.61 AT 14:23 CST ON APR 26	2.42 ON APR 27	0B ON MAR 1	4 240	1982
				4 250	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

TAZIN RIVER ABOVE TESELJIRI FALLS - STATION NO. 07QC001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1936	---	---	---	---	---	---	---	---	---	---	83.8	71.1	---	1936
1937	58.9	45.8	33.6	---	---	---	---	---	---	---	---	---	---	1937
1939	---	---	---	17.9	45.1	77.1	---	---	8.14	11.1	12.5	---	---	1939
MEAN	58.9	45.8	33.6	17.9	45.1	77.1	---	---	8.14	11.1	48.2	71.1	---	MEAN

LOCATION - LAT 59 50 00 N, LONG 109 37 00 W
DRAINAGE AREA, 10 400 km^2
NATURAL FLOW

TEARING RIVER NEAR CUMBERLAND HOUSE - STATION NO. 05KH012

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1954	---	---	---	---	---	---	589	363	590	330	---	---	---	1954
1955	---	---	---	---	---	469	379	228	---	---	---	---	---	1955
1956	---	---	---	---	---	341	286	204	---	---	---	---	---	1956
1957	---	---	---	---	---	248	152	96.3	84.1	---	---	---	---	1957
1958	---	---	---	---	218	256	242	148	69.4	---	---	---	---	1958
1959	---	---	---	---	---	164	350	157	85.2	72.0	---	---	---	1959
1960	---	---	---	---	---	185	212	139	50.7	10.3	---	---	---	1960
1961	---	---	81.6	123	107	228	158	96.7	40.2	6.98	---	---	---	1961
1962	---	---	6.29	114	154	122	131	108	31.1	1.21	1.03	6.98	---	1962
1963	66.8	112	120	147	133	136	211	161	84.9	36.8	14.0	33.0	105	1963
1964	95.8	119	124	139	134	175	388	110	41.6	74.5	41.5	38.2	124	1964
1965	78.2	99.1	134	196	239	328	---	446	141	131	93.1	105	---	1965
1966	122	112	142	255	160	204	291	188	58.9	5.18	6.39	15.9	130	1966
1967	56.8	117	125	108	181	154	156	84.0	18.4	5.14	3.16	59.7	89.0	1967
1968	132	79.6	104	123	41.4	29.1	50.8	60.9	39.9	11.5	24.1	77.3	64.5	1968
1969	142	168	144	193	159	95.5	270	153	77.0	55.2	46.2	90.1	133	1969
1970	211	219	116	112	226	105	165	132	46.6	13.8	33.7	119	125	1970
1971	172	165	161	201	178	130	140	128	30.6	7.51	40.7	130	123	1971
1972	153	150	176	---	318	143	242	173	75.3	70.8	74.1	112	---	1972
1973	189	197	184	165	149	195	143	63.9	66.5	32.8	56.7	81.4	127	1973
1974	154	193	197	275	683	414	232	138	124	103	67.4	113	225	1974
1975	---	---	164	155	---	---	149	56.8	18.9	13.8	38.5	114	---	1975
MEAN	131	144	132	165	205	206	235	156	88.7	54.5	38.6	78.3	125	MEAN

LOCATION - LAT 53 57 00 N, LONG 102 11 00 W
NATURAL FLOW

TEARING RIVER NEAR CUMBERLAND HOUSE - STATION NO. 05KH012

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1954	---	---	---	---	1954
1955	---	---	---	---	1955
1956	---	---	---	---	1956
1957	---	---	---	---	1957
1958	---	---	---	---	1958
1959	---	484 ON JUL 14	---	---	1959
1960	---	263 ON JUL 20	---	---	1960
1961	---	323 ON JUN 23	1.55 ON OCT 19	---	1961
1962	---	300 ON APR 30	0 ON OCT 24 *	---	1962
1963	---	278 ON JUL 22	2.83 ON NOV 17	3 300 000	1963
1964	---	515 ON JUL 6	5.44 ON NOV 19	3 910 000	1964
1965	---	---	56.6 E ON JAN 1	---	1965
1966	---	391 ON JUL 21	2.17 ON OCT 10	4 100 000	1966
1967	---	297 ON MAY 8	1.20 ON OCT 23	2 810 000	1967
1968	---	143 ON JAN 17	1.46 ON OCT 15	2 040 000	1968
1969	---	430 ON JUL 22	3.65 ON NOV 11	4 190 000	1969
1970	---	433 ON MAY 6	2.43 ON SEP 27	3 930 000	1970
1971	---	297 ON APR 23	3.17 ON OCT 8	3 890 000	1971
1972	---	---	30.6 ON NOV 29	---	1972
1973	---	269 ON JUN 18	3.57 ON NOV 6	3 990 000	1973
1974	---	858 ON MAY 7 *	35.7 ON NOV 19	7 080 000	1974
1975	---	---	3.57 ON SEP 2	---	1975
				3 920 000	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

E - ESTIMATED

TENAILLE DITCH NEAR KLINTONEL - STATION NO. 11AC046

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1912	---	---	0	0	0	0	0	0	0	0	---	---	0	1912
MEAN	---	---	0	0	0	0	0	0	0	0	---	---	0	MEAN

LOCATION - LAT 49 39 10 N
LONG 108 55 20 W REGULATED

REMARKS - NO WATER WAS DIVERTED FROM 1912-22

TENAILLE DITCH NEAR KLINTONEL - STATION NO. 11AC046

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1912	---	0 ON MAR 1 *	0 ON MAR 1 *	0	1912
				0	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

TENMILE CREEK NEAR TENMILE POLICE DETACHMENT - STATION NO. 11AB004

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1909	---	---	---	---	---	---	---	0.008	0.008	0.008	---	---	---	1909
1911	---	---	---	---	---	0.008	0.005	0.005	0.092	---	---	---	---	1911
1912	---	---	---	---	0.022	0.009	0.006	0.006	0.006	0.007	---	---	---	1912
1913	---	---	---	0.150	0.027	0.015	0.014	0.008	0.007	0.007	---	---	---	1913
1914	---	---	---	0.061	0.011	0.007	0.004	0.004	0.005	0.004	---	---	---	1914
1915	---	---	---	0.175	---	---	---	---	---	---	---	---	---	1915
MEAN	---	---	---	0.129	0.020	0.010	0.007	0.006	0.024	0.007	---	---	---	MEAN

LOCATION - LAT 49 26 00 N
LONG 109 51 00 W DRAINAGE AREA, 79.8 km^2
NATURAL FLOW

TENMILE CREEK NEAR TENMILE POLICE DETACHMENT - STATION NO. 11AB004

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1909	---	---	---	---	1909
1911	---	---	0 ON AUG 15 *	---	1911
1912	---	---	---	---	1912
1913	---	---	---	---	1913
1914	---	---	---	---	1914
1915	---	---	---	---	1915
				---	MEAN

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

THUNDER CREEK AT MOOSE JAW - STATION NO. 05JG003

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1935	---	---	---	---	---	---	---	---	0	0	---	---	---	1935
1936	---	---	---	0.525	0.301	---	---	---	---	---	---	---	---	1936
MEAN	---	---	---	0.525	0.301	---	---	---	0	0	---	---	---	MEAN

LOCATION - LAT 50 23 12 N DRAINAGE AREA, 3 550 km²
LONG 105 37 33 W NATURAL FLOW

THUNDER CREEK AT MOOSE JAW - STATION NO. 05JG003

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1935	---	---	0 ON SEP 1 *	---	1935
1936	---	---	0E ON APR 5	---	1936
				---	MEAN

E - ESTIMATED

* - EXTREME RECORDED FOR THE PERIOD OF RECORD

THUNDER CREEK NEAR DARMODY - STATION NO. 05JG012

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1969	---	---	0	0.472	0.001	0	0.003	0.006	0	0	---	---	0.059	1969
1970	---	---	0.319	2.38	0.653	0.557	0.136	0.005	0.055	0	---	---	0.508	1970
1971	---	---	0	1.01	0.179	0.008	0	0	0	0.011	---	---	0.148	1971
1972	---	---	0.060	0.008	0.021	0.003	0	0.090	0	0	---	---	0.023	1972
1973	---	---	0.105	0.030	0.016	0.003	0	0.007	0.003	0	---	---	0.021	1973
1974	---	---	0	2.92	1.62	0.530	0	0.011	0	0.001	---	---	0.630	1974
1975	---	---	0	1.32	0.933	0.071	0.018	0.019	0	0.119	---	---	0.308	1975
1976	---	---	1.09	3.00	0.160	0.007	0.035	0.281	0	0	---	---	0.566	1976
1977	---	---	0.050	0.114	0.096	0.001	0	0	0	0	---	---	0.033	1977
1978	---	---	0.127	0.087	0.001	0	0	0	0	0	---	---	0.027	1978
1979	---	---	0.216	0.239	0.005	0	0	0	0	0	---	---	0.057	1979
1980	---	---	0.110	0.067	0	0	0	0	0	0	---	---	0.022	1980
1981	---	0.010	0.001	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0.004	1.97	0.086	0.023	0	0	0	0	---	---	0.256	1982
MEAN	---	0.010	0.149	0.973	0.269	0.086	0.013	0.030	0.004	0.009	---	---	0.190	MEAN

LOCATION - LAT 50 39 33 N DRAINAGE AREA, 986 km²
LONG 106 16 45 W REGULATED SINCE 1962

THUNDER CREEK NEAR DARMODY - STATION NO. 05JG012

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1969	---	4.08 A ON APR 9	0B ON MAR 1 *	1 240	1969
1970	6.77 AT 11:42 CST ON APR 7	6.03 ON APR 7	0B ON MAR 1	10 700	1970
1971	4.33 AT 04:30 CST ON APR 8	3.54 ON APR 8	0B ON MAR 1	3 140	1971
1972	0.626B AT 09:17 CST ON MAR 18	0.382B ON MAR 18	0B ON MAR 1	489	1972
1973	0.640 AT 14:33 CST ON MAR 13	0.425 ON MAR 13	0B ON MAR 1	436	1973
1974	38.8 B AT 08:04 CST ON APR 19 *	31.4 B ON APR 19 *	0B ON MAR 1	13 300	1974
1975	3.57 AT 21:39 CST ON APR 14	2.83 ON APR 15	0B ON MAR 1	6 510	1975
1976	6.03 AT 18:32 CST ON APR 5	5.80 ON APR 5	0B ON MAR 1	12 000	1976
1977	2.16 AT 01:38 CST ON MAY 25	1.31 ON MAY 25	0B ON MAR 1	689	1977
1978	1.09 AT 18:27 CST ON MAR 28	0.867 ON MAR 28	0B ON MAR 1	569	1978
1979	1.74 AT 17:25 CST ON MAR 20	1.19 ON MAR 20	0B ON MAR 1	1 210	1979
1980	0.652 AT 00:54 CST ON MAR 31	0.609 ON MAR 31	0B ON MAR 1	468	1980
1981	---	0.003B ON MAR 1	0B ON MAR 15	1.64	1981
1982	21.3 AT 15:33 CST ON APR 14	19.7 B ON APR 14	0B ON MAR 1	5 420	1982
				4 010	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

THYME HILL RIVER BELOW MACKENZIE LAKE - STATION NO. 06DB003

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1978	---	---	---	---	21.5 R	22.9 R	11.3 R	9.56R	13.8 R	12.6 R	8.48R	5.05R	---	1978
1979	3.47	2.49	1.99	1.88	8.61	18.9	15.4	9.40	6.60	12.9	10.1	5.53R	8.15R	1979
1980	3.25	2.35	2.17	4.16	10.7	5.67	8.25	17.6	16.2	16.7	11.9	6.81	8.84	1980
1981	4.83	3.77	3.02	2.84	18.6	18.3	9.90	5.40	3.36	3.31	3.60	3.27	6.71	1981
1982	2.40	1.83	1.58	1.52	14.3	14.5	9.60	7.55	8.49	6.63	4.71	3.61	6.42	1982
MEAN	3.49	2.61	2.19	2.60	14.7 R	16.1 R	10.9 R	9.90R	9.69R	10.4 R	7.76R	4.85R	7.53	MEAN

LOCATION - LAT 57 46 10 N DRAINAGE AREA, 1 300 km²
LONG 102 43 50 W NATURAL FLOW

R - REVISED SINCE JAN 1980

THYME HILL RIVER BELOW MACKENZIE LAKE - STATION NO. 06DB003

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1978	31.3R AT 18:10 CST ON MAY 30 *	31.2R ON MAY 30 *	---	---	1978
1979	24.4 AT 04:54 CST ON JUN 5	24.2 ON JUN 5	1.68 ON APR 10	257 000R	1979
1980	20.7 AT 19:50 CST ON AUG 5	20.6 ON AUG 5	2.10 ON MAR 12	279 000	1980
1981	29.5 AT 16:50 CST ON MAY 21	29.3 ON MAY 21	2.74E ON APR 3	211 000	1981
1982	18.8A IN MAY	18.4 ON MAY 22	1.41 ON APR 7 *	202 000	1982
				237 000R	MEAN

A - MANUAL GAUGE
(SEE REFERENCE INDEX) E - ESTIMATED

* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

TORCH RIVER NEAR LOVE - STATION NO. 05KE002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1950	---	---	---	---	---	---	---	8.69	2.16	---	---	---	---	1950
1951	---	---	---	---	34.8	11.5	6.87	4.60	5.62	5.28	---	---	---	1951
1952	---	---	---	13.0	11.9	12.0	13.6	9.77	7.04	5.76	---	---	---	1952
1953	---	---	1.14	22.8	11.9	9.04	13.8	6.11	2.69	2.46	---	---	---	1953
1954	---	---	0.939	3.00	24.8	35.7	32.9	61.1	64.6	32.5	---	---	---	1954
1955	---	---	4.14	55.3	47.7	19.7	22.9	15.4	8.17	7.00	---	---	---	1955
1956	---	---	3.12	18.4	47.9	22.8	18.0	10.1	6.61	4.14	---	---	---	1956
1957	---	---	0	29.0	29.9	7.32	5.58	4.53	8.27	4.41	---	---	---	1957
1958	---	---	3.91	36.0	17.3	7.65	2.92	1.28	2.13	3.48	---	---	---	1958
1959	---	---	1.39	19.1	7.06	8.45	7.20	5.25	5.15	6.54	---	---	---	1959
1960	---	---	1.62	19.6	35.9	31.0	20.3	16.3	7.40	6.74	---	---	---	1960
1961	---	---	2.07	12.8	17.2	6.85	1.84	0.730	0.551	1.19	---	---	---	1961
1962	---	---	1.05	8.15	16.2	3.23	1.22	0.591	0.854	1.79	---	---	---	1962
1963	---	---	0.136	9.56	3.99	3.46	13.7	6.12	4.16	2.86	---	---	---	1963
1964	---	---	0.777	6.20	5.37	1.42	0.564	1.45	4.83	5.14	---	---	---	1964
1965	---	---	0.690	8.77	10.4	17.0	17.9	11.2	9.32	5.34	---	---	---	1965
1966	---	---	1.18	8.11	6.86	15.9	20.9	13.6	6.52	4.20	---	---	---	1966
1967	---	---	1.88	3.18	11.2	7.53	3.79	3.57	0.777	2.01	---	---	---	1967
1968	---	---	0.344	2.55	5.39	10.9	6.31	2.98	7.96	6.90	---	---	---	1968
1969	---	---	2.72	12.1	5.78	4.45	2.78	3.06	1.76	11.2	---	---	---	1969
1970	---	---	1.31	15.2	15.8	12.9	47.2	17.5	10.7	7.67	---	---	---	1970
1971	---	---	1.87	19.6	12.3	17.1	32.0	14.3	7.00	7.36	---	---	---	1971
1972	---	---	2.57	21.6	38.1	12.0	7.59	4.41	4.33	5.25	4.20	1.87	---	1972
1973	1.55	2.81	2.92	8.18	18.8	89.2	61.4	26.9	24.4	16.8	23.7	20.9	24.8	1973
1974	6.92	6.09	5.45	45.1	60.4	39.3	32.5	27.1	24.7	19.2	11.5	13.2	24.4	1974
1975	7.77	5.10	4.57	14.3	32.3	26.3	12.6	7.46	4.30	4.26	2.03	1.26	10.2	1975
1976	0.997	1.49	1.84	8.71	4.42	9.87	14.3	7.01	2.62	2.44	1.36	0.547	4.64	1976
1977	0.562	0.565	0.575	3.25	5.40	5.72	4.03	6.18	6.55	6.60	3.14	1.10	3.65	1977
1978	0.918	0.738	0.787	13.1	26.2	25.0	7.74	5.50	11.5	12.8	14.8	14.3	11.2	1978
1979	5.19	3.74	3.64	17.5	44.7	19.7	8.51	2.15	3.60	3.25	3.01R	1.69 R	9.76R	1979
1980	1.01	1.08	1.21	8.03	4.23	2.04	3.24	5.95	14.1	17.1	5.66	2.18	5.49	1980
1981	2.40	2.30	3.05	9.44	11.6	10.5	4.46	2.44	1.07	2.71	2.18	1.05	4.35	1981
1982	0.478	0.367	0.464	7.46	7.15	9.01	8.49	8.75	8.20	7.66	3.31	1.49	5.26	1982
MEAN	2.78	2.43	1.91	15.4	19.8	16.1	14.3	9.76	8.47	7.25	6.81R	5.42 R	10.4	MEAN

LOCATION - LAT 53 35 15 N LONG 104 09 40 W DRAINAGE AREA, 4 650 km^2 REGULATED

R - REVISED SINCE JAN 1980

TORCH RIVER NEAR LOVE - STATION NO. 05KE002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1950	---	---	---	---	1950
1951	---	105 ON MAY 2	---	---	1951
1952	---	32.3 ON MAY 7	---	---	1952
1953	---	43.0 ON APR 25	---	---	1953
1954	---	161 ON AUG 25	---	---	1954
1955	---	170 B ON APR 10 *	---	---	1955
1956	---	85.0E ON MAY 5	---	---	1956
1957	---	149 B ON APR 24	0 B ON MAR 1 *	---	1957
1958	---	56.1 ON APR 21	---	---	1958
1959	---	36.5B ON APR 14	---	---	1959
1960	---	71.9 ON MAY 26	---	---	1960
1961	50.1 AT 17:30 CST ON APR 24	39.4 ON APR 24	---	---	1961
1962	---	31.7B ON APR 23	---	---	1962
1963	---	35.4 ON JUL 20	---	---	1963
1964	---	18.6B ON APR 16	---	---	1964
1965	---	26.7 ON JUL 25	---	---	1965
1966	30.6 AT 13:00 CST ON JUL 23	29.2 ON JUL 23	---	---	1966
1967	---	19.3B ON MAY 1	---	---	1967
1968	21.8 AT 09:00 CST ON JUN 2	20.9 ON JUN 3	---	---	1968
1969	---	33.4 ON APR 15	---	---	1969
1970	100 AT 15:30 CST ON JUL 4	100 ON JUL 4	---	---	1970
1971	85.0B AT 12:20 CST ON APR 15	49.6 ON APR 19	---	---	1971
1972	131 AT 20:04 CST ON APR 27	117 ON APR 28	---	---	1972
1973	151 AT 16:18 CST ON JUN 11	150 ON JUN 11	0.524B ON JAN 16	783 000	1973
1974	173 B AT 16:01 CST ON APR 19 *	126 ON APR 23	5.01 B ON MAR 28	769 000	1974
1975	49.3 AT 00:01 CST ON MAY 1	49.0 ON APR 30	0.963B ON DEC 31	322 000	1975
1976	26.9 AT 04:25 CST ON JUL 17	26.8 ON JUL 17	0.518B ON JAN 15	147 000	1976
1977	16.3 AT 19:53 CST ON MAY 30	16.0 ON MAY 30	0.538B ON JAN 1	115 000	1977
1978	---	37.4 ON APR 30	0.261B ON MAR 2	352 000	1978
1979	81.1 AT 23:27 CST ON MAY 20	80.4 ON MAY 20	0.300RB ON DEC 10	308 000R	1979
1980	35.5B AT 15:52 CST ON APR 18	19.2 ON SEP 28	0.798B ON JAN 31	173 000	1980
1981	15.3 AT 12:49 CST ON MAY 5	15.2 ON MAY 5	0.501B ON DEC 21	137 000	1981
1982	---	20.5B ON APR 25	0.240B ON FEB 2	166 000	1982
				327 000R	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

TURTLELAKE RIVER NEAR TURTLEFORD - STATION NO. 05EG005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1966	---	---	0.110	2.00	0.753	0.437	0.296	0.098	0.077	0.102	---	---	0.480	1966
1967	---	---	0	0.078	0.408	0.079	0.168	0.103	0.024	0.102	---	---	0.121	1967
1968	---	---	2.11	1.09	0.305	0.212	0.161	0.147	0.135	0.171	---	---	0.543	1968
1969	---	---	0.012	3.34	0.494	0.096	0.076	0.051	0.181	0.144	---	---	0.542	1969
1970	---	---	0.102	1.99	0.302	0.503	0.922	0.063	0.116	0.134	---	---	0.512	1970
1971	---	---	0.109	1.28	0.224	0.154	0.281	0.363	0.094	0.115	---	---	0.325	1971
1972	---	---	0.143	1.95	0.515	0.194	0.151	0.073	0.132	0.111	---	---	0.404	1972
1973	---	---	0.021	0.917	0.529	0.450	0.396	0.061	0.069	0.139	---	---	0.321	1973
1974	---	---	0.001	5.34	2.58	2.84	1.99	1.59	1.23	0.765	---	---	2.03	1974
1975	---	---	0.530	1.73	2.11	2.34	3.26	2.26	1.11	0.394	---	---	1.72	1975
1976	---	---	0.558	1.28	0.354	0.293	0.259	0.171	0.320	0.248	---	---	0.433	1976
1977	---	---	0	0.696	0.476	0.141	0.360	0.139	0.137	0.097	---	---	0.255	1977
1978	---	---	0.181	0.701	2.04	2.64	1.07	0.978	0.311	0.238	---	---	1.02	1978
1979	---	---	0.066	1.88	1.47	1.49	1.34	0.836	0.099	0.165	---	---	0.916	1979
1980	---	---	0.110	0.664	0.203	0.094	0.026	0.143	0.135	0.105	---	---	0.184	1980
1981	---	---	0.354	1.33	0.365	0.110	0.095	0.029	0.017	0.145	---	---	0.304	1981
1982	---	---	0.094	0.498	0.085	0.084	0.052	0.043	0.034	0.133	---	---	0.127	1982
MEAN	---	---	0.265	1.57	0.777	0.715	0.641	0.420	0.248	0.195	---	---	0.602	MEAN

LOCATION - LAT 53 22 37 N
LONG 108 57 04 W
DRAINAGE AREA, 2 310 km^2
NATURAL FLOW

TURTLELAKE RIVER NEAR TURTLEFORD - STATION NO. 05EG005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1966	---	5.07 B ON APR 7	0.040 ON AUG 25	10 200	1966
1967	---	0.620B ON MAY 2	0 B ON MAR 1 *	2 560	1967
1968	---	5.41 B ON MAR 28	0.028 ON AUG 18	11 500	1968
1969	---	16.5 B ON APR 12	0 B ON MAR 1	11 500	1969
1970	---	6.26 B ON APR 18	0 B ON APR 4	10 800	1970
1971	3.85B AT 03:44 CST ON APR 16	3.09 B ON APR 16	0.015 ON AUG 31	6 880	1971
1972	6.51B AT 17:47 CST ON APR 16	5.30 B ON APR 16	0 B ON MAR 1	8 550	1972
1973	1.90 AT 07:50 CST ON JUL 2	1.59 ON JUL 2	0 B ON MAR 1	6 800	1973
1974	28.9 AT 19:45 CST ON APR 19 *	26.2 ON APR 19 *	0 B ON MAR 1	42 900	1974
1975	---	9.06 B ON APR 25	0.252B ON OCT 29	36 300	1975
1976	---	2.21 B ON APR 5	0.005 ON JUL 27	9 170	1976
1977	---	4.02 B ON APR 10	0 B ON MAR 1	5 390	1977
1978	3.11 AT 20:09 CST ON JUN 23	2.89 ON JUN 23	0.028B ON MAR 1	21 600	1978
1979	7.99B AT 22:37 CST ON APR 25	6.72 B ON APR 26	0.009 ON SEP 4	19 400	1979
1980	2.10 AT 19:59 CST ON APR 19	1.80 ON APR 19	0.003 ON JUL 10	3 890	1980
1981	5.14B AT 10:59 CST ON APR 1	4.65 B ON APR 1	0.001 ON AUG 20	6 420	1981
1982	1.71 AT 04:28 CST ON JUN 19	1.34 B ON APR 15	0.003 ON AUG 11	2 690	1982
				12 700	MEAN

B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

UNNAMED CREEK NEAR CUTBANK - STATION NO. 05HF022

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	0.307	---	---	---	---	---	---	---	---	---	---	1970
1973	---	---	0.081	0.001	---	---	---	---	---	---	---	---	---	1973
1975	---	---	0	0.231	0.017	0	0	0	0	0	---	---	0.030	1975
1976	---	---	0.144	0.596	0	0.504	0.002	0	0	0	---	---	0.153	1976
1977	---	---	0 R	0 R	0 R	0 R	0 R	0R	0R	0R	---	---	0 R	1977
1978	---	---	0	0.006	0.002	0	0	0	0	0	---	---	0.001	1978
1979	---	---	0.014	0.345	0.029	0	0	0	0	0	---	---	0.048	1979
1980	---	---	0.072	0.038	0	0	0	0	0	0	---	---	0.014	1980
1981	---	0	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	0	0.026	0.290	0.005	0	0	0	0	0	---	---	0.039	1982
MEAN	---	0	0.064R	0.167R	0.007R	0.063R	0 R	0R	0R	0R	---	---	0.036	MEAN

LOCATION - LAT 51 21 28 N
LONG 106 52 15 W
DRAINAGE AREA, 168 km²
NATURAL FLOW

R - REVISED SINCE JAN 1980

UNNAMED CREEK NEAR CUTBANK - STATION NO. 05HF022

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1970	---	---	---	---	1970
1973	---	0.283B ON MAR 10	0B ON MAR 1 *	---	1973
1975	---	1.63 ON APR 17	0B ON MAR 1	646	1975
1976	8.52 AT 18:55 CST ON JUN 9 *	5.41 ON APR 1 *	0B ON MAR 1	3 250	1976
1977	0.056R AT 18:15 CST ON MAY 15	0.002R ON MAY 15	0B ON MAR 1	0.17R	1977
1978	0.045 AT 01:57 CST ON MAY 2	0.028 ON MAY 2	0 ON MAR 1	20.3	1978
1979	1.64 AT 03:46 CST ON APR 19	1.51 ON APR 19	0B ON MAR 1	1 010	1979
1980	0.971B AT 12:19 CST ON MAR 29	0.668B ON MAR 29	0B ON MAR 1	292	1980
1981	---	0 ON MAR 1	0 ON MAR 1	0	1981
1982	2.26 B AT 12:30 CST ON APR 12	1.76 ON APR 13	0B ON MAR 1	835	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD R - REVISED SINCE JAN 1980		757 R	MEAN

UNNAMED CREEK NEAR GLENSIDE - STATION NO. 05HG018

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	0.183	0.109	---	---	---	---	---	---	---	---	---	1970
1971	---	---	---	0.211	---	---	---	---	---	---	---	---	---	1971
1972	---	---	0.086	---	---	---	---	---	---	---	---	---	---	1972
1973	---	---	0.118	---	---	---	---	---	---	---	---	---	---	1973
1974	---	---	---	0.428	0.002	---	---	---	---	---	---	---	---	1974
1975	---	---	0	0.077	0.002	0	0	0	0	0	---	---	0.010	1975
1976	---	---	0.114	0.372	0	0.132	0	0	0	0	---	---	0.076	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0	0	0	0	0	0	0	0	---	---	0	1978
1979	---	---	0.001	0.116	0	0	0	0	0	0	---	---	0.014	1979
MEAN	---	---	0.063	0.164	0.001	0.026	0	0	0	0	---	---	0.020	MEAN

LOCATION - LAT 51 26 44 N
LONG 106 49 06 W
DRAINAGE AREA, 31.6 km²
NATURAL FLOW

UNNAMED CREEK NEAR GLENSIDE - STATION NO. 05HG018

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1970	---	1.42 B ON MAR 19	0B ON MAR 1 *	---	1970
1971	---	---	---	---	1971
1972	---	1.14 ON MAR 19	0 ON MAR 1	---	1972
1973	---	1.42 B ON MAR 11	0 ON MAR 1	---	1973
1974	---	---	---	---	1974
1975	---	0.685B ON APR 15	0B ON MAR 1	206	1975
1976	3.60B AT 07:12 CST ON APR 1 *	3.45 B ON APR 1 *	0B ON MAR 1	1 610	1976
1977	0 B AT 00:00 CST ON MAR 1	0 B ON MAR 1	0B ON MAR 1	0	1977
1978	---	0.001B ON MAR 23	0B ON MAR 1	0.52	1978
1979	1.03A AT 16:00 CST ON APR 17	0.799 ON APR 17	0B ON MAR 1	301	1979
	A - MANUAL GAUGE (SEE REFERENCE INDEX) B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		424	MEAN

VAL MARIE PUMP NO. 1 - STATION NO. 11AC068

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1961	---	---	0	0	0.062	0.066	0.020	0	0	0	---	---	0.018	1961
1962	---	---	0	0	0.068	0.018	0	0.037	0.007	0	---	---	0.016	1962
1963	---	---	0	0	0.020	0.041	0.032	0.056	0	0	---	---	0.019	1963
1964	---	---	0	0	0.032	0.078	0.026	0.042	0.009	0	---	---	0.023	1964
1965	---	---	0	0	0	0.046	0	0.027	0.039	0	---	---	0.014	1965
1966	---	---	0	0	0.014	0.079	0.030	0.057	0	0	---	---	0.022	1966
1967	---	---	0	0	0	0.062	0.029	0.039	0.015	0	---	---	0.018	1967
1968	---	---	0	0	0.036	0.017	0.059	0.020	0	0	---	---	0.017	1968
1969	---	---	0	0	0.004	0.051	0	0.026	0	0	---	---	0.010	1969
1970	---	---	0	0	0	0.028	0.017	0.006	0	0	---	---	0.006	1970
1971	---	---	0	0	0.030	0.026	0.059	0.010	0	0	---	---	0.016	1971
1972	---	---	0	0	0.050	0.036	0.057	0.011	0	0	---	---	0.019	1972
1973	---	---	0	0	0.077	0.023	0.063	0.015	0	0	---	---	0.022	1973
1974	---	---	0	0	0	0.057	0.053	0.038	0	0	---	---	0.019	1974
1975	---	---	0	0	0	0.030	0.052	0.015	0	0	---	---	0.012	1975
1976	---	---	0	0	0.098	0	0.050	0.016	0	0	---	---	0.021	1976
1977	---	---	0	0	0.101	0	0.072	0.026	0	0	---	---	0.025	1977
1978	---	---	0	0	0.067	0	0.066	0.005	0	0	---	---	0.017	1978
1979	---	---	0	0	0.062	0	0.072	0	0	0	---	---	0.017	1979
1980	---	---	0	0	0.064	0	0.080	0	0	0	---	---	0.018	1980
1981	---	---	0	0	0.074	0	0	0	0	0	---	---	0.009	1981
1982	---	---	0	0	0.057	0.021	0.045	0.041	0	0	---	---	0.021	1982
MEAN	---	---	0	0	0.042	0.031	0.040	0.022	0.003	0	---	---	0.017	MEAN

LOCATION - LAT 49 21 44 N
LONG 107 50 51 W REGULATED

VAL MARIE PUMP NO. 1 - STATION NO. 11AC068

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1961	---	0.099 ON MAY 12	0 ON MAR 1 *	389	1961
1962	---	0.099 ON AUG 16	0 ON MAR 1	346	1962
1963	---	0.093 ON AUG 18	0 ON MAR 1	394	1963
1964	---	0.085 ON MAY 20	0 ON MAR 1	490	1964
1965	---	0.102 ON JUN 11	0 ON MAR 1	293	1965
1966	---	0.136 ON JUL 26	0 ON MAR 1	475	1966
1967	---	0.093 ON JUN 8	0 ON MAR 1	383	1967
1968	---	0.108 ON JUL 13	0 ON MAR 1	352	1968
1969	---	0.088 ON AUG 16	0 ON MAR 1	213	1969
1970	---	0.108 ON JUN 3	0 ON MAR 1	134	1970
1971	---	0.093 ON JUL 18	0 ON MAR 1	333	1971
1972	---	0.102 ON JUL 7	0 ON MAR 1	408	1972
1973	---	0.099 ON MAY 8	0 ON MAR 1	474	1973
1974	---	0.093 ON JUL 19	0 ON MAR 1	393	1974
1975	---	0.190 ON JUL 28	0 ON MAR 1	258	1975
1976	---	0.294 ON MAY 22	0 ON MAR 1	441	1976
1977	---	0.396 ON JUL 22 *	0 ON MAR 1	536	1977
1978	---	0.385 ON JUL 31	0 ON MAR 1	368	1978
1979	---	0.357 ON MAY 26	0 ON MAR 1	359	1979
1980	---	0.375 ON JUL 27	0 ON MAR 1	387	1980
1981	---	0.309 ON MAY 24	0 ON MAR 1	197	1981
1982	---	0.328 ON JUL 30	0 ON MAR 1	436	1982
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		366	MEAN

VAL MARIE PUMP NO. 2 - STATION NO. 11AC069

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1961	---	---	0	0	0	0.001	0.030	0.008	0	0	---	---	---	1961
1962	---	---	0	0	0	0.023	0.012	0	0.007	0	---	---	---	1962
1963	---	---	0	0	0.009	0	0.019	0.017	0.002	0	---	---	---	1963
1964	---	---	0	0	0.012	0.012	0.017	0.008	0.002	0	---	---	---	1964
1965	---	---	0	0	0	0.019	0	0.039	0	0	---	---	---	1965
1966	---	---	0	0	0	0.014	0	0.013	0	0	---	---	---	1966
1967	---	---	0	0	0	0.019	0.026	0	0	0	---	---	---	1967
1968	---	---	0	0	0.034	0	0.017	0.019	0	0	---	---	---	1968
1969	---	---	0	0	0.002	0.032	0	0.017	0	0	---	---	---	1969
1970	---	---	0	0	0.023	0	0	0.022	0	0	---	---	---	1970
1971	---	---	0	0	0	0.038	0.021	0.014	0	0	---	---	---	1971
1972	---	---	0	0	0	0.007	0.008	0	0	0	---	---	---	1972
1973	---	---	0	0	0.020	0.005	0.020	0	0	0	---	---	---	1973
1974	---	---	0	0	0	0.022	0.011	0	0	0	---	---	---	1974
1975	---	---	0	0	0	0.009	0.015	0.001	0	0	---	---	---	1975
1976	---	---	0	0	0.011	0.013	0.009	0.004	0	0	---	---	---	1976
1977	---	---	0	0	0.023	0	0.019	0	0	0	---	---	---	1977
1978	---	---	0	0	0.015	0	0	0.007	0	0	---	---	---	1978
1979	---	---	0	0	0	0.010	0.012	0.003	0	0	---	---	---	1979
1980	---	---	0	0	0.026	0	0.007	0	0	0	---	---	---	1980
MEAN	---	---	0	0	0 009	0.011	0.012	0.009	0.001	0	---	---	---	MEAN

LOCATION - LAT 49 21 01 N
LONG 107 49 46 W REGULATED

REMARKS - DISCHARGES COMPUTED FROM PUMPING RECORDS

VAN PATTENS CREEK NEAR KUROKI - STATION NO. 05MB011

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1962	---	---	---	0.840	0	---	---	---	---	---	---	---	---	1962
1963	---	---	0.054	0.091	0.004	---	---	---	---	---	---	---	---	1963
1964	---	---	---	0.085	0.037	---	---	---	---	---	---	---	---	1964
1965	---	---	---	0.314	0.005	---	---	---	---	---	---	---	---	1965
1966	---	---	---	1.03	0.108	0	---	---	---	---	---	---	---	1966
1967	---	---	---	0.538	0.242	---	---	---	---	---	---	---	---	1967
1968	---	---	0.114	0.041	---	---	---	---	---	---	---	---	---	1968
1969	---	---	---	0.694	0.006	---	---	---	---	---	---	---	---	1969
1970	---	---	---	0.754	0.157	---	---	---	---	---	---	---	---	1970
1971	---	---	---	0.786	0.035	---	---	---	---	---	---	---	---	1971
1972	---	---	---	---	0.476	---	---	---	---	---	---	---	---	1972
1973	---	---	---	0.018	0.004	0.023	0.083	---	---	---	---	---	---	1973
1974	---	---	---	---	0.677	---	---	---	---	---	---	---	---	1974
1975	---	---	0	1.08	0.606	0.173	0.011	0	0	0	---	---	0.231	1975
1976	---	---	0	1.59	0.131	0.095	0.026	0	0	0	---	---	0.227	1976
1977	---	---	0	0.113	0.008	0	0	0	0	0	---	---	0.015	1977
1978	---	---	0	0.375	0.005	0.003	0.071	0	0.003	0.016	---	---	0.059	1978
1979	---	---	0	1.61	1.49	0.047	0.001	0	0	0	---	---	0.391	1979
1980	---	---	0	0.796	0.006	0	0	0	0	0	---	---	0.098	1980
1981	---	0	0.063	0.136	0.003	0	0.002	0	0	0	---	---	0.025	1981
1982	---	---	0	0.203	0.008	0.002	0	0	0	0	---	---	0.026	1982
MEAN	---	0	0.023	0.561	0.200	0.034	0.022	0	0	0.002	---	---	0.134	MEAN

LOCATION - LAT 51 52 03 N DRAINAGE AREA, 113 km²
LONG 103 35 11 W NATURAL FLOW

VAN PATTENS CREEK NEAR KUROKI - STATION NO. 05MB011

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1962	---	---	---	---	1962
1963	---	0.255 ON MAR 26	0E ON MAR 1 *	---	1963
1964	---	---	---	---	1964
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1968	---	1.27 ON MAR 28	0B ON MAR 1	---	1968
1969	---	---	---	---	1969
1970	---	---	---	---	1970
1971	---	---	---	---	1971
1972	---	---	---	---	1972
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	7.22 AT 14:38 CST ON APR 29	6.54 ON APR 29	0B ON MAR 1	4 890	1975
1976	---	8.50 ON APR 11 *	0B ON MAR 1	4 800	1976
1977	---	0.883 ON APR 12	0B ON MAR 1	315	1977
1978	2.37 AT 12:16 CST ON APR 12	1.59 B ON APR 10	0B ON MAR 1	1 240	1978
1979	10.6 AT 19:21 CST ON APR 24 *	8.20 B ON APR 24	0B ON MAR 1	8 280	1979
1980	2.97 B AT 17:22 CST ON APR 9	2.29 B ON APR 10	0B ON MAR 1	2 080	1980
1981	0.791 AT 12:26 CST ON APR 3	0.760 ON APR 3	0B ON MAR 1	535	1981
1982	1.75 B AT 09:20 CST ON APR 16	1.08 B ON APR 16	0B ON MAR 1	551	1982
				2 840	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

VIDORA DITCH NEAR CONSUL - STATION NO. 11AB084

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1953	---	---	0	0	0	0.005	0.284	0.287	0.044	0.006	0.002	---	0.079	1953
1954	---	---	0	0	0.136	0.223	0.264	0.116	0	0	---	---	0.093	1954
1955	---	---	0	0	0	0.120	0.019	0.297	0.141	0.215	---	---	0.099	1955
1956	---	---	0	0	0.017	0.539	0.358	0.066	0.202	0.041	---	---	0.152	1956
1957	---	---	0	0.028	0.255	0.190	0.522	0.058	0.210	0	---	---	0.158	1957
1958	---	---	0.006	0.028	0.138	0.204	0.417	0.165	0.246	0	---	---	0.151	1958
1959	---	---	0	0.012	0.123	0.627	0.022	0.020	0.214	0	---	---	0.125	1959
1960	---	---	0	0.026	0	0.557	0.455	0.089	0	0	---	---	0.140	1960
1961	---	---	0	0	0.511	0.438	0.442	0	0	0.015	---	---	0.176	1961
1962	---	---	0	0	0.597	0.330	0.174	0	0	0	---	---	0.138	1962
1963	---	---	0	0	0.456	0.298	0	0	0	0	---	---	0.094	1963
1964	---	---	0	0	0.138	0.760	0	0	0	0	---	---	0.111	1964
1965	---	---	0	0	0.629	0.252	0	0.480	0	0	---	---	0.171	1965
1966	---	---	0	0	0.640	0.129	0.359	0.283	0	0	---	---	0.178	1966
1967	---	---	0	0	0.117	0.728	0.871	0.545	0	0	---	---	0.283	1967
1968	---	---	0	0	0.824	0	0.988	0.037	0	0	---	---	0.234	1968
1969	---	---	0	0	0.589	0.092	0.675	0.251	0	0	---	---	0.203	1969
1970	---	---	0	0	0.785	0.707	0.770	0.055	0	0	---	---	0.290	1970
1971	---	---	0	0	0.690	0.584	0.602	0.333	0	0	---	---	0.277	1971
1972	---	---	0	0	0.901	0	0.453	0.333	0	0	---	---	0.213	1972
1973	---	---	0	0	0.834	0	0.803	0.100	0	0	---	---	0.220	1973
1974	---	---	0	0	0	1.10	0.663	0.086	0	0	---	---	0.229	1974
1975	---	---	0	0	0	0.757	0.414	0.113	0	0	---	---	0.159	1975
1976	---	---	0	0	0.656	0	0.611	0.111	0	0	---	---	0.178	1976
1977	---	---	0	0	0.470	0.526	0.737	0	0	0	---	---	0.217	1977
1978	---	---	0	0	0.063	0.685	0.030	0	0	0	---	---	0.096	1978
1979	---	---	0	0	0	0.684	0.675	0	0	0	---	---	0.169	1979
1980	---	---	0	0	1.02	0	0.682	0.027	0	0	---	---	0.218	1980
1981	---	---	0	0	0.938	0.010	0	0	0	0	---	---	0.120	1981
1982	---	---	0	0	0	0.935	0.051	0	0	0	---	---	0.121	1982
MEAN	---	---	0	0.003	0.384	0.383	0.411	0.128	0.035	0.009	0.002	---	0.170	MEAN

LOCATION - LAT 49 27 27 N
LONG 109 35 30 W REGULATED

INTERNATIONAL GAUGING STATION

VIDORA DITCH NEAR CONSUL - STATION NO. 11AB084

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1953	---	0.515 ON JUL 23	0 ON MAR 1 *	1 670	1953
1954	---	0.648 ON AUG 3	0B ON MAR 1	1 960	1954
1955	---	0.609 ON JUN 25	0 ON MAR 1	2 100	1955
1956	---	0.861 ON JUL 27	0 ON MAR 1	3 210	1956
1957	---	1.06 ON JUL 19	0 ON MAR 1	3 350	1957
1958	---	0.600 ON JUL 26	0B ON MAR 1	3 190	1958
1959	---	0.912 ON JUN 28	0 ON MAR 1	2 650	1959
1960	---	0.728 ON JUN 14	0 ON MAR 1	2 970	1960
1961	---	1.07 ON JUL 16	0 ON MAR 1	3 720	1961
1962	---	1.63 ON JUL 1	0B ON MAR 1	2 920	1962
1963	---	1.04 ON MAY 18	0B ON MAR 1	1 990	1963
1964	---	1.28 E ON JUN 18	0 ON MAR 1	2 340	1964
1965	---	1.80 ON MAY 23	0 ON MAR 1	3 620	1965
1966	---	2.15 ON MAY 24	0 ON MAR 1	3 770	1966
1967	---	2.06 ON JUN 8	0B ON MAR 1	5 990	1967
1968	---	2.13 ON MAY 22	0 ON MAR 1	4 960	1968
1969	---	1.76 ON JUL 22	0 ON MAR 1	4 300	1969
1970	---	2.08 ON JUL 23	0 ON MAR 1	6 140	1970
1971	---	2.15 ON JUN 9	0 ON MAR 1	5 860	1971
1972	---	1.94 ON MAY 24	0 ON MAR 1	4 510	1972
1973	---	1.65 ON MAY 25	0 ON MAR 1	4 650	1973
1974	---	2.23 ON JUN 17	0 ON MAR 1	4 850	1974
1975	---	2.74 ON JUN 12 *	0 ON MAR 1	3 370	1975
1976	---	1.85 ON MAY 26	0 ON MAR 1	3 700	1976
1977	---	1.96 ON JUN 1	0 ON MAR 1	4 590	1977
1978	---	1.33 ON JUN 7	0 ON MAR 1	2 030	1978
1979	---	1.89 ON JUN 9	0 ON MAR 1	3 580	1979
1980	---	1.96 ON MAY 25	0 ON MAR 1	4 620	1980
1981	---	1.76 ON MAY 18	0 ON MAR 1	2 540	1981
1982	---	1.56 ON JUN 29	0 ON MAR 1	2 560	1982
				3 590	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

VIDORA DITCH NEAR CONSUL (LOWER STATION) - STATION NO. 11AB116

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR APR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1973	---	---	---	0	0.690	0	0.617	0.110	0	0	---	---	0.205	1973
1974	---	---	---	0	0	0.859	0.598	0.095	0	0	---	---	0.221	1974
1975	---	---	0	0	0	0.566	0.352	0.132	0	0	---	---	0.149	1975
MEAN	---	---	0	0	0.230	0.475	0.522	0.112	0	0	---	---	0.192	MEAN

LOCATION - LAT 49 22 40 N
LONG 109 29 54 W REGULATED

VIDORA DITCH NEAR CONSUL (LOWER STATION) - STATION NO. 11AB116

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR APR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1973	---	1.50 ON MAY 12	0 ON APR 1 *	3 790	1973
1974	---	1.83 ON JUN 11	0 ON APR 1	4 080	1974
1975	---	2.05 ON JUN 12 *	0 ON APR 1	2 770	1975
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		3 550	MEAN

WASCANA CREEK AT REGINA - STATION NO. 05JF003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1924	---	---	---	5.21	---	---	---	---	---	---	---	---	---	1924
1925	---	---	3.70	14.2	0.435	---	---	---	---	---	---	---	---	1925
1927	---	---	---	23.3	3.91	---	---	---	---	---	---	---	---	1927
1928	---	---	6.13	5.67	---	---	---	---	---	---	---	---	---	1928
1930	---	---	---	1.93	0.234	---	---	---	---	---	---	---	---	1930
1933	---	---	---	0.345	0.370	0.369	0.038	0	0	0	---	---	---	1933
1934	---	---	---	0.350	0.012	0.002	0	0	0	0	---	---	---	1934
1935	---	---	---	0.148	0.194	0.010	0.034	0	0	0	---	---	---	1935
1936	---	---	---	10.4	1.25	0.073	0.007	0.010	0.010	---	---	---	---	1936
1937	---	---	0.002	0.001	0.002	0.018	0.012	0.010	0.067	0.079	---	---	0.024	1937
1938	---	---	0.010	0.514	0.013	0.022	0.074	0.036	0.035	0.032	---	---	0.091	1938
1939	---	---	1.16	1.04	0.015	0.038	0.006	0.009	0.001	0.001	---	---	0.283	1939
1940	---	---	0.002	0.014	0.005	0.012	0.012	0.013	0.021	0.008	---	---	0.011	1940
MEAN	---	---	1.83	4.86	0.585	0.068	0.023	0.010	0.017	0.017	---	---	0.102	MEAN

LOCATION - LAT 50 27 00 N DRAINAGE AREA, 3 780 km^2
LONG 104 40 00 W REGULATED

WASCANA CREEK AT REGINA - STATION NO. 05JF003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1924	---	---	---	---	1924
1925	---	---	0 ON MAR 1 *	---	1925
1927	---	58.6 ON APR 16 *	0 ON APR 2	---	1927
1928	---	---	0 ON MAR 1	---	1928
1930	---	---	0 ON APR 1	---	1930
1933	---	---	0E ON APR 1	---	1933
1934	---	---	0 ON JUN 21	---	1934
1935	---	---	0E ON APR 1	---	1935
1936	---	28.4 ON APR 19	0 ON MAY 11	---	1936
1937	---	0.184 ON OCT 1	0B ON MAR 1	505	1937
1938	---	2.15 ON APR 13	0B ON MAR 1	1 920	1938
1939	---	14.3 B ON MAR 26	0B ON MAR 1	5 990	1939
1940	---	0.235 ON JUN 8	0B ON MAR 1	226	1940
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		2 160	MEAN

WASCANA CREEK BELOW KRONAU MARSH - STATION NO. 05JF012

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1975	---	---	---	14.5 R	16.6 R	---	---	---	---	---	---	---	---	1975
1976	---	---	0.092	25.7	---	---	1.29	0.342	0	---	---	---	---	1976
1977	---	---	0	0.120	0.095	0.084	0.040	0.009	0	0	---	---	0.043	1977
1978	---	---	0.511	2.98	0.361	0.252	0.016	0	0	0	---	---	0.508	1978
1979	---	---	0	9.56	6.45	0.472	0.323	0.006	0	0	---	---	2.09	1979
1980	---	---	0.019	2.73	0.045	0	0	0.172	0.009	0	---	---	0.366	1980
1981	---	---	0.004	0.016	0	0	0.583	0.002	0	0	---	---	0.076	1981
1982	---	---	0	17.8	2.50	0.165	0.863	0.605	0.006	0	---	---	2.70	1982
MEAN	---	---	0.089	9.18 R	3.72 R	0.162	0.445	0.162	0.002	0	---	---	0.964	MEAN

LOCATION - LAT 50 21 07 N DRAINAGE AREA, 3 070 km^2
LONG 104 26 03 W REGULATED

DATA CONTRIBUTED BY - SASKATCHEWAN DEPARTMENT OF THE ENVIRONMENT

R - REVISED SINCE JAN 1980

WASCANA CREEK BELOW KRONAU MARSH - STATION NO. 05JF012

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1975	---	---	---	---	1975
1976	---	59.5 ON APR 11	0 ON MAR 1 *	---	1976
1977	---	0.416 ON JUN 2	0E ON MAR 1	915	1977
1978	6.97B AT 13:00 CST ON APR 1	6.65 B ON MAR 31	0B ON MAR 1	10 700	1978
1979	38.5 AT 22:00 CST ON APR 24	37.2 ON APR 25	0B ON MAR 1	44 200	1979
1980	6.92 AT 04:00 CST ON APR 8	6.67 ON APR 8	0B ON MAR 1	7 740	1980
1981	5.60 AT 00:30 CST ON JUL 15	5.19 ON JUL 15	0B ON MAR 1	1 620	1981
1982	67.1 AT 20:35 CST ON APR 19 *	62.8 ON APR 20 *	0B ON MAR 1	57 200	1982
				20 400	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

WASCANA CREEK NEAR LUMSDEN - STATION NO. 05JF005

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1945	---	---	0.309	0.325	0.331	0.184	0.151	---	---	---	---	---	---	1945
1946	---	---	1.62	0.794	0.240	0.334	0.333	0.157	0.175	0.211	---	---	---	1946
1947	---	---	0.016	20.2	3.65	1.03	0.329	0.285	0.239	0.221	---	---	---	1947
1948	---	---	0.041	20.1	12.5	0.533	0.221	0.156	0.119	0.203	---	---	---	1948
1949	---	---	0.215	0.819	0.714	0.417	0.343	0.241	0.214	0.227	---	---	---	1949
1950	---	---	0.261	5.01	1.47	0.397	0.340	0.224	0.259	0.256	---	---	---	1950
1951	---	---	0.113	7.92	8.33	1.32	0.289	0.140	0.633	0.471	---	---	---	1951
1952	---	---	---	9.68	1.25	0.420	0.379	0.296	0.339	0.259	---	---	---	1952
1953	---	---	1.48	5.71	1.51	3.79	3.71	2.08	0.654	0.300	---	---	---	1953
1954	---	---	0.306	1.99	1.43	2.50	0.946	1.13	0.705	0.457	---	---	---	1954
1955	---	---	0.259	20.0	18.3	1.38	5.99	1.40	0.543	0.387	---	---	---	1955
1956	---	---	0.199	30.5	6.99	1.54	1.34	0.601	0.409	0.421	---	---	---	1956
1957	---	---	3.43	7.37	0.868	0.532	0.382	0.414	0.407	0.313	---	---	---	1957
1958	---	---	0.682	3.40	0.444	0.332	0.485	0.501	0.392	0.418	---	---	---	1958
1959	---	---	0.671	0.796	0.474	0.581	0.346	0.252	0.478	0.500	---	---	---	1959
1960	---	---	0.701	11.9	1.00	3.88	1.13	0.214	0.069	0.484	---	---	---	1960
1961	---	---	0.177	0.531	0.700	0.364	0.528	0.274	0.357	0.582	0.698	---	---	1961
1962	---	---	0.530	2.80	0.853	0.915	0.677	0.702	0.260	0.558	---	---	---	1962
1963	---	---	0.439	0.773	0.599	0.718	1.06	0.553	0.622	0.694	---	---	---	1963
1964	---	---	0.210	1.42	0.604	0.756	1.49	0.611	0.506	0.266	---	---	---	1964
1965	---	---	0.211	5.52	1.99	4.76	1.02	0.560	0.471	0.163	---	---	---	1965
1966	---	---	2.86	7.96	1.00	0.613	0.150	0.373	0.653	0.509	---	---	---	1966
1967	---	---	0.516	13.7	2.24	0.796	0.665	0.894	0.490	0.352	---	---	---	1967
1968	---	---	2.02	1.33	0.588	0.669	0.202	0.778	0.777	0.242	---	---	---	1968
1969	---	---	0.160	25.1	0.997	0.354	0.621	0.245	0.386	0.312	---	---	---	1969
1970	---	---	0.192	11.7	8.69	2.96	0.640	0.384	1.16	0.318	---	---	---	1970
1971	0.362	0.376	1.16	30.8	1.86	0.484	0.548	0.192	0.267	0.209	---	---	---	1971
1972	---	---	2.06	4.52	1.15	0.747	0.816	0.946	0.686	0.431	0.165	0.271	---	1972
1973	0.379	0.419	0.845	1.05	1.20	1.31	1.75	0.798	0.600	0.468	0.330	0.496	0.806	1973
1974	0.513	0.389	0.421	43.8	18.0	2.48	0.898	1.25	1.40	0.633	0.417	0.415	5.87	1974
1975	0.324	0.295	0.612	19.1	23.7	6.82	2.73	0.919	1.08	0.836	0.189	0.432	4.77	1975
1976	0.335	0.432	1.29	40.8	3.74	12.8	1.08	0.949	0.869	0.285	0.464	0.390	5.38	1976
1977	0.240	0.363	0.682	0.982	1.14	0.751	0.962	0.609	0.563	0.234	0.410	0.440	0.615	1977
1978	0.379	0.298	1.22	5.71	1.46	1.28	0.819	0.826	0.945	0.514	0.560	0.499	1.21	1978
1979	0.479	0.482	0.651	14.5	11.4	1.27	0.937	0.601	0.506	0.444	0.386	0.379	2.67	1979
1980	0.347	0.365	1.02	5.80	0.790	0.764	0.939	0.832	0.840	0.786	0.295	0.132	1.07	1980
1981	0.376	0.618	0.757	1.20	0.821	0.934	1.34	0.923	0.969	1.22	0.570	0.576	0.860	1981
1982	0.478	0.362	0.540	32.8	6.51	1.36	1.78	1.17	0.822	0.760	0.633	0.510	3.96	1982
MEAN	0.383	0.400	0.780	11.0	3.94	1.66	1.06	0.635	0.564	0.430	0.426	0.413	2.72	MEAN

LOCATION - LAT 50 38 10 N DRAINAGE AREA, 4 600 km^2
LONG 104 54 35 W REGULATED

REMARKS - RECORDS TO 1948 COLLECTED AT NW07-19-21-W2

WASCANA CREEK NEAR LUMSDEN - STATION NO. 05JF005

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1945	---	---	0 B ON MAR 1 *	---	1945
1946	---	6.80B ON MAR 23	0.085B ON MAR 1	---	1946
1947	---	39.4 ON APR 18	0 B ON MAR 1	---	1947
1948	---	65.4 ON APR 24	0 B ON MAR 1	---	1948
1949	---	7.22 ON MAY 30	0.113B ON MAR 12	---	1949
1950	---	16.4 ON APR 17	0.028B ON MAR 16	---	1950
1951	---	28.6 ON MAY 4	0.059 ON AUG 11	---	1951
1952	---	23.3 B ON APR 4	0.034 ON AUG 3	---	1952
1953	---	17.7 B ON MAR 29	0.003 ON SEP 23	---	1953
1954	---	6.60 ON AUG 27	0.113B ON APR 2	---	1954
1955	---	53.5 ON MAY 8	0.142B ON MAR 23	---	1955
1956	---	62.6 ON APR 20	0.142B ON MAR 25	---	1956
1957	---	16.1 B ON APR 6	0.113B ON MAR 9	---	1957
1958	---	7.65B ON APR 6	0.085B ON MAR 1	---	1958
1959	---	2.01B ON MAR 23	0.110 ON JUL 30	---	1959
1960	32.3 AT 23:30 CST ON JUN 26	23.8 ON APR 7	0 B ON MAR 1	---	1960
1961	1.59 AT 14:00 CST ON JUN 1	1.19 ON JUN 1	0 B ON MAR 1	---	1961
1962	9.74 AT 11:30 CST ON APR 16	8.72B ON APR 16	0.014B ON MAR 1	---	1962
1963	9.46 AT 01:00 CST ON JUL 11	6.17 ON JUL 11	0.198B ON MAR 1	---	1963
1964	---	5.55E ON APR 26	0.142B ON MAR 1	---	1964
1965	18.9 AT 07:00 CST ON APR 15	16.7 ON APR 15	0.045 ON OCT 12	---	1965
1966	23.5 B AT 23:00 CST ON APR 2	21.6 B ON APR 2	0.020 ON JUL 24	---	1966
1967	---	40.2 A ON APR 18	0.028 ON SEP 9	---	1967
1968	10.1 B AT 06:00 CST ON MAR 8	6.80B ON MAR 7	0.040 ON OCT 5	---	1968
1969	68.5 AT 16:00 CST ON APR 13	65.4 ON APR 13	0.028E ON OCT 30	---	1969
1970	---	27.3 ON APR 11	0.051 ON OCT 26	---	1970
1971	130 ON APR 13	92.3 ON APR 14	0.028 ON OCT 10	---	1971
1972	11.9 B AT 05:56 CST ON MAR 23	10.8 B ON MAR 23	0.045 ON NOV 1	---	1972
1973	7.62 AT 10:35 CST ON JUN 5	5.92 ON JUN 5	0.001 ON SEP 11	25 400	1973
1974	162 AT 04:34 CST ON APR 22 *	153 ON APR 22 *	0.127B ON DEC 3	185 000	1974
1975	74.2 AT 19:46 CST ON JUN 27	60.3 ON JUN 27	0.105 ON NOV 10	150 000	1975
1976	---	85.0 ON APR 6	0.074 ON OCT 15	171 000	1976
1977	8.98 AT 07:46 CST ON JUL 12	5.95 ON JUL 12	0.026 ON OCT 28	19 400	1977
1978	---	12.5 B ON APR 6	0.018 ON OCT 22	38 000	1978
1979	66.0 AT 00:48 CST ON APR 25	57.6 ON APR 25	0.203 ON NOV 2	84 100	1979
1980	12.6 B AT 22:38 CST ON APR 5	11.7 B ON APR 9	0.024B ON DEC 4	33 800	1980
1981	6.88 AT 01:31 CST ON OCT 14	4.73 ON OCT 14	0.238 ON NOV 3	27 100	1981
1982	115 AT 05:39 CST ON APR 20	99.9 ON APR 19	0.173 ON OCT 12	125 000	1982
				85 900	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

WASCANA CREEK NEAR RICHARDSON - STATION NO. 05JF009

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1962	0	0	0	1.78	0	0	0	0	0	0	0	0	0.218	1962
1963	0	0	0.064	0.031	0	0.056	0.023	0	0	0	0	0	0.022	1963
1964	---	---	0	0.593	0.006	0	0.320	0	0	0	---	---	0.114	1964
1965	---	---	0	2.83	0.577	2.01	0.012	0	0	0	---	---	0.667	1965
1966	---	---	1.24	3.93	0.114	0	0	0	0	0	---	---	0.653	1966
1967	---	---	0	8.43	0.650	0	0	0	0	0	---	---	1.11	1967
1968	---	---	1.75	0.318	---	---	---	---	---	---	---	---	---	1968
1969	---	---	0	15.3	0.680	0	0	---	---	---	---	---	---	1969
1970	---	---	0	6.14	2.73	1.90	0	0	0	0	---	---	1.33	1970
1971	---	---	0	20.7	0.335	0	0	0	0	0	---	---	2.58	1971
1972	---	---	0.717	3.08	0.061	0	0	0	0	0	---	---	0.476	1972
1973	---	---	0.030	0	0	0	1.18	0	0	0	---	---	0.153	1973
1974	---	---	---	27.3	---	---	---	---	---	---	---	---	---	1974
1975	---	---	---	15.2	16.6	---	---	---	---	---	---	---	---	1975
MEAN	0	0	0.317	7.55	1.81	0.361	0.140	0	0	0	0	0	0.732	MEAN

LOCATION - LAT 50 23 51 N
LONG 104 29 13 W
DRAINAGE AREA, 3 130 km^2
REGULATED

WASCANA CREEK NEAR RICHARDSON - STATION NO. 05JF009

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1962	---	5.47 ON APR 11	0B ON MAR 1 *	8 620	1962
1963	---	0.368 ON MAR 25	0B ON MAR 1	459	1963
1964	---	2.12 ON JUL 5	0E ON MAR 1	2 410	1964
1965	---	10.2 B ON APR 12	0E ON MAR 1	14 100	1965
1966	---	14.2 ON MAR 31	0B ON MAR 1	13 800	1966
1967	---	28.6 ON APR 15	0 ON MAR 1	23 600	1967
1968	---	---	0E ON MAR 1	---	1968
1969	---	45.3 E ON APR 14	0E ON MAR 1	---	1969
1970	---	13.6 B ON APR 15	0B ON MAR 1	28 100	1970
1971	---	74.8 ON APR 11	0 ON MAR 1	54 600	1971
1972	---	5.18 ON APR 7	0B ON MAR 1	10 100	1972
1973	---	5.30 ON JUL 4	0E ON MAR 1	3 230	1973
1974	---	102 E ON APR 23 *	0E ON APR 1	---	1974
1975	---	---	---	---	1975
				15 500	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

WASCANA CREEK NEAR SEDLEY - STATION NO. 05JF004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	0	0.021	0	0	---	---	---	---	---	---	---	1944
1945	---	---	0	0.007	0.017	0.022	---	---	---	---	---	---	---	1945
1946	---	---	0.635	0.168	0	0	---	---	---	---	---	---	---	1946
1947	---	---	0	7.08	0.396	0.131	---	---	---	---	---	---	---	1947
1948	---	---	0	6.67	0.992	0.025	---	---	---	---	---	---	---	1948
1949	---	---	0	0.077	0	0	---	---	---	---	---	---	---	1949
1950	---	---	0	1.05	0.016	0.287	---	---	---	---	---	---	---	1950
1951	---	---	0	3.90	1.30	0	---	---	---	---	---	---	---	1951
1952	---	---	0.165	2.75	0.003	0	---	---	---	---	---	---	---	1952
1953	---	---	0.277	1.47	0.097	8.42	---	---	---	---	---	---	---	1953
1954	---	---	0.009	0.742	0.014	1.04	---	---	---	---	---	---	---	1954
1955	---	---	0	4.81	1.94	0.025	0.426	0.010	0	0	---	---	0.893	1955
1956	---	---	0	8.41	0.618	0.991	0.148	0.018	0.008	0	---	---	1.25	1956
1957	---	---	0.789	0.533	0.010	0	0	0	0	0	---	---	0.166	1957
1958	---	---	0.205	0.853	0	0	0	0	0	0	---	---	0.130	1958
1959	---	---	0.018	0.007	0	0.016	0.002	0	0	0	---	---	0.005	1959
1960	---	---	0	2.13	0.001	0.016	0	0	0	0	---	---	0.262	1960
1961	---	---	0.003	0.022	0.001	0	0	0	0	0	---	---	0.003	1961
1962	---	---	0.001	0.553	0	0.001	0	0	0	0	---	---	0.068	1962
1963	---	---	0.008	0.015	0.008	0.013	0.084	0.005	0.001	0	---	---	0.017	1963
1964	---	---	0	0.347	0.017	0.002	0	0.005	0	0	---	---	0.045	1964
1965	---	---	0	0.815	0.400	0.180	0.004	0.003	0.001	0	---	---	0.173	1965
1966	---	---	0.683	0.886	0.035	0.001	0.001	0	0	0	---	---	0.200	1966
1967	---	---	0	2.27	0.041	0	0	0	0	0	---	---	0.283	1967
1968	---	---	0.014	0.073	0.012	0	0	0.011	0.001	0	---	---	0.014	1968
1969	---	---	0	5.33	0.023	0	0.003	0	0	0	---	---	0.655	1969
1970	---	---	0	2.71	1.11	0.972	0.102	0.016	0.001	0.012	---	---	0.609	1970
1971	---	---	0	5.57	0.058	0.022	0.055	0	0	0	---	---	0.700	1971
1972	---	---	0.817	0.529	0.015	0.001	0	0	0	0	---	---	0.170	1972
1973	---	---	0.004	0.003	0.004	0.005	0	0	0	0	---	---	0.002	1973
1974	---	---	0	9.69	1.67	0.046	0	0.482	0.006	0 006	---	---	1.47	1974
1975	---	---	0.011	12.3	7.63	0.121	0.004	0	0	0	---	---	2.48	1975
1976	---	---	0	13.3	0.722	1.27	0.451	0.091	0.001	0	---	---	1.94	1976
1977	---	---	0.004	0.008	0.002	0.001	0.002	0	0.001	0.001	---	---	0.002	1977
1978	---	---	0.299	0.813	0.046	0.015	0	0	0	0	---	---	0.145	1978
1979	---	---	0	4.82	2.73	0.154	0.001	0	0	0	---	---	0.955	1979
1980	---	---	0.127	1.50	0.001	0	0	0.238	0.005	0	---	---	0.230	1980
1981	---	0.001	0.003	0.001	0	0	0.134	0.013	0	0.002	---	---	0.019	1981
1982	---	---	0	7.38	0.421	0.014	0.341	0.008	0	0.001	---	---	1.00	1982
MEAN	---	0.001	0.104	2.81	0.522	0.354	0.063	0.032	0.001	0.001	---	---	0.496	MEAN

LOCATION - LAT 50 08 10 N DRAINAGE AREA, 1 620 km²
LONG 104 01 50 W REGULATED SINCE 1950

WASCANA CREEK NEAR SEDLEY - STATION NO. 05JF004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	0.156 ON APR 5	0 ON MAR 1 *	---	1944
1945	---	---	0B ON MAR 1	---	1945
1946	---	3.57 ON MAR 28	0 ON MAR 1	---	1946
1947	---	37.9 ON APR 13	0 ON MAR 1	---	1947
1948	---	45.6 ON APR 22	0B ON MAR 1	---	1948
1949	---	0.552 ON APR 7	0B ON MAR 1	---	1949
1950	---	5.49 ON APR 16	0B ON MAR 1	---	1950
1951	---	14.6 ON APR 27	0B ON MAR 1	---	1951
1952	---	7.14 ON APR 6	0B ON MAR 1	---	1952
1953	---	32.6 ON JUN 3	0B ON MAR 1	---	1953
1954	---	---	0B ON MAR 1	---	1954
1955	---	16.3 B ON APR 3	0B ON MAR 1	18 900	1955
1956	---	51.5 B ON APR 13	0B ON MAR 1	26 500	1956
1957	---	3.82 B ON MAR 24	0B ON MAR 1	3 520	1957
1958	---	5.78 ON APR 1	0B ON MAR 1	2 760	1958
1959	---	0.255B ON MAR 28	0B ON MAR 1	114	1959
1960	---	8.81 ON APR 6	0B ON MAR 1	5 560	1960
1961	---	0.057B ON MAR 31	0B ON MAR 1	68.4	1961
1962	3.09 B AT 08:00 CST ON APR 5	3.06 B ON APR 5	0B ON MAR 1	1 440	1962
1963	0.210 AT 03:00 CST ON JUL 14	0.207 ON JUL 14	0B ON MAR 1	357	1963
1964	2.31 B AT 07:30 CST ON APR 2	1.99 B ON APR 2	0B ON MAR 1	963	1964
1965	2.78 AT 17:00 CST ON MAY 27	2.64 ON MAY 27	0B ON MAR 1	3 670	1965
1966	---	4.50 B ON MAR 29	0B ON MAR 1	4 230	1966
1967	13.1 B AT 00:00 CST ON APR 11	11.3 B ON APR 10	0B ON MAR 1	6 000	1967
1968	0.244B AT 10:00 CST ON APR 6	0.232B ON APR 6	0B ON MAR 1	290	1968
1969	42.8 AT 20:30 CST ON APR 10	35.4 ON APR 11	0B ON MAR 1	13 900	1969
1970	18.7 AT 05:30 CST ON JUN 11	16.0 ON APR 10	0B ON MAR 1	12 900	1970
1971	29.2 B AT 21:00 CST ON APR 8	25.2 B ON APR 8	0B ON MAR 1	14 800	1971
1972	4.33 B AT 12:12 CST ON MAR 29	3.51 B ON MAR 29	0B ON MAR 1	3 600	1972
1973	---	0.034 ON JUN 5	0B ON MAR 1	41.4	1973
1974	62.0 AT 18:52 CST ON APR 19 *	58.3 ON APR 19 *	0B ON MAR 1	31 000	1974
1975	51.3 AT 23:37 CST ON APR 28	48.4 ON APR 29	0B ON MAR 1	52 700	1975
1976	---	50.7 A ON APR 7	0B ON MAR 1	41 100	1976
1977	0.031B AT 10:53 CST ON MAR 30	0.026 ON JUL 12	0B ON MAR 1	48.5	1977
1978	3.28 B AT 21:59 CST ON MAR 29	3.17 ON MAR 31	0B ON MAR 1	3 070	1978
1979	41.7 AT 02:23 CST ON APR 22	36.1 ON APR 22	0B ON MAR 1	20 200	1979
1980	5.90 AT 10:14 CST ON APR 4	5.71 ON APR 4	0B ON MAR 1	4 870	1980
1981	0.816 AT 07:47 CST ON JUL 15	0.651 ON MAR 2	0B ON MAR 1	411	1981
1982	51.4 B AT 23:35 CST ON APR 16	47.4 B ON APR 17	0B ON MAR 1	21 200	1982
				10 500	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

WATERFOUND RIVER BELOW UNKNOWN LAKE - STATION NO. 07LB002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1973	---	---	---	---	---	---	---	---	21.5	19.6	---	---	---	1973
1974	---	---	---	---	---	19.0	21.9	21.4	21.0	19.4	18.3	19.1	---	1974
1975	18.5	17.5	16.9	16.2	19.0	20.4	25.3	26.1	22.4	19.8	18.2	17.3	19.8	1975
1976	16.8	16.9	16.6	16.6	19.1	19.7	22.3	27.9	32.4	35.4	33.0	28.8	23.8	1976
1977	25.9	23.7	21.9	22.7	29.4	---	---	---	40.2	32.4	26.0	23.1	---	1977
1978	21.9	20.3	19.2	20.9	27.1	31.2	28.8	26.9	26.4	26.9	24.7	22.1	24.7	1978
1979	21.1	19.8	19.7	20.7	23.9	26.8	24.2	21.8	22.0	24.8	25.1	23.7	22.8	1979
1980	22.6	20.7	19.4	19.2	20.3	19.8	20.3	21.9	20.6	21.8	23.0	22.9	21.0	1980
1981	22.6	20.4	19.7	19.9	25.7	26.4	24.3	20.1	15.1	13.1	11.8	12.1	19.3	1981
1982	11.5	11.5	11.6	12.1	17.2	22.4	22.1	22.7	23.5	19.3	16.8	16.5	17.3	1982
MEAN	20.1	18.9	18.1	18.5	22.7	23.2	23.7	23.6	24.5	23.3	21.9	20.6	21.2	MEAN

LOCATION - LAT 58 23 10 N LONG 104 36 30 W
DRAINAGE AREA, 3 160 km²
NATURAL FLOW

WATERFOUND RIVER BELOW UNKNOWN LAKE - STATION NO. 07LB002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1973	---	---	---	---	1973
1974	---	23.1 ON JUL 20	---	---	1974
1975	---	27.9 ON JUL 28	15.8 ON APR 10	625 000	1975
1976	36.5 AT 07:54 CST ON OCT 25 *	36.5 ON OCT 24 *	15.9 ON APR 11	753 000	1976
1977	---	---	---	---	1977
1978	32.6 AT 17:18 CST ON JUN 3	32.0 ON MAY 28	18.6 ON MAR 4	780 000	1978
1979	28.7 AT 03:33 CST ON JUN 4	28.2 ON JUN 4	19.2 ON APR 4	720 000	1979
1980	23.9 AT 03:24 CST ON DEC 17	23.8 ON DEC 17	18.8E ON APR 3	665 000	1980
1981	28.9 AT 14:56 CST ON MAY 31	28.6 ON JUN 3	11.4 ON NOV 18	607 000	1981
1982	26.5 AT 12:03 CST ON SEP 20	26.3A ON SEP 20	11.2 ON JAN 21 *	545 000	1982
				671 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

WATERHEN RIVER ABOVE BEAVER RIVER - STATION NO. 06AF006

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1973	7.86	8.11	10.1	17.2	24.3	30.7	40.1	39.2	48.5	45.4	41.8	38.6	29.1	1973
1974	27.2	24.3	22.9	46.1	78.5	91.9	81.9	68.1	62.0	54.4	45.5	41.8	53.9	1974
1975	41.7	16.0	22.5	32.3	41.2	44.2	47.7	55.3	48.4	44.0	35.9	21.3	37.7	1975
1976	19.3	20.0	17.0	25.2	24.1	21.5	26.9	25.3	27.7	27.3	22.3	13.7	22.3	1976
1977	10.6	13.6	9.75	15.7	20.6	18.2	15.6	21.2	22.2	21.3	16.2	7.99	15.9	1977
MEAN	21.3	16.8	16.5	27.3	37.7	41.3	42.0	41.8	41.0	38.5	31.9	24.7	31.8	MEAN

LOCATION - LAT 54 39 00 N LONG 107 51 20 W
DRAINAGE AREA, 11 100 km²
NATURAL FLOW

WATERHEN RIVER ABOVE BEAVER RIVER - STATION NO. 06AF006

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1973	55.5 AT 19:03 CST ON JUL 3	54.1 ON JUL 3	7.65B ON JAN 1	916 000	1973
1974	---	98.5E ON JUN 17 *	19.0 B ON MAR 16	1 700 000	1974
1975	60.3 AT 02:16 CST ON AUG 12 *	60.3 ON AUG 12	10.8 B ON FEB 3	1 190 000	1975
1976	34.3 AT 17:51 CST ON JUL 15	34.3 ON JUL 15	6.23B ON DEC 29	706 000	1976
1977	26.3 AT 15:26 CST ON MAY 29	26.1 ON MAY 29	5.10B ON DEC 6 *	501 000	1977
				1 000 000	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

WATERHEN RIVER NEAR GOODSOIL - STATION NO. 06AF005

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1967	---	---	7.32	7.70	11.8	13.3	12.8	11.1	8.25	6.08	---	---	---	1967
1968	---	---	2.65	2.52	2.95	2.96	2.86	3.88	4.27	5.53	5.45	4.37	---	1968
1969	3.70	5.03	5.07	8.76	16.1	17.6	16.5	15.1	11.6	10.5	9.38	8.02	10.6	1969
1970	7.30	7.07	7.70	11.4	17.5	17.3	37.1	43.9	42.2	36.4	32.3	28.4	24.2	1970
1971	26.0	23.8	20.9	22.8	29.3	29.5	32.8	34.4	27.7	20.0	13.9	10.4	24.3	1971
1972	9.25	8.99	10.1	12.2	21.0	21.9	19.2	17.6	13.8	10.7	8.63	6.55	13.3	1972
1973	6.18	5.95	6.22	7.16	12.4	21.1	27.6	33.3	33.4	33.6	32.6	30.1	20.9	1973
1974	29.1	27.9	26.4	29.7	72.5	92.2	77.9	59.9	46.6	38.6	32.7	25.8	46.7	1974
1975	21.9	21.0	20.4	21.1	29.1	39.8	47.2	41.2	36.4	32.5	26.1	20.7	29.8	1975
1976	19.0	17.9	16.5	17.2	17.7	17.9	19.9	25.7	26.1	22.3	17.5	13.1	19.2	1976
1977	12.0	12.2	11.4	12.1	17.0	21.5	21.4	21.9	18.6	15.7	12.0	10.2	15.5	1977
1978	11.3	11.6	10.6	10.3	16.9	27.4	24.3	18.9	17.1	15.3	10.1	7.74	15.1	1978
1979	6.60	6.26	6.42	7.44	12.3	18.4	25.1	21.5	19.0	17.7	14.7	12.2	14.0	1979
1980	10.8	10.3	9.69	10.9	12.1	11.6	10.3	10.9	13.3	17.5	17.9	16.2	12.6	1980
1981	15.6	14.8	13.9	14.6	14.3	12.8	11.4	9.47	6.52	4.59	3.69	2.55	10.3	1981
1982	1.92	1.74	2.64	3.85	6.64	10.6	15.0	15.7	14.6	12.5	10.2	8.43	8.70	1982
MEAN	12.9	12.5	11.1	12.5	19.3	23.5	25.1	24.0	21.2	18.7	16.5	13.7	18.9	MEAN

LOCATION - LAT 54 26 45 N DRAINAGE AREA, 7 770 km²
LONG 109 13 21 W NATURAL FLOW

WATERHEN RIVER NEAR GOODSOIL - STATION NO. 06AF005

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1967	---	---	---	---	1967
1968	7.28 AT 20:00 CST ON OCT 26	6.68 ON OCT 26	---	---	1968
1969	18.9 AT 18:00 CST ON JUN 10	18.5 ON JUN 10	3.28 B ON JAN 15	336 000	1969
1970	48.1 AT 03:45 CST ON AUG 18	46.7 ON AUG 18	6.43 B ON MAR 1	762 000	1970
1971	37.1 AT 15:05 CST ON JUL 28	36.8 ON JUL 25	9.37 B ON DEC 31	767 000	1971
1972	24.5 AT 17:32 CST ON JUN 1	23.5 ON JUN 1	6.12 A ON DEC 20	422 000	1972
1973	36.0 AT 06:07 CST ON AUG 15	35.7 ON AUG 14	5.86 ON MAR 1	659 000	1973
1974	100 AT 01:18 CST ON JUN 13 *	98.5 ON JUN 13 *	23.3 ON APR 12	1 470 000	1974
1975	51.8 AT 18:42 CST ON JUL 4	51.0 ON JUL 4	19.5 ON DEC 24	940 000	1975
1976	28.3 AT 22:49 CST ON AUG 17	27.9 ON AUG 18	12.1 E ON DEC 31	608 000	1976
1977	24.0 AT 16:22 CST ON AUG 9	23.3 ON AUG 9	9.83 ON DEC 10	490 000	1977
1978	30.0 AT 19:25 CST ON JUN 24	28.6 ON JUN 25	7.16 ON DEC 29	477 000	1978
1979	28.4 AT 00:07 CST ON JUL 22	27.5 ON JUL 22	6.24 E ON FEB 9	442 000	1979
1980	20.4 AT 15:28 CST ON OCT 29	19.1 ON OCT 29	9.42 ON MAR 20	400 000	1980
1981	16.1 AT 00:00 CST ON JAN 1	16.0 ON JAN 1	0.890E ON OCT 27 *	326 000	1981
1982	17.3 AT 21:11 CST ON AUG 6	16.7 ON AUG 4	1.48 B ON FEB 7	274 000	1982
				598 000	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

WATHANAN RIVER BELOW WATHANAN LAKE - STATION NO. 06DC001

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1971	---	---	---	---	---	---	---	85.6	86.6	105	89.1	68.8	---	1971
1972	---	---	---	---	---	---	65.0	51.5	41.9	65.6	69.1	52.8	---	1972
1973	39.5	32.3	27.7	27.8	58.4	---	---	---	73.1	53.4	50.8	45.3	---	1973
1974	37.3	31.5	28.0	32.7	88.7	73.5	---	---	117	102	---	---	---	1974
1975	---	---	---	---	---	109	200	138	81.8	64.0	---	---	---	1975
1976	---	---	25.4	30.9	46.3	53.3	159	246	159	118	96.0	67.7	---	1976
1977	50.2	40.1	33.7	60.5	157	215	159	109	89.2	89.5	74.0	52.7	98.5	1977
1978	39.1	30.3	25.3	23.7	141	206	142	130	167	145	102	71.2	102	1978
1979	50.4	38.7	32.2	28.9	71.7	127	127	118	95.5	104	103	74.9	81.1	1979
1980	53.8	41.4	32.4	41.1	70.8	85.3	36.8	44.2	45.0	65.4	68.8	48.5	49.5	1980
1981	37.4	30.7	27.0	25.7	96.2	81.7	53.6	35.1	25.1	24.4	23.9	23.8	40.5	1981
1982	19.2	15.7	14.0	15.4	90.8	117	88.7	75.2	66.2	50.2	39.2	32.3	52.2	1982
MEAN	40.9	32.6	27.3	31.9	91.2	114	115	103	87.3	82.2	71.6	53.8	70.0	MEAN

LOCATION - LAT 57 05 20 N DRAINAGE AREA, 10 200 km²
LONG 103 42 40 W NATURAL FLOW

WATHAMAN RIVER BELOW WATHAMAN LAKE - STATION NO. 06DC001

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1971	---	---	---	---	1971
1972	---	---	---	---	1972
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	211 AT 08:38 CST ON JUL 9	210 ON JUL 8	---	---	1975
1976	317 AT 19:20 CST ON JUL 31 *	317 ON AUG 1 *	23.9 ON APR 4	---	1976
1977	---	236 ON JUN 12	30.6 ON APR 7	2 980 000	1977
1978	237 AT 21:14 CST ON MAY 31	236 ON MAY 31	22.8 ON APR 23	3 230 000	1978
1979	147 AT 19:57 CST ON JUL 19	106 ON JUL 25	27.8 ON APR 11	2 560 000	1979
1980	79.0 AT 18:20 CST ON MAY 7	78.9 ON MAY 8	29.0 ON APR 10	1 570 000	1980
1981	---	125 E ON MAY 20	23.1E ON OCT 9	1 280 000	1981
1982	125 AT 14:14 CST ON JUN 11	124 ON JUN 11	13.8E ON MAR 21 *	1 650 000	1982
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		2 210 000	MEAN

E - ESTIMATED

WEST FORK POPLAR RIVER AT INTERNATIONAL BOUNDARY - STATION NO. 11AE002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1931	---	---	0.060	0.028	0.013	0.006	0.001	0	0.001	0.005	---	---	0.014	1931
1932	---	---	0.323	0.099	0.018	0.019	0.003	0	0.004	0.004	---	---	0.059	1932
1933	---	---	0.557	0.137	0.031	0.034	0.033	0.054	0.014	0.008	---	---	0.109	1933
1934	---	---	0.066	0.136	0.004	0.004	0	0	0.001	0.008	---	---	0.027	1934
1935	---	---	0.011	0.080	0.015	0.020	0.006	0	0.002	0.006	---	---	0.017	1935
1936	---	---	0	0.735	0.031	0.009	0.001	0	0	0.003	---	---	0.096	1936
1937	---	---	0.011	0.044	0.009	0.009	0.009	0.003	0	0.006	---	---	0.011	1937
1938	---	---	1.57	0.121	0.022	0.059	0.021	0	0.005	0.007	---	---	0.227	1938
1939	---	---	3.92	0.063	0.035	0.393	0.007	0	0.001	0.006	---	---	0.558	1939
1940	---	---	0.006	0.472	0.061	0.022	0.012	0.008	0.003	0.011	---	---	0.073	1940
1941	---	---	0.653	0.051	0.010	0.012	0.004	0.001	0.004	0.009	---	---	0.094	1941
1942	---	---	0.193	0.222	0.022	0.039	0.016	0.016	0.052	0.014	---	---	0.071	1942
1943	---	---	1.69	1.15	0.019	0.221	0.021	0.001	0.001	0.010	---	---	0.388	1943
1944	---	---	0.019	0.312	0.020	0.033	0.005	0.010	0.009	0.006	---	---	0.051	1944
1945	---	---	1.00	0.057	0.011	0.011	0.006	0	0.002	0.009	---	---	0.139	1945
1946	---	---	0.786	0.044	0.003	0.007	0.002	0	0.002	0.008	---	---	0.107	1946
1947	---	---	0	0.198	0.019	0.094	0.029	0.159	0.013	0.010	---	---	0.065	1947
1948	---	---	0.180	1.49	0.030	0.013	0.052	0.009	0.001	0.007	---	---	0.219	1948
1949	---	---	0.080	0.070	0.008	0.005	0.003	0.002	0	0.006	---	---	0.022	1949
1950	---	---	0	4.15	0.124	0.076	0.007	0.004	0.006	0.010	---	---	0.536	1950
1951	---	---	---	2.44	0.212	0.013	0.007	0.001	0.042	0.018	---	---	---	1951
1952	---	---	0.002	9.43	0.014	0.005	0.165	0.005	0.006	0.006	---	---	1.18	1952
1975	---	---	---	---	---	0.032	0.014	0.024	0.012	0.017	---	---	---	1975
MEAN	---	---	0.530	0.979	0.033	0.049	0.018	0.013	0.008	0.008	---	---	0.193	MEAN

LOCATION - LAT 49 00 00 N DRAINAGE AREA, 376 km^2
LONG 106 22 00 W NATURAL FLOW

WEST FORK POPLAR RIVER AT INTERNATIONAL BOUNDARY - STATION NO. 11AE002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1931	0.25B ON MAR 21	0.246 ON MAR 21	0 ON JUN 18 *	301	1931
1932	1.93 AT 00:30 MST ON MAR 24	1.61 ON MAR 24	0E ON MAR 1	1 250	1932
1933	3.26 B ON MAR 18	2.32 B ON MAR 17	0B ON MAR 1	2 310	1933
1934	---	0.425B ON MAR 25	0B ON MAR 1	573	1934
1935	---	0.203 ON APR 18	0B ON MAR 1	365	1935
1936	11.0 AT 17:00 MST ON APR 14	4.45 ON APR 14	0B ON MAR 1	2 030	1936
1937	---	0.130 ON APR 12	0 ON JUN 26	238	1937
1938	---	7.08 B ON MAR 16	0B ON MAR 1	4 800	1938
1939	106 AT 15:30 MST ON MAR 23	40.5 ON MAR 24	0 ON MAR 1	11 800	1939
1940	20.9 AT 22:00 MST ON APR 19	3.71 B ON APR 19	0 ON AUG 26	1 550	1940
1941	5.49 AT 10:00 MST ON MAR 27	3.45 ON MAR 27	0 ON JUL 21	1 990	1941
1942	2.04 AT 12:30 MST ON APR 4	1.17 ON APR 3	0 ON AUG 11	1 510	1942
1943	---	19.3 ON MAR 29	0B ON MAR 1	8 210	1943
1944	---	2.12 B ON APR 2	0B ON MAR 1	1 080	1944
1945	---	4.96 B ON MAR 15	0B ON MAR 1	2 940	1945
1946	6.37 AT 08:30 MST ON MAR 24	2.86 ON MAR 21	0 ON MAR 1	2 270	1946
1947	8.24 AT 01:30 MST ON AUG 23	3.54 ON AUG 23	0B ON MAR 1	1 370	1947
1948	14.5 AT 12:30 MST ON APR 16	7.08 B ON APR 16	0B ON MAR 1	4 630	1948
1949	0.934B AT 14:30 MST ON MAR 28	0.708B ON MAR 31	0B ON MAR 1	458	1949
1950	---	35.4 B ON APR 17	0B ON MAR 1	11 300	1950
1951	---	18.5 B ON APR 26	0B ON APR 1	---	1951
1952	154 AT 21:00 MST ON APR 14 *	85.5 ON APR 14 *	0B ON MAR 1	25 000	1952
1975	---	---	---	---	1975
				4 090	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

WHEELER RIVER BELOW RUSSELL LAKE - STATION NO. 06DA005

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1973	---	---	---	---	---	---	---	---	---	---	17.0	18.2	---	1973
1974	22.3	22.4	18.7	---	---	---	---	---	19.9	19.4	19.2	19.3	---	1974
1975	18.4	17.1	15.9	15.2	23.2	23.6	---	---	---	21.4	20.2	---	---	1975
1976	---	---	---	---	---	17.0	27.0	38.8	39.7	37.0	33.3	28.3	---	1976
1977	26.9	25.7	21.0	23.7	30.8	35.5	35.1	30.2	29.4	26.9	23.9	22.5	27.6	1977
1978	24.5	23.9	21.9	19.7	27.3	29.7	24.9	25.6	29.8	30.8	27.2	24.5	25.8	1978
1979	27.2	28.1	24.7	21.0	25.3	27.7	25.2	24.5	23.1	23.9	24.6	21.6	24.7	1979
1980	18.0	18.7	13.8	14.1	19.3	17.2	18.3	14.8	15.4	18.9	18.3	16.6	16.3	1980
1981	16.7	17.4	17.1	17.8	24.9	21.3	15.8	11.4	8.93	9.44	11.1	11.5	15.3	1981
1982	10.0	8.53	8.30	10.3	22.2	25.5	21.3	23.0	21.8	18.7	17.0	17.4	17.1	1982
MEAN	20.5	19.7	17.7	17.4	24.7	24.7	23.4	23.5	23.5	22.9	21.2	20.0	21.1	MEAN

LOCATION - LAT 57 28 40 N LONG 104 59 50 W DRAINAGE AREA, 3 020 km² NATURAL FLOW

REMARKS - PRIOR TO 1978, RECORDS WERE PUBLISHED UNDER STATION NO. 07LA003

WHEELER RIVER BELOW RUSSELL LAKE - STATION NO. 06DA005

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1973	---	---	---	---	1973
1974	---	---	---	---	1974
1975	---	---	---	---	1975
1976	43.3 AT 02:05 CST ON SEP 10 *	43.0 ON SEP 9 *	---	---	1976
1977	37.7 AT 22:53 CST ON JUL 19	37.7 ON JUL 20	18.9 ON APR 11	871 000	1977
1978	32.8 AT 11:52 CST ON OCT 16	32.8 ON SEP 26	19.1 ON APR 8	814 000	1978
1979	31.7 AT 00:25 CST ON MAY 30	31.1 ON MAY 29	19.9 ON APR 17	780 000	1979
1980	---	20.2 ON JAN 1	12.6 B ON APR 7	515 000	1980
1981	27.1 AT 21:51 CST ON MAY 20	27.0 ON MAY 19	7.89 ON OCT 9 *	481 000	1981
1982	27.3 AT 09:16 CST ON JUN 8	27.0 ON JUN 15	8.30B ON FEB 26	538 000	1982
				667 000	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

WHITE FOX RIVER NEAR GARRICK - STATION NO. 05KE005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	---	---	---	---	---	---	0.019	0.001	---	---	---	1970
1971	---	---	0.028	13.6	0.791	1.83	4.41	1.27	0.006	0.002	---	---	2.71	1971
1972	---	---	0	27.5	10.3	0.448	0.006	0	0	0	---	---	4.72	1972
1973	---	---	0.051	4.34	0.743	26.3	11.8	1.53	1.37	1.28	---	---	5.86	1973
1974	---	---	0.062	40.7	18.1	6.96	1.10	0.309	0.088	0.265	---	---	8.35	1974
1975	---	---	0.028	7.61	10.0	4.74	0.777	0.048	0	0	---	---	2.89	1975
1976	---	---	0.019	4.16	0.188	0.145	0.170	0.027	0	0	---	---	0.578	1976
1977	---	---	0	0	0.183	1.05	0.198	0.043	0.135	0.199	---	---	0.224	1977
1978	---	---	0	13.4	3.68	0.700	0.089	0.109	0.152	0.193	---	---	2.26	1978
1979	---	---	0	25.6	20.9	6.65	1.06	0.006	0	0	---	---	6.73	1979
1980	---	---	0	4.12	0.122	0.015	0.016	0.008	0	0.002	---	---	0.526	1980
1981	---	---	0.025	0.531	0.154	0.056	0.018	0.002	0	0	---	---	0.097	1981
1982	---	---	0	7.63	0.792	0.129	0.037	0.066	0.254	0.340	---	---	1.16	1982
MEAN	---	---	0.018	12.4	5.50	4.09	1.64	0.285	0.156	0.176	---	---	3.81	MEAN

LOCATION - LAT 53 25 20 N LONG 104 20 30 W DRAINAGE AREA, 1 870 km² NATURAL FLOW

WHITE FOX RIVER NEAR GARRICK - STATION NO. 05KE005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1970	---	---	0 ON SEP 18 *	---	1970
1971	41.9 AT 05:40 CST ON APR 17	41.3 ON APR 17	0 ON MAY 31	57 800	1971
1972	131 AT 22:20 CST ON APR 25	128 ON APR 26	0B ON MAR 1	100 000	1972
1973	52.4 AT 13:36 CST ON JUN 9	52.1 ON JUN 9	0B ON MAR 1	124 000	1973
1974	169 AT 22:02 CST ON APR 21 *	160 ON APR 21 *	0 ON AUG 30	176 000	1974
1975	28.9 AT 20:00 CST ON APR 29	27.4 ON APR 29	0 ON AUG 7	61 100	1975
1976	18.1 AT 03:10 CST ON APR 10	17.4 ON APR 10	0 ON AUG 7	12 300	1976
1977	---	1.42 ON JUN 8	0B ON MAR 1	4 730	1977
1978	87.5B AT 18:28 CST ON APR 21	69.1 ON APR 22	0B ON MAR 1	47 700	1978
1979	110 AT 03:26 CST ON APR 26	106 ON APR 26	0B ON MAR 1	142 000	1979
1980	---	15.5 B ON APR 14	0B ON MAR 1	11 100	1980
1981	---	1.00B ON APR 1	0B ON MAR 1	2 060	1981
1982	30.0 AT 05:24 CST ON APR 21	29.2 ON APR 21	0B ON MAR 1	24 100	1982
				63 500	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

WHITE FOX RIVER NEAR WHITE FOX - STATION NO. 05KE001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1941	---	---	0	0.040	0.049	0.041	0	0	0	0	---	---	0.016	1941
1942	---	---	0	1.75	0.223	1.27	10.7	1.15	0.166	0.113	---	---	1.93	1942
1943	---	---	0	10.3	2.04	0.454	0.525	0.442	0.019	0.030	---	---	1.71	1943
1944	---	---	0	0.677	1.99	0.244	0.952	1.09	1.86	3.54	---	---	1.30	1944
1945	---	---	0.115	3.70	8.34	6.09	3.26	0.310	0.049	0.136	---	---	2.74	1945
1965	---	---	---	10.4	1.29	0.519	---	---	---	---	---	---	---	1965
1966	---	---	---	---	5.23	---	---	---	---	---	---	---	---	1966
1967	---	---	---	---	4.12	0.037	---	---	---	---	---	---	---	1967
1969	---	---	---	13.1	---	---	---	---	---	---	---	---	---	1969
1970	---	---	---	19.5	---	---	---	---	---	---	---	---	---	1970
MEAN	---	---	0.023	7.43	2.91	1.24	3.09	0.598	0.419	0.764	---	---	1.54	MEAN

LOCATION - LAT 53 27 00 N, LONG 104 06 00 W DRAINAGE AREA, 2 280 km² NATURAL FLOW

WHITE FOX RIVER NEAR WHITE FOX - STATION NO. 05KE001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1941	---	0.113 ON APR 18	0E ON MAR 1 *	342	1941
1942	---	37.7 ON JUL 21 *	0E ON MAR 1	40 900	1942
1943	---	35.1 ON APR 21	0B ON MAR 1	36 100	1943
1944	---	5.78 E ON OCT 12	0B ON MAR 1	27 500	1944
1945	---	18.8 ON MAY 6	0B ON MAR 1	58 100	1945
1965	---	---	---	---	1965
1966	---	---	---	---	1966
1967	---	---	---	---	1967
1969	---	---	---	---	1969
1970	---	---	---	---	1970
				32 600	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD
E - ESTIMATED

WHITE RESERVOIR OUTFLOW - STATION NO. 05HF020

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	0	0	0	0	0	0	0	0	---	---	0	1968
1969	---	---	0	0.017	0	0	0	0	0	0	---	---	0.002	1969
1970	---	---	0	0.042	0	0	0	0	0	0	---	---	0.005	1970
1971	---	---	0	0.001	0	0	0	0	0	0	---	---	0	1971
1972	---	---	0	0	0	0	0	0	0	0	---	---	0	1972
1973	---	---	0	0	0	0	0	0	0	0	---	---	0	1973
1974	---	---	0	0	0.037	0.007	0	0	0	0	---	---	0.006	1974
1975	---	---	0	0.022	0.003	0	0	0	0	0	---	---	0.003	1975
1976	---	---	0	0.003	0	0	0	0	0	0	---	---	0	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	0	0	0	0	0	0	0	0	---	---	0	1978
1979	---	---	0	0	0	0	0	0	0	0	---	---	0	1979
MEAN	---	---	0	0.007	0.003	0.001	0	0	0	0	---	---	0.001	MEAN

LOCATION - LAT 51 25 10 N, LONG 108 22 47 W REGULATED

WHITE RESERVOIR OUTFLOW - STATION NO. 05HF020

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1968	---	0 ON MAR 1	0 ON MAR 1 *	0	1968
1969	---	0.212 ON APR 11	0E ON MAR 1	44.0	1969
1970	---	0.592 ON APR 7 *	0E ON MAR 1	108	1970
1971	0.886 AT 20:34 CST ON APR 15	0.005 ON APR 15	0 ON MAR 1	3.54	1971
1972	0 AT 00:00 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1972
1973	0 AT 00:00 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1973
1974	0.125 AT 18:05 CST ON JUN 26	0.065 ON MAY 22	0 ON MAR 1	119	1974
1975	0.210B AT 12:50 CST ON APR 20 *	0.144B ON APR 20	0B ON MAR 1	65.5	1975
1976	0.014B AT 18:24 CST ON APR 7	0.011 ON APR 8	0B ON MAR 1	8.13	1976
1977	0 AT 00:00 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1977
1978	0 AT 00:00 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1978
1979	---	0 ON MAR 1	0 ON MAR 1	0	1979
				29.0	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD
E - ESTIMATED

WHITE TRIBUTARY NEAR FISKE - STATION NO. 05HF011

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1968	---	---	0.002	0	0	0	0	0	0	0	---	---	0	1968
1969	---	---	0	0.018	0	0	0	0	0	0	---	---	0.002	1969
1970	---	---	0	0.008	0	0	0	0	0	0	---	---	0.001	1970
1971	---	---	0	0.001	0	0	0	0	0	0	---	---	0	1971
1972	---	---	0	0	0	0	0	0	0	0	---	---	0	1972
1973	---	---	0.001	0	0	0	0	0	0	0	---	---	0	1973
1974	---	---	0	0.010	0	0	0	0	0	0	---	---	0.001	1974
1975	---	---	0	0.013	0	0	0	0	0	0	---	---	0.002	1975
1976	---	---	0.001	0.016	0	0	0	0	0	0	---	---	0.002	1976
1977	---	---	0	0	0.001	0	0	0	0	0	---	---	0	1977
1978	---	---	0	0	0	0	0	0	0	0	---	---	0	1978
1979	---	---	0	0.001	0	0	0	0	0	0	---	---	0	1979
MEAN	---	---	0	0.006	0	0	0	0	0	0	---	---	0.001	MEAN

LOCATION - LAT 51 25 15 N DRAINAGE AREA, 0.52 km²
LONG 108 22 53 W NATURAL FLOW

WHITE TRIBUTARY NEAR FISKE - STATION NO. 05HF011

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1968	---	0.017 ON MAR 1	0E ON MAR 7 *	4.49	1968
1969	0.374 AT 06:00 CST ON APR 5	0.122 ON APR 5	0 ON MAR 1	45.8	1969
1970	0.184B AT 08:00 CST ON APR 8	0.074B ON APR 6	0 ON MAR 1	20.1	1970
1971	0.016B AT 00:14 CST ON APR 7	0.008B ON APR 7	0B ON MAR 1	3.97	1971
1972	0.001E ON APR 6	0.001E ON APR 5	0 ON MAR 1	0.26	1972
1973	0.008 AT 19:05 CST ON MAR 20	0.003 ON MAR 17	0 ON MAR 1	2.68	1973
1974	0.436B AT 13:38 CST ON APR 19	0.125B ON APR 19	0B ON MAR 1	26.2	1974
1975	---	0.108B ON APR 17	0B ON MAR 1	33.9	1975
1976	0.201B AT 01:19 CST ON APR 3	0.190B ON APR 3 *	0B ON MAR 1	45.5	1976
1977	0.745 AT 15:18 CST ON MAY 15 *	0.012 ON MAY 15	0 ON MAR 1	3.89	1977
1978	0.004 AT 17:37 CST ON APR 4	0.003A ON MAR 30	0B ON MAR 1	1.12	1978
1979	0.068 AT 21:29 CST ON APR 18	0.009 ON APR 18	0B ON MAR 1	2.08	1979
				15.8	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

WHITESAND RIVER NEAR CANORA - STATION NO. 05MB003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1943	---	---	0	12.5	2.23	1.55	0.627	---	---	---	---	---	---	1943
1944	---	---	---	1.12	0.328	0.272	0.035	0	0	0	---	---	---	1944
1945	---	---	0.520	1.27	0.454	0.321	0.246	0.001	0.028	---	---	---	---	1945
1946	---	---	---	2.75	0.425	0.123	0.054	0.003	0.055	0.172	---	---	---	1946
1947	---	---	---	---	8.28	1.62	1.07	0.126	0.109	0.147	---	---	---	1947
1948	---	---	---	---	23.9	0.936	0.726	0.130	0.004	0.007	---	---	---	1948
1949	---	---	---	1.37	0.160	0.880	0.081	0.070	---	---	---	---	---	1949
1950	---	---	---	---	2.17	0.328	0.190	0.144	---	---	---	---	---	1950
1951	---	---	---	8.89	8.82	0.988	0.380	0.063	0.186	0.395	---	---	---	1951
1952	---	---	---	9.71	1.11	0.233	0.022	0	0	0	---	---	---	1952
1953	---	---	---	8.18	2.93	6.87	20.3	8.94	2.88	1.46	---	---	---	1953
1954	---	---	---	19.0	13.8	48.5	17.5	5.73	6.48	7.73	4.32	---	---	1954
1955	---	---	---	50.4	78.6	20.6	10.7	4.01	0.882	0.982	---	---	---	1955
1956	---	---	---	36.9	64.6	17.6	6.76	1.93	1.38	0.817	---	---	---	1956
1957	---	---	0	23.0	14.1	2.48	0.858	0.408	0.185	0	---	---	5.10	1957
1958	---	---	0.247	3.24	0.724	0.126	0	0	0	0	---	---	0.535	1958
1959	---	---	0.521	1.90	0.131	0.081	0.286	0	0	0.051	---	---	0.368	1959
1960	---	---	0.106	19.7	3.99	1.77	0.743	0.003	0	0	---	---	3.24	1960
1961	---	---	0	0.181	0.058	0	0	0	0	0	---	---	0.030	1961
1962	---	---	0	7.99	1.72	0.130	0	0	0	0	---	---	1.21	1962
1963	---	---	0.259	0.575	0.038	0.062	0.019	0.001	0	0	---	---	0.118	1963
1964	---	---	0	0.858	0.580	0.049	0	0	0	0.350	---	---	0.229	1964
1965	---	---	0	7.84	2.27	2.09	0.311	0.121	0.066	0.186	---	---	1.59	1965
1966	---	---	0	17.8	6.48	1.92	1.70	1.34	0.138	0.323	---	---	3.68	1966
1967	---	---	0.008	3.77	12.3	1.14	0.026	0.005	0.008	0.586	---	---	2.23	1967
1968	---	---	0.580	1.92	0.208	0.136	0.003	0.002	0.153	0	---	---	0.371	1968
1969	---	---	0	9.00	1.17	0.117	0.127	0.131	0.021	0.285	---	---	1.34	1969
1970	---	---	0	10.5	9.14	1.59	1.64	0.075	0	0.754	---	---	2.95	1970
1971	---	---	0.071	24.5	3.39	2.89	1.71	0.210	0	0.039	---	---	3.99	1971
1972	---	---	0.174	27.8	7.13	0.414	0.044	0.001	0	0	---	---	4.38	1972
1973	---	---	0.372	0.426	0.319	1.71	0.710	0.001	0.337	0.005	---	---	0.481	1973
1974	---	---	0.060	24.8	21.4	8.02	0.725	0.579	0.513	0.336	---	---	7.01	1974
1975	---	---	0.113	24.3	41.4	8.11	3.16	1.14	1.00	0.736	---	---	9.98	1975
1976	---	---	0.303	52.5	12.9	11.2	9.17	1.85	0.580	0.207	---	---	11.0	1976
1977	---	---	0.085	1.71	1.53	0.109	0	0	0	0	---	---	0.426	1977
1978	---	---	0	3.35	0.509	0.032	0.635	0.066	0.001	0.006	---	---	0.568	1978
1979	---	---	0.005	22.5	28.3	3.70	0.842	0.381	0.503	0.326	---	---	7.05	1979
1980	---	---	0.003	12.1	1.99	0.294	0.082	0.044	0.019	0.036	---	---	1.79	1980
1981	---	---	0.261	0.190	0.173	0.856	0.683	0.428	0.019	0.642	---	---	0.407	1981
1982	---	---	0.059	4.06	1.14	0.432	1.80	0.151	0.014	0.060	---	---	0.958	1982
MEAN	---	---	0.134	12.4	9.42	3.75	2.10	0.720	0.421	0.462	4.32	---	2.73	MEAN

LOCATION - LAT 51 38 11 N DRAINAGE AREA, 8 740 km²
LONG 102 22 11 W REGULATED

WHITESAND RIVER NEAR CANORA - STATION NO. 05MB003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1943	---	44.7 B ON APR 12	0 B ON MAR 1 *	---	1943
1944	---	6.29 B ON APR 13	0 ON APR 1	---	1944
1945	---	4.84 ON MAR 31	0 ON MAR 1	---	1945
1946	---	11.2 ON MAR 30	0 ON AUG 28	---	1946
1947	---	43.0 ON APR 19	---	---	1947
1948	---	164 ON APR 26	0 ON SEP 13	---	1948
1949	---	5.86 ON APR 9	0 ON APR 1	---	1949
1950	---	32.3 ON APR 21	---	---	1950
1951	---	20.9 B ON APR 14	0 B ON APR 1	---	1951
1952	---	19.9 ON APR 7	0 ON JUL 17	---	1952
1953	---	48.7 ON JUL 1	---	---	1953
1954	---	115 ON JUN 15	---	---	1954
1955	145 AT 08:00 CST ON MAY 8	144 ON MAY 7	---	---	1955
1956	148 AT 18:00 CST ON APR 23	146 ON APR 23	---	---	1956
1957	---	89.8 ON APR 22	0 B ON MAR 1	108 000	1957
1958	8.38 AT 08:00 CST ON APR 4	7.87 ON APR 4	0 ON JUN 29	11 300	1958
1959	10.8 AT 18:30 CST ON APR 1	10.5 ON APR 1	0 ON MAR 1	7 780	1959
1960	86.7 AT 17:00 CST ON APR 15	80.4 ON APR 15	0 ON AUG 3	68 600	1960
1961	---	0.246 ON APR 12	0 ON MAR 1	626	1961
1962	---	40.5 ON APR 22	0 ON MAR 1	25 600	1962
1963	---	2.21 ON MAR 31	0 ON MAR 1	2 500	1963
1964	---	3.62 ON APR 16	0 ON MAR 1	4 840	1964
1965	---	32.8 B ON APR 15	0 B ON MAR 1	33 600	1965
1966	---	35.1 B ON APR 9	0 B ON MAR 1	77 900	1966
1967	---	26.2 ON APR 29	0 ON JUL 16	47 300	1967
1968	---	5.86 ON APR 3	0 B ON MAR 1	7 840	1968
1969	---	34.8 ON APR 15	0 B ON MAR 1	28 300	1969
1970	---	22.6 ON APR 14	0 B ON MAR 1	62 400	1970
1971	---	83.8 ON APR 14	0 ON AUG 29	84 400	1971
1972	96.6 ON APR 17	90.9 ON APR 17	0 ON JUL 20	92 800	1972
1973	---	3.43 ON JUN 7	0 ON MAR 1	10 200	1973
1974	112 AT 10:54 CST ON APR 22	104 ON APR 22	0.021B ON APR 6	148 000	1974
1975	135 AT 00:30 CST ON MAY 3	132 ON MAY 3	0.108B ON APR 16	211 000	1975
1976	202 B AT 19:40 CST ON APR 12 *	174 B ON APR 12 *	0.105 ON OCT 21	232 000	1976
1977	5.47 AT 17:43 CST ON APR 12	5.01 ON APR 12	0 ON JUN 25	9 030	1977
1978	7.19B AT 22:41 CST ON APR 9	6.85 B ON APR 10	0 B ON MAR 1	12 000	1978
1979	97.1 B AT 08:28 CST ON APR 26	96.8 B ON APR 26	0.005B ON MAR 1	149 000	1979
1980	35.1 B AT 14:11 CST ON APR 11	34.0 B ON APR 11	0 ON JUN 20	37 900	1980
1981	4.08 AT 03:49 CST ON OCT 17	2.72 ON JUN 18	0 ON SEP 24	8 630	1981
1982	11.4 AT 13:57 CST ON APR 21	10.5 B ON APR 21	0 B ON MAR 1	20 200	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		57 800	MEAN

WHITESAND RIVER NEAR KAMSACK - STATION NO. 05MB002

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1941	---	---	0	3.72	0.860	0.146	0.001	0	0	0	---	---	---	1941
1942	---	---	---	8.00	0.638	0.257	0.369	0.521	---	---	---	---	---	1942
MEAN	---	---	0	5.86	0.749	0.202	0.185	0.261	0	0	---	---	---	MEAN

LOCATION - LAT 51 33 50 N DRAINAGE AREA, 9 660 km^2
LONG 101 55 30 W REGULATED

WHITESAND RIVER NEAR KAMSACK - STATION NO. 05MB002

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1941	---	12.7 ON APR 16 *	0 ON MAR 1 *	---	1941
1942	---	---	0 ON APR 1	---	1942
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		---	MEAN

WHITESAND RIVER NEAR SHEHO - STATION NO. 05MB004

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1957	---	---	0	2.00	0.859	0.072	0	0	0	0	---	---	0.363	1957
1958	---	---	0	0.055	0.016	0	0	0	0	0	---	---	0.009	1958
1959	---	---	0	0	0	0	0	0	0	0	---	---	0	1959
1960	---	---	0	1.45	0.340	1.10	0.273	0	0	0	---	---	0.389	1960
1961	---	---	0	0	0	0	0	0	0	0	---	---	0	1961
1962	---	---	0	0.032	0.029	0	0	0	0	0	---	---	0.008	1962
1963	---	---	0.011	0.062	0.007	0	0	0	0	0	---	---	0.010	1963
1964	---	---	0	0	0	0	0	0	0	0	---	---	0	1964
1965	---	---	0	0.082	0.004	0.297	0.120	0.005	0	0	---	---	0.063	1965
1966	---	---	0	2.39	0.918	0.292	0.169	0.249	0.107	0.017	---	---	0.513	1966
1967	---	---	0	0.063	2.27	0.495	0.011	0	0	0	---	---	0.358	1967
1968	---	---	0.131	0.092	0.036	0.004	0	0	0	0	---	---	0.033	1968
1969	---	---	0	0.376	0.077	0.002	0	0	0	0	---	---	0.056	1969
1970	---	---	0	1.29	1.09	0.182	0.029	0	0	0	---	---	0.321	1970
1971	---	---	0	2.83	0.611	0.125	0.072	0.018	0	0	---	---	0.451	1971
1972	---	---	0	3.04	2.03	0.154	0.011	0	0	0	---	---	0.651	1972
1973	---	---	0	0.003	0.230	1.09	0.278	0.001	0	0	---	---	0.199	1973
MEAN	---	---	0.008	0.810	0.501	0.224	0.057	0.016	0.006	0.001	---	---	0.201	MEAN

LOCATION - LAT 51 35 34 N DRAINAGE AREA, 1 840 km²
LONG 103 02 38 W REGULATED

WHITESAND RIVER NEAR SHEHO - STATION NO. 05MB004

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1957	---	6.88 ON APR 21	0 ON MAR 1 *	7 690	1957
1958	---	0.170 ON APR 25	0B ON MAR 1	186	1958
1959	---	0 ON MAR 1	0 ON MAR 1	0	1959
1960	---	5.01 A ON APR 16	0B ON MAR 1	8 240	1960
1961	---	0 ON MAR 1	0 ON MAR 1	0	1961
1962	---	0.190A ON APR 21	0 ON MAR 1	160	1962
1963	---	0.085E ON MAR 29	0 ON MAR 1	210	1963
1964	---	0 ON MAR 1	0 ON MAR 1	0	1964
1965	---	1.12 B ON APR 14	0B ON MAR 1	1 330	1965
1966	---	10.4 B ON APR 18 *	0B ON MAR 1	10 900	1966
1967	---	4.08 B ON MAY 9	0B ON MAR 1	7 560	1967
1968	---	0.971A ON MAR 29	0B ON MAR 1	695	1968
1969	1.44 AT 00:10 CST ON APR 20	1.26 ON APR 20	0B ON MAR 1	1 190	1969
1970	3.43 AT 11:07 CST ON APR 23	3.40 ON APR 23	0B ON MAR 1	6 790	1970
1971	9.46B AT 21:00 CST ON APR 10	6.51 B ON APR 10	0B ON MAR 1	9 550	1971
1972	10.2 B ON APR 18 *	9.46 B ON APR 17	0B ON MAR 1	13 800	1972
1973	---	2.29 A ON JUN 6	0B ON MAR 1	4 210	1973
				4 270	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

WHITESAND RIVER NEAR SPRINGSIDE - STATION NO. 05MB008

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1971	---	---	0.041	6.60	1.68	0.596	0.192	0.086	0.030	0.031	---	---	1.14	1971
1972	---	---	0.001	7.65	3.09	0.322	0.064	0.028	0.028	0.072	---	---	1.39	1972
1973	---	---	0.094	0.137	0.449	1.46	0.479	0.036	0.030	0.096	---	---	0.345	1973
1974	---	---	0.014	6.88	9.55	2.60	0.282	0.057	0.094	0.179	---	---	2.45	1974
1975	---	---	0.041	9.04	10.4	1.63	0.154	0.057	0.177	0.075	---	---	2.69	1975
1976	---	---	0.132	16.4	1.98	4.92	1.84	0.080	0.051	0.097	---	---	3.14	1976
1977	---	---	0.112	0.301	0.401	0.012	0	0	0.014	0.088	---	---	0.116	1977
1978	---	---	0.048	0.591	0.155	0.023	0.297	0.002	0.008	0.107	---	---	0.153	1978
1979	---	---	0.017	8.92	10.6	1.72	0.193	0.299	0.455	0.219	---	---	2.79	1979
1980	---	---	0.040	1.10	0.405	0.030	0.009	0.042	0.023	0.022	---	---	0.207	1980
1981	---	---	0.081	0.066	0.064	0.256	0.089	0.088	0.030	0.077	---	---	0.096	1981
1982	---	---	0.085	2.24	0.439	0.095	0.111	0.012	0.003	0.033	---	---	0.373	1982
MEAN	---	---	0.059	5.00	3.27	1.14	0.309	0.066	0.079	0.091	---	---	1.24	MEAN

LOCATION - LAT 51 23 50 N DRAINAGE AREA, 2 650 km²
LONG 102 44 12 W REGULATED

WHITESAND RIVER NEAR SPRINGSIDE - STATION NO. 05MB008

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1971	---	14.9 ON APR 14	0 ON SEP 12 *	24 200	1971
1972	---	19.8 ON APR 17	0 B ON MAR 1	29 400	1972
1973	---	2.92 ON JUN 9	0.003E ON AUG 23	7 300	1973
1974	24.2 AT 14:39 CST ON APR 24	23.9 ON APR 24	0.004 ON AUG 30	51 800	1974
1975	58.1 AT 07:58 CST ON APR 30	52.7 ON APR 30	0.007 ON AUG 21	56 900	1975
1976	58.6 AT 16:26 CST ON APR 10 *	54.1 ON APR 10 *	0.008 ON AUG 20	66 400	1976
1977	1.37 AT 17:02 CST ON MAY 9	1.18 ON MAY 7	0 E ON JUN 13	2 460	1977
1978	1.93B AT 07:54 CST ON APR 12	1.33B ON APR 15	0 ON JUN 29	3 240	1978
1979	49.0 AT 20:18 CST ON APR 27	46.8 ON APR 28	0.002 ON AUG 16	59 100	1979
1980	2.19B AT 02:37 CST ON APR 6	1.87B ON APR 6	0 ON JUL 12	4 370	1980
1981	1.36 AT 14:35 CST ON JUN 15	1.00 ON JUN 15	0.011 ON SEP 17	2 040	1981
1982	7.55B AT 07:10 CST ON APR 17	7.26B ON APR 17	0 ON SEP 26	7 890	1982
				26 100	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

WHITEWATER CREEK NEAR INTERNATIONAL BOUNDARY - STATION NO. 11AD001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1927	---	---	1.80	4.41	0.356	0.050	0.005	0.003	0.004	0.003	---	---	0.821	1927
1928	---	---	4.49	1.58	0.025	0.024	0.653	0.027	0.010	0.010	---	---	0.856	1928
1929	---	---	0.028	0.029	0.027	0.021	0.001	0	0.004	0.005	---	---	0.014	1929
1930	---	---	1.06	0.097	0.007	0.002	0.003	0.001	0.004	0.002	---	---	0.148	1930
1931	---	---	0.008	0.008	0.005	0.112	0.036	0.002	0.003	0.002	---	---	0.022	1931
1932	---	---	0.040	0.026	0.018	0.039	0.003	0	0.004	0.007	---	---	0.017	1932
1933	---	---	0.007	0.009	0.018	0.014	0.010	0.006	0.003	0.003	---	---	0.009	1933
1934	---	---	0.097	0.009	0.004	0.004	0.001	0	0.004	0.004	---	---	0.015	1934
1935	---	---	0.215	0.079	0.006	0.002	0.004	0	0.002	0.004	---	---	0.039	1935
1936	---	---	0.013	0.524	0.004	0.005	0	0	0.001	0.003	---	---	0.068	1936
1937	---	---	0	0.072	0.003	0.001	0.005	0	0	0.003	---	---	0.011	1937
1938	---	---	0.436	0.045	0.007	0.005	0.019	0	0	0.001	---	---	0.065	1938
1939	---	---	2.92	0.014	0.062	0.723	0.008	0	0.001	0.002	---	---	0.469	1939
1940	---	---	0.004	1.28	0.093	0.096	0.002	0.001	0.001	0.004	---	---	0.181	1940
1941	---	---	0.853	0.018	0.007	0.016	0.004	0	0.002	0.003	---	---	0.114	1941
1942	---	---	0.030	0.019	0.012	0.060	0.009	0.001	0.002	0.003	---	---	0.017	1942
1943	---	---	4.17	0.052	0.012	0.023	0.008	0	0	0.001	---	---	0.540	1943
1944	---	---	0.360	0.039	0.009	0.007	0.001	0	0	0.003	---	---	0.053	1944
1945	---	---	0.008	0.010	0.007	0.007	0.001	0	0.001	0.001	---	---	0.008	1945
1946	---	---	0.203	0.009	0.004	0.002	0.001	0	0	0.002	---	---	0.028	1946
1947	---	---	0.288	0.041	0.003	0.004	0.002	0	0	0	---	---	0.043	1947
1948	---	---	0.005	0.008	0.018	0.003	0	0	0	0	---	---	0.004	1948
1949	---	---	0.016	0.012	0.003	0.001	0	0	0	0.002	---	---	0.004	1949
1950	---	---	0	4.30	0.011	0.006	0.001	0	0.002	0.003	---	---	0.530	1950
1951	---	---	0	0.646	0.209	0.005	0.001	0.002	0.009	0.005	---	---	0.108	1951
1952	---	---	0	19.3	0.077	0.008	0.147	0.004	0.003	0.004	---	---	2.39	1952
1953	---	---	0.144	0.047	0.184	0.114	0.004	0	0	0.002	---	---	0.062	1953
1954	---	---	0.006	2.05	0.021	0.023	0.005	0.004	0.003	0.004	---	---	0.259	1954
1955	---	---	0.877	1.34	0.071	0.007	0.730	0.003	0.001	0.003	---	---	0.378	1955
1956	---	---	0.010	0.020	0.024	0.002	0	0	0.001	0	---	---	0.007	1956
1957	---	---	0.034	0.018	0.006	0.002	0	0	0	0.001	---	---	0.008	1957
1958	---	---	0.890	0.197	0.003	0.001	0	0	0	0	---	---	0.137	1958
1959	---	---	0.966	0.025	0.004	0.002	0.001	0	0	0.003	---	---	0.126	1959
1960	---	---	1.82	0.014	0.010	0.003	0.001	0	0	0.004	---	---	0.234	1960
1961	---	---	1.82	0.010	0.005	0.146	0.001	0	0	0.003	---	---	0.250	1961
1962	---	---	0.470	0.043	0.005	0.029	3.13	0.014	0.001	0.005	---	---	0.467	1962
1963	---	---	0.062	0.017	0.008	0.013	0.001	0	0	0.003	---	---	0.013	1963
1964	---	---	0.001	0.008	0.011	0.003	0.001	0	0.003	0.003	---	---	0.004	1964
1965	---	---	0	0.158	0.016	0.008	0.008	0	0.004	0.003	---	---	0.024	1965
1966	---	---	1.92	0.032	0.028	0.003	0.002	0	0.001	0.001	---	---	0.252	1966
1967	---	---	0.625	1.51	0.075	0.007	0	0	0.001	0.003	---	---	0.275	1967
1968	---	---	0.011	0.008	0.005	0.002	0	0.001	0.002	0.003	---	---	0.004	1968
1969	---	---	0.003	0.380	0.048	0.007	0.024	0	0	0.003	---	---	0.057	1969
1970	---	---	0.201	0.031	0.041	0.030	0.003	0	0.001	0.002	---	---	0.039	1970
1971	---	---	0.004	0.115	0.015	0.007	0.002	0	0.001	0.006	---	---	0.018	1971
1972	---	---	0.128	0.017	0.008	0.002	0.001	0.001	0.001	0.003	---	---	0.020	1972
1973	---	---	0.041	0.018	0.006	0.002	0	0	0.001	0.002	---	---	0.009	1973
1974	---	---	2.58	0.552	0.192	0.017	0.001	0.002	0.002	0.002	---	---	0.421	1974
1975	---	---	0.010	0.170	0.244	0.012	0.001	0.001	0.002	0.003	---	---	0.055	1975
1976	---	---	0.888	0.017	0.003	0.002	0.001	0	0.001	0.002	---	---	0.116	1976
1977	---	---	0.015	0.022	0.007	0.004	0.001	0	0.002	0.004	---	---	0.007	1977
1978	---	---	0.620	2.08	0.105	0.008	0.002	0.001	0.003	0.003	---	---	0.348	1978
1979	---	---	0.749	0.561	0.032	0.003	0.001	0	0.001	0.003	---	---	0.169	1979
MEAN	---	---	0.603	0.794	0.041	0.032	0.091	0.001	0.002	0.003	---	---	0.195	MEAN

LOCATION - LAT 48 57 00 N
LONG 107 52 00 W
DRAINAGE AREA, 3 190 km^2
NATURAL FLOW
INTERNATIONAL GAUGING STATION

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1934

WHITEWATER CREEK NEAR INTERNATIONAL BOUNDARY - STATION NO. 11AD001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1927	32.3 AT 11:50 MST ON APR 5	26.1 ON APR 5	0 B ON MAR 1 *	17 300	1927
1928	51.3 AT 22:30 MST ON MAR 21	29.4 ON MAR 21	0.006 ON MAY 22	18 100	1928
1929	0.201 AT 08:00 MST ON APR 30	0.133 ON APR 30	0 ON JUN 27	305	1929
1930	---	5.49 B ON MAR 13	0 B ON MAR 1	3 140	1930
1931	18.0 AT 09:00 MST ON JUN 30	3.20 ON JUN 30	0.001 ON JUN 18	458	1931
1932	3.48 AT 23:00 MST ON MAY 31	0.580 ON JUN 1	0 B ON MAR 1	358	1932
1933	0.241 AT 03:30 MST ON AUG 22	0.071 ON AUG 22	0 B ON MAR 8	183	1933
1934	---	0.566B ON MAR 1	0 ON JUN 22	326	1934
1935	---	1.42 B ON MAR 19	0 B ON MAR 1	827	1935
1936	---	6.23 ON APR 10	0 B ON MAR 1	1 430	1936
1937	0.784 AT 18:00 MST ON JUL 11	0.425B ON APR 9	0 B ON MAR 1	222	1937
1938	---	6.51 B ON MAR 17	0 B ON MAR 1	1 370	1938
1939	64.8 AT 23:00 MST ON MAR 20	32.6 ON MAR 21	0 ON MAR 1	9 930	1939
1940	22.3 AT 19:00 MST ON APR 21	11.3 ON APR 21	0 ON JUL 7	3 840	1940
1941	12.7 AT 12:30 MST ON MAR 19	3.99 ON MAR 20	0 B ON MAR 17	2 410	1941
1942	0.977 AT 13:30 MST ON JUN 5	0.490 ON JUN 5	0 B ON MAR 1	357	1942
1943	79.6 AT 01:00 MST ON MAR 25	50.1 ON MAR 25	0 B ON MAR 1	11 500	1943
1944	4.79 B AT 12:30 MST ON MAR 20	3.11 B ON MAR 22	0 ON MAR 1	1 120	1944
1945	0.023B AT 23:30 MST ON MAR 21	0.020B ON MAR 15	0 B ON MAR 1	92.6	1945
1946	1.90 B AT 10:30 MST ON MAR 2	1.76 B ON MAR 1	0 ON JUN 16	594	1946
1947	---	1.90 B ON MAR 25	0 B ON MAR 1	902	1947
1948	0.663 ON MAY 22	0.207 ON MAY 23	0 B ON MAR 1	90.7	1948
1949	0.125B AT 15:00 MST ON MAR 8	0.071B ON MAR 8	0 B ON MAR 1	94.1	1949
1950	60.0 B AT 24:00 MST ON APR 15	30.9 B ON APR 15	0 B ON MAR 1	11 300	1950
1951	12.1 AT 03:00 MST ON MAY 1	4.08 ON MAY 1	0 B ON MAR 1	2 290	1951
1952	99.1 AT 02:00 MST ON APR 14 *	72.2 ON APR 14 *	0 B ON MAR 1	50 700	1952
1953	7.62 AT 19:00 MST ON MAY 29	1.56 B ON MAR 28	0 ON MAR 1	1 310	1953
1954	60.3 E ON APR 6	31.1 E ON APR 6	0 ON JUL 14	5 490	1954
1955	29.7 AT 22:15 MST ON JUL 12	17.0 B ON MAR 31	0 B ON MAR 1	8 010	1955
1956	0.071B AT 21:00 MST ON MAR 24	0.062B ON MAR 24	0 B ON MAR 1	152	1956
1957	0.934B AT 14:00 MST ON MAR 21	0.255B ON MAR 21	0 B ON MAR 1	163	1957
1958	14.2 AT 05:00 MST ON MAR 29	8.35 ON MAR 29	0 ON MAR 1	2 900	1958
1959	---	5.95 B ON MAR 27	0 B ON MAR 1	2 680	1959
1960	26.5 B AT 23:45 MST ON MAR 19	16.8 B ON MAR 20	0 ON MAR 1	4 940	1960
1961	43.0 B AT 09:45 MST ON MAR 17	27.3 B ON MAR 17	0 ON JUN 5	5 300	1961
1962	77.9 AT 22:00 MST ON JUL 13	33.4 ON JUL 14	0 ON MAR 1	9 890	1962
1963	0.561 AT 15:45 MST ON MAR 2	0.283E ON MAR 1	0 ON JUN 2	273	1963
1964	0.059 ON MAY 4	0.054 ON MAY 4	0 A ON MAR 1	78.0	1964
1965	5.66 B AT 16:30 MST ON APR 11	1.84 B ON APR 11	0 ON MAR 1	512	1965
1966	16.5 AT 18:00 MST ON MAR 15	9.97 ON MAR 17	0 ON MAR 1	5 330	1966
1967	11.5 B AT 17:30 MST ON APR 9	9.97 B ON APR 9	0 B ON MAR 1	5 830	1967
1968	0.031A AT 15:20 MST ON MAR 3	0.023E ON MAR 2	0 ON JUL 8	88.5	1968
1969	6.60 B AT 22:30 MST ON APR 7	3.23 B ON APR 8	0 B ON MAR 1	1 210	1969
1970	2.15 B AT 16:00 MST ON MAR 25	1.33 B ON MAR 21	0 B ON MAR 1	824	1970
1971	1.67 AT 18:00 CST ON APR 5	0.934 ON APR 6	0 ON JUL 28	389	1971
1972	3.54 B AT 17:30 MST ON MAR 14	1.08 B ON MAR 14	0 ON MAR 1	427	1972
1973	0.306B AT 17:00 CST ON MAR 3	0.227B ON MAR 2	0 ON JUL 7	187	1973
1974	19.4 B AT 19:00 CST ON MAR 30	17.3 B ON MAR 30	0 ON JUL 24	8 920	1974
1975	4.90 B AT 22:00 CST ON APR 14	3.06 ON MAY 7	0 ON JUL 15	1 170	1975
1976	21.2 B ON MAR 18	14.5 B ON MAR 19	0 E ON JUL 8	2 450	1976
1977	0.176 AT 19:00 MST ON APR 6	0.136 ON APR 6	0 ON JUL 3	142	1977
1978	17.4 B AT 01:00 CST ON APR 2	12.0 ON APR 5	0 ON JUL 28	7 370	1978
1979	11.4 AT 18:30 CST ON APR 7	6.51 B ON MAR 25	0 B ON MAR 1	3 570	1979
				4 130	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

WILCOX MAIN DITCH NEAR WILCOX - STATION NO. 05JE008

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1975	---	---	0	1.64	0.541	0.004	0	0	0	0	---	---	0.269	1975
1976	---	---	0.008	3.49	0.144	0.299	0.803	0	0	0	---	---	0.483	1976
1977	---	---	0.001	0	0	0	0.007	0	0	0	---	---	0.001	1977
1978	---	---	0.019	0.019	0	0	0	0	0	0	---	---	0.005	1978
1979	---	---	0	0.958	0.334	0.015	0.663	0.013	0	0	---	---	0.247	1979
1980	---	---	0	0.098	0.001	0	0	0	0	0	---	---	0.012	1980
1981	---	---	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	2.24	0.098	0	0.005	0	0	0	---	---	0.288	1982
MEAN	---	---	0.004	1.06	0.140	0.040	0.085	0.002	0	0	---	---	0.163	MEAN

LOCATION - LAT 50 03 41 N
LONG 104 46 53 W
NATURAL FLOW

WILCOX MAIN DITCH NEAR WILCOX - STATION NO. 05JE008

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1975	7.73 B AT 17:45 CST ON APR 20	6.26 B ON APR 21	0B ON MAR 1 *	5 700	1975
1976	11.7 AT 08:31 CST ON APR 6	11.5 ON APR 6	0B ON MAR 1	10 200	1976
1977	0.082 AT 20:07 CST ON JUL 11	0.051 ON JUL 12	0B ON MAR 1	21.5	1977
1978	---	0.235B ON MAR 31	0B ON MAR 1	100	1978
1979	7.25 AT 18:58 CST ON APR 22	4.92 ON APR 23	0B ON MAR 1	5 220	1979
1980	---	0.478 ON APR 9	0B ON MAR 1	258	1980
1981	0.025B AT 12:45 CST ON MAR 12	0.006B ON MAR 12	0B ON MAR 1	1.30	1981
1982	12.5 AT 14:43 CST ON APR 19 *	12.3 ON APR 19 *	0B ON MAR 1	6 090	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		3 450	MEAN

WILKES BROS. DITCH NEAR OXARAT - STATION NO. 11AB064

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	0	0	0	0	0	0	0	0	0	---	0	1915
1916	---	---	0	0	0	0	0	0	0	0	0	---	0	1916
1917	---	---	0	0	0	0	0	0	0	0	0	---	0	1917
1918	---	---	---	---	---	---	---	---	---	---	---	---	---	1918
1919	---	---	---	---	---	---	---	---	---	---	---	---	---	1919
1920	---	---	0	0.006	0.009	0.007	0.005	0	0	0	0	---	0.003	1920
1921	---	---	0	0	0	0.036	0	0	0	0.001	0	---	0.004	1921
1922	---	---	0	0	0	0.023	0	0	0	0	0	---	0.003	1922
1923	---	---	0	0	0.091	0.020	0	0	0	0	0.040	---	0.014	1923
1924	---	---	0	0	0.017	0.013	0.002	0	0	0	0	---	0.004	1924
1925	---	---	0	0	0.007	0.020	0	0	0.001	0.018	0	---	0.006	1925
1926	---	---	0	0.007	0.013	0	0	0	0	0	0	---	0.003	1926
1927	---	---	0	0	0	0	0	0.003	0	0	0	---	0	1927
1928	---	---	0	0	0.013	0.008	0	0	0	0	0	---	0.003	1928
1929	---	---	0	0	0	0	0	0	0	0	0	---	0	1929
1930	---	---	0	0	0.024	0	0	0	0	0	0	---	0.003	1930
MEAN	---	---	0	0.001	0.012	0.009	0.001	0	0	0.001	0.003	---	0.003	MEAN

LOCATION - LAT 49 26 30 N
LONG 109 35 00 W REGULATED

WILKES BROS. DITCH NEAR OXARAT - STATION NO. 11AB064

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1915	---	0 ON MAR 1	0 ON MAR 1 *	0	1915
1916	---	0 ON MAR 1	0 ON MAR 1	0	1916
1917	---	0 ON MAR 1	0 ON MAR 1	0	1917
1918	---	---	0 ON MAY 11	---	1918
1919	---	---	0 ON JUL 18	---	1919
1920	---	0.057 ON MAY 4	0 ON MAR 1	70.1	1920
1921	---	0.170 ON JUN 19 *	0 ON MAR 1	90.2	1921
1922	---	0.125 ON JUN 12	0 ON MAR 1	59.1	1922
1923	---	0.210E ON MAY 1	0 ON MAR 1	296	1923
1924	---	0.068 ON MAY 9	0 ON MAR 1	83.1	1924
1925	---	0.068 ON OCT 2	0 ON MAR 1	122	1925
1926	---	0.068 ON APR 27	0 ON MAR 1	53.4	1926
1927	---	0.028 ON AUG 8	0 ON MAR 1	8.81	1927
1928	---	0.076 ON MAY 29	0 ON MAR 1	56.7	1928
1929	---	0 ON MAR 1	0 ON MAR 1	0	1929
1930	---	0.076 ON MAY 12	0 ON MAR 1	63.8	1930
	E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		64.5	MEAN

WILLIAM RIVER ABOVE CARSWELL RIVER - STATION NO. 07MA004

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1976	---	---	---	---	---	---	26.4R	31.2 R	23.1 R	28.0 R	21.9 R	14.7 R	---	1976
1977	13.1 R	13.5 R	13.6 R	29.2R	33.6R	31.5R	28.3R	27.7 R	30.3 R	27.8 R	21.9 R	18.4 R	24.1R	1977
1978	14.4 R	11.3	11.7	14.6	43.2	25.4	18.0	18.3	---	32.5	27.5	17.9	---	1978
1979	13.9	12.5	13.0	15.9	41.4	27.3	18.8	18.3	17.8	21.5	21.6	16.2	19.9	1979
1980	10.0	10.0	8.64	19.7	17.7	13.4	12.1	12.6	13.5	15.6	12.3	6.66	12.7	1980
1981	7.95	8.19	9.02	12.3	24.7	16.2	12.5	9.59	8.54	9.06	9.45	7.32	11.1	1981
1982	6.25	6.22	7.23	10.4	33.0	17.9	13.5	14.1	15.2	14.3	11.1	9.06	13.2	1982
MEAN	10.9 R	10.3 R	10.5 R	17.0R	32.3R	21.6R	18.5R	18.8 R	18.1 R	21.3 R	18.0 R	12.9 R	16.2	MEAN

LOCATION - LAT 58 48 50 N DRAINAGE AREA, 4 030 km^2
LONG 109 00 10 W NATURAL FLOW

R - REVISED SINCE JAN 1980

WILLIAM RIVER ABOVE CARSWELL RIVER - STATION NO. 07MA004

ANNUAL EXTREMES OF DISCHARGE AND ANNUAL TOTAL DISCHARGE FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1976	---	---	---	---	1976
1977	---	48.4RE ON APR 28	11.4 RB ON JAN 20	761 000R	1977
1978	---	58.6 ON MAY 2 *	9.06B ON MAR 10	---	1978
1979	52.3 AT 19:18 CST ON MAY 22 *	52.1 ON MAY 22	10.4 B ON MAR 6	628 000	1979
1980	---	30.4B ON APR 21	5.01B ON DEC 28 *	400 000	1980
1981	33.6B AT 20:37 CST ON MAY 2	31.8B ON MAY 1	5.26B ON JAN 1	349 000	1981
1982	---	42.0E ON MAY 8	6.19B ON FEB 1	418 000	1982
				511 000R	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

WILLOW BROOK AT WILLOWBROOK - STATION NO. 05MB005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1964	---	---	0	0.168	0.256	0.003	0	0	0	0	---	---	0.053	1964
1965	---	---	0	0.179	0.297	0.416	0.079	0	0	0	---	---	0.120	1965
1966	---	---	0	0.670	0.338	0.077	0.030	0.001	0	0	---	---	0.138	1966
1967	---	---	0	0.290	0.657	0.009	0	0	0	0	---	---	0.120	1967
1968	---	---	0.013	0.078	0.001	0	0	0	0	0	---	---	0.011	1968
1969	---	---	0	0.982	0.001	0	0	0.001	0	0	---	---	0.121	1969
1970	---	---	0	0.888	1.22	0.087	0.002	0	0	0	---	---	0.273	1970
1971	---	---	0	1.17	0.047	0.077	0.032	0	0	0	---	---	0.162	1971
1972	---	---	0	1.11	0.062	0	0	0	0	0	---	---	0.143	1972
1973	---	---	0	0	0	0.032	0.046	0.015	0.007	0.001	---	---	0.013	1973
1974	---	---	0	1.06	1.75	0.522	0	0	0	0	---	---	0.415	1974
1975	---	---	0	3.42	2.30	0.586	0.043	0	0	0	---	---	0.786	1975
1976	---	---	0	3.53	0.363	1.46	0.211	0.001	0	0	---	---	0.684	1976
1977	---	---	0	0	0.006	0	0	0	0	0	---	---	0.001	1977
1978	---	---	0	0	0.070	0.003	0	0	0	0	---	---	0.009	1978
1979	---	---	0	0.761	0.986	0.050	0	0	0	0	---	---	0.224	1979
1980	---	---	0	0.010	0	0	0	0	0	0	---	---	0.001	1980
1981	---	---	0	0	0	0	0	0	0	0	---	---	0	1981
1982	---	---	0	0.150	0.002	0.002	0	0	0	0	---	---	0.019	1982
MEAN	---	---	0.001	0.761	0.440	0.175	0.023	0.001	0	0	---	---	0.173	MEAN

LOCATION - LAT 51 12 20 N
LONG 102 48 05 W
DRAINAGE AREA, 401 km^2
REGULATED

WILLOW BROOK AT WILLOWBROOK - STATION NO. 05MB005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1964	---	0.782 ON APR 11	0B ON MAR 1 *	1 130	1964
1965	---	1.88 ON MAY 28	0B ON MAR 1	2 550	1965
1966	---	1.49 B ON APR 9	0B ON MAR 1	2 930	1966
1967	---	2.49 B ON APR 28	0B ON MAR 1	2 530	1967
1968	---	0.303 ON APR 2	0B ON MAR 1	240	1968
1969	---	4.25 ON APR 14	0B ON MAR 1	2 560	1969
1970	---	4.03 ON MAY 5	0B ON MAR 1	5 790	1970
1971	---	2.78 B ON APR 16	0B ON MAR 1	3 440	1971
1972	4.45 ON APR 17	3.96 ON APR 18	0B ON MAR 1	3 040	1972
1973	---	0.462 ON JUL 4	0B ON MAR 1	266	1973
1974	6.09 B AT 04:16 CST ON APR 20	5.07 ON MAY 23	0B ON MAR 1	8 780	1974
1975	25.8 AT 11:15 CST ON APR 29 *	24.0 ON APR 29 *	0B ON MAR 1	16 600	1975
1976	15.1 AT 14:19 CST ON APR 11	11.9 ON APR 11	0B ON MAR 1	14 500	1976
1977	0.054 AT 00:13 CST ON MAY 12	0.048 ON MAY 10	0B ON MAR 1	14.9	1977
1978	---	0.300E ON MAY 5	0B ON MAR 1	194	1978
1979	5.46 AT 12:00 CST ON APR 28	5.02 ON APR 28	0B ON MAR 1	4 740	1979
1980	0.191B AT 23:30 CST ON APR 16	0.107 ON APR 17	0B ON MAR 1	25.8	1980
1981	0.002 AT 13:20 CST ON JUL 13	0 ON MAR 1	0 ON MAR 1	0	1981
1982	0.956 AT 01:12 CST ON APR 22	0.883 ON APR 22	0B ON MAR 1	400	1982
				3 670	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

WILLOWS COULEE NEAR ASSINIBOIA - STATION NO. 05JD003

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	0.160	0.129	0.018	0.050	0	0	0	0	---	---	0.045	1970
1971	---	---	0.160	0.050	0	0	0	0	0	0	---	---	0.026	1971
1972	---	---	0.015	0	0	0	0	0	0	0	---	---	0.002	1972
1973	---	---	0.008	0.003	0	0.003	0	0	0	0	---	---	0.002	1973
1974	---	---	0.172	0.435	0.016	0	0	0.003	0	0.004	---	---	0.078	1974
1975	---	---	0.003	0.372	0.006	0.001	0	0	0	0	---	---	0.047	1975
MEAN	---	---	0.086	0.165	0.007	0.009	0	0.001	0	0.001	---	---	0.033	MEAN

LOCATION - LAT 49 36 31 N
LONG 105 50 50 W
DRAINAGE AREA, 47.9 km^2
REGULATED

WILLOWS COULEE NEAR ASSINIBOIA - STATION NO. 05JD003

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1970	1.18 B AT 23:00 CST ON APR 6	0.898B ON APR 5	0B ON MAR 1 *	942	1970
1971	1.23 B AT 22:23 CST ON MAR 30	0.530B ON MAR 29	0B ON MAR 1	559	1971
1972	---	0.156B ON MAR 14	0B ON MAR 1	40.8	1972
1973	0.108B AT 18:11 CST ON MAR 2	0.065 ON JUN 4	0B ON MAR 8	37.7	1973
1974	3.79 B AT 19:45 CST ON APR 9 *	2.70 B ON APR 9 *	3B ON MAR 1	1 650	1974
1975	3.43 B AT 20:42 CST ON APR 21	2.35 B ON APR 21	0B ON MAR 1	988	1975
				703	MEAN

B - ICE CONDITIONS * - EXTREME RECORDED FOR THE PERIOD OF RECORD

WINNER BROOK NEAR WINNER - STATION NO. 05MA019

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1966	---	---	---	1.16	0.052	0	0	0	0	0	---	---	---	1966
1967	---	---	0	1.89	0.627	0.001	0	0	0	0	---	---	0.262	1967
1968	---	---	0.165	0.051	0	0	0	0	0	0	---	---	0.027	1968
1969	---	---	0	1.50	0.057	0	0	0	0	0	---	---	0.191	1969
1970	---	---	0	1.70	0.506	0.004	0	0	0	0	---	---	0.273	1970
1971	---	---	0	1.71	0.097	0	0	0	0	0	---	---	0.232	1971
1972	---	---	0	4.14	0.385	0.001	0	0	0	0	---	---	0.555	1972
1973	---	---	0.045	0.007	0	0	0	0	0	0	---	---	0.007	1973
1974	---	---	---	---	0.516	---	---	---	---	---	---	---	---	1974
1975	---	---	---	---	---	---	---	---	---	---	---	---	---	1975
MEAN	---	---	0.030	1.47	0.249	0.001	0	0	0	0	---	---	0.220	MEAN

LOCATION - LAT 52 03 22 N, LONG 104 23 45 W DRAINAGE AREA, 152 km^2, NATURAL FLOW DATA CONTRIBUTED BY - SASKATCHEWAN RESEARCH COUNCIL

WINNER BROOK NEAR WINNER - STATION NO. 05MA019

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1966	---	4.22 ON APR 6	---	---	1966
1967	---	8.92 ON APR 27	0E ON MAR 1 *	5 540	1967
1968	---	1.41 ON MAR 28	0E ON MAR 1	575	1968
1969	---	8.81 ON APR 11	0E ON MAR 1	6 050	1969
1970	---	6.54 ON APR 11	0B ON MAR 1	5 790	1970
1971	---	12.1 ON APR 11	0E ON MAR 1	6 690	1971
1972	---	10.6 ON APR 13	0E ON MAR 1	11 700	1972
1973	---	0.538 ON MAR 25	0E ON MAR 1	140	1973
1974	---	18.8 ON APR 19 *	---	---	1974
1975	---	13.1 ON APR 29	---	---	1975
				6 640	MEAN

B - ICE CONDITIONS E - ESTIMATED * - EXTREME RECORDED FOR THE PERIOD OF RECORD

WIWA CREEK NEAR GRAVELBOURG - STATION NO. 05JC001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1921	---	---	---	0.585	0.012	---	---	---	---	---	---	---	---	1921
1922	---	---	0.302	1.35	0.221	0.044	---	---	---	---	---	---	---	1922
1923	---	---	0	1.57	0.018	4.16	1.01	0.009	---	---	---	---	---	1923
1924	---	---	0.032	1.73	0	---	---	---	---	---	---	---	---	1924
1925	---	---	5.67	5.93	0.352	0.260	0.001	0	---	---	---	---	---	1925
1936	---	---	0.821	2.36	0.174	0.001	---	---	---	---	---	---	---	1936
1966	---	---	2.61	0.800	0.103	0	0	0	0	0	---	---	0.442	1966
1967	---	---	0	5.73	1.82	0.118	0	0	0	0	---	---	0.946	1967
1968	---	---	3.16	0.484	0.016	0	0	0	0	0	---	---	0.453	1968
1969	---	---	0	10.0	0.238	0	0.813	0.134	0	0.001	---	---	1.38	1969
1970	---	---	1.07	7.32	0.407	1.34	0.129	0	0	0	---	---	1.26	1970
1971	---	---	0.014	3.15	0.077	0	0	0	0	0	---	---	0.397	1971
1972	---	---	0.035	0.045	0	0	0	0.083	0	0	---	---	0.021	1972
1973	---	---	0.014	0	0	0	0	0	0	0	---	---	0.002	1973
1974	---	---	0	8.31	2.89	0.097	0	0	0	0	---	---	1.40	1974
MEAN	---	---	0.969	3.28	0.822	0.463	0.178	0.021	0	0	---	---	0.700	MEAN

LOCATION - LAT 50 02 14 N, LONG 106 32 58 W DRAINAGE AREA, 1 560 km^2, REGULATED

WIWA CREEK NEAR GRAVELBOURG - STATION NO. 05JC001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1921	---	---	0 ON MAY 26 *	---	1921
1922	---	4.25 B ON APR 5	0B ON MAR 1	---	1922
1923	---	19.3 ON JUN 27	0B ON MAR 1	---	1923
1924	---	6.46 ON APR 9	0B ON MAR 1	---	1924
1925	---	45.3 B ON MAR 29 *	0B ON MAR 1	---	1925
1936	---	7.93 E ON APR 18	0B ON MAR 1	---	1936
1966	---	18.3 B ON MAR 16	0B ON MAR 1	9 350	1966
1967	24.4 AT 05:30 CST ON APR 12	23.3 ON APR 12	0B ON MAR 1	20 100	1967
1968	17.4 B AT 05:30 CST ON MAR 5	11.0 B ON MAR 5	0 ON MAY 18	9 590	1968
1969	---	38.8 B ON APR 7	0B ON MAR 1	29 200	1969
1970	49.6 AT 14:10 CST ON APR 9 *	41.3 ON APR 10	0 ON MAR 1	26 800	1970
1971	---	22.8 B ON APR 13	0B ON MAR 1	8 410	1971
1972	5.92 AT 17:02 CST ON AUG 16	1.89 ON AUG 16	0B ON MAR 1	435	1972
1973	---	0.1108 ON MAR 9	0B ON MAR 1	36.8	1973
1974	44.5 AT 03:42 CST ON APR 17	41.6 ON APR 16	0B ON MAR 1	29 500	1974
				16 800	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

WIWA CREEK NEAR ST. BOSWELLS - STATION NO. 05JC006

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1974	---	---	---	---	1.01	---	---	---	---	---	---	---	---	1974
1975	---	---	0.034	5.61	1.61	0.033	0	0	0	0	---	---	0.899	1975
1976	---	---	7.18	3.21	0.016	0.049	0.020	0	0	0	---	---	1.31	1976
1977	---	---	0	0	0	0	0	0	0	0	---	---	0	1977
1978	---	---	1.93	1.67	0.107	0.037	1.36	0.016	0.183	0.123	---	---	0.679	1978
1979	---	---	3.14	2.98	0.698	0.068	0.017	0	0	0	---	---	0.860	1979
1980	---	---	1.65	1.27	0	0	0	0	0	0	---	---	0.368	1980
1981	---	---	0.027	0	0	F	0.040	0.006	0	0	---	---	0.009	1981
1982	---	---	2.28	9.43	1.07	0.641	0.495	0.033	0.016	0	---	---	1.73	1982
MEAN	---	---	2.03	3.02	0.501	0.104	0.202	0.007	0.025	0.015	---	---	0.731	MEAN

LOCATION - LAT 50 04 05 N, LONG 106 45 18 W
DRAINAGE AREA, 1 360 km^2
NATURAL FLOW

WIWA CREEK NEAR ST. BOSWELLS - STATION NO. 05JC006

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1974	---	---	---	---	1974
1975	22.3B AT 15:56 CST ON APR 22	22.1 B ON APR 22	0B ON MAR 1 *	19 100	1975
1976	35.1B AT 00:09 CST ON MAR 21	26.3 B ON MAR 21	0B ON MAR 1	27 800	1976
1977	0 B AT 00:00 CST ON MAR 1	0 B ON MAR 1	0B ON MAR 1	0	1977
1978	13.8 AT 17:00 CST ON MAR 26	11.0 ON MAR 28	0B ON MAR 1	14 400	1978
1979	23.8B AT 13:45 CST ON MAR 17	22.1 B ON MAR 18	0B ON MAR 1	18 200	1979
1980	10.6 AT 02:33 CST ON MAR 30	9.24 ON MAR 30	0B ON MAR 1	7 710	1980
1981	---	0.3808 ON MAR 1	0B ON MAR 21	194	1981
1982	69.8 AT 01:39 CST ON APR 14 *	43.7 ON APR 14 *	0B ON MAR 1	36 500	1982
				15 500	MEAN

B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

WOOD AND ANDERSON SOUTH DITCH NEAR COULEE - STATION NO. 11AB066

MONTHLY AND ANNUAL MEAN DISCHARGES IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1930	---	---	---	---	---	0.005	---	---	---	---	---	---	---	1930
MEAN	---	---	---	---	---	0.005	---	---	---	---	---	---	---	MEAN

LOCATION - LAT 49 34 26 N, LONG 109 50 57 W
REGULATED

WOOD AND ANDERSON WEST DITCH NEAR COULEE - STATION NO. 11AB024

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1915	---	---	0	0	0.004	0.003	0.002	0	0	0	---	---	0.001	1915
1916	---	---	0	0	0	0	0	0	0	0	---	---	0	1916
1917	---	---	0	0	0	0	0	0	0	0	---	---	0	1917
1918	---	---	---	---	---	---	---	---	---	---	---	---	---	1918
1919	---	---	0	0	0	0	0	0	0	0	---	---	0	1919
1920	---	---	0	0	0.007	0	0	0	0	0	---	---	0.001	1920
1921	---	---	0	0	0	0	0	0	0	0	---	---	0	1921
1922	---	---	0	0	0	0	0	0	0	0	---	---	0	1922
1923	---	---	0	0	0	0	0	0	0	0	---	---	0	1923
1924	---	---	0	0	0	0	0	0	0	0	---	---	0	1924
1925	---	---	0	0	0	0	0	0	0	0	---	---	0	1925
1926	---	---	0	0	0	0	0	0	0	0	---	---	0	1926
1927	---	---	0	0	0	0	0	0	0	0	---	---	0	1927
1928	---	---	0	0	0	0	0	0	0	0	---	---	0	1928
1929	---	---	0	0	0	0	0	0	0	0	---	---	0	1929
1930	---	---	0	0	0	0	0	0	0	0	---	---	0	1930
1931	---	---	0	0	0	0	0	0	0	0	---	---	0	1931
1932	---	---	0	0	0	0	0	0	0	0	---	---	0	1932
1933	---	---	0	0	0	0	0	0	0	0	---	---	0	1933
1934	---	---	0	0	0	0	0	0	0	0	---	---	0	1934
1935	---	---	0	0	0	0	0	0	0	0	---	---	0	1935
1936	---	---	0	0	0	0	0	0	0	0	---	---	0	1936
1938	---	---	0	0	0	0	0	0	0	0	---	---	0	1938
1939	---	---	0	0	0	0	0	0	0	0	---	---	0	1939
MEAN	---	---	0	0	0	0	0	0	0	0	---	---	0	MEAN

LOCATION - LAT 49 36 45 N
LONG 109 52 27 W REGULATED SINCE 1914

WOOD AND ANDERSON WEST DITCH NEAR COULEE - STATION NO. 11AB024

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m³/s)	MAXIMUM DAILY DISCHARGE (m³/s)	MINIMUM DAILY DISCHARGE (m³/s)	TOTAL DISCHARGE (dam³)	YEAR
1915	---	0.022 ON MAY 29	0 ON MAR 1 *	23.4	1915
1916	---	0 ON MAR 1	0 ON MAR 1	0	1916
1917	---	0 ON MAR 1	0 ON MAR 1	0	1917
1918	---	0.001 ON JUN 26	0.001 ON JUN 26	---	1918
1919	---	0.004 ON JUN 12	0 ON MAR 1	0.86	1919
1920	---	0.074 ON MAY 5 *	0 ON MAR 1	19.4	1920
1921	---	0 ON MAR 1	0 ON MAR 1	0	1921
1922	---	0 ON MAR 1	0 ON MAR 1	0	1922
1923	---	0 ON MAR 1	0 ON MAR 1	0	1923
1924	---	0 ON MAR 1	0 ON MAR 1	0	1924
1925	---	0 ON MAR 1	0 ON MAR 1	0	1925
1926	---	0 ON MAR 1	0 ON MAR 1	0	1926
1927	---	0 ON MAR 1	0 ON MAR 1	0	1927
1928	---	0 ON MAR 1	0 ON MAR 1	0	1928
1929	---	0 ON MAR 1	0 ON MAR 1	0	1929
1930	---	0 ON MAR 1	0 ON MAR 1	0	1930
1931	---	0 ON MAR 1	0 ON MAR 1	0	1931
1932	---	0 ON MAR 1	0 ON MAR 1	0	1932
1933	---	0 ON MAR 1	0 ON MAR 1	0	1933
1934	---	0 ON MAR 1	0 ON MAR 1	0	1934
1935	---	0 ON MAR 1	0 ON MAR 1	0	1935
1936	---	0 ON MAR 1	0 ON MAR 1	0	1936
1938	---	0 ON MAR 1	0 ON MAR 1	0	1938
1939	---	0 ON MAR 1	0 ON MAR 1	0	1939
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		1.40	MEAN

WOOD RIVER DIVERSION TO CHAPLIN LAKE - STATION NO. 05JC005

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1975	---	---	0	0.651	1.55	0.265	0.168	0.119	0.140	0.122	---	---	0.371	1975
1976	---	---	1.33	0.711	0.105	0.089	0.136	0.051	0.025	0.031	---	---	0.310	1976
1977	---	---	0	0.118	0.163	0.117	0.007	0	0.029	0.025	---	---	0.057	1977
1978	---	---	0.266	2.93	1.49	[illegible]97	0.059	0.156	0.205	0.115	---	---	0.716	1978
1979	---	---	0.318	3.95	2.02	[illegible]1	0.072	0.137	0.128	0.583	---	---	0.403	1979
1980	---	---	0.083	2.89	0.798	[illegible]3	0.246	0.307	0.213	0.224	---	---	0.617	1980
1981	---	---	1.02	0.708	0.268	[illegible]0	0.107	0.229	0.056	0.117	---	---	0.343	1981
1982	---	---	0.015	1.52	1.70		0.713	0.312	0.307	0.667	---	---	0.784	1982
MEAN	---	---	0.365	1.56	1.01	0.357	0.188	0.164	0.161	0.208	---	---	0.500	MEAN

LOCATION - LAT 50 09 46 N
LONG 106 21 31 W REGULATED

WOOD RIVER DIVERSION TO CHAPLIN LAKE - STATION NO. 05JC005

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1975	---	2.78 ON APR 30	0 B ON MAR 1 *	7 930	1975
1976	13.4 B AT 16:30 CST ON MAR 30 *	12.0 B ON MAR 30 *	0 B ON MAR 1	6 560	1976
1977	0.399 AT 23:28 CST ON JUN 8	0.300B ON APR 12	0 B ON MAR 1	1 210	1977
1978	---	4.59 B ON APR 2	0 B ON MAR 1	15 200	1978
1979	---	5.60 B ON APR 20	0 B ON MAR 1	17 100	1979
1980	---	6.00 B ON APR 6	0 B ON MAR 1	13 100	1980
1981	---	1.46 ON MAR 16	0.008 ON JUL 12	6 830	1981
1982	3.83 B AT 11:03 CST ON APR 17	3.58 B ON APR 17	0.014B ON MAR 1	16 700	1982
	B - ICE CONDITIONS	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		10 600	MEAN

WOOD RIVER NEAR GRAVELBOURG - STATION NO. 05JA001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1917	---	---	---	---	---	---	---	---	---	---	0.020	0	---	1917
1918	0	0	7.32	3.79	0.566	0.140	0.001	0	0	0	0	0	1.48	1918
1919	0	0	0.020	5.73	0.337	0.024	0.024	0	0	0	0	0	0.753	1919
1920	0	0	4.45	3.85	0.481	0.098	0.025	0	0	0	0	0	1.11	1920
1921	0	0	2.94	1.70	0.587	0.355	0.224	0.084	0.031	0.206	0.007	0.001	0.761	1921
1922	0	0	4.98	14.0	2.68	0.304	0.208	0.036	0.002	0	0.003	0	2.75	1922
1923	0	0	1.65	7.63	0.594	8.15	10.1	0.970	0.087	0.063	0.057	---	3.63	1923
1924	---	---	0.056	2.86	0.925	1.11	0.693	0.108	0	0.151	---	---	0.730	1924
1925	---	---	29.3	18.4	1.41	1.15	0.343	0.026	0.001	---	---	---	---	1925
1936	---	---	2.82	5.62	0.529	0.040	---	---	---	---	---	---	---	1936
1940	---	---	0.048	11.4	---	---	---	---	---	---	---	---	---	1940
MEAN	0	0	5.36	7.50	0.897	1.26	1.45	0.153	0.015	0.060	0.012	0	1.60	MEAN

LOCATION - LAT 49 50 00 N DRAINAGE AREA, 5 620 km^2
LONG 106 33 00 W NATURAL FLOW

WOOD RIVER NEAR GRAVELBOURG - STATION NO. 05JA001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1917	---	0 ON 5(: 0	900 000 ON 5(: 0	---	1917
1918	---	32.0 ON MAR 25	0 B ON MAR 1 *	31 300	1918
1919	---	17.6 ON APR 8	0 B ON MAR 1	16 000	1919
1920	---	20.0B ON MAR 26	0 B ON MAR 1	23 500	1920
1921	---	13.6B ON MAR 26	0.001 ON SEP 7	16 100	1921
1922	---	36.5B ON APR 6	0 B ON MAR 1	58 300	1922
1923	---	31.1 ON JUN 24	0 B ON MAR 1	76 900	1923
1924	---	16.7 ON APR 12	0 E ON AUG 29	15 500	1924
1925	---	257 ON MAR 30 *	0 ON AUG 25	---	1925
1936	---	30.3 ON APR 17	0 B ON MAR 1	---	1936
1940	---	53.2 ON APR 16	0 B ON MAR 1	---	1940
	B - ICE CONDITIONS E - ESTIMATED	* - EXTREME RECORDED FOR THE PERIOD OF RECORD		33 900	MEAN

WOOD RIVER NEAR LAFLECHE - STATION NO. 05JA002

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1944	---	---	0	3.56	0.374	0.132	---	---	---	---	---	---	---	1944
1945	---	---	11.9	0.475	0.171	0.094	---	---	---	---	---	---	---	1945
1946	---	---	2.95	0.507	0.029	0.005	---	---	---	---	---	---	---	1946
1947	---	---	10.3	15.7	0.525	1.43	---	---	---	---	---	---	---	1947
1948	---	---	5.20	8.41	0.924	0.033	---	---	---	---	---	---	---	1948
1949	---	---	2.59	2.63	0.022	0.008	---	---	---	---	---	---	---	1949
1950	---	---	0.783	35.1	1.93	0.684	---	---	---	---	---	---	---	1950
1951	---	---	0.046	31.8	4.12	0.101	---	---	---	---	---	---	---	1951
1952	---	---	0	98.3	1.02	0.258	---	---	---	---	---	---	---	1952
1953	---	---	10.2	5.33	1.53	17.1	---	---	---	---	---	---	---	1953
1954	---	---	1.07	17.5	1.16	1.31	---	---	---	---	---	---	---	1954
1955	---	---	0.663	29.0	8.37	1.29	---	---	---	---	---	---	---	1955
1956	---	---	9.90	3.61	1.35	0.268	---	---	---	---	---	---	---	1956
1957	---	---	1.28	0.677	0.165	0.003	0	0	0	0	---	---	0.266	1957
1958	---	---	1.86	8.00	0.081	0	0	0	0	0	---	---	1.23	1958
1959	---	---	5.10	1.18	0.027	0.164	0.478	0.002	0	0	---	---	0.873	1959
1960	---	---	14.4	1.60	0.189	0.114	0.006	0	0	0	---	---	2.05	1960
1961	---	---	1.47	0.418	0.016	0.002	0	0	0	0	---	---	0.239	1961
1962	---	---	5.70	5.96	0.063	7.42	0.290	0.429	0.006	0	---	---	2.46	1962
1963	---	---	6.71	1.87	0.149	0.327	0.754	0.343	0.014	0	---	---	1.28	1963
1964	---	---	0.018	1.12	0.129	0.002	0	0	0	0	---	---	0.156	1964
1965	---	---	0	18.2	2.25	0.407	0.377	0.437	0.239	0.006	---	---	2.70	1965
1966	---	---	12.3	0.959	0.292	0.007	0	0	0	0	---	---	1.71	1966
1967	---	---	8.13	25.7	5.05	0.547	0.061	0	0	0	---	---	4.89	1967
1968	---	---	7.35	0.414	0.073	0.007	0.001	0	0	0	---	---	0.991	1968
1969	---	---	0.033	34.1	1.13	0.094	2.66	0.426	0.007	0.058	---	---	4.74	1969
1970	---	---	9.80	13.4	5.50	12.1	0.658	0.032	0.009	0	---	---	5.15	1970
1971	---	---	0.036	12.9	0.816	0.061	0.215	0.007	0	0	---	---	1.72	1971
1972	---	---	4.84	0.737	0.923	0.729	0.108	0.055	0.023	0.044	---	---	0.938	1972
1973	---	---	1.22	0.656	0.474	0.143	0.145	0.081	0.001	0.002	---	---	0.341	1973
1974	---	---	7.14	28.9	5.47	0.893	0.132	0.095	0.007	0.001	---	---	5.28	1974
1975	---	---	0.004	19.7	7.52	1.09	0.595	0.015	0.070	0.015	---	---	3.58	1975
1976	---	---	44.0	4.82	0.428	0.050	0.065	0.184	0.005	0	---	---	6.26	1976
1977	---	---	0.295	0.566	0.587	0.283	0.083	0.011	0	0	---	---	0.228	1977
1978	---	---	28.3	9.07	1.01	0.371	4.80	0.067	0.395	0.045	---	---	5.54	1978
1979	---	---	12.5	15.2	3.56	0.345	1.48	0.015	0	0	---	---	4.13	1979
1980	---	---	4.42	6.34	0.124	0.005	0.001	0	0	0	---	---	1.35	1980
1981	---	---	0.698	0.058	0.004	0.255	0.045	0.192	0.041	0.001	---	---	0.162	1981
1982	---	0.948	17.3	16.7	2.68	4.61	0.233	0.279	0.027	0.002	---	---	5.20	1982
MEAN	---	0.948	6.42	12.3	1.54	1.35	0.507	0.103	0.032	0.007	---	---	2.44	MEAN

LOCATION - LAT 49 40 01 N DRAINAGE AREA, 4 720 km²
LONG 106 41 33 W NATURAL FLOW

WOOD RIVER NEAR LAFLECHE - STATION NO. 05JA002

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1944	---	20.3 B ON APR 7	0B ON MAR 1 *	---	1944
1945	74.5 B AT 18:00 MST ON MAR 15	69.9 B ON MAR 16	0B ON MAR 1	---	1945
1946	---	8.61B ON MAR 19	0B ON MAR 1	---	1946
1947	---	75.3 ON MAR 29	0B ON MAR 1	---	1947
1948	---	29.4 ON APR 18	0B ON MAR 1	---	1948
1949	17.2 B AT 11:15 MST ON MAR 30	15.5 B ON MAR 30	0B ON MAR 1	---	1949
1950	---	102 ON APR 16	0B ON MAR 1	---	1950
1951	---	185 B ON APR 6	0B ON MAR 1	---	1951
1952	300 AT 10:00 MST ON APR 9 *	292 ON APR 9 *	0 ON MAR 1	---	1952
1953	125 AT 16:35 MST ON JUN 5	121 ON JUN 5	---	---	1953
1954	---	93.7 B ON APR 9	---	---	1954
1955	118 B AT 17:00 MST ON APR 1	115 B ON APR 1	0B ON MAR 1	---	1955
1956	53.2 B AT 17:30 MST ON MAR 24	51.5 B ON MAR 24	0B ON MAR 1	---	1956
1957	4.42B AT 18:00 MST ON MAR 26	4.19B ON MAR 27	0B ON MAR 1	5 630	1957
1958	51.0 AT 20:53 MST ON APR 3	43.6 ON APR 3	0B ON MAR 1	25 900	1958
1959	13.4 AT 22:16 MST ON MAR 31	10.8 ON MAR 31	0B ON MAR 1	18 500	1959
1960	77.0 B AT 01:21 MST ON MAR 23	72.8 B ON MAR 23	0B ON MAR 1	43 500	1960
1961	7.48B AT 14:27 CST ON MAR 18	6.12B ON MAR 18	0B ON MAR 1	5 070	1961
1962	97.7 AT 00:11 CST ON JUN 14	77.6 ON JUN 14	0B ON MAR 1	52 000	1962
1963	---	53.0 B ON MAR 23	0 ON OCT 4	27 100	1963
1964	8.75B AT 13:10 CST ON APR 4	7.31B ON APR 4	0B ON MAR 1	3 310	1964
1965	63.1 B AT 14:14 CST ON APR 11	60.6 ON APR 12	0B ON MAR 1	57 100	1965
1966	40.8 B AT 23:28 CST ON MAR 17	39.6 B ON MAR 17	0B ON MAR 1	36 100	1966
1967	---	65.1 ON APR 11	0B ON MAR 1	104 000	1967
1968	---	17.5 B ON MAR 1	0E ON JUL 11	21 000	1968
1969	138 AT 23:00 CST ON APR 7	137 ON APR 7	0B ON MAR 1	100 000	1969
1970	89.8 AT 01:00 CST ON JUN 16	83.3 ON JUN 16	0 ON SEP 22	109 000	1970
1971	33.4 AT 01:05 CST ON APR 9	33.1 ON APR 9	0 ON AUG 21	36 400	1971
1972	36.2 B AT 12:29 CST ON MAR 17	30.0 B ON MAR 17	0B ON MAR 1	19 900	1972
1973	2.72B AT 17:46 CST ON MAR 11	2.61B ON MAR 11	0 ON SEP 13	7 210	1973
1974	102 B AT 23:12 CST ON APR 2	99.4 B ON APR 3	0 ON OCT 10	112 000	1974
1975	99.7 AT 06:31 CST ON APR 23	96.6 ON APR 23	0B ON MAR 1	75 800	1975
1976	---	195 B ON MAR 23	0 ON AUG 14	132 000	1976
1977	2.76 AT 09:09 CST ON MAY 28	2.55 ON MAY 28	0 ON SEP 7	4 820	1977
1978	100 AT 04:19 CST ON MAR 26	97.4 ON MAR 26	0B ON MAR 1	117 000	1978
1979	64.5 B AT 22.50 CST ON MAR 20	63.7 B ON MAR 21	0B ON MAR 1	87 400	1979
1980	32.2 AT 00:58 CST ON APR 2	28.8 ON APR 2	0B ON MAR 1	28 500	1980
1981	---	2.03B ON MAR 1	0 ON MAY 25	3 430	1981
1982	51.9 B AT 21:00 CST ON MAR 30	48.6 B ON MAR 30	0 ON SEP 21	110 000	1982
				51 600	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

WOODPILE COULEE NEAR INTERNATIONAL BOUNDARY - STATION NO. 11AB105

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1927	---	---	0.555	2.27	1.02	0.023	0.286	0	0	0	---	---	0.516	1927
1928	---	---	0.091	1.07	0.004	0	0	0	0	0	---	---	0.143	1928
1929	---	---	0	0.008	0.020	0.042	0	0	0	0	---	---	0.009	1929
1930	---	---	1.28	0.352	0	0	0.025	0	0	0	---	---	0.208	1930
1931	0	0	0	0	0	0	0	0	0	0	---	---	0	1931
1932	---	---	0.072	0.002	0	0.020	0	0	0	0	---	---	0.012	1932
1933	---	---	0	0	0	0.031	0.006	0.006	0	0	---	---	0.005	1933
1934	---	---	0.292	0.033	0	0	0	0	0	0	---	---	0.041	1934
1935	---	---	0.692	0.486	0	0	0.331	0	0	0	---	---	0.189	1935
1936	0	0	0	1.47	0	0	0	0	0	0	---	---	0.180	1936
1937	---	---	0.110	0.626	0	0	0.001	0	0	0	---	---	0.091	1937
1938	---	---	0.674	0.295	0.100	0.060	0.001	0	0	0	---	---	0.142	1938
1939	---	---	1.97	0	0	0.001	0	0	0	0	---	---	0.249	1939
1940	---	---	0	2.39	0.022	0	0	0	0	0	---	---	0.296	1940
1941	---	---	2.23	0.002	0	0.003	0.034	0	0	0	---	---	0.287	1941
1942	---	---	0.807	0.100	0	0.249	0.004	0	0	0	---	---	0.095	1942
1943	---	---	3.30	0.560	0	0.002	0.001	0	0	0	---	---	0.486	1943
1944	---	---	0.031	0	0	0	0.143	1.01	0	0	---	---	0.150	1944
1945	---	---	0.793	0	0	0	0	0	0	0	---	---	0.100	1945
1946	---	---	0.625	0	0	0.017	0	0	0	0	---	---	0.081	1946
1947	---	---	1.03	0.180	0	0	0	0	0	0	---	---	0.152	1947
1948	0	0	0	0	0	0	0	0	0	0	0	0	0	1948
1949	0	0	0	0	0	0	0	0	0	0	---	---	0	1949
1950	---	---	0	1.50	0	0	0	0	0	0	---	---	0.183	1950
1951	---	---	0	0.570	0.038	0.001	0.003	0	0.001	0	---	---	0.075	1951
1952	---	---	0	4.66	0.006	0	0	0	0	0	---	---	0.572	1952
1953	---	---	0	0	0.001	0	0	0	0	0	---	---	0	1953
1954	---	---	0	0.358	0.003	0.002	0	0.001	0.007	0.011	---	---	0.047	1954
1955	---	---	0.256	2.28	0.081	0.003	0.783	0.004	0.003	0.003	---	---	0.423	1955
1956	---	---	0.033	0.042	0.040	0.005	0.002	0	0	0	---	---	0.015	1956
1957	---	---	0.021	0.575	0.003	0.004	0.001	0	0	0	---	---	0.074	1957
1958	---	---	0.990	0.474	0	0	0	0	0	0	---	---	0.183	1958
1959	---	---	0.824	0.043	0	0.002	0	0	0	0	---	---	0.110	1959
1960	---	---	1.07	0.002	0.118	0	0	0	0	0	---	---	0.151	1960
1961	---	---	0.196	0	0	0	0	0	0	0	---	---	0.025	1961
1962	---	---	0.329	0.007	0	0.001	0.001	0	0	0	---	---	0.043	1962
1963	---	---	0.004	0	0	0	0	0	0	0	---	---	0.001	1963
1964	---	---	0	0	0	0	0	0	0	0	---	---	0	1964
1965	---	---	0	0.811	0.003	0.637	0.023	0	0.001	0.002	---	---	0.181	1965
1966	---	---	0.442	0.029	0.003	0.002	0.001	0	0	0	---	---	0.060	1966
1967	---	---	0.276	1.07	0.483	0.002	0	0	0	0	---	---	0.227	1967
1968	---	---	0	0	0	0	0	0	0	0	---	---	0	1968
1969	---	---	0	1.54	0	0	0	0	0	0	---	---	0.189	1969
1970	---	---	0	0	0	0	0	0	0	0	---	---	0	1970
1971	---	---	0	0.038	0	0	0	0	0	0	---	---	0.005	1971
1972	---	---	0.432	0.001	0	0	0	0	0	0	---	---	0.055	1972
1973	---	---	0	0	0	0	0	0	0	0	---	---	0	1973
1974	---	---	0.382	0.377	0.580	0.001	0	0	0	0	---	---	0.168	1974
1975	---	---	0	0.616	0.275	0.490	0.104	0.198	0.002	0	---	---	0.209	1975
1976	---	---	1.05	0.006	0	0	0	0	0	0	---	---	0.133	1976
MEAN	0	0	0.409	0.497	0.056	0.032	0.035	0.024	0	0	0	0	0.131	MEAN

LOCATION - LAT 48 59 00 N DRAINAGE AREA, 172 km² INTERNATIONAL GAUGING STATION
LONG 109 31 50 W NATURAL FLOW

REMARKS - HIGHER MAXIMUM DISCHARGES ARE KNOWN TO HAVE OCCURRED OUTSIDE THE STANDARD PERIOD IN 1963

WOODPILE COULEE NEAR INTERNATIONAL BOUNDARY - STATION NO. 11AB105

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1927	12.0 AT 07:00 MST ON APR 4	11.2 ON MAY 23	0 ON MAR 1 *	10 900	1927
1928	9.97 AT 01:00 MST ON APR 2	5.92 ON APR 2	0B ON MAR 1	3 030	1928
1929	1.01 AT 18:00 MST ON JUN 2	0.629 ON JUN 3	0 ON MAR 1	183	1929
1930	7.93 AT 03:30 MST ON APR 2	4.59 ON APR 2	0B ON MAR 2	4 400	1930
1931	---	0.001 ON MAR 21	0 ON MAR 1	0.87	1931
1932	1.29 B AT 23:30 MST ON MAR 23	0.580B ON MAR 24	0 ON MAR 1	251	1932
1933	1.73 AT 21:00 MST ON JUN 29	0.555 ON JUN 30	0 ON MAR 1	113	1933
1934	---	0.566E ON MAR 11	0 ON APR 13	870	1934
1935	16.7 AT 23:00 MST ON APR 12	6.26 B ON MAR 20	0B ON MAR 1	4 000	1935
1936	34.5 AT 01:00 MST ON APR 13	18.0 ON APR 12	0 ON MAR 1	3 810	1936
1937	13.9 AT 01:00 MST ON APR 9	5.89 ON APR 8	0 ON MAR 1	1 920	1937
1938	15.6 AT 03:00 MST ON MAR 27	7.59 ON MAR 27	0 ON MAR 1	3 000	1938
1939	60.9 AT 22:00 MST ON MAR 22	25.6 ON MAR 22	0 ON MAR 1	5 270	1939
1940	43.3 AT 23:00 MST ON APR 18	23.7 ON APR 21	0 ON MAR 1	6 270	1940
1941	50.1 B AT 02:00 MST ON MAR 22	22.4 B ON MAR 22	0 ON MAR 1	6 080	1941
1942	5.78 AT 05:30 MST ON MAR 31	3.82 ON MAR 31	0 ON MAR 1	2 000	1942
1943	87.5 ON MAR 30 *	56.6 ON MAR 30 *	0 ON MAR 1	10 300	1943
1944	83.8 AT 07:00 MST ON AUG 25	27.9 ON AUG 25	0 ON MAR 1	3 180	1944
1945	8.30 A AT 21:00 MST ON MAR 19	6.00 A ON MAR 19	0 ON MAR 1	2 120	1945
1946	5.83 AT 11:20 MST ON MAR 11	5.27 ON MAR 11	0 ON MAR 1	1 710	1946
1947	15.5 B AT 23:20 MST ON MAR 29	11.1 B ON MAR 29	0 ON MAR 1	3 230	1947
1948	0 AT 00:00 MST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1948
1949	0 AT 00:00 MST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1949
1950	32.8 AT 08:00 MST ON APR 13	15.2 ON APR 13	0 ON MAR 1	3 880	1950
1951	10.4 AT 22:00 MST ON APR 5	3.82 ON APR 5	0 ON MAR 1	1 600	1951
1952	83.8 AT 03:00 MST ON APR 7	44.7 ON APR 7	0 ON MAR 1	12 100	1952
1953	0.023 AT 06:30 MST ON MAY 30	0.014 ON MAY 30	0B ON MAR 1	2.77	1953
1954	22.3 ON APR 6	7.08 ON APR 6	0 ON MAR 1	991	1954
1955	23.8 E ON APR 19	17.0 E ON APR 19	0B ON MAR 1	8 950	1955
1956	0.691 AT 11:00 MST ON MAY 11	0.476 ON MAY 11	0B ON MAR 1	321	1956
1957	7.39 AT 05:00 MST ON APR 4	4.59 ON APR 4	0 ON MAR 1	1 570	1957
1958	19.7 B AT 03:00 MST ON MAR 31	11.0 B ON MAR 31	0B ON MAR 1	3 880	1958
1959	---	8.27 B ON MAR 27	0B ON MAR 1	2 330	1959
1960	12.7 AT 22:45 MST ON MAR 23	7.99 ON MAR 23	0 ON MAR 1	3 190	1960
1961	3.20 R	2.83 E ON MAR 14	0 ON MAR 1	526	1961
1962	4.50 E ON MAR 27	3.40 E ON MAR 27	0 ON MAR 1	905	1962
1963	---	0.040 ON MAR 1	0E ON MAR 13	11.1	1963
1964	0 AT 00:00 MST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1964
1965	9.97 E ON JUN 27	5.89 ON APR 19	0 ON MAR 1	3 830	1965
1966	4.64 AT 18:30 MST ON MAR 18	1.53 ON MAR 20	0 ON MAR 1	1 270	1966
1967	10.1 AT 06:00 MST ON APR 28	7.36 ON APR 28	0 ON MAR 1	4 810	1967
1968	---	0 ON MAR 1	0 ON MAR 1	0	1968
1969	26.2 AT 03:00 MST ON APR 6	14.7 ON APR 6	0 ON MAR 1	4 000	1969
1970	---	0 ON MAR 1	0 ON MAR 1	0	1970
1971	0.481 AT 05:30 CST ON APR 8	0.278 ON APR 8	0 ON MAR 1	99.6	1971
1972	9.20 AT 03:15 MST ON MAR 17	6.23 ON MAR 17	0 ON MAR 1	1 160	1972
1973	0 AT 00:00 CST ON MAR 1	0 ON MAR 1	0 ON MAR 1	0	1973
1974	14.7 AT 18:00 CST ON MAY 21	9.09 ON MAY 21	0E ON MAR 1	3 550	1974
1975	18.3 AT 06:30 CST ON JUN 20	10.6 ON JUN 20	0 ON MAR 1	4 420	1975
1976	32.8 AT 03:00 CST ON MAR 19	13.8 ON MAR 19	0B ON MAR 1	2 820	1976
				2 780	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD
R - REVISED SINCE JAN 1980

WYLIE DITCH NEAR OXARAT - STATION NO. 11AC019

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1916	---	---	---	---	---	---	---	---	---	---	---	---	---	1916
1917	---	---	0	0	0	0	0	0	0	0	---	---	0	1917
1918	---	---	---	---	---	---	---	---	---	---	---	---	---	1918
1919	---	---	0	0.042	0.026	0.022	0.009	0.013	0.002	0	---	---	0.014	1919
1920	---	---	0	0	0	0.051	0.031	0.019	0	0	---	---	0.013	1920
1921	---	---	---	---	---	---	---	---	---	---	---	---	---	1921
1922	---	---	0	0	0.089	0.047	0.015	0	0	0	---	---	0.019	1922
1923	---	---	0	0	0.022	0.028	0	0	0	0	---	---	0.006	1923
1924	---	---	0	0	0.039	0.031	0.011	0	0	0	---	---	0.010	1924
1925	---	---	0	0	0.028	0.044	0	0	0	0	---	---	0.009	1925
1926	---	---	0	0.050	0.066	0.057	0.039	0	0	0	---	---	0.026	1926
1927	---	---	0	0	0	0	0	0	0	0	---	---	0	1927
1928	---	---	0	0	0.117	0.039	0	0	0	0	---	---	0.020	1928
1929	---	---	---	---	---	---	---	---	---	---	---	---	---	1929
1930	---	---	0	0	0.103	0.119	0	0	0	0	---	---	0.028	1930
MEAN	---	---	0	0.008	0.045	0.040	0.010	0.003	0	0	---	---	0.013	MEAN

LOCATION - LAT 49 29 10 N
LONG 109 35 40 W
REGULATED

WYLIE DITCH NEAR OXARAT - STATION NO. 11AC019

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1916	---	---	0 ON JUN 27 *	---	1916
1917	---	0 ON MAR 1	0 ON MAR 1	0	1917
1918	---	0.054 ON MAY 11	0.009 ON OCT 19	---	1918
1919	---	0.142E ON APR 3	0 ON MAR 1	301	1919
1920	---	0.059 ON JUN 2	0 ON MAR 1	267	1920
1921	---	0.040 ON JUN 8	0.013 ON OCT 28	---	1921
1922	---	0.326 ON MAY 17	0 ON MAR 1	398	1922
1923	---	0.068 ON MAY 15	0 ON MAR 1	131	1923
1924	---	0.382 ON MAY 12	0 ON MAR 1	214	1924
1925	---	0.215 ON MAY 16	0 ON MAR 1	188	1925
1926	---	0.504 ON APR 22	0 ON MAR 1	557	1926
1927	---	0 ON MAR 1	0 ON MAR 1	0	1927
1928	---	0.589 ON MAY 12 *	0 ON MAR 1	614	1928
1929	---	0.068 ON JUN 14	0.068 ON JUN 14	---	1929
1930	---	0.391 ON MAY 18	0 ON MAR 1	585	1930
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		278	MEAN

E - ESTIMATED

WYNYARD CREEK NEAR THE MOUTH - STATION NO. 05MA015

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1966	---	---	0.040	0.577	0.367	0	0	0	0	0	---	---	0.198	1966
1968	---	---	0.273	0.025	0.001	0	0	0	0	0	---	---	0.038	1968
1969	---	---	0	0.450	0	0	0	0	0	0	---	---	0.055	1969
1970	---	---	0.051	0.379	0.090	0	0.023	0	0	0	---	---	0.067	1970
1971	---	---	0	0.564	0.002	0	0	0	0	0	---	---	0.069	1971
1972	---	---	0.287	0.330	0.008	0	0	0	0	0	---	---	0.078	1972
1973	---	---	0.015	0.005	0.007	0.050	0.099	0	0	0	---	---	0.022	1973
1974	---	---	---	---	0.356	---	---	---	---	---	---	---	---	1974
1975	---	---	---	---	0.238	0.008	---	---	---	---	---	---	---	1975
1976	---	---	---	0.591	---	---	---	---	---	---	---	---	---	1976
MEAN	---	---	0.181	0.365	0.119	0.007	0.017	0	0	0	---	---	0.075	MEAN

LOCATION - LAT 51 47 45 N, LONG 104 13 22 W. DRAINAGE AREA, 62.2 km^2 REGULATED. DATA CONTRIBUTED BY - SASKATCHEWAN RESEARCH COUNCIL

WYNYARD CREEK NEAR THE MOUTH - STATION NO. 05MA015

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1966	---	5.07 ON APR 1	0E ON MAR 1 *	4 190	1966
1968	---	1.27 ON MAR 8	0E ON MAR 1	800	1968
1969	---	3.85 ON APR 10	0 ON MAR 1	1 170	1969
1970	---	1.78 ON APR 10	0 ON MAR 1	1 420	1970
1971	---	3.96 ON APR 10	0E ON MAR 1	1 470	1971
1972	---	1.33 ON APR 13	0E ON MAR 1	1 640	1972
1973	---	0.697 ON JUL 3	0E ON MAR 1	467	1973
1974	---	3.88 ON APR 19	---	---	1974
1975	---	7.70 ON APR 28 *	0 ON JUN 25	---	1975
1976	---	---	---	---	1976
		* - EXTREME RECORDED FOR THE PERIOD OF RECORD		1 590	MEAN

E - ESTIMATED

WYNYARD CREEK NEAR WYNYARD - STATION NO. 05MA017

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1970	---	---	0.008	0.289	0.073	0.008	0.020	0	0	0	---	---	0.044	1970
1971	---	---	0	0.386	0.001	0	0	0	0	0	---	---	0.042	1971
1972	---	---	0.077	0.223	0.001	0	0	0	0	0	---	---	0.037	1972
1973	---	---	0.020	0.006	0.001	0.027	0.052	0	0	0	---	---	0.013	1973
1974	---	---	---	---	0.362	---	---	---	---	---	---	---	---	1974
1975	---	---	---	---	0.241	0.019	---	---	---	---	---	---	---	1975
MEAN	---	---	0.026	0.206	0.113	0.011	0.018	0	0	0	---	---	0.034	MEAN

LOCATION - LAT 51 43 17 N, LONG 104 11 23 W. DRAINAGE AREA, 26.4 km^2 REGULATED. DATA CONTRIBUTED BY - SASKATCHEWAN RESEARCH COUNCIL

WYNYARD CREEK NEAR WYNYARD - STATION NO. 05MA017

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1970	---	1.19 B ON APR 7	0B ON MAR 1 *	936	1970
1971	---	2.30 ON APR 10	0E ON MAR 1	899	1971
1972	---	0.872 ON APR 13	0E ON MAR 1	786	1972
1973	---	0.589 ON JUL 2	0E ON MAR 1	280	1973
1974	---	2.92 ON APR 19	0 ON JUN 29	---	1974
1975	---	5.78 ON APR 28 *	0 ON JUL 11	---	1975
				725	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

YELLOW GRASS DITCH NEAR YELLOW GRASS - STATION NO. 05MB011

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1957	---	---	0.033	0.118	0.021	0	0	0	0	0	---	---	0.021	1957
1958	---	---	0.085	0.736	0.019	0	0	0	0	0	---	---	0.102	1958
1959	---	---	0	0	0	0	0	0	0	0	---	---	0.003	1959
						0.010	0.015	0	0	0				
1960	---	---	0.001	5.26	0.302	0.002	0.002	0	0	0	---	---	0.683	1960
1961	---	---	0.001	0	0	0	0	0	0	0	---	---	0	1961
1962	---	---	0	0.652	0.004	0.003	0	0	0	0	---	---	0.081	1962
1963	---	---	0	0	0	0.091	0.068	0.018	0.003	0	---	---	0.023	1963
1964	---	---	0	0.388	0.030	0	0	0	0	0	---	---	0.051	1964
1965	---	---	0	0.482	1.11	1.21	0.022	0	0.002	0	---	---	0.351	1965
1966	---	---	1.04	0.413	0.019	0	0	0	0	0	---	---	0.184	1966
1967	---	---	0	2.02	0.404	0	0	0	0	0	---	---	0.299	1967
1968	---	---	0.136	0.027	0.003	0	0	0	0	0	---	---	0.021	1968
1969	---	---	0	11.4	3.42	0.061	0.020	0	0	0	---	---	1.84	1969
1970	---	---	0	2.46	4.34	0.719	0.331	0.150	0.002	0	---	---	1.00	1970
1971	---	---	0	7.76	1.31	0.184	0.532	0.002	0	0	---	---	1.20	1971
1972	---	---	0.697	1.97	0.049	0.009	0	0	0	0	---	---	0.337	1972
1973	---	---	0	0	0	0	0	0	0	0	---	---	0	1973
1974	---	---	0	12.0	10.6	0.267	0.042	0.069	0.030	0	---	---	2.86	1974
1975	---	---	0	11.3	23.4	0.675	0.047	0.022	0.003	0	---	---	4.44	1975
1976	---	---	0.015	32.8	4.79	7.20	1.74	0.597	0.097	0.001	---	---	5.82	1976
1977	---	---	0	0.155	0	0	0	0	0	0	---	---	0.019	1977
1978	---	---	0.128	1.13	0.039	0.075	0.637	0	0.054	0.007	---	---	0.257	1978
1979	---	---	0	8.52	10.0	0.432	0.382	0	0	0	---	---	2.41	1979
1980	---	---	0.001	0.990	0.003	0	0	0	0	0	---	---	0.122	1980
1981	---	---	0.020	0.004	0	0.005	0	0	0	0	---	---	0.004	1981
1982	---	---	0	11.2	5.57	0.180	0.178	0.138	0	0.002	---	---	2.14	1982
MEAN	---	---	0.083	4.30	2.52	0.426	0.154	0.038	0.007	0	---	---	0.933	MEAN

LOCATION - LAT 49 47 11 N
LONG 104 02 16 W
DRAINAGE AREA, 1 900 km^2
REGULATED

YELLOW GRASS DITCH NEAR YELLOW GRASS - STATION NO. 05MB011

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1957	---	0.425B ON MAR 30	0B ON MAR 1 *	450	1957
1958	---	1.42 B ON APR 1	0B ON MAR 1	2 170	1958
1959	---	0.085 ON JUN 27	0B ON MAR 1	68.4	1959
1960	---	9.32 ON APR 13	0B ON MAR 1	14 400	1960
1961	---	0.006 ON MAR 22	0 ON MAR 1	2.07	1961
1962	---	2.83 ON APR 12	0B ON MAR 1	1 710	1962
1963	---	1.04 ON JUN 7	0 ON MAR 1	476	1963
1964	---	0.801B ON APR 5	0E ON MAR 1	1 090	1964
1965	---	5.15 ON MAY 28	0B ON MAR 1	7 430	1965
1966	---	3.68 ON MAR 30	0B ON MAR 1	3 900	1966
1967	---	6.51 ON APR 15	0B ON MAR 1	6 320	1967
1968	---	1.04 ON MAR 23	0B ON MAR 1	443	1968
1969	---	21.3 ON APR 16	0B ON MAR 1	39 000	1969
1970	---	8.61 ON MAY 3	0B ON MAR 1	21 100	1970
1971	---	12.0 ON APR 13	0B ON MAR 1	25 400	1971
1972	5.47 AT 20:00 CST ON APR 5	5.30 ON APR 6	0B ON MAR 1	7 140	1972
1973	---	0.006 ON JUN 4	0 ON MAR 1	0.52	1973
1974	28.9 AT 20:30 CST ON APR 25	28.9 ON APR 25	0B ON MAR 1	60 500	1974
1975	43.9 AT 21:02 CST ON MAY 3	43.3 ON MAY 3	0B ON MAR 1	93 900	1975
1976	52.4 AT 08:16 CST ON APR 14 *	51.5 ON APR 14 *	0B ON MAR 1	123 000	1976
1977	1.08 AT 05:14 CST ON APR 9	0.884 ON APR 10	0B ON MAR 1	403	1977
1978	4.05 AT 22:39 CST ON JUL 9	3.85 ON JUL 9	0B ON MAR 1	5 480	1978
1979	28.6 AT 10:29 CST ON APR 29	28.3 ON APR 26	0B ON MAR 1	51 000	1979
1980	4.33 A AT 13:57 CST ON APR 3	4.17 A ON APR 3	0B ON MAR 1	2 570	1980
1981	0.116 AT 06:11 CST ON MAR 19	0.088 ON MAR 19	0 ON MAR 1	76.3	1981
1982	29.9 AT 18:30 CST ON APR 24	29.7 ON APR 24	0B ON MAR 1	45 300	1982
				19 700	MEAN

A - MANUAL GAUGE (SEE REFERENCE INDEX)
B - ICE CONDITIONS
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

YORKTON CREEK NEAR EBENEZER - STATION NO. 05MB001

MONTHLY MEAN DISCHARGES AND MEAN DISCHARGES FOR MAR TO OCT IN CUBIC METRES PER SECOND FOR THE PERIOD OF RECORD

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN	YEAR
1941	---	---	0	0.934	0.029	0	0	0	0	0	---	---	0.118	1941
1942	---	---	---	3.09	0.266	0.027	0.004	0.249	0	0	---	---	---	1942
1943	---	---	0	3.01	0.336	0.178	0.052	0.022	0	0	---	---	0.442	1943
1944	---	---	0	0.706	0.018	0.031	0.001	0.006	0.009	---	---	---	---	1944
1945	---	---	0.682	0.470	0.026	0.009	0.094	0	---	---	---	---	---	1945
1946	---	---	---	0.212	0.013	0	0.010	---	---	---	---	---	---	1946
1947	---	---	---	---	1.14	0.160	0.085	0	0.002	0.005	---	---	---	1947
1948	---	---	---	---	5.24	0.094	0.209	0.024	0	---	---	---	---	1948
1949	---	---	---	2.27	0.031	0.902	0.068	0.008	0	0	---	---	---	1949
1950	---	---	---	---	0.126	0.012	0.033	0.007	0	0	---	---	---	1950
1951	---	---	---	---	0.551	0.042	0.043	0.028	0.028	0.039	---	---	---	1951
1952	---	---	---	1.31	0.013	0.015	0	0	0	0	---	---	---	1952
1953	---	---	---	3.02	0.143	1.31	2.99	0.756	0.386	0.321	---	---	---	1953
1954	---	---	---	2.18	2.10	6.98	6.13	2.68	2.51	2.73	2.11	---	---	1954
1955	---	---	---	12.6	16.1	7.14	3.64	1.20	0.156	0.177	---	---	---	1955
1956	---	---	---	10.1	20.1	7.02	2.21	0.882	0.891	0.287	---	---	---	1956
1957	---	---	0	6.57	2.68	0.410	0.195	0.138	0.110	0.005	---	---	1.25	1957
1958	---	---	0.078	0.129	0.009	0.001	0	0	0	0	---	---	0.027	1958
1959	---	---	0.766	0.323	0.016	0.022	0.038	0	0.017	0.049	---	---	0.154	1959
1960	---	---	0	8.18	0.144	0.078	0.009	0	0	0	---	---	1.03	1960
1961	---	---	0.001	0.030	0.005	0	0	0	0	0	---	---	0.004	1961
1962	---	---	0	1.58	0.173	0.087	0	0	0	0.005	---	---	0.227	1962
1963	---	---	0.190	0.141	0.053	0.041	0.048	0.023	0.032	0.016	---	---	0.068	1963
1964	---	---	0	1.01	0.063	0	0	0.025	0.005	0.003	---	---	0.136	1964
1965	---	---	0	3.14	0.255	0.112	0.058	0.056	0.063	0.050	---	---	0.459	1965
1966	---	---	0	5.09	0.541	0.088	0.069	0.033	0.024	0.034	---	---	0.723	1966
1967	---	---	0	0.789	0.622	0.027	0.009	0.004	0.002	0.031	---	---	0.184	1967
1968	---	---	0.150	0.598	0.088	0.073	0.067	0.041	0.047	0.034	---	---	0.136	1968
1969	---	---	0	2.89	0.126	0.031	0.071	0.070	0.051	0.072	---	---	0.407	1969
1970	---	---	0	2.15	0.642	0.048	0.235	0.017	0.027	0.065	---	---	0.394	1970
1971	---	---	0.003	3.52	0.187	0.383	0.245	0.017	0.002	0.031	---	---	0.539	1971
1972	---	---	0.169	6.66	0.329	0.074	0.039	0.017	0.015	0.023	---	---	0.899	1972
1973	---	---	0.198	0.094	0.028	0.235	0.158	0.485	0.170	0.066	---	---	0.174	1973
1974	---	---	0.042	8.31	3.00	0.492	0.391	0.364	0.272	0.168	---	---	1.61	1974
1975	---	---	0	5.85	5.36	2.99	1.42	0.699	0.526	0.408	---	---	2.15	1975
1976	---	---	0.114	11.2	3.36	2.92	1.39	0.413	0.192	0.073	---	---	2.43	1976
1977	---	---	0.030	0.643	0.314	0.134	0.040	0.038	0.123	0.079	---	---	0.174	1977
1978	---	---	0.042	1.20	0.169	0.081	0.015	0.063	0.099	0.085	---	---	0.216	1978
1979	---	---	0.006	5.21	2.23	0.109	0.582	0.372	0.268	0.206	---	---	1.11	1979
1980	---	---	0.045	5.61	0.326	0.153	0.126	0.163	0.076	0.043	---	---	0.804	1980
1981	---	---	0.089	0.076	0.109	0.237	0.413	0.432	0.161	0.224	---	---	0.218	1981
1982	---	---	0.062	1.00	0.124	0.074	0.391	0.112	0.160	0.139	---	---	0.256	1982
MEAN	---	---	0.089	3.21	1.60	0.781	0.518	0.229	0.161	0.144	2.11	---	0.584	MEAN

LOCATION - LAT 51 22 50 N DRAINAGE AREA, 2 320 km²
LONG 102 30 11 W REGULATED

YORKTON CREEK NEAR EBENEZER - STATION NO. 05MB001

EXTREMES OF DISCHARGE AND TOTAL DISCHARGE FOR MAR TO OCT FOR THE PERIOD OF RECORD

YEAR	MAXIMUM INSTANTANEOUS DISCHARGE (m^3/s)	MAXIMUM DAILY DISCHARGE (m^3/s)	MINIMUM DAILY DISCHARGE (m^3/s)	TOTAL DISCHARGE (dam^3)	YEAR
1941	---	5.72 ON APR 11	0 ON MAR 1 *	2 500	1941
1942	---	10.9 B ON APR 4	0 ON MAY 23	---	1942
1943	---	11.1 ON APR 10	0 B ON MAR 1	9 360	1943
1944	---	4.25 B ON APR 7	0 B ON MAR 1	---	1944
1945	---	---	0 ON MAR 1	---	1945
1946	---	---	0 ON APR 6	---	1946
1947	---	---	0 E ON JUL 31	---	1947
1948	---	47.6 B ON APR 26	0 ON SEP 3	---	1948
1949	---	---	0 ON JUL 4	---	1949
1950	---	33.7 ON APR 16	0 ON AUG 20	---	1950
1951	---	---	---	---	1951
1952	---	---	0 ON MAY 5	---	1952
1953	---	14.7 ON APR 6	---	---	1953
1954	---	10.6 ON JUN 17	---	---	1954
1955	---	20.2 ON MAY 10	---	---	1955
1956	---	29.7 ON APR 25	0 B ON APR 1	---	1956
1957	---	23.4 B ON APR 18	0 B ON MAR 1	26 400	1957
1958	---	0.799B ON MAR 29	0 B ON MAR 1	573	1958
1959	---	9.23 B ON MAR 28	0 B ON MAR 1	3 260	1959
1960	---	54.4 ON APR 12 *	0 B ON MAR 1	21 800	1960
1961	---	0.068 ON APR 5	0 E ON MAR 1	93.5	1961
1962	---	10.7 B ON APR 20	0 B ON MAR 1	4 810	1962
1963	---	1.13 B ON MAR 26	0 B ON MAR 1	1 440	1963
1964	---	6.57 B ON APR 13	0 B ON MAR 1	2 880	1964
1965	---	27.7 B ON APR 12	0 B ON MAR 1	9 730	1965
1966	---	18.2 B ON APR 7	0 B ON MAR 1	15 300	1966
1967	---	5.38 B ON APR 28	0 B ON MAR 1	3 890	1967
1968	---	1.54 B ON APR 10	0 B ON MAR 1	2 880	1968
1969	---	14.9 B ON APR 12	0 B ON MAR 1	8 620	1969
1970	---	8.33 B ON APR 10	0 B ON MAR 1	8 330	1970
1971	---	29.7 B ON APR 10	0 B ON MAR 1	11 400	1971
1972	26.0 B AT 04:34 CST ON APR 12	24.6 B ON APR 12	0 B ON MAR 1	19 100	1972
1973	4.70 AT 20:00 CST ON AUG 29	4.16 ON AUG 29	0 B ON MAR 1	3 690	1973
1974	53.5 B AT 16:05 CST ON APR 20 *	48.1 B ON APR 20	0.042B ON MAR 1	34 100	1974
1975	27.3 B AT 16:32 CST ON APR 21	23.7 B ON APR 21	0 B ON MAR 1	45 500	1975
1976	49.6 B AT 13:19 CST ON APR 10	43.9 B ON APR 10	.040 ON OCT 7	51 400	1976
1977	3.79B AT 15:28 CST ON APR 9	3.14 B ON APR 9	0.022B ON MAR 1	3 680	1977
1978	4.59B AT 10:00 CST ON APR 8	3.85 B ON APR 8	0 B ON MAR 1	4 570	1978
1979	26.5 B AT 05:37 CST ON APR 24	23.6 B ON APR 23	0 B ON MAR 1	23 600	1979
1980	26.0 B AT 08:40 CST ON APR 6	23.2 B ON APR 6	0.016 ON OCT 6	17 000	1980
1981	4.03 AT 14:30 CST ON AUG 1	3.78 ON AUG 1	0.024B ON MAR 7	4 630	1981
1982	5.99B AT 12:17 CST ON APR 15	5.72 B ON APR 15	0.010B ON MAR 1	5 430	1982
				12 400	MEAN

B - ICE CONDITIONS
E - ESTIMATED
* - EXTREME RECORDED FOR THE PERIOD OF RECORD

NAME	STATION NO.	PAGE
ADAMS CREEK AT SODERSTROM'S RANCH	11AB005	1
ADAMS CREEK AT SPANGLER'S RANCH	11AB014	1
ADAMS NORTH DITCH NEAR CYPRESS	05HA027	1
ADAMS SOUTH DITCH FROM CYPRESS CREEK	05HA028	2
ALCOTT CREEK ABOVE MEADOW LAKE	06AD011	2
ANTELOPE CREEK NEAR CABRI	05HC005	3
ANTLER RIVER NEAR WAUCHOPE	05HF010	3
ARM RIVER NEAR BETHUNE	05JM001	4
ARMSTRONG EAST DITCH NEAR MURRAYDALE	11AC030	5
ARMSTRONG WEST DITCH NEAR MURRAYDALE	11AC031	6
ARNOLD TRIBUTARY NEAR FISKE	05HF019	7
ASSINIBOINE RIVER AT KAMSACK	05MD004	7
ASSINIBOINE RIVER AT STURGIS	05HC001	8
AVONLEA CREEK NEAR ROULEAU	05JE005	9
BADGER DITCH NEAR CONSUL	11AB026	10
BALLANTYNE RIVER ABOVE BALLANTYNE BAY	05KF001	11
BARRIER RIVER BELOW BARRIER LAKE	05LA006	11
BARRIER RIVER NEAR MCKAGUE	05LA002	12
BARRIER RIVER OVERFLOW	05LA001	12
BARROBY DITCH NEAR RAVENSCRAG	11AC032	13
BATE CREEK AT BATE'S RANCH	11AC024	13
BATE SOUTH DITCH	11AC034	13
BATTLE CREEK ABOVE CYPRESS LAKE WEST INFLOW CANAL	11AB076	14
BATTLE CREEK ABOVE CYPRESS LAKE WEST OUTFLOW CANAL	11AB100	15
BATTLE CREEK ABOVE GAFF DITCH	11AB003	16
BATTLE CREEK AT ALBERTA BOUNDARY	11AB117	17
BATTLE CREEK AT INTERNATIONAL BOUNDARY	11AB027	18
BATTLE CREEK AT NASH'S RANCH	11AB010	20
BATTLE CREEK AT RANGER STATION	11AB081	21
BATTLE CREEK AT WILSON'S RANCH	11AB011	21
BATTLE CREEK BELOW DIVERSION CANAL	11AB015	22
BATTLE CREEK BELOW GAFF DITCH	11AB112	22
BATTLE CREEK BELOW MASHLYN PROJECT	11AB101	23
BATTLE CREEK BELOW WILKES' RANCH	11AB073	23
BATTLE CREEK BELOW WILSON'S WEIR	11AB118	23
BATTLE CREEK NEAR CONSUL	11AB096	24
BATTLE RIVER AT BATTLEFORD	05PF001	25
BATTLE RIVER NEAR UNWIN	05PE001	26
BEAR CREEK AT BERTRAM'S RANCH	05HA005	27
BEAR CREEK NEAR PIAPOT	05HA003	28
BEAVER CREEK AT INTERNATIONAL BOUNDARY	11AF005	29
BEAVER CREEK NEAR INTERNATIONAL BOUNDARY	11AF004	30
BEAVER RIVER BELOW WATERHEN RIVER	06AG001	30
BEAVER RIVER NEAR DORINTOSH	06AD001	31
BEAVERDAM CREEK NEAR WEYBURN	05MB004	32
BECKETT BROOK NEAR FOAM LAKE	05MA022	32
BELANGER CREEK ABOVE CYPRESS LAKE EAST INFLOW CANAL	11AC016	33
BELANGER CREEK AT GARRISON'S RANCH	11AC006	33
BELANGER CREEK BELOW CYPRESS LAKE EAST INFLOW CANAL	11AC059	34
BELANGER CREEK DIVERSION TO CYPRESS LAKE	11AC064	34
BEVERIDGE WEST DITCH NEAR SKIBERREEN	05HA020	35
BIG GULLY CREEK NEAR MAIDSTONE	05EP005	36
BIG MUDDY CREEK AT INTERNATIONAL BOUNDARY	11AF002	36
BIRCH CREEK NEAR ELFROS	05MA011	37
BIRCH RIVER NEAR MANITOBA BOUNDARY	05SK013	37
BIRLING CREEK NEAR PAYNTON	05EG006	38
BISSETT CREEK NEAR CHOICELAND	05KE006	38
BLACKTAIL CREEK AT GARISSERE'S RANCH	11AC011	39
BOGGY CREEK NEAR LUMSDEN	05JF006	40
BOLINGBROKE DITCH NEAR EASTEND	11AC021	41
BONE CREEK AT LEWIS RANCH	05MD003	41
BOWREY DITCH NEAR BARNARD	11AE004	42
BOXELDER CREEK NEAR WALSH	05AH001	42
BRADWELL INLET CANAL ABOVE BRADWELL RESERVOIR	05HG010	43
BRANIFF DITCH NEAR PIAPOT	05HA038	44
BREED CREEK NEAR BUZZARD'S RANCH	11AC026	44
BRIDGE CREEK AT GULL LAKE	05HA015	45
BRIDGE CREEK AT RAYMOND'S RANCH	05HA013	46
BRIDGE CREEK NEAR SKULL CREEK	05HA001	46
BRIGHTWATER CREEK BELOW BRIGHTWATER RESERVOIR	05HG016	46
BRIGHTWATER CREEK NEAR KENASTON	05MG002	47
BRIGHTWATER CREEK NEAR PROCTOR LAKE	05HG020	48
BRODERICK IRRIGATION PROJECT MAIN CANAL ABOVE BRODERICK RESERVOIR	05HF006	49
BRODERICK IRRIGATION PROJECT MAIN CANAL BELOW PUMPING STATION	05HF007	49
BROKENSHELL CREEK NEAR TROSSACHS	05JE009	50
BROWN DITCH NEAR DIVIDE	11AD002	50
BUCHANAN DITCH NEAR GOVENLOCK	11AB109	50
BURNTOUT BROOK NEAR ARBORFIELD	05KB005	51
BUSHY COULEE NEAR CONSUL	11AB071	52
CANOE RIVER NEAR BEAUVAL	06BB005	52
CARROT RIVER AT BEAULIEU'S FARM	05KA003	52
CARROT RIVER NEAR ARMLEY	05KB003	53
CARROT RIVER NEAR KIMISTINO	05KA001	54
CARROT RIVER NEAR MYRNEIM'S FARM	05KB004	55
CARROT RIVER NEAR SMOKY BURN	05KC001	56
CARROT RIVER NEAR TURNBERRY	05KH007	57
CATON DITCH NEAR RAVENSCRAG	11AC035	57
CHIPMAN RIVER ABOVE BLACK LAKE	07LC003	58
CHURCHILL RIVER ABOVE DIPPER RAPIDS	06BB002	58
CHURCHILL RIVER ABOVE OTTER RAPIDS	06CD002	59
CHURCHILL RIVER AT SANDY BAY	06BA001	60
CHURCHILL RIVER BELOW TRADE LAKE	06CD004	61
CHURCHILL RIVER NEAR PATUANAK	06BB003	62
CLARKE AND THOMPSON DITCH NEAR EASTEND	11AC036	62
CLEARWATER RIVER AT OUTLET OF LLOYD LAKE	07CD006	62
COLD RIVER AT OUTLET OF COLD LAKE	06AP001	63
CONGLOMERATE CREEK AT CROSS RANCH	11AC002	63
CONJURING CREEK NEAR PRESCEVILLE	05KC004	64
CONNELL CREEK NEAR CONNELL CREEK	05KC002	65
COTTONWOOD CREEK NEAR LUMSDEN	05JF011	65
COULEE, WEST OF BOUNDARY RESERVOIR NEAR ESTEVAN	05MB019	66
COW CREEK NEAR INTERNATIONAL BOUNDARY	11AE012	66
CREE RIVER AT OUTLET OF WAPATA LAKE	07LD002	66
CREIGHTON TRIBUTARY NEAR TOTNES	05HF014	67
CROMARTY CREEK NEAR BIRCH HILLS	05HH002	68
CROOKED HILL CREEK NEAR CAMORA	05MB006	68
CRYSTAL CREEK NEAR IFFLEY	05EG004	69
CUMBERLAND DITCH NEAR PIAPOT	05HA034	70
CUTARM CREEK NEAR SPY HILL	05JM015	71
CUTKNIFE CREEK NEAR CUTKNIFE	05PF003	72
CYPRESS LAKE EAST INFLOW CANAL NEAR VIDORA	11AC072	73
CYPRESS LAKE EAST OUTFLOW CANAL	11AC060	74
CYPRESS LAKE WEST INFLOW CANAL	11AB078	76
CYPRESS LAKE WEST INFLOW CANAL DRAIN	11AB085	77
CYPRESS LAKE WEST OUTFLOW CANAL	11AB077	78
DAPOS BROOK NEAR DAPOS	05HA018	79

NAME	STATION NO.	PAGE
DAVIS CREEK AT DRURY'S RANCH	11AC004	80
DEAD RIVER NEAR KINISTINO	05KA004	80
DENNIEL CREEK NEAR VAL MARIE	11AC025	81
DESCHARME RIVER BELOW DUPRE LAKE	07CD007	82
DILLON RIVER AT OUTLET OF DILLON LAKE	06BA002	83
DIXON DITCH NEAR MAPLE CREEK	05HA041	83
DOGNIDE RIVER BELOW TISDALE	05KB009	83
DOGNIDE RIVER NEAR RUNCIMAN	05KB011	84
DOGNIDE RIVER NEAR TISDALE	05KB002	84
DORE RIVER NEAR THE MOUTH	06AG002	85
DOUGLAS RIVER NEAR CLUFF LAKE	07MA003	85
DOWNIE CREEK BELOW DOWNIE LAKE	05HA073	86
DOWNIE LAKE INFLOW CANAL	05HA070	87
DOWNIE LAKE OUTFLOW CANAL	05HA071	88
DRAGLINE CHANNEL NEAR SQUAW RAPIDS	05KH011	89
DUCK CREEK NEAR KELVINGTON	05LA003	89
EAGLE CREEK NEAR ANGLIA	05GC003	90
EAGLE CREEK NEAR ENVIRON	05GC006	90
EAGLE CREEK NEAR KINLEY	05GC003	91
EAGLE CREEK NEAR ROSETOWN	05GC005	91
EAGLE CREEK NEAR TESSIER	05GC004	92
EAST FORK BATTLE CREEK NEAR INTERNATIONAL BOUNDARY	11AB107	93
EAST POPLAR RIVER ABOVE COOKSON RESERVOIR	11AE014	94
EAST POPLAR RIVER AT INTERNATIONAL BOUNDARY	11AE003	95
EAST POPLAR RIVER AT MORRISON DAM	11AE011	96
EASTEND CANAL	11AC052	97
EKAPO CREEK NEAR BROADVIEW	05JM009	98
EKAPO CREEK NEAR MARIEVAL	05JM010	98
ELBOW DIVERSION CANAL AT DROP STRUCTURE	05JG006	99
ENGLISHMAN RIVER NEAR SPRUCE LAKE	05EP006	100
ENRIGHT AND STRONG DITCH NEAR EASTEND	11AC005	100
ETOMAMI RIVER NEAR BERTWELL	05LB002	101
ETOMAMI RIVER NEAR RESERVE	05LB001	101
EYEHILL CREEK NEAR MACKLIN	05GA007	102
EYEHILL CREEK NEAR YONKER	05GA001	103
FAHLMAN CREEK NEAR DAVIN	05JF008	103
FAIRWELL CREEK AT DRURY'S RANCH	11AC003	104
FAUQUIERS DITCH NEAR MAPLE CREEK	05HA018	105
FEARON AND MOORHEAD BRIDGE CREEK DITCH NEAR SKULL CREEK	05HA014	105
FEARON AND MOORHEAD MAIN DITCH NEAR SKULL CREEK	05HA024	106
FEARON AND MOORHEAD SKULL CREEK DITCH	05HA023	106
FIR RIVER NEAR HUDSON BAY	05LB003	106
FIR RIVER NEAR HUDSON BAY	05LB007	107
FLOWING WELL WEST INFLOW NEAR FLOWING WELL	05JC007	107
FOND DU LAC RIVER AT OUTLET OF BLACK LAKE	07LE002	108
FOND DU LAC RIVER AT STONY RAPIDS	07LE001	108
FOSTER RIVER ABOVE CHURCHILL RIVER	06CE001	109
FRENCHMAN RIVER ABOVE EASTEND RESERVOIR	11AC018	110
FRENCHMAN RIVER AT 50-MILE	11AC023	111
FRENCHMAN RIVER AT BUSSARD'S RANCH	11AC027	112
FRENCHMAN RIVER AT DRURY'S RANCH	11AC040	113
FRENCHMAN RIVER AT HIGHWAY NO. 37	11AC067	113
FRENCHMAN RIVER AT HUFF'S RANCH	11AC010	113
FRENCHMAN RIVER AT INTERNATIONAL BOUNDARY	11AC041	114
FRENCHMAN RIVER AT RAVENSCRAG	11AC017	115
FRENCHMAN RIVER AT WALKER'S	11AC029	116
FRENCHMAN RIVER BELOW EASTEND IRRIGATION PROJECT	11AC057	116
FRENCHMAN RIVER BELOW EASTEND RESERVOIR	11AC001	118
FRENCHMAN RIVER BELOW MULE CREEK	11AC071	119
FRENCHMAN RIVER BELOW NEWTON LAKE	11AC062	120
FRENCHMAN RIVER BELOW VAL MARIE	11AC051	121
FRENCHMAN RIVER NEAR BELANGER	11AC022	122
FRENCHMAN RIVER NEAR ROSEFIELD	11AC070	122
GAFF DITCH FROM BATTLE CREEK	11AB019	122
GAFF DITCH NEAR MERRYFLAT	11AB102	123
GAINSBOROUGH CREEK NEAR STORTHOAKS	05MF013	124
GAP CREEK ABOVE JUNCTION RESERVOIR	05HA072	124
GAP CREEK AT SMALL'S RANCH	05HA009	125
GAP CREEK BELOW DOWNIE LAKE DIVERSION	05HA069	126
GAP CREEK NEAR MAPLE CREEK	05HA012	127
GARDEN RIVER NEAR MEMBRIBOURG	05GG010	128
GEIKIE RIVER BELOW WHEELER RIVER	06DA006	128
GIBSON CREEK NEAR RADVILLE	05HA005	129
GILCHRIST BROS. DAVIS CREEK DITCH NEAR VIDORA	11AC050	130
GILCHRIST BROS. DITCH NEAR CONSUL	11AB025	130
GIRARD CREEK NEAR CORONACH	11AE015	130
GOOSEHUNTING CREEK NEAR BEATTY	05KA009	131
GREASE RIVER BELOW FONTAINE LAKE	07LE003	132
GREENWATER CREEK NEAR CHELAN	05LB009	132
HAMMOND DITCH NEAR GOVENLOCK	11AB034	133
HAPPYLAND CREEK NEAR FOX VALLEY	05NB002	133
HAULTAIN RIVER ABOVE HORBERT RIVER	06BD001	134
HAY CREEK AT FAQUIER'S RANCH	05HA007	134
HAY CREEK AT HAY CREEK SCHOOL	05HA021	135
HAY MEADOW CREEK NEAR LISIEUX	11AE010	135
HORSE CREEK AT INTERNATIONAL BOUNDARY	11AE006	136
HORSEHEAD CREEK NEAR MAKWA	06AD006	137
HUFF LAKE GRAVITY CANAL	11AC065	138
HUFF LAKE PUMPING CANAL	11AC066	139
HUNTER CREEK NEAR RICHARDSON	05JF016	140
INDIANHEAD CREEK NEAR INDIAN HEAD	05JL002	140
INVERNESS CREEK NEAR BRODERICK	05MG021	141
IRONSPRING CREEK NEAR WATSON	05HA012	142
ISKWAO CREEK NEAR CRAIK	05JG018	142
JACKFISH RIVER NEAR PRINCE	05EG002	143
JACKFISH RIVER NEAR PRINCE	05EG007	143
JEWEL CREEK NEAR GOODWATER	05NB016	144
JOHNS CREEK AT READ'S RANCH	05HD002	145
JOHNS CREEK AT STEARNS' RANCH	05HD009	145
JUMPING DEER CREEK NEAR LIPTON	05JK006	146
KAPOSVAR CREEK NEAR ESTERHARY	05JM012	147
KAPOSVAR CREEK NEAR TANTALLON	05JM005	148
KEARNEY BROTHERS DITCH NEAR KEALEY SPRINGS	11AC042	148
KEELEY RIVER AT OUTLET OF KEELEY LAKE	06BB006	149
KELSEY CREEK NEAR GARRICK	05KB007	149
KNOX COULEE NEAR TUXFORD	05JG015	150
KONLESCHMIDT CREEK NEAR ROSTHERN	05NM003	150
KOKOTT DITCH NEAR EASTEND	11AC020	151
LAKE OF THE RIVERS WEST INFLOW	05JD008	152
LANIGAN CREEK ABOVE BOULDER LAKE	05JJ003	152
LANIGAN CREEK DIVERSION TO LITTLE MANITOU LAKE	05JJ004	153

NAME	STATION NO.	PAGE
LANIGAN CREEK NEAR HATFIELD	05JJ002	153
LANIGAN CREEK NEAR LANIGAN	05JJ010	154
LAST MOUNTAIN CREEK NEAR CRAVEN	05JH006	154
LAWRIE CREEK NEAR IMPINGER	05MB012	155
LEATHER RIVER BELOW PRESBYTERIAN RIVER	05KB010	155
LEATHER RIVER NEAR STAR CITY	05KB006	156
LESLIE EAST DITCH NEAR COULEE	11AB037	156
LESLIE WEST DITCH NEAR COULEE	11AB038	157
LEWIS CREEK NEAR IMPERIAL	05JH005	157
LEWIS DITCH AT KLINTONEL	05MD013	157
LIGHTNING CREEK NEAR CARNDUFF	05MF006	158
LILIAN RIVER NEAR LADY LAKE	05NC003	158
LIMDNER BROS. DITCH NEAR BATTLE CREEK	11AB012	159
LITTLE BOGGY CREEK NEAR COTE	05MD006	160
LITTLE BREED CREEK NEAR BUSSARD'S RANCH	11AC028	160
LITTLE BRIDGE CREEK NEAR ARMLEY	05KB008	161
LODGE CREEK AT INTERNATIONAL BOUNDARY	11AB006	161
LODGE CREEK BELOW MCRAE CREEK AT INTERNATIONAL BOUNDARY	11AB083	162
LODGE CREEK BELOW SPANGLER PROJECT	11AB088	163
LODGE CREEK NEAR ALBERTA BOUNDARY	11AB082	164
LOISELLE CREEK NEAR HUDSON BAY	05LB004	165
LONEPINE CREEK AT HEWITT'S RANCH	11AC007	165
LONG CREEK AT EASTERN CROSSING OF INTERNATIONAL BOUNDARY	05NB013	166
LONG CREEK AT WESTERN CROSSING OF INTERNATIONAL BOUNDARY	05NA003	166
LONG CREEK NEAR CROSBY	05NB026	167
LONG CREEK NEAR ESTEVAN	05NB001	169
LONG CREEK NEAR MAXIM	05NA004	171
LONG CREEK NEAR NOONAN	05NB027	172
LONG CREEK NEAR TRIBUNE	05NA001	172
LONG CREEK NEAR TRIBUNE	05NA002	173
LOON CREEK NEAR MARKINCH	05JK006	173
LYNCH DITCH NEAR GOVENLOCK	11AB042	173
LYONS CREEK AT INTERNATIONAL BOUNDARY	11AB075	174
MACDONALD CREEK NEAR BOUNTY	05MF005	175
MACFARLANE RIVER AT OUTLET OF DAVY LAKE	07NB001	176
MACLEOD TRIBUTARY NEAR BICKLEIGH	05MF012	176
MACMAB CREEK NEAR SOMME	05LB008	177
MAGNUSSON CREEK NEAR WYNYARD	05MA021	178
MAKWA RIVER AT OUTLET OF MAKWA LAKE	06AD009	178
MAKWA RIVER AT RAPID VIEW	06AD007	179
MAKWA RIVER NEAR BROWN'S FARM	06AD002	180
MALONECK CREEK NEAR PELLY	05LE011	180
MANN DITCH NEAR SKULL CREEK	05MA031	181
MANYBONE CREEK NEAR KRONAU	05JF007	181
MAPLE CREEK ABOVE BIGSTICK LAKE	05MA068	181
MAPLE CREEK ABOVE JUNCTION RESERVOIR	05MA008	182
MAPLE CREEK ABOVE TENAILLE LAKE RESERVOIR	05MA067	183
MAPLE CREEK AT MEHELEY'S FARM	05MA019	184
MAPLE CREEK BELOW JUNCTION RESERVOIR	05MA076	184
MAPLE CREEK NEAR MAPLE CREEK	05MA011	185
MARSHALL AND GAFF DITCH AT BATTLE CREEK	11AB043	185
MCCARTHY BERTRAM AND SALT EAST DITCH NEAR PIAPOT	05MA033	186
MCCARTHY BERTRAM AND SALT WEST DITCH NEAR PIAPOT	05MA032	186
MCDONALD CREEK NEAR MCCORD	05JA003	187
MCDONALD TRIBUTARY NEAR TOTHES	05MF015	188
MCEACHERN CREEK AT INTERNATIONAL BOUNDARY	11AE007	189
MCEACHERN CREEK AT MCCOY'S RANCH	11AE001	190
MCKINNON DITCH NEAR CONSUL	11AB084	191
MCRAE COULEE AT INTERNATIONAL BOUNDARY	11AB070	193
MCSHANE CREEK AT SMALL'S RANCH	05MA010	193
MEADOW RIVER BELOW MEADOW LAKE	06AD010	194
MEADOW RIVER NEAR MEADOW LAKE	06AD003	194
MELFORT CREEK NEAR MELFORT	05KB001	195
MIDDLE CREEK ABOVE LODGE CREEK	11AB008	196
MIDDLE CREEK BELOW MIDDLE CREEK RESERVOIR	11AB001	197
MIDDLE CREEK NEAR BATTLE CREEK	11AB007	198
MIDDLE CREEK NEAR GOVENLOCK	11AB108	199
MIDDLE CREEK RESERVOIR BEDFORD OUTLET	11AB116	199
MIDDLE CREEK RESERVOIR FLOOD SPILLWAY	11AB115	200
MIDDLE CREEK RESERVOIR MAIN OUTLET	11AB113	201
MIDDLE FORK POPLAR RIVER AT INTERNATIONAL BOUNDARY	11AB008	202
MILLIGAN CREEK NEAR WADENA	05MA023	203
MONNERY RIVER NEAR PARADISE HILL	05EF004	204
MONTREAL RIVER AT HIGHWAY NO. 2	06CA003	205
MONTREAL RIVER AT OUTLET OF BIGSTONE LAKE	06CA001	205
MOOM LAKE CREEK NEAR SASKATOON	05MG017	206
MOOSEHEAD DITCH ON PIAPOT CREEK	05MA025	206
MOOSE JAW RIVER ABOVE THUNDER CREEK	05JE001	207
MOOSE JAW RIVER AT CHEVRIER'S FARM	05JE003	208
MOOSE JAW RIVER NEAR BURDICK	05JE006	209
MOOSE JAW RIVER NEAR LANG	05JE002	210
MOOSE JAW RIVER NEAR MOULEAU	05JE004	211
MOOSE MOUNTAIN CREEK ABOVE KISSEY IRRIGATION PROJECT	05NC003	212
MOOSE MOUNTAIN CREEK BELOW KISSEY IRRIGATION PROJECT	05NC004	213
MOOSE MOUNTAIN CREEK BELOW MOOSE MOUNTAIN LAKE	05NC001	213
MOOSE MOUNTAIN CREEK NEAR GLENAVON	05NC005	214
MOOSE MOUNTAIN CREEK NEAR OXBOW	05ND004	215
NORTH CREEK NEAR MEADOW LAKE	06AD008	216
NORRISON DITCH NEAR EASTEND	11AC003	217
MOSQUITO CREEK NEAR PAMBRUN	05JB007	218
MOSQUITO CREEK NEAR VANGUARD	05JB005	218
MUDDY LAKE INFLOW NEAR REVENUE	05GB004	218
MUDJATIK RIVER NEAR PORCIER LAKE	06BC001	219
MULE CREEK AT GUNN'S RANCH NEAR MUNROLA	11AC014	219
MULL EAST DITCH	11AB051	220
MULL WEST DITCH	11AB052	220
MULLNER CREEK NEAR VERNDALE	05KA005	220
NASHLYN CANAL NEAR CONSUL	11AB018	221
NEEDHAM DITCH NEAR PIAPOT	05MA017	222
NEWTON LAKE MAIN CANAL	11AC056	223
NORBURY CREEK NEAR SPIRITWOOD	06AE001	224
NORTH SASKATCHEWAN RIVER AT PRINCE ALBERT	05GG001	226
NORTH SASKATCHEWAN RIVER NEAR DEER CREEK	05EF001	228
NORTH SASKATCHEWAN RIVER NEAR NORTH BATTLEFORD	05EG001	229
NOTUKEU CREEK ABOVE ADMIRAL RESERVOIR	05JB006	229
NOTUKEU CREEK NEAR GRAVELBOURG	05JB007	230
NOTUKEU CREEK NEAR VANGUARD	05JB001	231
OLDMAN RIVER NEAR GOLDFIELDS	07NC001	232
OPUNTIA LAKE WEST INFLOW	05GC007	233
OSCAR CREEK NEAR ERYDOR	05GD002	233
OTHERSIDE RIVER AT OUTLET OF NEACHEDI LAKE	07LE006	234
OVERFLOWING RIVER NEAR HUDSON BAY	05LD003	234
OXARAT CREEK AT WYLIE'S RANCH	11AC009	235
PAGATO RIVER AT OUTLET OF PAGATO LAKE	06BA007	235
PAGE CREEK NEAR IPPLEY	05BG006	236

NAME	STATION NO.	PAGE
PARSONAGE DITCH NEAR BATTLE CREEK	11AB053	236
PASQUIA RIVER AT HIGHWAY NO. 9	05KJ014	237
PATTERSON DITCH NEAR BATTLE CREEK	11AB054	237
PEARSE DITCH NEAR RAVENSCRAG	11AC047	238
PELLETIER CREEK NEAR DUNCAIRN	05ND029	238
PETAIGAN RIVER BELOW PETAIGAN SCHOOL	05KD002	239
PHEASANT CREEK NEAR ABERNETHY	05JL005	240
PHEASANT CREEK NEAR BLACKWOOD	05JL003	241
PIAPOT CREEK NEAR PIAPOT	05MA062	241
PIMTO CREEK NEAR WOODROW	05JA004	242
PIPESTONE CREEK ABOVE MOOSOMIN RESERVOIR	05ME003	242
PIPESTONE CREEK NEAR MOOSOMIN	05ME001	243
PIPESTONE CREEK NEAR ROSE VALLEY	05LA004	244
PIPESTONE RIVER BELOW ROTARIU LAKE	07LD003	244
POLLOCK EAST DITCH NEAR SOUTH FORK	05MD012	245
POLLOCK WEST DITCH FROM CYPRESS CREEK	05MA051	245
PONASS CREEK NEAR PONASS LAKE	05MA008	245
PORCUPINE RIVER AT OUTLET OF GROVE LAKE	07LC003	246
PRAIRIE RIVER NEAR PRAIRIE RIVER	05LB010	246
QU'APPELLE RIVER ABOVE BUFFALO POUND LAKE	05JG004	247
QU'APPELLE RIVER ABOVE EYEBROW LAKE	05JG010	248
QU'APPELLE RIVER AT HYDE	05JM013	249
QU'APPELLE RIVER AT MARIEVAL	05JM011	249
QU'APPELLE RIVER AT TANTALLON	05JM003	250
QU'APPELLE RIVER BELOW CRAVEN DAM	05JK002	252
QU'APPELLE RIVER BELOW EYEBROW LAKE	05JG011	253
QU'APPELLE RIVER BELOW KATEPWA LAKE	05JL001	254
QU'APPELLE RIVER BELOW LOON CREEK	05JK007	254
QU'APPELLE RIVER BELOW MOOSE JAW RIVER	05JG007	255
QU'APPELLE RIVER BELOW ROUND LAKE	05JM008	256
QU'APPELLE RIVER NEAR LUMSDEN	05JF001	257
QU'APPELLE RIVER NEAR WELBY	05JM001	259
QUILL CREEK NEAR QUILL LAKE	05MA020	259
RABBIT CREEK NEAR MAKWA	06AD005	260
RADOUGA CREEK NEAR BLAINE LAKE	05GE001	260
RANCH CREEK NEAR ANNANEIM	05MA013	261
RANCH CREEK NEAR ANNANEIM	05MA018	261
RAPID RIVER AT OUTLET OF LAC LA BONGE	06CB002	262
RED DEER RIVER NEAR ARCHERWILL	05LA005	262
RED DEER RIVER NEAR ERWOOD	05LC001	263
RED DEER RIVER NEAR HUDSON BAY	05LC002	264
RED DEER RIVER NEAR STEEN	05LB005	265
REINDEER RIVER AT OUTLET OF REINDEER LAKE	06DB002	266
RICHARDSON DITCH NEAR CONSUL	11AB05R	268
RIDALLS TRIBUTARY BELOW GREENLEIGH RESERVOIR	05MF013	269
RIDGE CREEK NEAR BRIDGEFORD	05JG013	270
ROCK CREEK AT INTERNATIONAL BOUNDARY	11AE005	271
ROCK CREEK BELOW HORSE CREEK NEAR INTERNATIONAL BOUNDARY	11AE009	272
ROMANCE CREEK NEAR WATSON	05MA016	273
ROSE CREEK AT DORRELL	11AC015	273
ROUGHBARK CREEK ABOVE ROUGHBARK RESERVOIR	05MB015	274
ROUGHBARK CREEK BELOW ROUGHBARK RESERVOIR	05MB023	274
RUSHLAKE CREEK ABOVE HIGHFIELD RESERVOIR	05JC004	275
RUSSELL CREEK NEAR VANGUARD	05JB002	276
SALINE CREEK NEAR NOKONIS	05JJ009	277
SANDY CREEK NEAR CARON	05JG001	277
SASKATCHEWAN RIVER ABOVE SIPANOK CHANNEL	05KD005	278
SASKATCHEWAN RIVER AT NIPAWIN	05KD001	278
SASKATCHEWAN RIVER BELOW CUMBERLAND HOUSE	05KH010	279
SASKATCHEWAN RIVER BELOW TOBIN LAKE	05KD003	279
SASKATCHEWAN RIVER NEAR MANITOBA BOUNDARY	05KH008	280
SASKATCHEWAN RIVER OLD CHANNEL	05KH009	280
SASKATOON S.E. PROJECT DIVERSION TO LITTLE MANITOU LAKE	05JJ006	281
SASKATOON S.E. PROJECT EAST MAIN CANAL BELOW BLACKSTRAP RESERVOIR	05MG008	281
SASKATOON S.E. PROJECT EAST MAIN CANAL BELOW BRIGHTWATER RESERVOIR	05MG006	282
SASKATOON S.E. PROJECT EAST MAIN CANAL BELOW BRODERICK RESERVOIR	05MG019	283
SASKATOON S.E. PROJECT EAST MAIN CANAL BELOW SELMA RESERVOIR	05MG009	283
SASKATOON S.E. PROJECT MAIN CANAL ABOVE BLACKSTRAP RESERVOIR	05MG005	284
SASKATOON S.E. PROJECT MAIN CANAL ABOVE BRIGHTWATER RESERVOIR	05MG007	285
SASKATOON S.E. PROJECT MAIN CANAL ABOVE SELMA RESERVOIR	05MG011	285
SASKATOON S.E. PROJECT MAIN CANAL AT INLET TO DELLWOOD RESERVOIR	05JJ007	286
SASKATOON S.E. PROJECT MAIN CANAL AT OUTLET OF MANITOU PUMPING STATION	05JJ005	287
SHAND CREEK NEAR DILLABOUGH	05LB006	287
SHELL BROOK NEAR SHELLBROOK	05GF001	288
SHEPHERD BROS. EAST DITCH NEAR BATTLE CREEK	11AB022	289
SHEPHERD DITCH NEAR CONSUL	11AB020	289
SHORT CREEK NEAR ROCHE PERCEE	05NB008	290
SHORT CREEK NEAR ROCHE PERCEE	05NB021	291
SHUARD CREEK AT JOHNSON'S RANCH	05MA004	291
SINCLAIR SOUTH DITCH NEAR LEITCHVILLE	05ND020	292
SKULL CREEK AT DOYLE'S RANCH	05MA016	292
SKULL CREEK NEAR PIAPOT	05MA075	292
SKULL CREEK NEAR SKULL CREEK	05MA002	293
SMALL DITCH NEAR CYPRESS	05MA026	293
SMITH CREEK NEAR MARCHWELL	05ME007	294
SMITH TRIBUTARY NEAR FISKE	05MF016	294
SMOOTHSTONE RIVER BELOW EMMELINE LAKE	06CC001	294
SNAKEBITE CREEK NEAR BEECHY	05NB001	295
SNIPE LAKE NORTH INFLOW	05MC003	296
SOURIS RIVER AT WEYBURN	05MB028	296
SOURIS RIVER NEAR BECHARD	05MB031	297
SOURIS RIVER NEAR ESTEVAN	05MB007	298
SOURIS RIVER NEAR GLEN EWEN	05MD001	299
SOURIS RIVER NEAR HALBRITE	05NB017	300
SOURIS RIVER NEAR LEWVAN	05MB035	301
SOURIS RIVER NEAR MACOUN	05MB016	301
SOURIS RIVER NEAR MCTAGGART	05NB030	302
SOURIS RIVER NEAR MIDALE	05MB006	302
SOURIS RIVER NEAR OXBOW	05MD003	303
SOURIS RIVER NEAR ROCHE PERCEE	05MB009	304
SOURIS RIVER NEAR SHERWOOD	05MD007	305
SOUTH SASKATCHEWAN RIVER AT SASKATCHEWAN LANDING	05MC001	306
SOUTH SASKATCHEWAN RIVER AT SASKATOON	05HG001	308
SOUTH SASKATCHEWAN RIVER AT ST. LOUIS	05HH001	310
SOUTH SASKATCHEWAN RIVER BELOW GARDINER DAM	05HF004	310
SOUTH SASKATCHEWAN RIVER NEAR LEMSFORD	05MB001	311
SOUTH SASKATCHEWAN RIVER NEAR OUTLOOK	05HF001	311
SPANGLER DITCH NEAR ADANS CREEK	11AB016	312
SPANGLER DITCH NEAR GOVENLOCK	11AB060	313
SPIRIT CREEK NEAR BUCHANAN	05MB007	314
SPRING CREEK NEAR KILOMETRE 21, CARON	05JG003	315
SPRING CREEK NEAR WYNYARD	05MA001	315
SPRING NO. 1 NEAR GULL LAKE	05MA029	316
SPRING NO. 2 NEAR GULL LAKE	05MA030	316
SPRUCE (LITTLE RED) RIVER NEAR PRINCE ALBERT	05GG002	316
SPRUCE RIVER BELOW AMOLIN LAKE RESERVOIR	05GG007	316

NAME	STATION NO.	PAGE
SPRUCE RIVER DIVERSION TO EMMA LAKE	05GG006	317
SPRUCE RIVER NEAR OUTLET FROM AMOLIN LAKE	05GG003	318
SQUAW COULEE NEAR WILLOW CREEK	11AB103	318
STOKER DITCH NEAR GOVERNLOCK	11AB110	319
STONY CREEK NEAR RAMSACK	05ND010	319
STONY CREEK NEAR STERNEN	05MC002	320
STRONG EAST DITCH NEAR EASTEND	11AC044	321
STRONG WEST DITCH NEAR EASTEND	11AC045	321
STURGEON RIVER NEAR PRINCE ALBERT	05GP002	321
STURGEON-WEIR RIVER AT LEAF RAPIDS	05KG007	322
STURGEON-WEIR RIVER AT OUTLET OF AMISK LAKE	05KG002	323
SUCKER CREEK AT GILCHRIST'S RANCH NEAR VIDORA	11AC008	324
SWAN RIVER NEAR MORQUAY	05LR008	325
SWEETWATER CREEK NEAR STAR CITY	05KB012	325
SWIFT CURRENT CANAL AT SWIFT CURRENT	05ND036	326
SWIFT CURRENT CREEK ABOVE DUNCAIRN RESERVOIR	05ND031	327
SWIFT CURRENT CREEK AT POLLOCK'S RANCH	05ND001	327
SWIFT CURRENT CREEK AT SINCLAIR'S RANCH (LOWER STATION)	05ND005	328
SWIFT CURRENT CREEK AT SINCLAIR'S RANCH (UPPER STATION)	05ND006	328
SWIFT CURRENT CREEK AT SWIFT CURRENT	05ND007	329
SWIFT CURRENT CREEK BELOW PELLETIER CREEK	05ND030	331
SWIFT CURRENT CREEK BELOW REID LAKE	05ND041	332
SWIFT CURRENT CREEK BELOW ROCK CREEK	05ND036	332
SWIFT CURRENT CREEK NEAR LEINAN	05ND039	333
SWIFT CURRENT CREEK NEAR SWIFT CURRENT	05ND038	334
SWIFT CURRENT CREEK NEAR SWIFT CURRENT (LOWER STATION)	05ND006	334
SWIFT CURRENT CREEK NEAR THE MOUTH	05ND017	335
TATAGWA LAKE DRAIN NEAR WEYBURN	05NB018	335
TAZIN RIVER ABOVE TESSELJIRI FALLS	07QC001	336
TEARING RIVER NEAR CUMBERLAND HOUSE	05KH012	336
TEMAILLE DITCH NEAR KLINTONEL	11AC046	337
TENNILE CREEK NEAR TENNILE POLICE DETACHMENT	11AB004	337
THUNDER CREEK AT MOOSE JAW	05JG003	338
THUNDER CREEK NEAR DARMODY	05JG012	338
THYNE HILL RIVER BELOW MACKENSIE LAKE	06DB003	338
TOBIN RIVER NEAR LOVE	05KE002	339
TURTLELAKE RIVER NEAR TURTLEFORD	05EG005	340
UNNAMED CREEK NEAR CUTBANK	05HF022	341
UNNAMED CREEK NEAR GLENSIDE	05HG018	341
VAL MARIE PUMP NO. 1	11AC068	342
VAL MARIE PUMP NO. 2	11AC069	342
VAN PATTENS CREEK NEAR EUROKI	05NB011	343
VIDORA DITCH NEAR CONSUL	11AB084	344
VIDORA DITCH NEAR CONSUL (LOWER STATION)	11AB116	344
WASCANA CREEK AT REGINA	05JF003	345
WASCANA CREEK BELOW EMONAU MARSH	05JF012	345
WASCANA CREEK NEAR LUMSDEN	05JF005	346
WASCANA CREEK NEAR RICHARDSON	05JF009	347
WASCANA CREEK NEAR SEDLEY	05JF004	348
WATERFOUND RIVER BELOW UNKNOWN LAKE	07LB002	349
WATESHEN RIVER ABOVE BEAVER RIVER	06AF006	349
WATERHEN RIVER NEAR GOODSOIL	06AF005	350
WATHANAN RIVER BELOW WATHANAN LAKE	06DC001	350
WEST FORK POPLAR RIVER AT INTERNATIONAL BOUNDARY	11AE002	351
WHEELER RIVER BELOW RUSSELL LAKE	06DA005	352
WHITE FOX RIVER NEAR GARDICK	05KE005	352
WHITE FOX RIVER NEAR WHITE FOX	05KE001	353
WHITE RESERVOIR OUTFLOW	05HF020	353
WHITE TRIBUTARY NEAR PISKE	05HF011	354
WHITESAND RIVER NEAR CANORA	05NB003	354
WHITESAND RIVER NEAR RAMSACK	05NB002	355
WHITESAND RIVER NEAR SNEHO	05NB004	356
WHITESAND RIVER NEAR SPRINGSIDE	05NB008	356
WHITEWATER CREEK NEAR INTERNATIONAL BOUNDARY	11AD001	357
WILCOX MAIN DITCH NEAR WILCOX	05JE008	358
WILKES BROS. DITCH NEAR OXARAT	11AB069	359
WILLIAM RIVER ABOVE CARSWELL RIVER	07HA009	359
WILLOW BROOK AT WILLOWBROOK	05NB005	360
WILLOWS COULEE NEAR ASSINIBOIA	05JD003	360
WINNER BROOK NEAR WINNER	05NA019	361
WIWA CREEK NEAR GRAVELBOURG	05JC001	361
WIWA CREEK NEAR ST. BOSWELLS	05JC006	362
WOOD AND ANDERSON SOUTH DITCH NEAR COULEE	11AB066	362
WOOD AND ANDERSON WEST DITCH NEAR COULEE	11AB024	363
WOOD RIVER DIVERSION TO CHAPLIN LAKE	05JC005	363
WOOD RIVER NEAR GRAVELBOURG	05JA001	364
WOOD RIVER NEAR LAFLECHE	05JA002	365
WOODPILE COULEE NEAR INTERNATIONAL BOUNDARY	11AB105	366
WYLIE DITCH NEAR OXARAT	11AC019	367
WYNYARD CREEK NEAR THE MOUTH	05NA015	368
WYNYARD CREEK NEAR WYNYARD	05NA017	368
YELLOW GRASS DITCH NEAR YELLOW GRASS	05NB011	369
YORKTON CREEK NEAR ESENEISER	05NB001	370